

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.


About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/






The reversion ...



The second transmission of the definition of the second resident of the property of the second of the



HAND-LIST

. OF

GENERA AND SPECIES

OF

BIRDS,

DISTINGUISHING THOSE CONTAINED

IN THE

BRITISH MUSEUM.

BY

G. R. GRAY, F.R.S. ETC.,
ASSISTANT RESPEC OF THE ECOLOGICAL COLLECTIONS.

PART I.

ACCIPITRES, FISSIROSTRES, TENUIROSTRES, AND DENTIROSTRES.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.
1869.

2677 B69 V.1

BIOLO' T

PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, PLEET STREET.





PREFACE.

THE object of this Hand-List is to give a complete List of all the Genera with their subdivisions; and also a comprehensive List of the species of Birds under the respective divisions to which they are supposed to belong.

The specific name in Antique (or thick) type exemplifies those species that are contained in the British Museum; whilst the Roman (or thin) type exhibits those species that are at present desiderata to the Collection.

The second or remaining part of the Hand-List is far advanced towards completion.

JOHN EDWARD GRAY.

May 10, 1869.

859548

• • •

TABLE OF GENERA AND SUBGENERA.

AC	CIPITRES.		23.		Leucopternis	Page 8	
	••		24.		Buteogallus	9	
1.	. Gypaëtid <i>a</i> e.		25.		Spizigeranus	9	
			26.	•	Urubitinga	9	
	1. Gypaëtinæ.		27.		Archibuteo	. 9	
1.		age 1	28.		Butaquila	10	
				3. 4	Aquilinæ.		
2	. VULTURIDÆ.		29.		Aquila	10	_
	l. Vulturinæ.		30.	,	Uroaëtus	11	
_			31.		Heteropus	11	
2.	Vultur	1	32. 33.		Pteroaëtus	11	
3.	Lophogyps	2	34.	•	Pseudaëtus	11	
4.	Otogyps	2	35.		Hieranëtus	12	
5.	Gype	2	36.	•	Spizaëtus	12	
	2. Sarcoramphins.		37.		Pternura	12 12	
_	-	_	38.		Spizastur		
6.	Sarcoramphus	3	39.		Lophaëtus	13 13	
7.	Cathartes	3	40.	•	Limnaëtus		
8.	Catharista	3	41.		Circaëtus	13	
9.	?	3	42		Harpyhaliœtus	14	
	3. Neophronina.		43.		Spilornis	14	
			44		Pandion	14 15	
10.	Neophron	4	45.	•	Poliosëtus	15	_
11,	Necrosyrtes	4	46.		Poliornis	15	
	4 Germahianasina		47.		Pernopsis	16	
	4. Gypohieracinæ.		48.		Thrasaëtus	16	
12.	Gypohierax	4	49.		Morphnus	16	
			50.		Haliæëtus	16	_
3	FALCONIDÆ.		51.		Thallasoaëtus	16	
_			52.		Cuncuma	17	
	1. Polyborinæ.		53.		Geranoaëtus	17	
13.	Ibycter	4	54.		Helotarsus	17	
14.	Daptrius	5	55.		Haliastur	18	_
15.		5					
16.	Senex	5	l	4. 1	Falconina.		
17.	Phalcobœnus	5	l		Falco		
18.	Polyborus	6	56.	•		10	
	- J	-	57.		Hierofalco	18	
	2. Buteoninæ.		58.		FalcoGennaia.	18	
19.	Buteo	6	59.			19	
20.	Gypoictinia	7	60.		Hypotriorchis	20 20	
21.	Craxirex	7	61.		Dissodectes		
22.	Tachytriorchis	8	62.			21	
.مم	ABOUT WHO TO THE	0	04.		Æsalon	21	

	•	D			T2
63.	Chicquera	Page 22	4. 8	ERPENTARIIDÆ.	Page
64.	Polihierax	22			
- 6 5.	Ieracidea	22 .	1.	Serpentariinæ.	
66.	Harpe	22	117.	Serpentarius	38
-67 .	Tinnunculus	22		oor pontativas	•
6 8.	Erythropus	23	l		
69.	Tichornis	23	ACC]	IPITRES Nocturni.	
70.	Pœcilornis	23	İ	•	
71.	Ierax	24	5. S	TRIGIDÆ.	
72.	Harpagus	24			
73.	Spiziapteryx	24	1.	Surninæ.	
5.	Milvinæ.		118.	Surnia	39
	_	~-	119.	Nyctea	39
74.	Baza	25	120.	Athene	39 ~
75.	Aviceda	25	121.	Tænioglaux	39
76.	Pernis	25	122.	Tænioptynx	40
77. 78.	Henicopernis	26 26	123.	Smithiglaux	40
- 79.	Machaerhamphus	26	124.	Microglaux	40
80.	Milvus	26	125.	Hierocoglaux	40
81.	Lophoictinia	27	126.	Spiloglaux	41 -
82.	Nauclerus	$\tilde{27}$	127. 128.	Cephaloptynx	41 41
83.	Chelictinia	$\overline{27}$	129.	Rabdoglaux	41
84.	Rostrhamus	27	130.	Sceloglaux	41
85.	Cymindis	27	131.	Glaucidium	42
86.	Regerhinus	27	132.	Microptynx	42
~ 87.	Elanus	28	133.	Micrathene	43
88.	Gampsonyx	28	134.	Spectyto	43
89.	Ictinia	28		- •	
9 0.	Nertus	29	2.	Buboninæ.	
			135.	Bubo	43
ю.	Accipitrinæ.		136.	Huhua	44
~ 91.	Astur	29	137.	Urrua	44
92.	Leucospiza	29	138.	Nyctaetus	44
 93.	Lophospiza	30	139.	Nisuella	44
94.	Asturina	30	140.	Ascalaphia	44
95.	Buteola	30	141,	Pseudoptynx	45
96. 07	Rupornis	30	142. 143.	Ketupa	45
97. 98.	Geranospiza	30 31	144.	Scotopelia	45 45
99.	Micrastur?	31	145.	Scops	46
100.	Herpetotheres	31	146.	Lempijius Pisorhina	46
101.	Accipiter	31	147.	Acnemis	46
102.	Cooperastur	32	148.	Ptilopsis	46
103.	Hieraspiza	33	149.	Megascops	46
104.	Urospiza	34	150.	Gymnasia	47
105.	 ?	34	151.	Lophostrix	47
106.	Micronisus	35		•	
107.	Tachyspiza	35	3.	Syrniinæ.	
108.	Sclerospiza	35	152.	Syrnium	48
109.	Kaupifalco	36	153.	Ptynx	48
110.	Melierax	36	154.	Bulaca	49
77	Circina .		155.	Myrtha	49
	Circina.		156.	Ciccaba	49
- 111.	Circus	36	157.	Macabra	49
112.	Spilocircus	36	158.	Gisella	50
113.	Strigiceps	37	159.	Pulsatrix	50
114.	Glaucopteryx	37	160.	Otus	50 ~
115.	Spizacircus	37	161.	Nyctalops	50

TABLE OF GENERA AND SUBGENERA.						
163. 164. 165. 166.	Pseudoscope Brachyotus Phasmaptynx Nyctala	Page 51 51 51 51 51	203. 204. 205. 206.	Tachornis	Page 64 64 64 65	
-167. 168. 169. 170. 171. 172.	Strigins. Strix Glyphidiura Glaux Dactylostrix Megastrix Phodilus SSERES Fissirostree	52 52 53 53 53 53	2. 207. 208. 209. 210. 211. 212. 213. 214.	Chæturinæ. Chætura Hirundapus	66 68 67 67 67 67 68	
1. C	APRIMULGIDÆ.		3. F	HRUNDINIDÆ.		
173. 174. 175. 176. 2. 177. 3.	Podarginse. Podargus Batrachostomus Otothrix Ægotheles. Steatornithinse. Steatornis Nyctibiinse. Nyctibius Caprimulginse. Caprimulginse. Caprimulginse. Caprimulginse. Teaprimulginse. Caprimulginse. Stenopalis Macropsalis Diplopsalis Tetroura Antrostomus Nyctiphrynus Stenopsis Siphonorhis Eleothreptus Nyctidromus Scortornis Macrodipteryx Cosmetornis	53 54 55 55 55 55 56 58 58 58 58 58 58 59 60 60 60 60 60 61	1. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 231. 232. 235. 236. 237. 238. 239. 240. 241. 242.	Hirundo Cecropis Lillia Hypurolepsis Hylochelidon Lagenoplastes Uromitus Psalidoprocne Hemicecrops Phedina Petrochelidon Tachycineta ——? Callichelidon Pygochelidon Atticora Neochelidon Notiochelidon Pristoptera Cheramocca Cotile Stelgidopteryx Ptyonoprogne Chelidon Delichon Progne Phæoprogne Phæoprogne Tapera	70 70 70 70 71 71 71 72 72 72 73 73 74 74 74 75	
5. 194. 195. 196. 197. 198. 199. 200.	Podagerinæ. Podager. Lurocalis Chordeiles. Nyctiprogne Rhamphaoratus Eurostopodus Lyncornis	61 61 62 62 62 62	4. (1. 243. 244. 245. 246. 247.	Coracians. Coracias	75 75 76 76	
l. - 201.	Cypselus	63	248.	Leptosomus		
202.	Čypsiurus	64	249.	Brachypteracias	77	

		Page 77	1		Page 86	
250.			286.			
251 .	?	77	287.	Hypnelus	86	
			288.	Chaunornis	86	
5, I	EURYLAIMIDÆ.		289.	Nyctalus	86	
			290.	Monasa	87	
1.	Eurylaiminæ.		291.	Malacoptila	87	
~252.	Eurylaimus	77	292.	Nonnula	88	
253.	Serilophus	78	293.	Chelidoptera	88	
254.	Psarisomus	78	1			
255.	Corydon	78	10.	ALCEDINIDÆ.		
256.	Cymbirhynchus	78		D		
	oj zion zy nomaz minimi	••	1.	Daceloninæ.		
2.	Calyptomeninæ.		2 94 .	Dacelo	89	_
-257.	Calyptomena	78	295.	Choucalcyon	89	
	Cary promoner minimum	••	296.	Cittura	89	
ρ n	ODID E		297.	Melidora	89	
0. 1	ODIDÆ.		298.	Monachalcyon	89	
1.	Todinæ.		299.	Tanysiptera	90	
		70	300.	Halcyon	90	•
258.	Todus	79	301.	Chelicutia	91	
			302.	Entomobia	91	
7. D	IOMOTIDÆ.		303.	Calialcyon	91	
1	Warmatimen		304.	Hylcaon	92	
1.	Momotinæ.		305.	Pelargopsis	92	
259.	Momotus	79	306.	Cyanalcyon	92	
26 0.	 ?	80	307.	Sauropatis	92	
261.	Crybelus	80	308.	Todiramphus	93	-
261°.	Urospatha		309.	Caridagrus	93	
262.	Baryphthengus	80	310.	Astacophilus	93	
263.	Eumomota	80	311.	Actenoides	93	
264 .	Prionirhynchus	80	312.	Lacedo	94	
265 .	Hylomanes	81	313.	Caridonax	94	
			314.	Syma		
8. 7	Rogonidæ.		315.	Ceyx	94	
	Museumin en		316.	Therosa	95	
	Trogoninæ.		316•.	Ceycopsis	App.	
266.	Trogon	81	2.	Alcedininæ.		
267.	Aganus	81			ΩE	_
268.	Trogonurus	82	317.	Alcedo	95	_
269.	Hapalophorus	.83	318.	Corythornis	96	
270.	Pothinus	83	319.	Ispidina	96	_
271.	_ Temnotrogon	83	320.	Alcyone	96	
272.	Priotelus	83	321.	Ceryle	97	
273.	Apaloderma	83	322.	Megaceryle	97 97	
274.	Harpactes	83	323.	Ichthynomus		
275.	Pyrotrogon	84	324.	Streptoceryle	97	
276.	Duvaucelius	84	325.	Chloroceryle	97	
277 .	Oreskios	84	326.	Amazonis	98	
278.	Apalharpactes	84	١ ــ .			
279.	Pharomacrus	84	ш.	MEROPIDÆ.		
280.	Tanypeplus	85	1	Nyctiornithina.		
281.	Cosmurus	85	1			
282.	Leptuas	85	327.	Nyctiornis	98	
			328.	Bucia	98	
9. I	BUCCONIDÆ.		329.	Meropiscus	98	
,	Bucconins.		330.	Meropogon	98	
		0.	331.	Bombylonax	98	
283.	Bucco	85	2	Meropina.		
284 .	Tamatia	85 86	222	Manana	90	

		Раде	ı		Page
333.	Melittophas	Page 99	373.	Carmelita	
334.	Blepharomerops	99	374.	Panæola	
335.	Aërops		375.	Hedydipna	
336.	Phlothrus		376.	Mangusia	
337.	Melittotheres		377.	Angladiana	100
338.			378.	Cosmeteirs	100
339.	Tethraërops		3/6.	Cosmeteirs	108
340.	Melittias		9	Promeropinæ.	
	Cosmaërope			_	
341.	Sphecophobus		379.	Promerops	
342.	Dicrocercus	too	380.	Æthopyga	109
343.	Melittophagus	101	381.	Anthobaphes	110
344 .	Coccolarynx	101	382,	Chalcostetha	110
			383.	Hermotimia	
12. (GALBULIDÆ.		384.	Chalcoparia	111
				-	
1.	Galbulinæ.		3.	Arachnotherinæ.	
345.	Galbula	101	385.	Arachnothera	111
346.	Caucalias		386.	Arachnoraphis	
347.	Urogalba		387.	——?	
348.	Brachygalba		388.	Arachnechthra	
349.	Jacamaralcyon	102	389.	Cyrtostomus	
350.			390 .	Leptocoma	
335.	Galbalcyrhynchus		391.	Anthumtos	110
	? Galbuloides(note)	102		Anthreptes	112
351•.	r Ganduloides(note)	103	392.	—-? ·······	119
			4.	Drepaninæ.	
9 D	ASSERES Tenuirostr	-04	393.	-	110
#. II	TOOTHTO LEHUHARI	Co.		Drepania	
1 17	PUPIDÆ.		394.	Vestiaria	
I. U	TOTIDAL.		395.	Himatione	
1.	Upupinæ.		396.	Hemignathus	
		109	397.	Moho	
352.	Upupa	103	398.	Psittirostra	
9	Irrisorina.		399.	Loxops	
		100	400.	Dicæum	
353.	Irrisor		401.	Phenacistes	
354.	Lamprolophos	104	402,	Microchelidon	115
355.	Cyanepops	104	403 .	——?	115
356.	Scoptelus	104	404.	Pachyglossa	115
357.	Rhinopomastus	104	405.	Piprisoma	116
			406.	Pholidornis	116
ა.	Epimachinæ.		407.	Prionochilus	116
-358.	Ptilornis	104	408.	Anaimos	116
359.	Craspedophora		409.	Melanocharia	116
360.	Epimachus				
361.	Seleucides		3 0	EREBIDÆ.	
362.	Semioptera	105	٠. ١	CEICEDIDIE.	
363.	Falculia		1.	Cœrebinæ.	
			410.	Cœreba	. 116
2. I	PROMEROPIDÆ.		411.	Dacnis	117
			412.	Polidacnis	117
1.	Nectarininæ.		413.	Eudacnis	
364.	Nectarinia	106	414.	Ateleodacnis	
365.	Cinnyris		415.	Hemidacnis	
366.	Chalcomitra		416.	Chlorophanes	110
367.			417.	Dieloge	110
367. 368.	Chromatophora Anthodiæta		418.	Diglossa	110
				Tephrodiglossa	110
369. 370	Adelinus		419.	Pyrrhodiglossa	. 118
370.	Cyanomitra		420.	Cyanodiglossa	. 119
371.	Leucochloridia		421.	Melanodiglossa	. 119
372.	Aidemonia	108	422.	Diglossopis	. 119

400	Q			_
423. 424.	Conirostrum 119	477.	Cyanomyia	Page
425.	Spodiornis	478.	Oniethornore	133
426.	Oreomanes 120	479.	Opisthoprors	
	Certhiola 120	480.	Topaza	
4 27.	Glossiptila 120	481.	Florisuga	
	ID ACTIVITY ID TO	482.	Microchera	
4. 1	ROCHILIDÆ.	483.	Delattria	
1	Phæthornithinæ.	484.	Calothorax	
		485.	Thaumastura	
428 .	Phaëthornis 121	486.	Doricha	
429 .	Guyornis 121	487.	Manilia	
430 .	Orthornis 121	488.	Stellula	
431.	Pygmornis 122	489.	Rhodopis	
432. 433.	Momus	490.	Myrtis	
434.	Eremita 122	491.	Lafresnaya	
	Grypus 123	492.	Ionolaima	
435.	Eutoxeres 123	493.	Trochilus	
2.	Polytminæ.	494.	Archilochus	
436.		495.	Docimastes	
437.	Oreotrochilus 123 Polytmus	496.	Eugenes	
407.	Campylopterus 124	497.	Eugenia	
438.	Androdon 124	498.	Heliodoxa	137
439.	Platystylopterus 124	499.	Leadbeatera	137
440.	Sæpiopterus 124	500.	 ?	
44 1.	Loxopterus 124	501.	Corinnes	
44 2.	Pampa 124	502.	Heliomaster	
443.	Aphantochroa 125	503.	Oreopyra	
444 .	Phæochroa 125	504.	Helianthea	
44 5.	Eupetomena 125	505. 506.	Hypochrysia	
44 6.	Lampornis	507.	Diphlogæna Pterophanes	
44 7.	Hypophania 125	508.	Bourcieria	
44 8.	Margarochrysis 126	509.	?	
449. 450.	Chalybura	510.	Lampropygia	
451.	Glaucis	511.	Conradinia	
4 52.	Threnetes	512.	Cœligena	
4 53.	Sternoclyta 127	513.	 ?	
454.	Colibri	514.	Heliangelus	139
455 .	Praxilla 127	515.	Heliotrypha	
456.	Telesiella 127	516.	Doryfera	
457 .	Schistes 127	517.	Clytolæma	
4 58.	Leucochloris 127	518.	Phaiolaima	140
4 59.	Polytmus 128	519.	Lamprolaima	140
46 0.	Elvira 128	520. 521.	Aglæactis Boissonneaua	
461 .	Smaragdites 129	522.	Ramphimicron	
46 2.	Leucippus 129	522.	Eupogonus	
463. 464.	?	E24.	Lampropogon	
465.	Cyanochloris 129	525.	Oxypogon	
466.	Eulampis	526.	Oreonympha	
467.	Sericotes	527.	Urosticte	
468.	Thalurania	528.	Adælomyia	
469.	?	529.	Phlogophilus	
470.	Saucerottia 131	530.	Anthocephala	
471.	Emilia 131	531.	Urolampra	
4 72.	Amazilis 131	532.	Abeillia	
4 73.	Hemistilbon 132	533. 534.	Diotima	
474.	Erythronota	535.	Saphos	
4 75.	Eupherusa	536.	Cynanthus	

TABLE OF GENERA AND SUBGENERA.

		Page			Page
537.	Lesbia	143	593.	Entomophila	
538.	Psalidoprymma	143	594.	Conopophila	
539.	Discosura	144	595.	Certhionyx	
540.	Steganurus		5 96 .	Gliciphila	
541.	Uralia		597.	Stigmatops	
542.	Loddigesia		598.	Acanthorhynchus	155 -
543.	Selasphorus	144	2.	Meliphaginæ.	
544. 545.	Calypte Atthis		ļ	- -	127
546.	Acestrura		599. 600.	Meliphaga Ptilotis	156 #
54 7.	Chatocercus		601.	Stomioptera	
548.	Heliactin		602.	Lichenostomus	
549.	Gouldia		603.	Foulehaio	
550.	Popelairia	146	604.	Phylidonyris	
551.	Tryphæna		605.	Meliornis	
552.	Calliphlox		606.	Prosthemadera	1.8
553.	Philodice	146	607.	Anthornis	
554.	Smaragdochrysis	146	608.	Anthochæra	
555.	Lophornis		609.	Anellobia	
556. 557.	Paphosia Telamon		610.	Chætoptila	
557. 558.	—— ?		611. 612.	Leptornis	
55 9 .	Polemistria		613.	Xanthotis	
560.	Sephanoides		614.	Pogonornis	159
561.	Chrysolampis		615.	Philemon	159 -
562.	Orthorhynchus	147	616.	Tropidorhynchus	160
563.	Cephallepis	148	617.	Entomiza	
564 .	Hylocharis		618.	Manorina	
565.	Eucephala	148	619.	Myzantha	160 -
5 66 .	Panychlora	148	3.	Melithreptinæ.	
5 6 7. 5 6 8.	Prasites		ì	_	
569.	Chlorolampis		620.	Melithreptus	
570.	— ?		621. 622.	Piectoramphus	
571.	Chlorostilbon		623.	Zosterops	
572.	Mellisuga	150	624.	Cyclopterops	164
573.	Sp. radinus	150	625.	Spirops	164
574 .	Patagona	150	626.	Orosterops	164
575.	Damophila		627.	Tephras	164 —
576. 577.	Juliamyia Basilinna		628.	Helaia	164
577. 578.	Avocettula				
579.	Augastes		6. A	NABATIDÆ.	
580.	Lamprurus		,	Enmaniina	
581.	Cyanophaia		1	Furnariinæ,	
582.	Circe		629.	Furnarius	
583.	Phæoptila		630. 631.	Cinclodes	
584 .	Klais		632.	Upucerthia	
585.	Phemonoë		633.	Lochmias	
58 6 .	Eriocnemis		634.	Enicornis	
587. 588.	Threptria Engyete		635.	Limnornis	
589.	Derbyomyia		636.	Geositta	
590.	Heliothrix		637.	Geobamon	167
000.	220200000000000000000000000000000000000	100	638.	Geobates	167
e 1	ART TOU A CUT PE		2.	Sclerurinæ,	
5. L	KELIPHAGIDÆ.		639.	Sclerurus	167
1.	Myzomelinæ.				
- 591.	Myzomela	153	3,	Synallaxinæ.	
592.	Cissomelas		640.	Synallaxis	168 -
				b2	

	Pa	ge			Page	
641.	Anabates 10	69	7. C	ERTHIDÆ.		
642.	Sylviorthorhynchus, 10	69	_			
64 3.	Leptasthenura 1	70		Certhiinse.		
6 44 .	Bathmicercus 1'	70	696.	Certhia	183	-
646.	Oxyurus 1	70	697.	Caulodromus	183	
646 .	Cranioleuca 17	70	698.	Salpornis	184	
647.	Phleocryptes 17	70	_		•	
648.	Asthenes 1'	70	2.	Tichodrominæ.		
649.	Melanopareia 1'		699.	Tichodroma	184	
650.	Certhiaxis 1		700.	Climacteria	184	_
651.	Coryphistera 1'		701.	Rhabdornis	184	
652.	Anumbius 1'					
653.	Anabacerthia 1'		8. N	ienuridæ.		
654.	Malacurus 1		1	Warmenin		
655.	Phylidor 1			Menurinæ.		
656.	Automolus 1		702.	Menura	185	~
657.	Eusphenura 1		0	Omth amender		
658.	Dendroma 1			Orthonycinæ.		
659.	Thripophaga 1		703.	Orthonyx		-
660.	Pseudocolaptes 1		70 4 .	Mohoua	185	
661.	Homorus 1					
662.	Thripadectes 1		9. P	TEROPTOCHIDÆ.		
663.	Ancistrops 1		1	Dtementechin er		
664.	Pseudoseisura 1			Pteroptochinæ.		
665.	Xenops l'	1	705.	Hylactes		
666.	Sphenops 1		706.	Pteroptochos	186	
667.	Anabasitta 1		707.	Acropternis		
668.	Anabatoides 1		708.	Liosceles		
669.	Heliobletus 1		709.	Triptorhinus	186	
		.	710.	Agathopus	187	
4.	Oxyrhamphinæ.		711.	Scytalopus		
670.	Oxyrhamphus 1'	75	712.	Meruxalis		
		1	713.	Rhinocrypta	187	
5.	Dendrocolaptinæ.			•		
671.	Dendrocolaptes 1	75	10. 1	rroglodytidæ.		
672.	Xiphocolaptes 1	76		(Mary -1 - 1-4)		
673.	Dendrexetastes 1'	76		Troglodytinæ.		
674 .	Nasica 1	76	714.	Tesia		
675.	Dendroplex l'	77	715.	Anura		
676.	Dendrornis 1'	77	716.	Troglodytes		_
677.	Xiphorhynchus 1'	78 I	717.	Thriothorus		_
678.	Drymornis 1	78	718.	Pheugopedius		
679.	Picolaptes 1'	78	719.	Thryophilus		
680.	Lepidocolaptes 1'	79	720.	Thryomanes		
681.	Dacryophorus 1'	79	721.	Cistothorus		
682,	Dendrocincla 1'	79	722.	Telmatodytes		
683.	Dendromanes 18	80	723.	Hylemothrous	191	
684.	Sittasomus 18	80	724.	Donacobius		_
685.	Margarornis 1	80	725.	Heleodytes		
686.	Siptornis 18	80	726.	Campylorhynchus		
687.	Glyphorhynchus 18	81	727.	Cyphorhinus		
688.	Pygarrhichus 1	81	728.	Microcerculus		
^		1	729.	Henicorhina		
б.	Sittinæ.		730.	Salpinctes		
689.	Sitta 1		731.	Catharpes		
690.	Callisitta 1		732.	Odontorhynchus		
691.	Dendrophila l	82	733.	Cinnicerthia	194	
692.	Hypherpes 1	82	_	Matanin		
693.	Sitella 1			Tatarinæ.		
694 .	Acanthisitta 1	83	734 .	Tatare	194	<
#OE	Vanious 1	20	796	TI-b-i-4	104	

787.

Calamodus 209

Grandala 224

		Page	ı		Page
5.	Saxicolinæ,		3. C	HAMÆADÆ.	
- 842.	Saxicola	224			
843.	Campicola		1.	Chammanm.	
8 44 .	Cercomela		891.	Chamæa	238
845.	Dromolæa		1		
846.	Agricola		4 7	INIOTILTIDÆ.	
84 7.	Myrmecocichla		Z. D	unioiiliida.	
84 8.	Oreicola	227	1.	Mniotiltinæ.	
84 9.	Rhodophila		892.		ൈ
850.	Pratincola		893.	Mniotilta	
851 .	Petroica		894.	Compsothlypis	
 852.	Erythrodryas	228	895.	Protonotaria	
853.	Melanodryas		896.	Helmitheros	
854.	Amaurodryas	229	897.	Perissoglossus	
855 .	Pœcilodryas	229	898.	Dendroica	
856.	Myiomoira	229 000	899.	Thaumasioptera(note)	
857. 858.	Miro			(11010)	
~859.	Drymodes		2.	Trichadinæ.	
8 6 0.			1900.	Oporornis	242
66 0.	Origma	200	901.	Trichas	
6.	Accentorina.			22101100	~12
- 861.	Accenter	230	3.	Setophaginæ.	
862.	Spermolegus	230	902.	Setophaga	210
863.	Tharrhaleus		903.	Myioborus	
555.			904.	Cardellina	
2 F	ARIDÆ.		905.	Ergaticus	
۷. ۱			906.	Wilsonia	
1.	Parina.		907.	Euthlypis	
~ 864.	Parus	231	908.	Basileuterus	
865.	Pœcile		909.	Idiotes	
866.	Cyanistes		910.	Myiothlypis	
867.	Machlolophus			- ••	
868.	Lophophanes			FOR A CIT I ID IS	
869.	Baeolophus		9. 1	iotacillidæ.	
870.	Melaniparus		1.	Motacillinæ.	
871.	Melanochlora		911.		0.15
872.	Psaltria	231	912.	Motacilla	
873.	Psaltriparus	234	913.	Budytes Calobates	
874.	Auriparus		914.	Limonidromus	
875.	Orites		915.	Grallina	
876.	Suthora		916.	Enicurus	
877.	Chlenasicus		917.	Ephthianura	
878.	Certhiparus				
87 9 .	Sphenostoma		2.	Enicocichlinæ.	
880.	Xerophila Parisoma		918.	Eniococichla	249
881.	Ægithalopsis	236	J 20.	23110000102122	210
882.	Angionatopais	200	3.	Anthinæ.	
2.	Ægithalinæ.		919.	Anthus	240
883.	Ægithalus	236	920.	Pediocorys	
884.	Anthoscopus	236	921.	Notiocorys	
885.	Ægithaliscus		922.	Neoc rys	
886.	Cephalopyrus		923.	Agrodroma	
887.	Panurus		924.	Cinœdium	
888.	Sylviparus		925.	Pipastes	
889.	Acanthiparus	237	926.	Spipola	251
			927.	Corydal a	
3.	Polioptilinæ.		928.	Macronyx	
	Poliontila	237	929.	?	

6. 7	rurdidæ.	1			Page
		Page	2	Mesitinæ.	
1.	Turdinæ.		981.	Mesites	267
-9 30.	Turdus	253			
931.	Psophocichla				
932.	Arceuthornis		9. P	ycnonotidæ.	
933.	Hylocichla	253		_	
	O	054	1.	Pycnonotinæ.	
~ 0 34,	Oreocincla	055	982.	Microscelia	969
935.	Anthocincla		983.	Microtarsus	
~9 36.	Merula				
937.	Cichloselys	255	984.	Trachycomus	
938.	Thoracocincla	256	985.	Pycnonotus	
939.	Cichloides	256	986.	Rubigula	
940.	Hodoiporus		987.	Meropixus	269
941.	Hesperocichla	258	988.	Kelaartia	
942.	Rhodinocichla	258	989.	Crocopsis	269
943.	Semimerula	258	990.	Ixos	269
944.	——?		991.	Alcurus	
			992.	Hemixus	
945.	Myiocichla	050	993.	?	
946.	Melanoptila	200			
947.	Catharus		994.	Euptilosus	
948.	Malacocichla	259	995.	Otocompsa	
949.	Margarops	259	996.	Spizixos	
950.	Cichlherminia	259	997.	Ixidia	
951.	Nesocichla		998.	Brachypodius	271
952.	Geocichla		999.	Apalopteron	271
953.	Chamætylas		1	• •	
954.	Monticola		2.	Phyllornithinæ.	
	—— ?				070
955.				Phyllastrephus	
956.	Petrophila			Hypsipetes	
957.	Zoothera		1002.		
958.	Andromedon		1003.		
959.	Cichlopasser	261	1004.	Sibia	273
96 0.	Mimus	261	1005.	Malacias	. 273
961.	Scotiomimus		1006.	Criniger	. 273
962.	Oroscoptes	262	1007.	Ixonotus	274
963.	Melanotis		1008.		
964.	Spodesilaura		1009.		
965.	Mimocichla		1010.		
'966.	Mimokitta	263	1011.		
967.	Harporhynchus				
968.			1012.		
			1013.		
969.	Cinclocerthia	200	1014.		
970.	Ramphocinclus	. 204	1015.		
971.	Myiophonus	. 264	1016.		
972.	Arrenga	. 204	1017.		
973.	Chaetops	. 264	1018.	Andropadus	. 276
974.	Bessonornis	. 264	1019.	Yuhina	. 276
975.	Copsychus	. 265	1020.	Ixulus	. 276
976.	Čercotrichas	. 266	1021.		
977.	Gervaisia	. 266	1022.		
7. 3	HYDROBATIDÆ.		3.	Crateropodinæ.	
1	. Hydrobatinæ.		1023	Pomatorhinus	. 277
		000	1024		
978.	Hydrobata	. 200	1025		
-			1025		
8.	EUPETIDÆ.				
1	. Eupetinæ.		1027		. 218
	-	00=	1028		. 218
979.		. 267	1029		. 279
980.	. Ajax	. 267	1030	. Argya	. 279

1001	(I) -41	Page		•	Page
1031.		279	1076.	—- ?	291
1032.		279	1077.	Droderipus	Z9 I
1033.	Acanthoptila	280	1078.	Baruffius	
	Cinclosoma		1079.	—-?	292
1035.	Crateropus	280	1080.	Xanthonotus	292
1036.	Ischyropodus	281	1081.	Mimeta	293
1037.	Hypergerus		1082.	Xanthomelus	293
1038.	Cichladusa	281			200
	Garrulax		2.	Ptilonorhynchinæ.	
1040.	Janthocincla				
1041.			1083.	Sericulus Ptilonorhynchus Ailuroedus	293 -
	Thamnocataphus		1084.	Ptilonorhynchus	293 ~
1042.	Gampsorhynchus	282	1085.	Ailuroedus	294
1043.		282	1086.	Chalmydera	294 _
1044.		282		•	
1045.	Leucodioptron	283	10		
10 46 .	Actinodura	283	13.	PITTIDÆ.	
1047.	Pellorneum	283	1	Distince	
	Turnagra			Pittinæ.	
1049.	Grammatoptila		1087.	Pitta	294
	Psophodes		1088.	Melanopitta	295
2000.	. ворионов	201	1089.	Hydrornis	206
			1090.	Phœnicocichla	004
10.	DICRURIDÆ.		1091.	Fuciable	200
	50		1092.	Eucichla	200
1.	Dicrurinæ.			Iridipitta	290
 1051 .	Dicrurus	284	1093.	Erythropitta	296
1052.	 ?		1094.	Philepitta	297
1053.	Musicus				
-1054.			14.	FORMICARIIDÆ.	
1055.	=:				
	Dissemurus		1.	Formicariina.	
1056.	Dicranostreptus	287			
1057.			1095.	Grallaria	297 -
	Chibia		1096.	Codonistris	298
1059.	Chaptia	287	1097.	Grallaricula	298
1060.	Melænornis	287	1098.	Hypsibemon	298
1061.	Melanopepla	288	1099.	Pittasoma	208
1062.	Bradornis	288	1100.	Chamæza	298
1063.	Sigelus	288	1101.	Formicarius	299
	G		1102.	Phlegopsis	299
2.	Ireninæ.		1103.	Rhopoterpe	299
1064	Irena	900	1104.	Myrmelastes	900
1002.	Treus	200	1105.	Gymnocichla	300
			1106.	Heterocnemis	300
11	ARTAMIDÆ.		1107.	Hypomemia	200
	• • •		1108.	Hypocnemis	900
ı.	Artaminæ.		1109.	Myrmoborus	300
_ 1065.	Artamus	289		Myrmeciza	301
1066.			1110.	Corythopis Pithys	301
1067.	—?	200	1111.	Pithys	302
1068.		200	1112.	Gymnopithys	302
1069.	Cranalanius	200	1113.	Conopophaga	302
			_		
1070.	Anais		2.	Formicivorinæ.	
10/1.	Oriolia	290	1114.	Formicivora	303
	Pseudochelidon		1115.	Ellipure	300
	Analcipus		1116.	Ellipura	904
	-			Microrhopias	OU4
12.	ORIOLIDÆ.		1117.	Terenura	30-F
,			1118.	Psilorhamphus	
1.	Oriolinæ.		1119.	Cercomacra	304
			1120.	Pyriglena	305
10/4.	Sphecotheres	291	1121.	Percnostola	305
~1075.	Oriolus	291	1122.	Herpsilochmus	305

	TABLE OF GEN	VERA AND S	UBGENERA.	xvii
	P	ago I		Page
1123.	Myrmotherula	306 1179	5. Turdinus	319
1124.			B. Trichixos	
1125.	Myrmophila			
1126.	Ramphocænus 3	307 1178	3. Illadopsis	319
3.	Thamnophilina.			
1127.	Thamnophilus 3	₃₀₇ 16.	MUSCICAPIDÆ.	
1128.	Batara		. Muscicapine.	
1129.	Nisius 3	308 1179	Peltops	319
1130.	Hypaedaleus 3	~~ 1180	. Monarcha	320
1131.	Taraba 3	200 1181	l. Symposiachrus	
1132. 1133.	Erionotus			320
1134.	Hylolophus 3			321
1135.	Rhopocharis 3			
1136.	Pygoptila 3	1186		
1137.	Cymbilaimus 3	311 1187		
1138. 1139.	Dysithamnus 3		B. Muscicapula	322
1140.	Thamnomanes			
1141	Neoctantes			
1142	Biatas 3			
		1193		
15. 2	egithinidæ.	1194		
	T and brightness	1195	Hyliota	323
	Leothrichina.	1196		
1143. 1144.	Brachypteryx			
1145.	Kelaartia			394
1146.	Microcercus 3			324 ~
1147.	Leiothrix 3	12 1201	. Megabias	324
1148.	Mesia 3			
1149.	Siva 3			
1150. 1151.	Minla 3 —— ?			
1152.	Muscitrea 3			325
1153.	Pteruthius 3		Bainopus	325
1154.	?9		Cyornis	325
	Cutia	14 1209		326
1156. ~1157.	Leioptila 3 Lioptilus 3	314 121 0 314 121 1		
- 1207.	Moparus	1212		
2	Ægithininæ.	1213		326
1158.	Timalia 3		L. Anthipes	326
1159.	Timalides 3			
1160.	Dumetia 3		Digenea	328
1161. 1162.	Schoenicola		. Myiagrina.	
1163.	Erpornis 3		. Seisura	327 -
1164.	Pyctoris 3	16 1218	Piesorhynchus	327 -
1165.	Mixornis 3			327 -
· 1166.	Ægithina 3			328
1167. 1168.	Malacopteron		•	
1169.	Alcippe			
1170.	Macronus 3		. Platysteira	329
1171.	Cacopitta 3	18 1225	Batis	329
1172.	Trichastoma 3			329
1173. 1174.	Napothera 3 Drymocataphus 3	318 1227 318 1228		
44/W.	zijmoonopuus o	A LAAC		300
			·	

		Page	l		Page
1229.	Stenostira	330	1281.	Muscipipra	345
~1230.	Rhipidura	330	1282.	Copurus	343
1231.	Leucocirca,	331	1283.	Machetornis	346
18 32.	Muscylva	332	1284.	Muscisaxicola	346
1233.	Sauloprocta		1285.	Lessonia	347
1234.	Chelidorynx		1286.		347 -
1235.	 ?	332	1287.	Philotherus	347
1236.					-
1237.	Xeocephalus		3. 1	Platyrhynchinæ.	
1238.	Philentoma		1		347
1239.	Trochocercus		1288.	Platyrhynchus	
1240.	Todopsis		1289.	Todirostrum	
1220. 1000pais		001	1290.	Oncostoma	
3. Campephagina.			1291.	 ?	
		004	1292.	Muscylva	
1241.			1293.	Orcheilus	
_ 1242.		335	1294.	Colopterus	349
1243.	Crytes	336	1295.		349
1244.	Lobotos		1296.	Musciphaga	349 -
1245.	Grauculus		1297.	Phylloscartes	350
1246.	Gazzola		1298.	Euscarthmus	
1247.	Artamides	337	1299.	—— ?	350
1248.	Ptiladera	337	1300.	Culicivora	350
1249,	Pteropodocys	337	1301.	Habrura	350
1250.	Edolisoma		1302.	Pogonotriccus	350
-1251.	Volvocivora		1303.	Leptotriccus	350
1252.	?		1304.	Stigmatura	350
-1253.	Lalage		1305.	Serpophaga	351
1254.	Pseudolalage		1306.	Anairetes	351
1255.	Symmorphus	339	1307.	Cyanotis	351
~ 1256.	Oxynotus		1007.	Cyanous	-
~ 1257.	Ceblepyris		4. 1	Elaininæ.	
1258.	Cyanograucalus			Elainia	351
	0,420614404145111111111111111111111111111111	010	l		
17. TYRANNIDÆ.		1309.	Myiozeta		
-/			1310.	Legatus	
1.	Attilinæ.		1311.	Sublegatus	
	· · · · · · · · · · · · · · · · · · ·		1312.	Empidagra	954
1259.	Attila		1313.	Mylocapta	954
1260.	Casicrnis	341	1314.	Rhynchocyclus	954
9	Taniantarina		1315.	Ramphotrigon	954
	Tæniopterinæ.		1316.	Myiscleptes	954
1261.	Agriornis	341	1317.	Mionectes	
1262.		341	1318.	Pipromorpha	
126 3.	Tænioptera		1319.	Leptopogon	000 055
1264.	Hemipenthica		1320.	Capsiempis	
1265.	Pyrope		1321.	Phyllomyias	
1266.	Ochthoeca	342	1322.	Ornithion	305
1267.	Ochthodiæta	343	1323.	Myiophanistes	
1268.	Mecocerculus	343	1324.	Camptostoma	
1269.	Sayornia	343	1325.	Tyrannulus	
1270.	Aulanax	343	1326.	Tyranniscus	356
1271.	Fluvicola	343	1327.	Pitangus	356
1272.	Suiriri		1328.	Sirystes	357
1273.	Knipolegus		1329.	Myiodynastes	357
1274.	Ada		1330.	Hypermitres	357
1275.	Sericoptila		1331.	Kaupornis	358
1276.				_	
1277.	Alectrurus		5	Tyranninæ.	
1278.	Yetapa		1332.	Megarhynchus	358
1279.	Lichenops		1333	Muscivora	358
	Gubernetes		1334.	Hirundinea	358

TABLE OF GENERA AND SUBGENERA.

	Pag	re	Ampelion	Page
1335.	Myiobius 35	9 1383.	Ampelion	371 ~
1336.	Planchesia			
1337.	Cephalanius 35	9 1385.	Tijuca	372
1338.	Capnixus 35		Y imamaima	
1339.	Cariornis 35		Lipangina.	
1340.	Myiophobus 36		Lipangus	372
1341.	Empidochanes 36		Laniocera	
1342.	Pyrocephalus 36	0 1388.	Lathria	372
1343.	Mitrephorus 36		Laniisoma	373
1344.	Empidonax 36	1 1390.		
1345.	Contopus 36	1 1391.	? Schiffornis	
1346.	Syrichtha 36		Neopelma	373
1347.	Myionax 36		Heterocercus	374
1348.	Onychopterus 36		~	
-1349 .	Myiarchus 36		Gymnoderinæ.	
1350.	Blacicus		Querula	374
1351.	Empidias 36		Hæmatoderus	374
1352.	Empidonomus 36		Pyroderus	374
1353.	Tyrannus 36	4 1397.	Gymnoderus	
1354.	Dioctes 36	¹⁴ 1398,	Gymnocephalus	
1355.	Laphyctes 36	4 1399.	Cephalopterus	375
1356.	Satellus 36	4 1400.	Casmarhynchus	375
1357.	Melittarchus 36	b 1401.	Arapunga	375
1358.	Milvulus 36			
		5.	Piprina.	
18. /	AMPELIDÆ.	1402.	Pipra	375
	A	1403.	Cercophæna	
1.	Ampelinæ.	1404.	Chiroxiphia	
~ 1359.	Ampelis 36	5 1405.	——? ⁻	
_		1406.	Cirrhipipra	376
2.	Ptilogonydinæ.	1407.	Metopia	376
1360.	Ptilogonys 36	6 1408.	Masius	
1361.	Phainopepla 36	6 1409 .	Machæropterus	376
1362.	Myiadestes 36	6 1 410 .	Lepidothrix	377
1363.	Sericolius 36		Xenopipo	377
1364.	Turdampelis 36	7 1412.	Dixiphia	377
1365.	Platycichla 36	7 1413.	Ceratopipra	
		1414.	Corapipo	377
19. (COTINGIDÆ.	1415.	Dasyncetopa	378
•	(T) (A	1416.	Manacus	378
	Tityrinæ.	1417.	Chloropipo	
	Tityra 36		Hemipipo	
1367.	Erator 36		Piprites	378
1368.	Hadrostomus 36		Neopipo	378
1369.	Platypearis 36		Metopothrix	378
1370.	Pachyramphus 36		Ilicura	379
1371.	Platyrhynchus 36		Iodopleura	
1372.	Bathmidurus 36		Calyptura	379
1373.	Callopsaris 36	9 8	Rupicolinæ.	
o	Cotton		_	970
2.	Cotinginæ.	1400	Phoenicircus	
1374.	Phibalura 37	0 1426.	Rupicola	3/8 -
~ 1375.	Cotings 37		Phytotominæ.	
1376.	Xipholena 37	U		000
1377.	Carpodectes 37		Phytotoma	380
1378.	Orbignesius 37	1		
1379.	Porphyrolæma 37		VIREONIDÆ.	
1380.	Pipreola 37		Tinoonin o	
1381.	Euchlornis 37	1	Vireoninæ.	
1382.	Pyrrhorhynchus 37	1 1428.	Vireo	380

Page	The second	
1429. Laniovireo	Page 2. Laniings.	
1430. Vireosylvia		
1431. Vireonella 382	1462. Collyrio	
1432. Neochloë 382	1463. Fiscus	
1433. Vireolanius 382		
1434. Chlorochroa 382	1	
1435. Hylophilus 382		
1436. Pachysylvia 383	1467. Hypocolius	
1437. Cyclarhis 383	1469. Urolestes	
1438. Laletes 384	1470. Enneoctonus. 393	
	1471. Lanius	
2. Icteriinse.	1472. Phoneus	_
-1439. Icteria	1473. Cephalophoneus 394	
1440. Granatellus 384	1275. Cephatophoneus 051	
1441. Teretistris		
	3. Malaconotines.	
3. Dulinæ.	1474. Tephrodornis 394	
1442. Dulus 385	1475. Keroula 394	
	1476. Tephrolanius 394	
21. LANIIDÆ.	1477. Myiolestes 394	
22. 2021/22/2001	1478. Fraseria 394	
 Pachycephalins. 	1479. Hypodes 394	
-1443. Colluricincla 385	1480. Cuphopterus 395	
- 1444. Rectes	1481. Nilaus	
1445. ——?	1482. Prionops 395	
1446. Cracticus	1483. Sigmodus 395	
1447. Bulestes 386	1484. Eurocephalus 395	
1448. Oreoica	1485. Chaunonotus 395	
1449. Falcunculus	1486. Vanga 396	
· 1450, Pardalotus	1487. Xenopirostris 396	-
1451. Smicrornis 387	1488. Laniarius 396	
1452. Parmoptila 387	1489. Meristes 396	
- 1453. Pachycephala 387	1490. Malaconotus 396	
1454. Psaltricephus 389	1491. Dryoscopus 397	_
1455. Timixos 389	1492. Rhynchastatus 397	
1456. Pucherania 389	1493. Tchagra 398	
1457. Calicalicus 389	1494. Telophorus 398	
1458. Hylocharis 389	1495. Chlorophoneus 398	
-1459. Eopsaltria 389	1496. Pomatorhynchus 398 -	***
1460. Chasiempis 390	1497. Psalter 399	
1481 Phonomia 390		

AVES.

Order I. ACCIPITRES, L.

Suborder I. ACCIPITRES DIURNI, V.

FAM. I. GYPAËTIDÆ, G. R. Gr. 1842.

Subfam. I. Gypaëtinæ, Bp. 1831.

Falconinæ, p., Boie, 1826.

1. GYPAETUS, Storr. 1784.

Gyptus, Dum. 1806. Phene, Sav. 1809. "Gypaëtos, Ray," G. R. Gr. 1840.

Sw. C. of B.f. 184; G. of B.i. p. 2, pl. 1. f. 1; Reich. S. A. t. 98. f.

barbatus, L.; P. C. 431; Naum. Vög. t. 4, 5; Gould, B. E. pl. 4.
 Europe. grandis, Storr.; barbarus, Gm.; ossifragus, Sav. leucocephalus et melanocephalus, Meyer.

occidentalis, Schl. altaicus, Gebl. hemschalanus, Hutt.

12

nudipes, Brehm; Rüpp. S. U. t. 1.
 meridionalis, Keys. & Bl.; barbatus, p., G.R. Gr. barbatus, var. meridionalis, Brehm.

Pyrenees, Sard. Siberia. Himalayas.

Abyssinia. Natal.

FAM. II. VULTURIDÆ, Vig. 1825.

Falconidæ, p., 1831, et Gypohieracidæ, 1859, Bp. Cathartidæ, 1842, et Sarcoramphidæ, 1848, G. R. Gr.

Subfam. I. Vulturinse, Bp. 1838.

Gypinse, Bl. 1849.

2. VULTUR, Mahr. 1752, nec L. 1748, sed p. 1756.

Egypius, Sav. 1809. Vultur b. Ægypius, Nitzsch, 1840. Polypteryx, Hodgs. 1844.

Sw. C. of B. f. 91; G. of B. i. p. 5, pl. 3, f. 2; Reich. S. A. t. 99. f.

a. Votever.

3. monachus, L.; P. E. 425; Naum. Vög. t. 1; Gould, B. E. pl. 2. S. Europe.

cinereus, Gm.; niger, Gm.; arrianus, Tem. fuscus, Brehm. cupido, Hodgs.

N. Africa. Himalayas, C. India.

b. Lophogyps, Вр. 1854.

chincou, Daud.; P. C. 13; Lev. O. A. t. 12.
 occipitalis, Burch.; galericulatus, Tem.
 Abyssinia.

4. OTOGYPS, G. R. Gr. 1841.

eulophus, Ehr.

Hemigyps, Hodgs. 1844. Vultur, G. R. Gr. 1840. Sw. C. of B. f. 21; G. of B. i. p. 6, pl. 3. f. 3; Reich, S. A. t. 99, f.

5. auricularis, Daud.; Lev. O. A. t. 9.

tracheliotus, Forst.; segypius, Rüpp.

N. Africa.

 P nubicus, H. Smith, Griff. An. Kingd. i. pl. p. 64. ægypius, Tem. P. C. 407; auricularis, p., G. R. Gr. imperialis, Tem. P. C. 426.

 calvus, Scop.; P. C. 2; Gr. I. Ind. Z. pl. 15. 2. India. Burmah. pondicerianus, Gm.

5. GYPS, Sav. 1809.

Vultur, Briss. 1760. Gypolis, Agass. Vultur a. Gyps, Nitzsch, 1840. G. of B. i. p. 6, pl. 3. f. 1; Reich. S. A. t. 100. f.

 fulvus, Gm.; P. E. 426; Naum. Vog. t. 2.338; Gould, B. E. pl. 1. S. & S.W. Eur. percnopterus et vulgaris, Daud.

albicollis, Linderm.; fulvus, occidentalis et orientalis, Schl.; fulvus, G. Blas

fulvus, β , Blas. indicus, Tem. P. C. 28. fulvus indicus, Schl.

9. **Kolbii,** Daud.; Lev. O. A. t. 10. fulvus Kolbei, Schl.

S. Africa.

India, Burmah.

 indicus, Scop.; G. R. Gr. & M. G. B. pl. 3 (juv.). tenuirostris et tenuiceps, Hodgs. bengalensis, p., Bp. India, Nepal. Malayana.

 bengalensis, Lath.; P. C. 26; Gr. I. Ind. Z. pl. 15; Gould, B. As. pl.

India.

Rüppellii, Natt.; Rüpp. Atl. t. 32.
 vulgaris, Bp.; magnificus, Müll.
 marmoratus, Brehm; Kolbi, Cretzs.
 fulvus, γ, Blas.; Kolbii, juv., Rüpp.
 fulvus Rüppellii, Schl.; Rueppellii, Pelz.

changou, Daud.; leuconotus, Gr.

S. & N.E. Africa. White Nile.

 ? africanus, Salvad. moschatus, Würt.; bengalensis, p., Pelz. N. Africa. Sennaar.

Subfam. II. Sarcoramphines, G. R. Gr. 1844.

Vulturinæ, p., Bp. 1838. Cathartinæ, Lafr. 1839. Gryphinæ, Reich. 1850.

6. SARCORAMPHUS, Dum. 1806.

Vultur, L. 1758-66. Sarcorhamphus, Agass. Cathartes, Nitzsch, 1840. G. of B. i. p. 3, pl. 1. f. 4; Reich, S. A. t. 100. f.

a. SARCORHAMPHUS.

gryphus, L.; P. C. 133, 408, 494; Voy. Bonite, t. 2.
 n.W. America. cuntur, Duss.; condor, Less. magellanious, Shaw.

b. Cathartes, *Illig.* 1811.

Sarcoramphus, p., Dum.; Gypagus, V. 1816. Sarcoramphus, Cuv. 1817, et I. Geoffr. 1854. Gyparchus, Glog. 1842. Cathartes, p., Nitzsch, 1840. Sw. C. of B. f. 181.

papa, L.; P. E. 428; Lev. O. A. t. 13; Spix, A. B. t. 1.
 sacra, Bartr.?
 Florida?

S. CATHARISTA, V. 1816.

Vultur, V. 1807. Coragyps, I. Geoffr. 1854. Cathartes, p., Nitesch, 1840.
Sw. C. of B. f. 182; G. of B. i. p. 4, pl. 1, f. 3; Reich. S. A. t. 99. f.

a. CATHARISTA.

atrata, Bartr.; Wils. A. O. pl. 75. 2.
 aura, p., L.; fœtens, Illig.; iota, Ord.
 urubu, V. O. A. S. t. 2.
 urbis incola, Ricord; urbicola et Ricordi, Des Murs.
 aura, Spix, A. B. t. 2; jota et brasiliensis, Bp.
 atra brasiliensis, Schl.

S. of N. America. Costa Rica. W. Indies. Haiti, St. Domingo. Brazil, N. of S. Am. Chili

Cathartes, G. R. Gr. 1840, et p. Illig. 1811. Cathartes, p., Nitzech, 1840.

17. californiana, Shaw, Nat. Misc. pl. 301; P. C. 31; G. R. Gr. & M. G. B. pl. 2. Calif., Oregon. columbianus, Ord; vulturinus, Tem.

 aura, L.; Wils. A. O. pl. 75. 1; V. O. A. S. t. 2 bis. septentrionalis, Max.; iota, Mol.

 Burroviana, Cass.; Elliot, B. N. A. pl. urubitinga, p.,?, Pelz.

 urubitings, Natt. & Pelz.; P. E. 187? ruficollis, Spix? sura, Max. N. Amer., Calif. N. Mex., W. Ind., Falk I.? Chili? Mex., L. Calif.

Brazil, Guiana.

Subfam. III. Neophronins, G. R. Gr. 1848.

Cathartinæ, p., G. R. Gr. 1841. Neophrinæ, Cass. 1849. Perc-nopterinæ, Reich. 1850.

10. NEOPHRON, Sav. 1809.

Falco, L. 1748, nec 1735. Percnopterus, Rafinq. 1815. Percnoptères, Cuv. 1817. Gypaëtos, Bechst. Sw. C. of B. f. 183; G. of B. i. p. 3, pl. 1. f. 2; Reich. S. A. t. 99. f.

a. NEOPHRON.

 percnopterus, L.; P. E. 427, 429; Naum. Vög. t. 3; Gould, B. E. pl. 3.

fulvus, Bodd.; leucocephalus et fuscus, Gm.; meleagris, Pall.; albicans, Meisn.
ægyptiacus, Steph.; albus, Daud.

Europe, Africa.

Madeira, Dalmatia.

22. ginginianus, Daud.; Lath. H. B. pl. 5. percnopterus, p., auct.

India.

11. b. NECROSYRTES, Glog. 1842. Cathartes, Boie, 1826, nec Illig. 1811. Caprornis, Kaup, 1849.

23. pileatus, Burch.; P. C. 222.

S. & N. Africa.

monachus, Tem.; carunculatus, Smith (1829). niger, Less.

Subfam. IV. Gypohieracinæ, G. R. Gr. 1844.

Racaminæ, G. R. Gr. 1840.

12. GYPOHIERAX, Rüpp. 1835.

Racama, Gr. 1840. Recama, Selys-Long. 1862. Vultur b. Ægypius, p., Nitzsch, 1840.
 G. of B. i. p. 7, pl 3. f. ; Reich. S. A. t. 100. f. .

angolensis, Gm.; Shaw, Lev. Mus. pl. p. 153; Jard. & S. I. O. pl. 13; G. R. Gr. & M. G. B. pl. 4.
 Africa. hypoleucus, Benn.

FAM. III. FALCONIDÆ, Leach, Vig. 1825.

Subfam. I. Polyborinæ, Lafr. 1839.

Aquilinæ, p., Vig. 1825. Falconinæ, p., Bp. 1838. Cymindinæ, p., Sw. 1837.

13. IBYCTER, V. 1816.

Ibicter, Kaup, 1845. Gymnops, p., Spix, 1824.
Sw. C. of B. f. 181, 182, 186 a; G. of B. i. p. 9; Reich. S. A. t. 98. f.

a. IBYCTER.

25. americanus, Bodd. P. E. 417; Gal. des Ois. t. 6. aquilinus, Gm.; nudicollis, Daud.

S. America. Brazil. formosus, δ , Lath.; leucogaster, V. formosus, Pelz.

formosus, Q, Lath.; nudicollis, Q, Daud.

Cayenne?, Brazil.

26. gymnocephalus, Lafr.

Bolivia.

b. Daptrius, V. 1816.

Gymnops, Spix, 1824. Polyborus, Nitesch, 1840. Sw. C. of B. 186, b; G. of B. pl. 9. f. 1; Reich. S. A. t. 98. f.

27. ater, V.; P. C. 37, 342; Gal. des Ois. t. 5. aterrimus, Tem.

South America.

28. fasciatus, Spix, A. B. t. 4.

Brazil.

15. MILVAGO, Spix, 1824.

Parasifalco, Less. 1837? Polyborus, p., Nitzech, 1840. Sw. C. of B. f. 103; G. of B. i. p. 9, pl. 5. f. 3; Reich. S. A. t. 98. f. .

a. MILVAGO.

- chimachima, V.; Spix, A. B. t. 5, 4; Jard. § S. I. O. pl. 2. Brazil. degener, Illig.; ochrocephalus et strigilatus, Spix.
- chimango, V.; N. A. N. C. 1834, t. 6; G. R. Gr. & M. G. B. pl. 5.
 Brazil, Chili. pezoporus, Meyen; hyperstictus, Gould.

16. SENEX, Gr. 1839.

Ætotriorchis, Kaup, 1844. Helotriorchis, Reich. 1850. Reich. S. A. t. 98. f.

31. leucurus, Forst.; P. C. 29, 192, 224; Jard. & S. I. O. pl. 5. S. of S. America. australis, Gm.; novæ-zealandiæ, Tem. Falkland I. ambustus, Gm.; antarcticus, Less. plancus, Q, Forst.

17. c. Phalcobænus, Lafr. 1837.

Phalcobænus, Kaup, 1844. Falcobænus, Less. 1839. Reich. S. A. t. 98. f.

32. megalopterus, Meyen, N. A. N. C. 1834, t. 8. Chili, Bolivia. montanus, Lafr.; D'Orb. Voy. A. M. t. 2. crassirostris, Pels. Reise Novara, t. 1?

albogularis, Gould, Voy. Beagle, pl. 1.
 megalopterus, p., Schl.

carunculatus, Des Murs, Ibis, 1861, pl. 1.
 megalopterus, p., Sclat.

18. POLYBORUS, V. 1816.

Caracara, Cuv. 1817.

Sw. C. of B. f. 187; G. of B. i. p. 10, pl. 5. f. 2; Reich. S. A. t. 98. f.

35. tharus, Mol.; Spix, A. B. t. 3; Sw. Zool. Ill. n. s. pl. 2.

brasiliensis, Gm.; vulgaris, V. plancus, Mill. Cimel. Ph. pl. 17; cheriway, Jacq. Auduboni, Cass.?

Brazil.

Str. of Magellan.

Florida, Texas, Mexico.

Subfam. II. Buteoninæ, Sw. 1837.

Buteonina, Vig. 1825. Falconinæ, p., Bp. 1831. Thrasaëtinæ, p., Bl. 1849.

19. BUTEO, Cuv. 1799-1800.

Buses, Cuv. 1797-1798. Buteo, b, Nitssch, 1840.

Sw. C. of B. f. 109; G. of B. i. p. 11, pl. 5. f. 2; Reich. S. A. t. 95. f. .

a. Buteo.

36. vulgaris, Bechst.; P. E. 419; Naum. Vög. t. 32, 33; Gould, B. E. pl. 14.

buteo, L.; cinereus, Gm.; mutans et fasciatus, V.

communis, Cuv.; pojana, Savi; eximius, Brehm. ruflventris, Jerd. Ill. Ind. Orn. pl. 27.

India, Nepal, Sikkim. Japan, China.

Europe.

37. japonicus, Schl. F. J. t. 6. vulgaris japonicus, Schl.

38. plumipes, Hodgs.

pygmæus, Jerd.; japonicus, p., Bl.

Nepal.

39. desertorum, Daud.; Lev. O. A. t. 17. cirtensis, Lev.; capensis, p., Schl. vulpinus, Licht.; anceps, Brehm. tachardus, Bree, B. of Eur. pl. p. 97.

N.E. Africa.

40. capensis, Schl.

Martini, Bp.; tachardus, p., Hartl. vulgaris, β , Blas.; minor, Heugl.vulgaris, var. capensis, Pelz.

S. & W. Africa.

41. brachypterus, Pelz. Ibis, 1862, pl. 8. Delalandi, Des Murs; tachardus, Hartl. desertorum, p., Grandid.

Madagascar.

42. forox, Gm. Nov. C. Petr. xv. t. 10; Bree, B. of Eur. pl. p. 93. Europe. atracanus, Gm.; hypoleucus, Pall.

leucurus, Naum. rufinus, Rüpp. Atl. t. 29. longipes, Würt.

canescens, *Hodgs*.; longipes, *Jerd*. rufinus, *Bl*.; "pectoralis, *V*.," *Strickl*.

N. Africa.

N. & C. India.

43. augur, Rüpp. F. A. t. 16, 17. N. Africa. hydrophilus, *Rüpp*.
suguralis, *Salvad*.? (& immst., *Newt.*). E. Africa. 44. jackal, Daud.; Lev. O. A. t. 16. S. Africa. 20. b. Gypoictinia, Kaup, 1847. Gypsoictinia, G. R. Gr. 1849. Milvus, p., Kaup, 1851. Gypsictinia, Reich. 1850. Reich. S. A. t. 93. f. . 45. melanosternon, Gould, B. A. i. pl. 20. N. S. Wales, S. & W. Australia. 21. c. CRAXIREX, Gould, 1838. Accipiter, V. 1807. Pœcilopternis, Kaup, 1847. Pecilopternis, Bp. 1849. Sw. C. of B. f. 110, b. 46. borealis, Gm.; Wils. A. O. pl. 52. 1, 2; V. O. A. S. t. 6 bis. 14; Lemb. B. of Cuba, t. 1. E. of N. America. aquilinus, Bartr.; fulvus et americanus, ferrugineicaudus et Cuba, Jamaica. ruficaudus, V. Leverianus et jamaicensis, Gm. ventralis, Gould. Harlani, Aud.? 47. galapagoensis, Gould, Voy. Beagle, pl. 2. Galapagos I. unicinctus, p., Baird. 48. calurus, Cass.; Baird, B. N. A. pl. 14. N.W. America. New Mexico. borealis, p., Bryant. 49. montanus, Nutt.; Aud. B. A. i. pl. 6. N.W. America. buteo, Aud.; borealis, p.?, Baird. Swainsoni, p., Bp. 50. Swainsoni, Bp.; Faun. B. A. pl. 27; Baird, B.N.A. pl. 12, 13. N. & N.W. Amer. vulgaris, Rich. & Sw.; montanus, p., Coues. 51. fuliginosus, Sclat. Trans. Z. S. iv. pl. 62; Baird, B. N. A. New Mexico. pl. 15. oxypterus, p., Baird. 52. elegans, Cass.; Baird, B. N. A. pl. 2, 3. N.W. America Mexico, Calif. E.& N.W. Amer. 53. lineatus, Gm.; Wils. A. O. pl. 35. 1, & 53. 3. hyemalis, Wils.; buteoides, Nutt. fuscus, V. O. A. S. t. 5. Scotland (?). 54. pennsylvanicus, Wils. A. O. pl. 54. 1. E. of N. America. latissimus, Ord; platypterus, V. Wilsonii, Bp. 55. unicinctus, Tem.; Aud. B. A. i. pl. 5; Tsch. F. P. t. 1. S. of U. States, Mexico, Veragua. Harrisii, Aud.; tæniurus, Tsch. Argentine Rep., Bolivia.

HAND-LIST OF BIRDS.

56. Cooperi, Cass.; Baird, B. N. A. pl. 16. California. borealis, p. ?, Bryant. 57. Bairdii, Hoy; Cass. B. of Calif. pl. 41. N.&N.W.Amer. Swainsoni, p., Bryant. New Mexico. 58. oxypterus, Cass.; Baird, B. N. A. pl. 15. 2. Swainsoni, p., Bryant. 59. insignatus, Cass. Ill. B. of Calif. pl. 31. California. Swainsoni, p., Bryant. 22. d. TACHYTRIORCHIS, Kaup, 1844. Sw. C. of B. f. 110, a; Reich. S. A. t. 95. f. 60. pterocles, Tem. P. C. 56, 139. Brazil. albicaudatus et leucurus, V. tricolor, Lafr.; albicauda, Less. 61. erythronotus, King. Falkland I. tricolor, juv., Lafr. braccata, Meyen, N. A. N. C. 1838, t. 8. leucurus, Lafr. Bolivia. Chili. 62. polysomus, Quoy & G. Voy. Uranie, t. 14; U. S. Expl. Exp. pl. 3. 1. Falkland I. unicolor, D' Orb.; varius, Gould. 63. albonotatus, G. R. Gr. Mexico. erythronotus, p., Bp.; abbreviatus, Licht. 64. leucops, G. R. Gr. Galapagos I. infuscatus, Kaup. 65. zonocercus, Sclat. Trans. Z. S. 1859, pl. 59; Elliot, B. N. A. Gustemala, Trinidad, Arizona. · pl. 23. e. LEUCOPTERNIS, Kaup, 1847. Dædalion, Vig. 1824, nec Sav. Pseudastur, Bl. 1848. 66. melanops, Lath.; P. C. 105. Brazil. 67. Kuhlii, Bp.; Sclat. & S. Exot. Orn. pl. 38. Kaupi, Bp.; superciliaris, Pelz. 68. albicollis, Lath.; P. C. 9. picatus, Shaw; poscilonotus, Cuv. Mexico. melanotus, V. 69. scotopterus, Max.; P. C. 437. Bogota. Brazil. lacernulatus, Tem. 70. polionotus, G. R. Gr.; Sclat. & S. Exot. Orn. pl. 49. palliata, Pelz. 71. Ghiesbreghtii, Dubus, E. O. t. 1. Mexico. pœcilonotus, p., Bp.

٢

72. princeps, Sclat. Pr. Z S. 1865, pl. 24.

Costa Rica.

73. semiplumbeus, Lawr.; Sclat. & S. Exot. Orn. pl. .

Panama.

f. Buthogallus, Less. 1831.

Ichthyoborus, Kaup, 1845. Busarellus, Lafr.? Buteo b, p., Nitzsch, 1840. Reich. S. A. t. 95. f. .

74. sequinoctialis, Gm.; Lev. O. A. t. 21. buson, Daud.; cathartoides, Less.

Cayenne.

Brazil.

75. nigricollis, Lath.; Lev. O. A. t. 20; Spix, A. B. t. 1d. busarellus, Daud.; melanobronchus, Shaw. leucocephalus, V.; milvoides, Spix. sequinoctialis, p., Kaup.

g. Spizigeranus, Kaup, 1844.

Spizogeranus, Agass. Hypomorphnus, Cab. 1844. Hypomorphinus!, G. R. Gr. 1845.

76. meridionalis, Lath.; P. C. 25. rutilans, Licht.; rufulus, V. buson, Spix.

Brazil.

26.

h. Urubitinga, Less. 1837.

Morphnus a, Nitzsch, 1840. Harpyia, p., Sw.

77. urubitinga, Gm.; P. C. 55; Spix, A. B. t. 1c. zonurus, Shaw; picta, Spix. longipes, *Illig.*; fulvus, *V.* brasiliensis, *Strickl.* hemileucura, Licht.?

Brazil, Cayenne. W. Indies.

Monte Video.

78. anthracinus, Licht. mexicanus, Dubus; solitaria, Bp. unicinctus, p., G. R. Gr.

79. schistaceus, Sundev.; Trans. Z. S. iv. pl. 58. ardesiacus, Licht.

Carthagena. Mexico, Peru. Vera Paz, Guate-Brazil, Cayenne. Peru, Bolivia.

80. Gundlachii, Cab. anthracina, p.?, Sclat. brasiliensis, p., Poey; urubitinga, p., Lemb. Cuba.

27. ARCHIBUTEO, Brehm, 1828.

Buteo, Cuv. 1817. Triorchis, Kaup, 1829, nec Leach, 1816. Butaëtes, Less. 1831. Buteo a, Nitzsch, 1840. G. of B. i. p. 12, pl. 5. f. 1; Reich. S. A. t. 95. f. .

a. ABCHIBUTBO.

81. lagopus, Gm.; Naum. Vog. t. 34; Gould, B. E. pl. 15. plumipes, Daud.; Lev. O. A. t. 18.

Europe.

pennatus, Cuv.; Lessoni, Smith.

S. Africa.

82. St. Johannis, Gm.; Wils. A. O. pl. 53. 1, 2, et 33. 1. spadiceus et novæ terræ, Gm. lagopus et niger, Wils.; ater, V.

E. of N. Amer.

83. ferrugineus, Licht.; G. R. Gr. & M. G. B. pl. 6. regalis, G. R. Gr.; californicus, Hutch. St. Johannis, p., Bp.

Mexico. W. of N. Amer.

28.

b. BUTAQUILA,

Hemisetus et Hemisetos, Hodgs. 1844.

84. asiaticus, Lath.

Thibet.

aquilinus et leucocephalus, Hodgs.; strophiatus!, G. R. Gr. nec Hodgs.

85. hemilasius, Tem. & Schl. F. J. t. 7. strophiatus, p. ?, Bp.

Japan.

86. hemiptilopus, Bl. Calc. Journ. N. H. 1847, pl. 3. 1. griseogenys, Bl.?; cryptogenys, Hodgs.

Mongolian Reg.

Subfam. III. Aquilinæ, Sw. 1887.

Aquilina, Vig. 1825. Falconina, p., Bp. 1831. Buteonina, p. et Accipitrine, p., Sw. 1837. Circaëtine, Thrassëtine, et Haliaëtine, Bl. 1849.

29. AQUILA, Barr. 1745.

Falco, L. 1735-44 et 58. Falco, 1st div. Illig. 1811. Aquilla, 1839, et Aëtos, 1840, Nitzsch. Aëtus, Agass. G. of B. i. p. 13, pl 7. f. 1; Reich. S. A. t. 97. f.

a. Aquila.

87. chrysaëtos, L.; P. E. 410, 409; Naum. Vög. t. 8, 9, t. 339; Gould, B. E. i. pl. 6.

fulvus, L.; nobilis, Pall.; regia, Less. daphænia, Hodgs. canadensis, L.; Wils. A. O. pl. 55. 1.

niger et americanus, Gm.; fulvus, Wils. melanaetus, L.; melanonotus, Lath.

fuscicapilla, Brehm?

Barthelemyi, Jaub. R. et M. de Z. 1852, t. 22?

88. imperialis, Bechst.; Naum. Vög. t. 6, 7, t. 340; P. C. 151, 152; Gould, B. E. i. pl. 5.

heliaca, Sav.; mogilnik, Strickl. chrysætos, Leisl. bifasciata, Gr. I. Ind. Z. pl. 17. nipalensis, Hodgs.; chrysaëtus, Jerd. riparia, Würt.

S. Europe. N. Africa. W. and N. Asia. India. Himalayas.

N. & E. Europe.

C. Asia.

N. America.

India.

89. nævioides, Cuv.; P. C. 455; Ibis, 1865, pl. 5.

rapax, Tem.; senegallus, Cuv. albicans, Rüpp. F. A. t. 13. choks, Smith; belisarius, Lev.

variegata, raptor, lestris et Adalberti, Brehm.

Africa.

90. fulvescens, Gr. I. Ind. Z. pl. 16, 27, 29. fusca et punctata, Gr.

India.

vindhiana, Frankl.; nævioides, p., Bl.

91. clanga, Pall.; Naum. Vög. t. 342. 1, 2, & 346.

C. S.E. Europe.

planga, V.; mogilnik, S. G. Gm. nævia, p., Naum.; fuscoater, Wods.? fusca, bifasciata et nævia, Brehm. longipes, Horns. et Schill.? nsevioides, p., Schl.; orientalis, Cab.?

92. nevia, Gm.; Naum. Vög. t. 11; Hist. de l'Egypte, t. 1. 2; Gould, B. E. i. pl. 8.

melanaetos, Sav.; bifasciata, Hornsch. fuscus, V. vittata, Hodgs.

N. C. Europe. N. Africa. W. Asia. India.

93. Desmursii, Verr.; Trans. Z. S. iv. pl. 77.

Trop. Africa, Bissao. India.

94. hastata, Less. punctatus, Jerd.; unicolor, Bl.

b. Uroaëtus, 1844,

et Uraëtus, 1845, Kaup.

cuneicaudatus, Brehm.

95. audax, Lath.; P. C. 32; Gould, B. A. i. pl. 1. fucosus, Cuv.; albirostris, V.

Australia.

31. c. HETEROPUS, 1842,

et Neopus, 1844, Hodgs. Onychasëtus, 1844, et Onychaëtus, 1845, Kaup. Ictinaëtus, Jerd. 1844. Onichosetus, Bp. 1849. Reich. S. A. t. 97. f. .

96. malayensis, Reinw. P. C. 117; Schl. Valkv. t. 3. 1, 2; Pr. Z. S. 1868, pl. 34.

pernigra, Hodgs.; ovivorus, Jerd. malayana, Less.

Sunda Islands. India, Mergui. Celebes, Sula.

97. Gurneyi, G. R. Gr. Pr. Z. S. 1860, pl. 169; Schl. Valkv. t. 9. 1. 2.

Moluccas, Waigiou, Aru, Gilolo, Morty, Batchian I.

32. d. Pteroautus, Kaup, 1844.

Pteraëtus, Reich. 1850. Reich. S. A. t. 97. f.

98. vulturina, Daud.; Lev. O. A. t. 6; Less. Cent. Zool. t. 38; Lefebur. Voy. Abyss. t. 1 (5).

Verreauxii, Less.; niger, James.

Africa.

leucoprymna, Licht.; cafer, Tem.

e. Pseudaätus, Hodgs. 1844.

Tolmaëtus, 1845, et Eutolmaëtus, 1848, Bl. Aquilastur, Brehm, 1860. Aquila, p., Nitzsch, 1840.

 Bonellii, Tem. P. C. 288; Naum. Vög. t. 341; Mem. Ac. Sc. Turin, 37. t. 1; Gould, B. E. pl. 7.

ducalis, Licht.; intermedia, Bon. fasciata, V.; niveus, Jerd.

S. Europe. W. Africa. India.

grandis, nipalensis et rubriventris, Hodgs.

54. f. Hieraaëtus, 1844,

Hieraëtus, 1845, et Ieraëtus, 1851, Kaup. Aquila, Keys. & Bl. 1840. Hieraëtus, Bp. 1849. Hieracaëtus, Agass. Aquila, p., Nitzsch. Reich. S. A. t. 97. f.

100. **pennata,** Cuv.; P. C. 33; Naum. Vög. t. 343; Gould, B. E. pl. 9.

S. Europe.

minuta, Brehm. dubius et Lessonii, Smith. longicaudata, Heugl. Wahlbergii, Sundev.; Brehmii, Müll. strophiata, Hodgs.; milvoides, Jerd.

Africa.
India.

 morphnoïdes, Gould, B. A. i. pl. 2. pennatus, p., Schl.

Australia.

New S. Wales.

35. SPIZAËTUS, V. 1816.

Falco, L. 1766 nec 1735. Falco, 3 div. Gm. 1788. Plumipeda, Flem. 1822. Harpyia, Spix, 1824, nec Cuv. Aquila, Boie, 1826.
Spizaëtus, Kaup, 1851. Spizaëtos, Hartl. 1853. Harpyia, p., Sw. G. of B. i. p. 14, pl. 7. f. 2.

a. Spizažtus.

102. ornatus, Daud.; Lev. O. A. t. 28; V. Gal. des Ois. t. 21. Brazil, Cayenne.

Mauduytii, Daud.; superbus.
coronatus et fastuosa, Shaw.
urutaurana, Drap.; tyrannus, Tayl.
braccata, Spix, A. B. t. 3.

36. b. Pternura, Kaup, 1845.

Pterura!, G. R. Gr. 1848. Morphnus b, Nitzsch, 1840.

103. tyrannus, Max.; P. C. 73. braccatus, Des Murs, I. O. t. 67. ornatus, p., Schl. Surinam.

Brazil.

104. Isidori, Des Murs, I. O. t. 1.

Bogota.

37. c. Spieastur, Less. 1837.

Spiziastur, Kaup, 1851.

105. melanoleucus, V.; P. C. 79; Gal. des Ois. t. 14. Cayenne. atricapillus, Cuv.; atriceps, Kaup.

melanops, Less.

38.

d. LOPHARTUS, 1847,

et Morphnus, 1845, (sec Cuv.) Kaup. Harpyia, p, Sw.

106. occipitalis, Daud.; Lev. O. A. t. 2. senegalensis, Daud.

S. Africa. Madagascar.

39.

e. -- ?

Spizačtus, p., Kaup. Aquila, Boie, 1826.

- 107. bellicosus, Daud.; Lev. O. A. t. 1; Smith, I. S. A. Z. pl. 42. Africa. armiger, Shaw; bellicola!, G. R. Gr.
- 108. coronatus, L.; Edw. B. pl. 224; Smith, I. S. A. Z. pl. 40, 41. Africa. albescens, Daud.
- 109. spilogaster, Dubus. zonurus, Müll.; leucostigma, Heugl. Ayresii, Gurn.; Bonelli, p., Brehm.

Abvasinia. Natal.

f. Limbartus, Vig. 1831.

Nisaëtus, Hodgs. 1836. Spizaëtus, Sw. 1837. Nisaëtos, Agass. Reich. S. A. t. 94. f.

110. caligatus, Raffl.; Horsf. Zool. Res. pl. ; P. C. 134, 127; Schl. Valkv. t. 6. 1, 2, 3, t. 8. 1, 2, 3. limnaëtus, Horsf.; unicolor et niveus, Tem.; Horsfieldii, Vig.

Java, Sumatra, Malay P., Burmah, Borneo.

cirrhatus, p., Kaup.

111. cirrhatus, Gm.; Jerd. I. Ind. Orn. pl. 1.

India, Ceylon.

limnaëtus, Vig.; niveus, Jerd. pallidus, Hodgs.; ceylonensis, Gm. strenuus, Jerd.; caligatus, p., Gurn. cristatellus, Tem. P. C. 282. Lathami, Tick.?; cirrhatus, Jerd. caligatus, var. A, Horsf.; cirrhatus, p., Schl.

112. nipalensis, Hodgs. pulcher, *Hodgs.*; cirrhatus, p., *Schl.* orientalis, *Schl. F. J.* t. 3. Himalayas. Ceylon. Japan, Formosa.

113. albiniger, Bl.; Gould, B. As. pl. borneonensis, G. R. Gr.; nanus, Wall. Ibis, 1868, pl. 1 (juv.). Borneo. lanceolatus, p., Bp.; cirrhatus, p., Schl.

Malac., Tenasse.

114. lanceolatus, Tem.; Schl. Valkv. t. 7. 1, 2, 3. fasciolatus, Tem.; cirrbatus, p., Schl.

Celebes, Sula, Borneo.

115. Kienerii, De Sparre, Mag. de Zool. 1835, t. 35. albigularis, Tick. cristatellus, Jard. & S. Ill. Orn. pl. 66.

Hima., C. Ind. Java, Borneo. Aberdeen (?).

116. philippensis, Gurn. Kieneri, p., Schl.

Philippine I.

117. and amanensis, Tytl.

Andaman I. W. Africa.

118. africanus, Cass.

41. CIRCAÉTUS, *V.* 1816.

Circaëtos, Keys. & Bl. 1840.

Circatus, Vig.

G. of B. i. p. 16, pl. 7. f. 7; Reich. S. A. t. 96. f. . .

a. CIRCAETUS.

119. gallicus, Gm.; P. E. 413; Naum. Vög. t. 15; Gould, B. E.

i. pl. 24. 1.

brachydactyla, *Meyer*; leucopsis, *Bechst*. orientalis, *Brehm*; longipea, *IU*. leucamphomma, *Borkh*.

fasciatus, Heugl. 120. thoracicus, Cuv.

pectoralis, Smith.

121. ? cinereus, V. Gal. des Ois. t. 12.

funereus, Rüpp.; circaëtus, Tem. pectoralis, p., Sclat.; thoracicus, p., Hartl.

122. fasciolatus, G. R. Gr.; Ibis, 1862, pl. 3.

thoracicus, p., Hartl.

123. zonurus, Würt.; Ibis, 1850, pl. 7. cinereus, Barr.; melanotis, Verr.

cinerascens, Müll.

124. Beaudouini, Verr. & Desm.; Ibis, 1862, pl. 7.

b. HARPYHALICETUS, Lafr. 1842.

Harpyhaliaëtus, G. R. Gr. 1845. Urubitornis, Verr. 1856.

125. coronatus, V.; P. C. 234.

Azaræ, Kaup; unifasciatus, G. R. Gr. Sellowii, Max.

(Var.) solitarius, Tsch. F. P. t. 2. anthracina, p.?, Schl.

43. c. Spilornis, G. R. Gr. 1840.

Hamatornia, Vig. 1831, nec Sw. 1824. Ophaëtus, Jerd. 1844. Hypaëtus, Geoffr.?

Reich, S. A. t. 96. f.

126. bacha, Daud.; Lev. O. A. t. 15; Schl. Valkv. t. 22.

bido, Horsf. spilogaster, Bl.; Elgini, Tytl.

127. cheela, Daud.; Gould, C. B. pl. 1.

undulatus, Vig.; bacha, Frankl.

nipalensis, Hodgs. albidus, Tem. P. C. 19; melanotis, Jerd. Hoya et orientalis, Swink.

128. holospilus, Vig.; G. R. Gr. & M. G. B. pl. 7.

C. S. Europe.

Africa.

Indian archip. Timor, Flores.

Africa.

W. Africa.

Sennaar, Abyss.

Natal.

White Nile.

Bissao.

Sennaar.

Brazil.

Parag., La Plata.

Peru.

Java, Borneo. Ceylon.

Andamans.

Nepal. Assam, Burmah. Isl. of Formosa.

Ind., Borneo (?).

Philippine Isl., S. Chins.

Celebes. 129. rufipectus, Gould, B. As. pl.; Schl. Valkv. t. 23. 1, 2, 3. bacha celebensis, Schl.

130. sulaënsis, Schl. Valkv. t. 23. 4, 5, 6.

Sula.

Africa.

India.

44. PANDION, Sav. 1809.

Triorchis, Leach, 1816. Balbusardus, Flem. 1828.

G. of B. i. p. 16, pl. 7. f. 5; Reich. S. A. t. 96. f. .

a. PANDION.

131. haliaëtus, L.; P.E. 414; Naum. Vög. t. 16; Gould, B. E. pl. 12. N. C. Europe. fluviatilis, Sav.; balbusardus, Dum. ichthyaëtus, Kaup; albicollis, Brehm. indicus, Hodgs.

132. ?carolinensis, Gm.; Wils. A. O. pl. 37. 1; V. O. A. S. t. 4. N. America. cavanensis et arundinaceus, Gra. Antilles. haliaëtus, Wils., piscatrix et americanus, V. halisētus, p.

404 133. leucocephalus, Gould, B. A. i. pl. 6; Schl. Valkv. t. 3. 3. Australia Mol- 4

Gouldii, Kaup; fluviatilis, var., Less. haliaëtus, p., et haliaëtus minor, Schl.?

luccas, Ceram. N. Guines, Mys., N. Caledonia, Tonga Isl.

b. Polioautus, Kaup, 1847.

Ichthyisëtus, Lafr. 1839, nec Kaup, 1829. Pontoaëtus, G. R. Gr. 1845, nec Raup. Ichthyaëtus, Kaup, 1844. G. of B. i. p. 17, pl. 7. f. 9.

134. ichthyaëtus, Horsf. Zool. Res. pl. 5; Schl. Valkv. t. 5. 1, 2. Java, Bor., Bur. plumbeus et bucarius, Hodgs, lineatus et bicolor, Gr. India. Horsfieldii, Jerd.

135. humilis, Tem. Verhandl. t. 6; Schl. Valkv. t. 5. 3. nanus, Bl.

Sunda Isl., Malacca, Celebes. Sandwich I.

136. solitarius, Peale, U. S. Expl. Exp. pl. 4.

46. POLIORNIS, Kaup, 1844.

Butastur, 1844, et Bupernis, 184 ?, Hodgs. Valeria, Boie. G. of B. i. p. 29, pl. 10. f. 2; Reich. S. A. t. 96, f.

a. Poliornis.

137. teesa, Frankl.; Gr. I. Ind. Z. ii. pl. 30. Hyder, Sykes.

138. barbatus, Eyton. pygmæus, Bl.; trivirgatus, p.?, Moore. India. Assam, Burmah, Malayana.

Malacca. Tenasserım. 139. poliogenys, Tem. P. C. 325; Schl. Valkv. t. 21. 2, 3,

pyrrhogenys!, Schl.; indicus, Gm.?

140. liventer, Tem. P. C. 438; Schl. Valkv. t. 21. 1. pallidus, Less.

Japan, China. Philip. I., Morty, Sanghir. Indian archip. Timor, Celebes.

b. Pernorsis, Dubus, 1850.

141. rufipennis, Strickl. Pr. Z. S. 1850, pl. 22. erythropterus, Dubus; pyrrhopterus, Sundev.; Mülleri, Heugl. N. Africa.

48. THRASAËTUS, G. R. Gr. 1837.

Falco, 2 div. Gm. 1788. Falco, Lath. 1790. Harpia, V. 1816. Harpyia, Cuv. 1817, nec Ochsenh. 1810. Nothrophontes, Glog. 1842.

Sw. C. of B. f. 185; G. of B. i. p. 15, pl. 7. f. 3; Reich. S. A. t. 96. f.

142. harpyia, L.; P. C. 14.

British Guiana.

destructor, Tem.; imperialis, calquin et regalis, Shaw; Jacquini et cristata?, Gm.; caracca, Gm. ferox, Less.; maxima, V.

49. MORPHNUS, Cuv. 1817.

Morphinus, Flem. 1822.

cristatus, Less.

143. guianensis, Daud.; Less. Tr. d'Orn. t. 11. 2. Sonnini, Shaw; variegatus, V.

British Guiana.

50. HALLÆETUS, Sav. 1809.

Aquila, V. 1807, nec Mahr. 1752. Halizeatus, 1824 et Halizeatus, 1825, Vig. Haliaëtos, Keys. & Bl. 1840. Haliaeetus, Thomp. 1838. Haliaëtus, G. R. Gr. 1845. Aquila b, Nitzsch, 1840.

G. of B. i. p. 17, pl. 7. f. 8; Reich. S. A. t. 96. f.

a. HALIMETUS.

144. albicilla, L.; P. E. 112, 415; Naum. Vög. t. 12; Gould, B. E. pl. 10.

Europe.

albicauda, ossifragus et melanaetos, Gm.; nisus, Sav. grænlandicus, Brehm. Steinbergii, Holb. funereus, A. Brehm.

Greenland.

Egypt.

7. ... 145. leucocephalus, L.; P. E. 411; Naum. Vog. t. 344, 345; Wils. A. O. pl. 36. 55, 2.

N. America.

albicilla, Pall.; pygargus, Daud. ossifragus, Wils. Washingtoni, Aud. B. A. i. pl. 13.

S. of N. Amer.

Washingtoniana, Aud.

b. Thallasoaetus, 1844,

Thallasaëtus, 1845, Thalassaëtus, 1847, et Thallosaëtus, 1851, Kaup.

Thalassiaētus, Reich. 1850. Reich. S. A. t. 96. f.

146. pelagicus, Pall.; Kittl.; Kupf. der Vog. t. 2. 1; Elliot, B. N. A. pl. ; Schl. F. J. t. 4.
Isucopterus. Tem. P. C. 489.
imperator, Kittl.

Russian Amer. Japan.

52. '

c. Cuncuma, Hodgs. 1837.

Pontoaëtus, 1844, et Pontaëtus, 1845, Kaup. Blagrus, Bl. 1849. Aquila, p., Nitzsch, 1840.

147. leucoryphus, Pall. deserticola, Eversm.; leucoryphos, Gm.

S. & E. Europe.

148. Macei, Cuv.; P. C. 8. 222; Gr. I. Ind. Z. pl. 19. fulviventris, V.; unicolor, Gr. albipes et lanceolatus, Hodgs. albicilla, Raffl.; sinensis, Gm.? leucoryphus, p., Pelz.

N. India.

149. leucogaster, Gm.; P. C. 49; Schl. Valkv. t. 4. 1, 2. dimidiatus, Raff.; cultriunguis, Hodgs.

sphenurus, Gould, B. A. i. pl. 3. maritimus, Gm.; oceanics, Less.

Sumatra, India, Bur., Malaya. Australia. Java, New Irel., N. Guin., Aru. 5 ; 26

150. vocifer, Daud.; Lev. O. A. t. 4; Des Murs, I. O. t. 8. vocifers, Dum.; clamans, Brehm? Africa.

 vociferoides, Des Murs, I. O. t. 7; Poll. & V. D. F. de Madag. t. 15.

Madagascar.

vocifer, var. orientalis, Schl. vociferator, Schl. & Poll.

53. d. Geranoaëtus, 1844,

et Heteroaëtus, 1845, Kaup. Heteraëtus, Reich. 1850. Geranaëtus, Agass.
Reich. S. A. t. 96. f.

152. melanoleucus, V.; P. C. 302. aguia, Tem.; fuscescens, V.

S. America. E. Patagonia, Chili,

54. HELOTARSUS, Smith, 1830.

Terathopius, Less. 1830. Teratopius, Bl. 1849. G. of B. i. p. 18, pl. 7. f. 11; Reich. S. A. t. 98. f.

153. ecandatus, Shaw; Lev. O. A. t. 7, 8; Lefev. Voy. Abyss. t. 2. Africa. typus, Smith; brevicaudatus, Natt. brachyurus, L. Brchm. 154. leuconotus, Würt. ecaudatus, p.?

Africa.

India.

55. HALIASTUR, Selby, 1840.

Haliceëtus, Sw. 1837. Dentiger, Hodgs. 1844. Ictinoaëtus, Kaup, 1844. Ictinoaëtus, Agass. nec Jerd. Milvaquila, Burm. 1850.

Sw. C. of B. f. 99, 196; G. of B. i. p. 18, pl. 7. f. 10; Reich. S. A. t. 96. f.

155, indus, Bodd.; P. E. 416.

ponticerianus, Gm.; rotundicauda, Hodgs. garuda, Less.

intermedius, Gurn.; Schl. Valkv. t. 4. 4.

5 7 4 156. leucosternus, Gould, B. A. i. pl. 4; Shaw, Nat. Misc. pl. / 389; V. Gal. des Ois. t. 10.

girrenera, V.; ponticerianus, Shaw. leucosternon, Kaup; indus, p., Schl. leucosternus, var., G. R. Gr.; Schl. Valkv. t. 4. 3.

4690 157. sphenurus, V. Gal. des Ois. t. 15; Gould, B. A. i. pl. 5.

Moluc., Celebes.

Australia.

N. Caledonia.

Philippine Isl., Malacca.

Java, Sumatra, Flores, Bor. New S. Wales,

New Guinea.

Aru. New Caledo.

Subfam. IV. Falconinæ, Sw. 1837.

Falconina et Accipitrina, p., Vig. 1825.

56. FALCO, Mahr. 1752, nec L. 1735.

Hierofalco, Cuv. 1817. Falco, 4 div., Gm. 1788. Ierafalco, Kaup, 1851. Rynchodon, Nitzsch, 1840.

a. HIEROFALCO.

158. candicans, Gm.; Naum. Vog. t. 390. l. greenlandicus, Daud.; arcticus, Holb. fuscus, Fab.; gyrfalco greenlandicus, Schl. islandicus, Aud.; sacer, Cass.

Greenland. N. Asia.

N. America.

159. islandicus, Brün.; Schl. Tr. de Fauc. t. 2; Naum. Vog. t. 390. 2. islandus, Fab. gyrfalco islandicus, Schl. candicans, var. β, Blas.

Iceland, N. of N. Amer.

160. gyrfalco, L.; Schl. Tr. de Fauc. t. 3.4; Naum. Vog. t. 391. Norway, Sweden. gyrfalco norwegicus, Schl. candicans, var. γ, Blas.

161. subniger, G. R. Gr. & M. G. B. i. pl. 8.

S. Australia.

162. hypoleucus, Gould, B. A. i. pl. 7. subniger, p.?, Bl.

S. & W. Austral.

57. b. Falco, auct.

Rhynchodon, p., Nitzsch, 1840.

Euhierax, Webb & Berth. 1844. Sw. C. of B. f. 95 b, 190; G. of B. i. p. 19, pl. 8. f. 1; Reich. S. A. t. 94. f. .

163. peregrinus, L.; P. E. 430, 421, 469; Naum. Vög. t. 24, 25; Gould, B. E. pl. 21.

communis, L. 164. calidus, Lath.

micrurus, Hodgs, peregrinus, p., Schl. Valkv. t. 1.

165. orientalis, Gm.; Edw. B. pl. 3; Wils. A. O. pl. 76.

peregrinus, Wils.; anatum, Bp. peregrinus, var. β, Blas. communis, p., Poey?; peregrinus, p., Lemb.?

166. nigriceps, Cass.; Baird, B. of N. A. pl. xi.

167. melanogenys, Gould, B. A. i. pl. 8. macropus, Sw.; peregrinus, var. y, Blas.

168. minor, Bp.; Lev. O. A. t. 28? frontalis, Daud. ?; galericulatus, Shaw? peregrinus, var. capensis, Sundev. peregrinus, Smith. communis minor, Schl. peregrinus, var. e, Blas.

169. peregrinator, Sundev.; Jerd. I. Ind. O. pl. 12. 28. sultaneus, Hodgs.; shaheen, Jerd. communis indicus, Gm. peregrinus, var. δ , Blas.; herbicola, Tick. ruber, Schl.

170. ? radama, Verr. communis, var. Schl. & Poll.

minor, Sclat. ?; communis, p., Grandid.

58. c. Gennaia, Kaup, 1847.

Hierofalco, Boie, 1826. Rynchodon, p., Nitesch, 1840.

171. lanarius, L.; Naum. Vög. t. 23; Schl. Tr. Fauc. t. 6. Feldeggii, Schl. lanarius, p., Bp tanypterus, a, Blas.

172. cervicalis, Licht.; P. C. 324. biarmicus, Tem.; peregrinoides, Smith. tanypterus, c, Blas. lanarius capensis, Schl.

4161. Europe. China, Formosa, Japan.

India. Java, Sumatra.

Japan, Vancouver's I., Siberia, Kurile Islands. N. America.

Cuba.

S. & W. of North America, Chili, ?S. of Magellan. Australia. 1026

S. Africa.

India. Between Ceylon and Sumatra. W. Asia,

Madagascar.

Sweden, Dalmat. Greece.

S. Africa. Abyssinia.

c 2

173. babylonicus, Sclat. & Irby, Ibis, 1861, t. 7. peregrinator, Horsf. lanarius greeus, p., Schl. peregrinodes, Frisch; venerata, Würt.

Oude, Babylon. Greece, Persia. Nepal.

174. barbarus, L.; Ibis, 1859, t. 6; P. C. 479. puniceus, Lev.; peregrinoides, Tem. tanypterus, β, Blas. lanarius, p., Pelz.

N. Africa, Nubia. Holland.

175. tanypterus, Licht.; Schl. Abhand. t. 12, 13. lanarius nubicus, Schl.

S.E. Europe. Nubia.

59. d —

176. saker, Schl. Tr. de Fauc. t. 5; Naum. Vög. t. 23. 1, 2. lanarius, Pall.; sacer, Schl. cherrug, Gr.; milvipes, Hodgs.

E.&S.E. Europe. Egypt. Nepal.

177. jugger, Gr. I. Ind. Z. pl. 26; Gould, B. As. pl. lugger, Jerd.; thermophilus, Hodgs.

India. Scinde, Punjab.

178. polyagrus, Cass.; Ill. B. of Calif. pl. 16. mexicanus, p., Pels. et p.? Schl.

W. of N. Amer. Oregon, Califor.

179. ? mexicanus, Licht.

Mexico.

60. HYPOTRIORCHIS, Boie, 1826.

Falco, Boie, 1822. Dendrofalco, G. R. Gr. 1840. Rhynchodon, p., Nitzsch.
 G. of B. i. p. 20, pl. 8. f. 2.

a. Hypotriorchis.

180. subbutec, L.; P. E. 432; Naum. Vog. t. 26; Gould, B. E. pl. 22.

barletta, Daud.

Europe, Greece.

N. Asia, India,
Himalayas.
Australia, Tasmania.

Amboine Corem

181. lunulatus, Lath.; Gould, B. A. i. pl. 10; Sohl. Valkv. t. 2. 4, 5, 6.
frontatus, Gould.

Amboina, Ceram, Flores.

longipennis, Sw. subbuteo frontatus, Schl.

//F / 182. severus, Horsf.; P. C. 128; Schl. Valke. t. 2. 2, 3.

rufipedoides, Hodgs.

Java, Malay peninsula. Celebes, Philippine Islands. Nepal, Salwatty.

183. Cuvieri, Smith; Tijdschr. Dierk. i. t. 5. Bosschii, Schl.

Aldrovandi, Tem.; guttatus, G. R. Gr.

S. & N. Africa. Gold Coast. 184. rufigularis, Daud.; Don. Nat. Rep. pl. 45. thoracicus, Tem.; cucullatus, Sw. auranticulus, Bp.?

S. America. Mexico, Texas, Panama, Trin.

185. aurantius, Gm.; P. C. 348. dieroleucus, Tem. aurantius, Q, Kaup; rufigularis, p., G. R. Gr. Brazil.

186. religiosus, Tem. severus, var. nigra, Bp. Ceram,

b. Dissodectes, Sciat. 1864. Rhynchodon, p., Nitzsch.

187. Dickinsonii, Sclat. Ibis, 1864, pl. 8. zoniventris, p., G. R. Gr.

Shiré River, S.E. Africa.

188. ardesiacus, V.; P. C. 330; Lev. O. A. t. 29? concolor, Tem.; tibialis, Daud.? ardesiacus, Bp.

W. Africa.

189. concolor, Tem. (non Pl.); Poll. & V. D. Faun. de Madag. arcadicus, Bp.; cyanostolus et gracilis?, Brehm; eleonora et horus, Heugl.; schistaceus, Ehr. ardesiacus, p., Hartl.

Africa, Spain.

Madagascar.

190. eleonora, Gené, Mem. Ac. Taur. 1840, t. 1. 2. arcadicus, Lind.; dichrous, Erhard. plumbeus, Brehm. concolor, p., Ver. & Murs.

S. Europe. Sardinia, Greece. Africa.

191. zoniventris, Peters.

E. Africa.

62. c. Æsalon, Kaup, 1829.

Astur, Boie, 1826, nec Lacep. Hypotriorchis, p., Boie, 1828. Lithofalco, Blas.; Rhynchodon, p., Nitzsch.

192. zesalon, L.; P. E. 447, 468; Naum. Vög. t. 27; Gould, B. E. pl. 24. lithofalco, Gm.; smirillus, Sav. regulus, Pall.; sibericus, Shaw. czesius, Meyer.

N. Eur., Persia. China. N.W. India.

193. columbarius, L.; V. O. A. S. t. 11; Wils. A. O. pl. 15.3. N. America. intermixtus, Daud.; temerarius, Nutt. Auduboni, Blackw.; æsalon, Q, Sw.

Mexico N. of S. America.

194. fernoralis, Tem. P. C. 121, 343; Baird, B. of N. A. pl. 1. S. America. cyanescens, V.; thoracicus, Licht.

Mexico.

elegans, Sw.; hæmorrhoidalis, Hahn. aurantius, Heerm.

E. Patagonia.

63.

- •

d. CHICQUERA, Bp. 1854.

Turamtia, Bl. 1863.

195. chicquera, Daud.; Gould, C. B. pl. 2.

India.

typus, Bp.

196. ruficollis, Sw.; Lev. O. A. t. 30; B. of W. Afr. pl. 2. chicqueroides, Smith? chicquera, p., Schl.; ruficapillus, Würt.

W. Africa. Abyesinia.

macrodactylus, Sw.

_

64. e. Polihierax.

Poliohiërax, 1847, et Poliojërax, 1851, Kaup.

S. Africa.

197. semitorquatus, Smith, I. S. A. Z. pl. 1.

Abyssinia.

198. ? castanonotus, Heugl. Ibis, 1861, pl. 12. semitorquatus, p., Heugl. Orn. N.E. Afr. t. 1.

.

65. IERACIDEA, Gould, 1837.

Hieracidea, Strickl. 1841. Jeracidea, Kaup, 1844. G. of B. i. p. 20, pl. 8. f. 4; Reich. S. A. t. 94. f.

a. IERACIDEA.

5/20 199. berigora, Vig.; Gould, B. A. i. pl. 11. berigora, a. orientalis, Schl.

New S. Wales, Tasmania, S. Australia.

200. occidentalis, Gould, B. A. i. pl. 12. berigora, b. occidentalis, Schl.

S.&W. Austra.

66. b. HARPE, Bp. 1855.

 novæ zealandiæ, Gm.; Voy. Pôle Sud, t. 1. 1. harpe, Forst.; australis, Homb. & J. New Zealand. Auckland Isl.

brunneus, p., Pelz.
202. brunneus, Gould.

New Zealand.

ferox, Peale.

67. TINNUNCULUS, V. 1807.

Falco, Sav. 1809. Cerchneis, Boie, 1826. Ægypius, Kaup, 1829, nec Sav. 1809. Falcula, Hodgs. 1837. Rifynchodon, p., Nitzsch. G. of B. i. p. 21, pl. 8. f. 3; Reich. S. A. t. 94. f.

a. TINNUNCULUS.

203. alaudarius, Gm.; P.E. 401. 411; Naum. Vög. t. 30; Gould,

B. E. pl. 26.

Europe.

tinnunculus, L.; brunneus, Bechst. fasciatus, Retz.

Palestine, Pers.

rufescons, Sw.; rupicolæformis, Würt.

Africa.

rufipes, Brehm.

interstinctus, M'Clell. japonicus, Schl. F. J. t. 1. India. Japan, N. China.

204. rupicolus, Daud.; Lev. O. A. t. 35. capensis, Shaw.

S. Africa.

205. rupicoloides, Smith, I. S. A. Z. pl. 87.

S. Africa.

206. punctatus, Cuv.; P. C. 45; Poll. & V. D. F. de Madag. t. 11.3. Maurit., Madag.

207. Newtoni, Gurn. Ibis, 1863, pl. 2; Poll. & V. D. F. de Madag. t. 11. 1, 2.

Madagascar.

punctatus, Pelz.; gracilis, Newt. punctatus, p., Schl.

Moluc., Ceram. Timor, Celebes,

, 208. moluccensis, Schl. Valkv. t. 1.3, 4, 5; Voy. Pôle Sud, t, 1.2. saturatus, Bl.?

Java, Flores, Borneo. Australia. 7

• 209. cenchroides, Vig.; Gould, B. A. i. pl. 13. immaculatus, Brehm.

N.E. Africa.

210. alopex, Heugl. Ibis, 1861, pl. 4.

Seychel., Madag.

211. gracilis, Less.; Des Murs, I. O. t. 25; Poll. & V. D. F. de Madag. t. 11. 4, 5. punctatus, p., Schl.

Burmah.

212. atratus, Bl.

b. ERYTHROPUS, Brehm, 1828.

Pannychistes, 1829, et Pannychestes, 1847, Kaup. Panychistes, Bp. 1849. Rhynchodon, p., Nitzsch.

213. vespertinus, L.; P. E. 431; Naum. Vög. t. 28; Gould, B. E. pl. 23. rufipes, Beseke; erythrurus, Rafing.

S.E. & S. Eur.

214. amurensis, Radde; Ibis, 1868, pl. 2. vespertinus, p., G. R. Gr. vespertinus, var. amurensis, Radde.

Amur, Nepal. S.E. Afr., Natal. River Shiré.

69. c. Tichornis, Kaup, 1844.

Rhynchodon, p., Nitzsch.

215. Cenchris, Naum. Vög. t. 29; Gould, B. E. pl. 27. tinnuncularius, V. tinnunculoides, Tem. Naumannii, Fleisch.

S. & S.E. Europe. India, N. Africa. Great Britain?

70. d. Poecilornis, Kaup, 1844.

Paecilornis, Bp. 1849.

xanthonyx, Natt.

216. sparverius, L.; P. E. 444, 465; Wils. A. O. pl. 16.1, 32.2. gracilis et isabellinus, Sw. Frascri, Bp.

N. Amer., Mex. Brazil, British Guiana.

217. cinnamominus, Sw. sparverius, p., Schl.

S. America. Chili, Patagonia.

218. dominicensis, Gm.; Fras. Z. T. pl. ; Voy. Cuba, t. 1. Cuba. sparverioides, Vig.; sparverius, Lemb. mercurialis et plumbiceps, Würt. ferrugineus, Sauss.; sparverius, p., Schl.

71. IERAX, Vig. 1824, nec Leach, 1816.

Hierax, Cuv. 1829; Ierax et Zerax, Kaup, 1851. Rhynchodon, p., Nitzsch.

G. of B. i. p. 21, pl. 8. f. 6; Reich. S. A. t. 94. f. .

7. 219. caerulescens, L.; Edw. B. pl. 108; P. C. 97; Horef. Zool. Res. pl. .; Schl. Valkv. t. 2. 1; V. Gal. des Ois. t. 18. fringillarius, Drap. malaccensis, Strickl.; melanoleucus, Moore.

Java, Sumatra, Borneo. Malacca.

eutolmos, Hodgs.
 bengalensis, Bl.
 cærulescens bengalensis, Schl.

Nepal, Sikkim. Assam, Arracan.

221. erythrogenys, Vig.; Fras. Z. T. pl. bengalensis, p., Bl.; sericeus, p., Pelz.

Philippine Isl.

222. sericeus, Kittl. Mem. Ac. Peters. 1835, t. 1. Gironnieri, Eyd. Voy. Bonite, t. 1. erythrogenys, Q, Kaup.

N. China.

223. melanoleucus, Bl. bengalensis, p., Bp.

Assam.

72. HARPAGUS, Vig. 1824.

Bidens, Spix, 1824. Diodon, Less. 1831, nec L. 1766. Diplodon, Nitzsch, 1840.

Sw. C. of B. f. 191; G. of B. i. p. 22, pl. 8. f. 5; Reich. S. A. t. 94. f.

a. HARPAGUS.

224. bidentatus, Lath.; P. C. 38; Spix, A. B. t. 6. 7. rufiventris et albiventris, Spix; brasiliensis, Less.

Brazil.

225. diodon, Tem. P. C. 198; Spix, A. B. t. 8. femoralis et cinerascens, Spix; brasiliensis, p., Less.

73. b. Spiziapteryx, Kaup, 1851.

Hemiierax, Burm. 1861.

226. circumcinctus, Kaup, Ibis, 1862, pl. 2. punctipennis, Burm.

Chili.

Subfam. V. Milvinse, Bp. 1838.

Milvina, Buteonina, p. Aquilina, p., et Accipitrina, p., Vig. 1825. Cymindinæ, p., Buteoninæ, p., et Accipitrinæ, p., Sw. 1837. Falconinæ, p., 1831, et Buteoninæ, p., 1838, Ep. Perninæ, Elaninæ et Haliactinæ, p., Bl. 1849.

74. BAZA, Hodgs. 1836.

Lophotes, Less. 1831, nec Giorna, 1803.
Lepidogenys, Gr. 1839. Hyptiopus, Hodgs. 1841. Lophastur, Bl. 1842.
Sw. C. of B. f. 192; G. of B. i. p. 23, pl. 9. f. 6; Reich. S. A. t. 95. f. .

a. Basa.

lophotes, Cuv.; P. C. 10.
 cristatus, V.; indicus, Less.; Lathami, Gr. syama, Hodgs.

India.

228. Reinwardtii, Müll. Verhandl. t. 5, 2; Schl. Valkv. t. 27. 1, 2, 3.

Celeb., Amboina, Bouru, Ceram, Timor. Gilolo.

229. rufa, Schl. Verhandl. t. 5. 1; id. Valkv. t. 27. 4, t. 28. 1, 2, 3. Reinwardtii, p., Schl.

Batchian.

230. magnirostris, G. R. Gr.; Schl. Valkv. t. 28. 4, 5. crassirostris, Kaup; Reinwardtii, p., Schl.

Philippine Isl. Sula, N. Celebes.

• 231. subcristata, Gould, B. A. i. pl. 25. Reinwardtii, p., Bl. New S. Wales, 7025 N. Australia.

232. sumatrensis, Lafr. Jerdoni, Bl.

Java, Sumatra. Borneo.

233. stenozona, G. R. Gr. Reinwardti, p., Wall.

N. Guinea, Aru. Salwatti.

75. b. Aviceda, Sw. 1837.

Avicida!, G. R. Gr. 1841. Ichthierax, Bp. 1849. Hyptiopus, p., Sundev. Sw. C. of B. f. 193; G. of B. i. p. 23, pl. 9. f. 2.

234. Verreauxii, Lafr. caffer, Sundev.; butcoides, Verr. piscator, Gm.?; cuculoides, p., Schl. S. Afr., P. Natal.

235. cuculoides, Sw. B. of W. Afr. i. pl. 1.

W. Africa.

236. madagascariensis, Smith; Poll. & V. D. F. de Madag. t. 16. Madagascar. Verreauxii, p., Hartl. cuculoides, juv., Bp.

76. PERNIS, Cuv. 1817.

Buteo, Boie, 1826?. Pernes (Pternis) et Pterochalinus, Glog. 1842.
G. of B. i. p. 24, pl. 9. f. 3; Reich. S. A. t. 95. f.

a. PERNIS.

237. apivorus, L.; P. E. 420; Naum. Vög. t. 35, 36; Gould, B. E. pl. 16. poliorhynchus, Beckst.; variabilis, Kock.

Europe.

dubius, Sparrm.; incertus, Lath. lacertarius, Pall.; communis, Cuv.

238. tachardus, Daud.; Lev. O. A. t. 19. madagascariensis, Smith.

capensis, p., Tem. & Schl.; apivorus, p., Hartl.

239. cristatus, Cuv.; P. C. 44; Schl. Valkv. t. 25, 26; Schl. Verhandl. t. 7.

ptilorhynchus, Tem.; maculosa, Less. Elliottii, James; bharatensis, Hodgs. torquata et ruficollis, Less.; Des Murs, I. O. t. 13, 14.

var. celebensis, Schl. Valkv. t. 24. 3.

240. brachypterus, Bl.

Celebes. Mergui.

India.

S. Africa.

Madagascar.

Java, Sumatra.

77. b. Henicopernis, G. R. Gr. 1859.

Dædalion (nec Sav.) et Dædalia?, Bp. 1854.

241. longicauda, Less. & Garn. Voy. Coqu. t. 10.

Aru, Mysol, Ké, Ceram. 78. MACHAERHAMPHUS, Westerm. 1851.

Macheiramphus, Schl. Machaerhamphus, Bl. Macherhamphus, Hartl. 1853.

Strigonyx, Gurn. 1867.

242. alcinus, Westerm. Bidjr. Dierk. t. . Anderssoni, Gurn. Trans. Z. S. 1867, pl. 29. (Malacca?) Damaraland, S. Africa.

N. Guin., Waigi.,

79. MILVUS, Cuv. 1799–1800.

Milans, Cuv. 1797-98. Milvus, a, Nitzsch, 1840. G. of B. i. 24, pl. 9, f. 8; Reich. S. A. t. 93. f. .

a. MILVUS.

243. regalis, Bp.; P. E. 422; Naum. Vög. t. 31. 1; Gould, B. E. pl. 28.

Europe.

milvus, L.; austriacus, Gm. ictinus, Sav.; castaneus et russicus, Daud.; jaicensis, Lepech.; vulgaris, Flem. ruber, Brehm.

4.3 244. govinda, Sykes; Gr. I. Ind. Z. pl. 18; Gould, B. As. pl. . India. cheela, Jerd.; lineatus, Gr.; indicus, Hodgs. melanotis, Tem. of Schl. F. J. t. 5.

Japan, China, Formosa.

b. Hydroictinia, Kaup, 1844. 80.

Milvus, p., Nitzsch, 1840, et Kaup, 1851.

Reich. S. A. t. 93. f.

245. migrans, Bodd.; P. E. 472; Naum. Vög. t. 31. 2; Gould, B. E. pl. 29.

ater, Gm.; niger, Br.; actolius, V. fuscoater, Mey.; milvus, Pall. atra, Kaup.

246. affinis, Gould, B. A. i. pl. 21; Schl. Valkv. t. 20. 1.

247. asgypius, Gm.; Lev. O. A. t. 22.

Forskahlii, Gm. parasitus, Daud. parasiticus, Lath. isuroides, Würt.

Aust., Tasmania, 7244 Timor, Celebes. S.E. Europe. Africa.

Madagascar. Mayotte.

S1. c. Lophoictinia, Kaup, 1847.

Reich, S. A. t. 93. f.

248. isurus, Gould, B. A. i. pl. 22. pacificus, Lath.?

New S. Wales.
S. Australia.

82. NAUCLERUS, Vig. 1825.

Milvus, V. 1807, nec Cuv. 1799-1800. Elanoides, G. R. Gr. 1848. Milvus, a, p., Nitzsch. G. of B. i. p. 24, pl. 9. f. 9; Reich. S. A. t. 93. f.

a. NAUCLERUS.

249. furcatus, L.; V. O. A. S. t. 10; Wils. O. A. pl. 51. 3. yetapa, V.

S. of N. America. Texas, England.

83. b. Chrlictinia, Less. 1843.

Chelidopteryx, 1844, et Cypselopteryx, 1851, Kaup. Milvus, Boie, 1826.

250. Riocouri, V.; P. C. 85; V. Gal. des Ois. t. 16.

W. Africa.

84. ROSTRHAMUS, Less. 1831.

Cymindes, Spix, 1824. Cymindis, Boie, 1826, nec Cuv. 1817.

Sw. C. of B. f. 106; G. of B. i. p. 25, pl. 9. f. 10; Reich. S. A. t. 98, f.

251. sociabilis, V.; Spix, A. B. t. 2; P. C. 61, 231; Baird, B. of N. A. pl. 65.

Brazil, Florida.

hamatus, Ill.; leucopygus, Spix. niger, Less.; tæniurus, Cab.

85. CYMINDIS, Cuv. 1817, nec Latr. 1806.

Leptodon, Sundev. 1836. Cymindes, Flem. 1822. Odontriorchis, Kaup, 1844. G. of B. i. p. 25; Reich. S. A. t. 95. f.

a. Cymindis.

252. cayanensis, Gm.; P. E. 473; P. C. 204, 270.

cyanopus, V.; palliatus, Max. monachus, cinereus, et griseus, V. buteonides, Less.

N. of S. America.

86. b. Regerhinus, Kaup, 1845.

Cymindis, Sw. 1837. Cymindis, p., Nitzsch. Sw. C. of B.f. 104; G. of B. i. pl. 9.f. 7; Reich. S. A. t. 95. f. 253. uncinatus, Ill.; P. C. 104, 115. Guiana. cuculoides, Sw. ? vittaceudus, Max. & Pelz. Brazil.

254. megarhynchus, Kaup; Casteln. Voy. t. 1. Peru. Wilsoni, p., Verr. (?).

255. Wilsoni, Cass. Journ. Ac. Phil. 1847, pl. 7. Cuba. uncinatus, p., Lemb.; cayanensis, p., Poey.

256. Pucherani, Ledd.
uncinatus, p. ?

257. boliviensis, Burm. Int. of Bolivia.

87. ELANUS, Sav. 1809.

Milans, Boie, 1822. Elanoides, V. 1818. Sw. C. of B. f. 105; G. of B. i. p. 25, pl. 9. f. 5; Reich. S. A. t. 93. f. (Ictinia!).

258. melanopterus, Daud.; Lev. O. A. t. 36, 37; Naum. Vög. t. 347; Gould, B. E. pl. 31. cessius, Sav.

259. minor, Bp. India.
vociferus et sonniensis, Gm. ?
nelanopterus, p., Jerd.

280. intermedius, Schl. Valkv. t. 24. 2, 3. axillaris, Tem.; hypoleucus, p., Wall.

Java, Borneo.

Africa.

Europe.

Trinidad.

2043 261. axillaris, Lath.; Gould, B. A. i. pl. 23. melanopterus, Vig.; notatus, Gould.

262. scriptus, Gould, B. A. i. pl. 24.

Australia.

Int. S. Australia.

74//. 263. leucurus, V.; P. C. 319; Bp. A. O. pl. 11. 1. dispar, Tem.; melanopterus, Bp.

S. & W. of U. S. Haiti.

264. hypoleucus, Gould, B. As. pl.

Celebes, Amboina.

88. GAMPSONYX, Vig. 1825.

Chondrohierax, Less. 1847?

Sw. C. of B. f. 188; Grof B. i. p. 26, pl. 9. f. 4; Reich. S. A. t. 93. f. (Elanus!).

265. Swainsoni, Vig.; G. R. Gr. & M. G. B. pl. 9. torquatus, Cuv.; rufifrons, Max. Holmi, Sundev.

Brazil.

89. ICTINIA, V. 1816.

Nertus, p., Boie, 1828.

Sw. C. of B. f. 194.

a. Ictinia.

266. mississipiensis, Wils. A. O. pl. 25. 1; Gal. des Ois. t. 17. N. America, ophiophagus, V.; plumbeus, Aud. Texas, New Mex.

90.

b. NERTUS, Boie, 1826.

Poecilopteryx, Kaup, 1844. Paecilopteryx, Bp. 1849. Milvus, b, p., Nitzsch.

Sw. C. of B. f. 97; G. of B. i. p. 26, pl. 9. f. 1.

plumbeus, V. O. A. S. t. 10 bis; P. C. 180.
 cenchris. V.

S. America.

Subfam. VI. Accipitrinæ, Sw. 1837.

Accipitrina, Vig. 1825. Falconinze, p., Bp. 1831. Circinze, p., Bl. 1849.

91. ASTUR, *Lacép*. 1800-01.

Autours, Cuv. 1797-98. Dædalion, Sav. 1809. Sparvius, V. 1816. Aster, Sw. 1837. Phabotypus, Glog. 1842.
Sw. C. of B. f. 98, 195; G. of B. i. p. 27, pl. 10. f. 3; Reich. S. A. t. 94. f.

a. Astur.

 palumbarius, L.; P. E. 418, 461, 423; Naum. Vog. t. 17, 18; Gould, B. E. pl. 17.

gentilis, L. marginatus, Lath.; albescens, Bodd. gallinarius, Gm.; aster, Pall. paradoxus, C. L. Brehm.

Nepal. Himalayas.

Europe.

269. atricapillus, Wils. A. O. 52. 3; P. C. 495. regalis, Tem.; pictum, Less.

regalis, Tem.; pictum, Less. palumbarius, p.

N. America.

270. melanoleucus, Smith, I. S. A. Z. pl. 18. Smithii, Kaup. apoxypterus et hypoxanthus, Licht.? Africa.

271. Verreauxii, Schl. melanoleucos, Hartl.; Temminckii, Pel. leucomelas, Würt.?

C. & W. Africa.

272. radiatus, Lath.; Gould, B. A. i. pl. 16.
Calei, Vig. et Horsf.; testaceus, V. Ern.

New S. Wales. N. Australia.

273. spectabilis, Schl. Tijdschr. Dierk. i. t. 6.

Gold Coast.

274. macrourus, Tem. & Hartl.

"

275. tibialis, Verr.

W. Africa.

92. b. Leucospiza, 1844, et Leucospizia, 1851, Kaup.

276. noves-hollandiss, Gm.; White's Journ. Bot. B. pl. Gould, B. A. i. pl. 15; Schl. Valkv. t. 11. 3. albus, Shaw; nævius, V.; candidum, Less. leucaetus, Forst.; novæ-hollandiæ, albino, Gould.

277. Rayi, Vig. et Horef.; Gould, B. A. i. pl. 14. clarus, Lath.?; novæ hollandiæ, p., Gould.

New S. Wales.

c. LOPHOSPIZA, 1844, et Lophospizia, 1851, Kaup.

278. trivirgatus, Cuv.; P. C. 303; Schl. Valkv. t. 10. cristatus, G. R. Gr.

Sunda Islands. Java, Borneo, Sumat., Phil. I. India. Himalayas, Ceyl.

279. indicus, Hodgs. rustinctus, M. Clell.; palumbarius, Jerd.; anceps, Tem. trivirgatus indicus, Schl.

280. griseiceps, Schl. Valkv. t. 11. 1, 2; Ibis, 1862, pl. 5. trivirgatus, juv., Bp.

Celebes.

d. Asturina, V. 1816.

Astur, p., Nitesch. Reich. S. A. t. 94. f.

281. nitidus, Lath.; P. C. 294; Baird, B. N. A. pl. 64; V. Gal. des Ois. t. 20..

cinereus, V.; striolatus, Cuv.

S. America. New Mexico.

282. plagiatus, Licht.

Vera Paz, Guatemala, Mexico. Caraccas, Brazil.

283. leucorrhous, Quoy & G. Voy. Uranie, t. 13.

e. Butrola, Dubus, 1855.

284. brachyura, V.; Isis, 1847, t. 2, 15. melanoleucus, Less.; albifrons, Kaup. abbreviatus, p., Sclat.

S. America. Brazil.

285. Cabanisii, Schl. abbreviatus, Q, Licht. minutus, Natt. & Pelz. Mexico, Guiana.

Cayenne, Brazil, Para.

96. f. Rupornis, Kaup, 1844. Nisus, Less. 1831.

286. magnirostris, Gm.; P. E. 464; P. C. 86. macrorhynchus, Natt. & Pelz.

Cayenne, Costa Rica, Caraccas.

287. insectivorus, Spix, A. B. t. 8. magnirostris, p.

Brazil.

288. Pucherani, Verr.

Guatemala, Mex.

gularis, Licht.; magnirostris, p., D' Orb.

Monte Video. Buenos Ayres, Bolivia.

97. GERANOSPIZA, 1847.

Geranopus et Geranospizia, 1851, Kaup. Ischnosceles, Strickl. 1844, nec Burm. 1842. Ichnoscelis, G. R. Gr. 1849. G. of B. i. p. 28, pl. 10. f. 6; Reich. S. A. t. 94. f. .

289. gracilis, Tem. P. C. 91.

czerulescens, V. Wiedii brasiliensis, Gr. aterrimus, Licht.; nigra, Dubus. ? hemidactylus, Tem. P. C. 3.

E. Brazil, Buenos Ayres. Island of Puna.

Brazil.

98. MICRASTUR, G. R. Gr. 1841.

Brachypterus, Less. 1837, nec Kugel. 1794. Carnifex, Less. 1842, nec Sundev. 1836. Climacocercus, Cab. 1844. Herpetotheres, p., Kaup, 1845. Climacourus, 1849, et Rhyncomegas, 1853, Bp. G. of B. i. p. 28, pl. 10. f. 1.

a. MICRASTUR.

290. brachypterus, Tem. P. C. 141, 116.

semitorquatus et melanoleucus, V.; leucomelas, IU.; naso!, Less.

291. Mirandollei, Sehl. macrorhynchus, Natt. & Pele. Brazil, Bahia. Mexico.

Surinam. Brazil, E. Peru.

99.

b. — ?

Micrastur, Bp. 1854. Reich. S. A. t. 98. f. .

292. ruficollis, V.; P. C. 92. xanthothorax, Tem.

Guiana, Brazil.

293. leucauchen, Max.; P. C. 306. xanthothorax, p., G. R. Gr.

Brazil.

294. gilvicollis, V. ? concentricus, Ill. Brazil, Columb. Mexico?

295. castanilius, Bp.; Sclat. & S. Ex. Orn. pl. 18. 296. guerilla, Cass. Journ. Ac. Phil. 1848, pl. 40.

S. America.

Mexico, Jalapa.

297. zonothorax, Cab.

New Granada.

100. HERPETOTHERES, V. 1818.

Physta, V. 1816. Macagua, Less. 1831. Cachinna, Flem. 1822. G. of B. i. p. 15, pl. 7. f. 4.

298. cachinnans, L.; V. Gal. des Ois. t. 19; Spix, A. B. t. 3 a. Guiana, Mexico. herpetotheres, G. R. Gr.

Bolivia.

101. ACCIPITER, Br. 1760.

Eperviers, 1798-99, & Nisus, 1799-1800, Cuv. Ierax, Leach, 1816. Nisuoides, Poll. Astur, p., Nitssch. G. of B. i. p. 28, pl. 10. f. 4; Reich. S. A. t. 94. f. .

a. ACCIPITER.

299. nisus, L.; P. E. 467, 412; Naum. Vog. t. 20, 21; Gould, B. E. pl. 18. accipiter, Ray; striatus, Frisch.

Europe. N. Africa.

communis, Cuv.; fringillarius, Kaup. nisosimilis, Tick.; subtypicus, Hodgs. India, Persia. Dussumierii, Jerd. Japan. 300. rufiventris, Smith, I. S. A. Z. pl. 93; P. C. 496. 8. & N. Africa. exilis, Tem.; perspicillaris, Rüpp. fringillarius, p., Kaup. fringillarius rufiventris, Schl. 301. tachiro, V.; Lev. O. A. t. 27; P. C. 377, 420. 8. Africa. polyzonos, Tem. unduliventer, Rüpp. F. A. t. 18. 1. N.E. Africa. erythrocnemius et satrapa, Licht. 302. Toussenelli, Verr. W.Afr., Gaboon. poliopareius, Heugl.? 303. Stevensoni, Gurn. Ibis, 1863, pl. 11. China. 304. fuscus, Gm.; Wils. A. O. pl. 46. 1; P. C. 67. N. America. pennsylvanicus, *Wils*. Cooperi, ♀, *Kaup*; velox, *Wils*. Malfini, juv., *Less*.; lineatus, striatus, et ardosiacus, *V*.; fringillarius, p., Kaup. 305, erythrocnemius, G. R. Gr.; Sclat. & S. Ex. Orn. pl. 17. fuscus, p. ?, Schl.; nisoides, Cuv. Bolivia. striatus, D' Orb. ferrugineus, Licht erythrocnemis, Sclat. & S. 306. ventralis, Sclat. & S. Ex. Orn. pl. 13. New Granada. erythrocnemis, p., Sclat. 307. chionigaster, Kaup; Sclat. & S. Ex. Orn. pl. 14. Coban. erythrocnemius, p., Sclat. & S. 308. madagascariensis, Verr. Madagascar. fringillarius, p., Kaup Francesii, Q or juv., Schl. (!) Lantzii, Verr. R. et M. de Zool. 1866, t. 18; Poll. & V. D. F. de Madag. t. 13. W. Africa. 309. zonarius, Tem.; Des Murs, I. O. t. 61. polyzonos, Less.; macrocelides, Tem. tachiro, p., G. R. Gr. 310. Hartlaubii, Verr. guttatus, Heugl.? 311. fringilloides, Vig. Cuba. fuscus, p., Lemb. 102. b. Cooperastur, Bp. 1854.

N. America.

W. of Rocky M.

312. Cooperi, Bp.; A. O. pl. 10. 1.

pileatus, juv., Kaup.

Stanleyi, Aud.; Beskii, Licht.

	~-
313. ? mexicanus, Sw.	Mexico, New Mexico.
fuscus, p.?, G.R.Gr.	California.
314. chilensis, Ph. & Landb.; Sclat. & S. Ez. Orn. pl. 37. erythrocnemia et pileatus, p., G. R. Gr. Cooperi, p., Pelz.	Chili, Str. of Magellan.
315. pileatus, Max.; P. C. 205. variatus, Cuv. Cooperi, p., Kaup.	Brazil, Cayenne. Str. of Magellan.
316. guttatus, V. pileatus, Lafr.	Bolivia.
317. poliogaster, Tom.; P. C. 264, 265.	Brazil, Bolivia.
318. bicolor, V.; Sclat. & S. Exot. Orn. pl. 69. sexfasciatus, Sw.; dynastes, Bp. pileatus, p., et erythroenemis, p., Sclat.	Guaiana, Guat. Bogota.
319. Gundlachi, Lawr. pileatus et Cooperi, Lemb. Cooperi, p., Cab.	Cuba.
 c. HIERASPIZA, 1844. et Jeraspizia, 1851. Teraspiza!, 1867, Kaup. Hieracospiza, Agase Pr. Z. S. 1867, f. 1, p. 171. 	ı .
320. tinus, Lath.; G. R. Gr. & M. G. B. pl. 10.	S. America.
subniger et minutus, V. Malfini (adult), Less.; collaris, Lawr. Fontainieri, Verr. & Des M. superciliosus, L.?; Kaup.	Veragua. New Granada.
321. collaris, Kaup; Ibis, 1860, pl. 6.	New Granada.
322. virgatus, Tem.; P. C. 109; Schl. Valkv. t. 12. 1-4; Jerd. Ind. Orn. pl. 4.	Java, Sumatra, Timor.
Brissonianus, Shaw. Dussumieri, Sykes; besra et fringillarius, Jerd.	India.
affinis, <i>Hodgs.</i> ; minutus, <i>Less.</i> ; Delafonii, <i>H. Smith.</i> gularis, <i>Schi. F. J.</i> t. 2. nisoides, <i>Bl.</i>	Japan. Malacca penins.
323. minullus, Daud.; Lev. O. A. t. 34. binotatus, Licht.	S. Africa.
324. pectoralis, Cuv.; Ibis, 1861, pl. 10.	S. America.
325. rhodogaster, Schl. Valkv. t. 12. 5, 6. virgatus rhodogaster, Schl.	Celebes.
328. erythropus, Tem.	Seneg., Guinea.
minullus, p., Hartl.	_

104.

d. Urospira, 1845.

Urospisia, 1848, et Uraspiza, 1867, Kaup. Pr. Z. S. 1867, f. 5. p. 175, et f. 4, C. p. 174.

327. torquatus, Cuv.; P. C. 43, 93; Schl. Valkv. t. 17. cruentus, Gould, B. A. i. pl. 18.

, B. A. i. pl. 18.

328. sylvestris, Wall.; Schl. Valkv. t. 17. 3. 5. torquatus, p., Kaup.

Ternate, Celebes.

Flores, Sumbava,
Java.

N. Austr., Timor.

2/93 329. cirrhocephalus, Lath.; Gould, B. A. i. pl. 19. nisus et melanops, Lath.? torquatus, Vig. & Horsf.; australis, Less. tricolor, V.; macrodactylus, Tem.

Australia. Moluccas. New Caledonia.

330. approximans, Vig. & Horsf.; Gould, B. A. i. pl. 17. radiatus, Cuv.; fasciatus, Vig. & Horsf.

N. S. Wales, Tasmania, S. Austr. Timor, New Caledonia.

331. rufitorques, Peale; U. S. Expl. Exp. pl. 2. 2; Voy. Pôle Sud, t. 2. 2.

Feejee Islands.

hyiogaster, p., Bp. erythrauchen, p.?, Kawp. oruentus, p., Finsch & Hartl.

332. haplochrous, Sciat. Ibis, 1859, pl. 8.

New Caledonia.

333. sulaënsis, Schl. Valkv. t. 16. 3, 4.

Sula, Ceram?

334. erythrauchen, G. R. Gr.; Schl. Valkv. t. 13. 1, 3, 4,

E. Gilolo, Ceram, Morty, Batc. I. Bouru, Morty, Ceram, Gilolo.

335. rubricollis, Wall. Pr. Z. S. 1863, pl. 4; Schl. Valkv. t. 13. 2. cirrocephalus ceramensis, et erythrauchen, p., Schl.

New Guinea, Aru, Kei, Salwatty.

336. poliocephalus, G. R. Gr.; Ibis, 1860, pl. 10.

105.

e. --- ?

Erythrospiza, Kaup, 1867, nec Bp. 1830. Pr. Z. S. 1867, fig. 3. p. 173, et fig. 4, A, B, p. 174.

337. trinotatus, Tem.; Schl. Valkv. t. 19. 1-3.

Celebes.

338. griseogularis, G. R. Gr.; Schl. Valkv. t. 14. 1, 2, t. 15. 1, 2, 3, t. 16. 1, 2. oruentus, p., Schl.

Gilolo.

henicogrammus, G. R. Gr.

Ternate, Batchian, Morty. E. Gilolo.

339. ? sequatorialis, Wall.; Schl. Valkv. t. 14. 3, 4. griscogularis, p., Kaup. cruentus, p., Finsch & Hartl.

Morty, Salwatty. Batchian, Gilolo. Waigiou.

 iogaster, Tem.; Voy. Pôle Sud, t. 2. 1; Schl. Valkv. t. 18. hyiogaster, Bp. Celebes.

341. Muelleri, Wall. griseogularis, p., Kaup. cruentus, p., Schl. Waigiou, Gilolo.

106. MICRONISUS, G. R. Gr. 1840.

Nisastur, Bl. 1844. Melierax, Boie, 1855. Astur, p., Nitzech.

a. MICRONISUS.

342. gabar, Daud.; Lev. O. A. t. 33; P. C. 122, 140. erythrorhynchus, Sw.; leucorrhous, V. nilotica, Sundev.; gabarinus, Sundev.?

Africa. Portugal.

343. niger, V.; Gal. des Ois. t. 22; Gould, Syn. A. B. pl. f. (head). S. Africa. gabar, var., Kaup; carbonarius, Licht. Banksii, Tem.

Madagascar.

344. sphenurus, Rüpp. S. U. t. 2; Bree, B. of Eur. pl. . app.

Rüppellii, Kaup; guttatus, Heugl. badius, p., Schl. brachydactylus, Sw.

Abyssinia.

W. Africa.

345. polyzonoides, Smith, I. S. A. Z. pl. 11. erythropus, p., Schl.; sphenurus, p., G. R. Gr. S. Africa. Damaraland?

346. brevipes, Severz. Bull. S. Imp. Mosc. 1850, t. 1. 2. sphenurus, p., Gurn. Gurneyi, Bree, B. of Eur. pl. app.

Athens, Damasc. S. Russia.

347. badius, Gm.; P. C. 308, 336; Bree, B. Eur. pl. app. Brownii, Shaw; Dussumieri, Tem. dukhunensis, Sykes; fringillanoides et scutarius, Hodgs.; bifasciata, Peale. manillensis, Meyen.

India, Ceylon. Siam, Europe.

107.

b. TACHYSPIEA, 1844,

et Tachyspizia, 1851, Kaup Hypotriorchis, p., Boie, 1828. Pr. Z. S. 1867, f. 2, p. 172.

348. soloënsis, Horef. P. C. 110, 129; Schl. Valkv. t. 19. 4-8. cuculoïdes, Tem.; minutus, Less.

Java, Celebes. Philip. I., Batchian I., N. Chi-na, New Guinea.

108.

c. SCELOSPIEA, 1847,

et Scelospixia, 1851, Kaup. Nisuoides, Poll. 1866.

349. Francesii, Smith; Ibis, 1864, pl. 7; Poll. & V. F. D. Ma- Madagascar, dag. t. 14.

Joanna I.

350. Moreli, Poll.; Poll. & V. D. F. de Madag. t. 12. 3. Lantzii, p.?, Newt.

Madagascar.

351. Brutus, Poll.; Poll. & V. D. F. de Madag. t. 12. 2.

Mayotta. D 2

d. KAUPIPALCO, Bp. 1854. 109.

Asturinula, Hartl. & Finsch, 1869.

352. monogrammicus, Tem. P. C. 314; Sw. B. of W. Afr. pl. 4. W. Africa. musicus, Hartl.

110. MELIERAX, G. R. Gr. 1840.

G. of B. i. p. 30, pl. 10. f. 5.

353. musicus, Daud.; Lev. O. A. t. 27. canorus, Thunb.; cantans, Kaup.

354. polyzonus, Rüpp. F. A. t. 15. 1. musicus, p., G. R. Gr.

355. ? metabates, Heugl.

S. Africa.

N.E. Africa. Gambia.

White Nile.

Subfam. VII. Circinæ, Bp.

Buteonina, p., Vig. 1825. Buteonina, p., Sw. 1837. Falconina, p., 1831, et Polyborine, p., 1849, Bp.

111. CIRCUS, Lacep. 1800-1801.

Pygargus, Koch, 1816.

Sw. C. of B. f. 107; Reich. S. A. t. 93. f. .

a. CIRCUS.

356. seruginosus, L.; P. E. 460, 424; Naum. Vög. t. 37, 38; Gould, B. E. pl. 32.

rufus, Gm.; arundinaceus, Bechst. Krameri, Kram.; palustris et rufus, Br. indicus, Lath.; variegatus, Sykes. Sykesi, Less.

byzantina, Bp.

C. & S. Europe. N. Africa.

India.

357. ranivorus, Daud.; Lev. O. A. t. 23.

S. Africa.

358. assimilis, Jard. & S. Ill. Orn. pl. 51; Gould, B. A. pl. 28.

Jardinei, p., Schl.

359. approximans, Peale. Wolfli, Gurn. Pr. Z. S. 1865, pl. 44.

assimilis, p., Verr. & Des Murs.

360. spilonotus, Kaup; Ibis, 1863, pl. 5.

361. Maillardii, Verr.; Ibis, 1863, pl. 4. melanoleucus, Hartl.

362. macroscelis, A. Newt.

Feejee Isalnds. New Caledonia. New Zealand.

New S. Wales.

S. Australia.

Philippine I., I. of Formosa. I. of Bourbon.

Joanna.

Madagascar.

112. b. Spilocircus, Kaup, 1847.

Reich, S. A. t. 93, f.

363. Jardinii, Gould, B. A. i. pl. 27; Schl. Valkv. t. 20. 2, 3. assimilis, p., Schl.

New S. Wales, Tasmania. Celebes.

113.

c. STRIGICEPS, Bp. 1831.

Circus, Cuv. 1817.

G. of B. i. p. 32, pl. 11. f. 1; Reick. S. A. t. 93. f. .

364. cyaneus, L.; P. E. 480, 459, 443; Naum. Vög. t. 38, 39; Gould, B. E. pl. 33.

bohemicus, albicans, griseus, et montanus, Gm.; cinereus et rubiginosus, H. Poseg.; strigiceps, Nils. variabilis, Pall.; gallinarius, Sav. pygargus, L. Cuv.

Himalayas.

C. Europe. 4362

N. America. 7669

365. hudsonius, L.; Wils. A. O. pl. 51. 2; Bp. A. O. pl. 12; Faun. B. A. pl. 29.

uliginosus, variegatus, albidus, et Buffoni, Gm.; europogistus, Bosc.

cyaneus, var. americanus, Sw. cyaneus, p., Kaup.

Bengal, Nepal.

California, Cuba.

366. melanoleucus, Gm.; Lev. O. A. t. 32.

367. maurus, Tem. P. C. 461.

Lalandii, Smith; ater, G. R. Gr.

368. cinereus, V.; Voy. Uranie, t. 15, 16. histrionicus, Quoy & G. acoli, (V.) Kaup; frenatus, III. campestris,? V.

S. America.

S. Africa.

114.

d. GLAUCOPTERYE, 1844,

Glaucopterix, 1845, et Pterocircus, 1851, Kaup. Reich. S. A. t. 93. f.

369. cineraceus, Mont.; Naum. Vög. t. 40; V. Gal. des Ois. t. 13; Gould, B. E. pl. 35.

Montagui, V.; cinerascens, Flem. cinerarius et cinerareus, Mont. ater, V. (var.) nipalensis et pallidus, Hodgs.

C. & S. Eur. Himalayas.

370. pallidus, Sykes; Gould, B. E. pl. 34; Naum. Vög. t. 348. Swainsoni, Smith, I. S. A. Z. pl. 43, 44. metro control be sequipar, Cuv.; Feldeggi, Bruch. albescens, Less.; dalmaticus, Rüpp herbæcola, Tick.; superciliaris, Smith. acoli, V.?; cineraceus pallidus, Schl.

C. S. E. Eur., S. and W. Africa, India, China.

115. e. Spizacircus, 1845,

et Spiziacircus, 1851, Kaup. Reich. S. A. t. 93. f.

371. macropterus, V.; P. C. 22. palustris, Max.; superciliaris, Less.

S. America Patagonia, Maldonado.

leucophrys, albicollis et maculosa?, V.; Gouldi, Bp. megaspilus, Gould; G. R. Gr. & M. G. B. pl. 11.

372. poliopterus, Tach. F. P. t. 3.

Peru, La Plata.

116. POLYBOROIDES, Smith, 1830.

Gymnogenys, Less. 1830.

G. of B. i. p. 31, pl. 11, f. 2; Reich. S. A. t. 98. f.

373. capensis, Smith, I. S. A. Z. pl. 81, 82.

typus, Smith; Malzakii, Verr. radiatus, p., Gurn.

374. radiatus, Scop.; Sonn. Voy. t. 103; P. C. 307.

madagascariensis, Daud. gymnogenys, Tem.

S. W. & N. Afr.

Madagascar.

FAM. IV. SERPENTARIIDÆ, Selys, 1842.

Gypogeranidæ, Steph. 1825.

Subfam. I. Serpentariinæ, G. R. Gr. 1855.

Gypogeraninæ, Bp. 1849. Circinæ, p., G. R. Gr. 1840.

117. SERPENTARIUS, Cuv. 1797-98.

Falco, 1 div., Gm. 1788. Sagittarius, Vosm. 1767. Secretarius, Dum. 1806.

Gypogeranus, Ill. 1811. Ophiotheres, V. 1816.

G. of B. i. p. 31, pl. 11. f. 3; Reich. S. A. t. 93. f.

375. reptilivorus, Daud.; Lev. O. A. t. 25; P. E. 721.

serpentarius, Gm.; secretarius, Scop. africanus, Shaw.

capensis, gambensis et philippensis, Ogilby.

S. Africa.

W. Afr., Philippine Isl. (?).

Suborder II. ACCIPITRES NOCTURNI.

FAM. V. STRIGIDÆ, Leach.

Strixidea, Lafr. 1837.

Subfam. I. Surninæ, Bp. 1838.

Noctuina, Vig. 1825. Bubonins, p., et Athenins, Bl. 1849. Athenins, Nyoteinins et Strigins, p., Cass. 1849.

118. SURNIA, Dum. 1806.

Syrnia, Steph. 1826.

G. of B. i. p. 33, pl. 12, f. 1; Reich. S. A. t. 92, f. ; Trans. Z. S. iv. pl. 56. 6.

376. ulula, L.; P. E. 463; Naum. Vog. t. 42; Gould, B. E. pl. 45; N. Europe, N. Wils. A. O. pl. 50. 6. America.

caparoch, Müll.; nisoria, Beckst.; hudsonia, Gm. doliata, Pall.; funerea, Lath. arctica, Sparrm.; borealis, Less.

119. NYCTEA, Steph. 1825.

Strix, 2 div., Gm. 1788. Nootua, Brehm, 1828. Syrnium, 1829, et Surnia, 1851, Kaup. Nyctia, Sw. 1837.

G. of B. i. p. 34, pl. 12. f. 2; Reich. S. A. t. 92. f.

 nivea, Daud.; P. E. 458; Naum. Vög. t. 41; Gould, B. E. i. pl. 43; Wils. A. O. pl. 23. 1. N. Europe. nyctea, L.; candida, Lath. erminea, Shaw; arctica, Bastr. N. America.

120. ATHENE, Boie, 1822.

cinerea, Steph.

Oarine, Kaup, 1829. Noctua, Sav. 1809, nec Fab. 1776. G. of B. i. p. 34, pl. 12, f. 3; Reich. S. A. t. 92, f. ; Trans. Z. S. iv. pl. 56, 3, 4.

a. ATHENE. 378. noctua, Rets.; P. E. 439; Naum. Vög. t. 48. 1; Gould, B. E. pl. 48.

C. S.W. Europe.

passerina, Tem.; veterum, Licht. Vidgli, Brehm; nudipes, Nils. psilodactyla et indigena, Brehm.

379. glaux, Sav. persica, V.; numida, Lev. meridionalis, Risso; pharaonis, Müll. nilotica, Würt.; noctua, var. β, Blas. S. Europe. N. Africa.

380. bactriana, Hutt. nudipes et gymnopus, Hodgs.; persicus, p., Bl. Thibet.

381. brama, Tem. P. C. 68. indica, Frankl.; tarayensis, Hodgs. India.

121. b. TENIOGLAUX, Kaup, 1848.

382. castanoptera, Horsf.; P. C. 98. spadices, Reinw.

Java.

383. castanonota, Bl. castanoptera, Bl.

Ceylon.

384. radiata, Tick. erythroptera, Gould; perlineata, Hodgs. undulata, Bl.

India.

385. cuculoides, Vig.; Gould, C. B. pl. 4.

Nepal, China.

auribarbis, Hodgs.

386. malabarica, Bl. castanoptera, p., Jerd.

India.

387. Whitelii, Bl.

Japan.

388. superciliaris, V.; P. C. 21.
Sonneratii, Tem.; rufescens, p., Bl.
Pollenii, Poll. & V. D. F. de Madag. t. 17.

Pondicherry?
Malacca, Java?
Madagascar.

122.

c. Tanioptynx, Kaup, 1848.

Glaucidium, Bl.

389. Brodiei, Burt. tubiger et badia, Hodgs.; Brodiaei, Pels. Himalayas.

390. sylvatica, Müll.

Sumatra.

391. pardalota, Swinhoe.

I. of Formosa.

123. d. Smithiglaux, Bp. 1854.

392. capensis, Smith, I. S. A. Z. pl. 33.

S. Africa.

393. ? leucopsis, Hartl. Abh. d. naturw. Ver. in Hamb. 1852, t. 1. St. Thomas I., W. Africa.

124. e. MICROGLAUX, Kaup, 1848.

Nyctipetes, Sw. 1837.

Sw. C. of B. f. 199; Reich. S. A. t. 92. f. .

394. perlata, V.; Lev. O. A. t. 284. licus, Licht.; perlata capensis, Schl.

S. Africa.

395. occipitalis, Tem. P. C. 34.

W. Africa. N.E. Africa.

perlata, Schl.; licua, Licht. (Verz).

f. Hierocoglaux, 1848, Ieraglaux et Zeraglaux, 1851, Kaup. Ieroglaux, Bp. 1854.

Trans. Z. S. iv. pl. 56. 7.

109 396. connivens, Lath.; Gould, B. A. i. pl. 34.

frontata, Less.; fortis, Gould. Var.

E. & W. Austr. Cape York.

397. strenua, Gould, B. A. i. pl. 35. rufa, Gould, B. A. i. pl. 36 (juv.).

N.E. Australia. N. Australia.

398. Franseni, Schl.

Waigiou.

399. aruensis, Schl.

Aru.

HAND-LIST OF BIRDS.

126. g. Spiloglaux, Kaup, 1848. Austra., Tasma. 7360 400. boobook, Lath.; Gould, B. A. i. pl. 32. bubuk, Kaup. Port Essington. 401. maculata, Vig. & H.; Gould, B. A. i. pl. 33. Austra., Tasma. 402. marmorata, Gould. S. Australia. New Zealand. 403. novæ zealandiæ, Gm.; Voy. Astrol. t. 2. 2. fulva, Forst.; zealandica, Quoy & G. 404. guteruhi, Müll. Timor. 405. theomacha, Bp. New Guines. A. CEPHALOPTYNE, Kaup, 1851. 127. Celebes. 406. punctulata, Quoy & G. Voy. Astrol. t. 1. 1. 128. i. RABDOGLAUX et Rhodoglaux, Bp. 1854. 407. squamipila, Bp. Ceram. 408. hantu, Müll. Bouru. Batchian, Gilolo. 409. hypogramma, G. R. Gr. 410. humeralis, Homb, & J. Voy. Pôle Sud, t. 4. 1. New Guines. 411. variegata, Quoy & G. Voy. Astrol. t. 1. 2. New Ireland. 412. Jacquenoti, Bp.; Voy. Pôle Sud, t. 3. 1. Salomon I. tæniata, Homb, & J. Flores. 413. florensis, Wall. Celebes. 414. ochracea, Schl. 415. rufostrigata, G. R. Gr. E. Gilolo. Tonga I. 416. Forsteri, Hartl. bakkamma, Forst. Tanna. 129. j. Schloglaux, Kaup, 1848. New Zealand. 417. albifacies, G. R. Gr.; Gould, B. A. Suppl. pl. k. Ninox, Hodgs. 1837. 130. Ctenoglaux, Kaup, 1851. Ceylon. 418. hirsuta, Tem. P. C. 289. Malacca? malayensis, Eyton? 419. lugubris, Tick. Madr. Journ. Lit. & Sc. 1837, pl. 14. India. nipalensis et jeridius, Hodgs.

scutellata, p., Gr.

420. borneensis, Bp.
hirsuta borneonensis, Schl.
hirsuta, p., Schl.

Borneo.

421. japonica, Schl. F. J. t. 9 B. hirsuta japonica, Schl. scutellata, p., Horsf. & M.

Japan, China.

422. philippensis, Bp. hirsuta philippensis, Schl.

Philippine I.

423. affinis, Tytl.

Andaman I.

424. madagascariensis, Bp. hirsuta, Smith.

Madagascar.

425. scutellata, Raffl.

Sumatra.

131. *l.* Glaucidium, *Beie*, 1828.

Phalænopsis, Bp. 1854.

nana, King; G. R. Gr. & M. G. B. pl. 12.
 ferrugines, Cab.
 leucolaima, Homb. & J. Voy. Pôle Sud, t. 4. 2, 3.

Str. of Magellan.

Chili.

427. infuscata, Tem. P. C. 344. passerinoides, Tem.; pumila, Less. jardinei, Bp.?

Brazil.

Guatemala.

428. ferruginea, Max.; P. C. 199. infuscatus, p., Sclat. & S.

Brazil.

429. pumila, Licht.; P. C. 39. minutissima, Max. ferox, V.

430. phalsenoides, V. O. A. S. t 15. ferrugines, p., Cass.; infuscatus, p., Sclat. & S.

Antilles. Trinidad.

431. siju, D'Orb. Voy. Cuba, t. 3. havanensis, Licht.; sigu, Sclat.

Cuba. -

432. ocellata, Homb. & J. Voy. Pôle Sud, t. 3. 2. bubuk, p., Kaup.

Chili.

132. m. MICEOPTYNX, Kaup, 1851. Glaucidium, Brehm, 1828, et p. Bois, 1826.

433. passerina, L.; Lev. O. A. t. 46; Bree, B. E. pl. app. pusilla, Daud.; acadica, Tem. pygmæa, Bechst.

N. Europe. Africa.

434. gnoma, Wagl.; Aud. B. Am. i. pl. 30. infuscatum, Cass.; californicum, Sclat.; eluta, Natt.; passerinoides, Aud.

California.

Mexico, Oregon.

133.

n. MICRATHENE, Coues, 1866.

435. Whitneyi, Coues; Elliot, B. N. A. pl. .

o. Spectito, Glog. 1842.

Pholeoptynx, Kaup, 1848.

436. cunicularia, Mol.; P. C. 46.

grallaria, Tem.; patagonica, Peale. urucurea, Less.?

Chili. Brazil, Peru.

Arizona Territory.

437. hypogssa, Bp. A. O. pl. 7. 2.

socialis, Gamb.

cunicularia, Say, et p. G. R. Gr.

N.W. America. Mexico, Texas.

438. domingensis, Müll.

dominicensis, Gm.; cunicularia, p., V.

St. Domingo. Nevis, W.Indies.

439. fusca, V.; P. C. 46.

Antilles.

Maugei, Tem.

Subfam. II. Buboninæ, Bp. 1838.

Bubonina, Vig. 1825. Surniinæ, p., Bp. 1850.

135. BUBO, Dum. 1806,

Strix, L. 1735-66. Feliceps, Barr. 1745.
Asio, Briss. 1760, § Sw. 1837. Bubotus, Rafing. 1815.
Heliaptex, Sw. 1837. Aibryss, Glog. 1842.
Megaptynx et Pachyptynx, Bp. 1854.

Sw. C. of B. f. 198; G. of B. i. p. 37, pl. 13. f. 3; Reich. S. A. t. 91. f. .

a. Bubo.

440. maximus, Sibb.; P. E. 435; Naum. Vög. t. 44; Gould, B. E. pl. 37.

C. S. Europe.

bubo, L.; atheniensis, Daud. scandiaca, L.; maximus, var. β , Blas. microcephals, Leach; europæa, Less. cineres, Gm.; G. R. Gr. & M. G. B. pl. 13. sibiricus, Licht.; Susem. Vog. Eur. t. 44.

turcomanus, Ehrenb.

N.E. Europe.

441. capensis, Daud.; Lev. O. A. t. 40; Smith, I. S. A. Z. t. 70. S. Africa. africana, Steph.; maximus, p., Kaup.

442. virginianus, Gm.; Edw. B. pl. 60; Wils. A. O. pl. 50. 1. N. America. 76 4

pinicola, V.

var. atlanticus, pacificus et crassirostris, Cass.?

var. arcticus, Sw. Faun. B. A. pl. 30.

subarcticus, Hoy?

crassirostris, V. O. A. S. t. 19. macrorhyncha, Tem. P. C. 62?

California.

443. magellanicus, Gm.; P. E. 385. nacurutu, V.; virginianus, p., Schl. S. America.

Savignyii, I. Geoffr.

136. b. Huhua, 1837, Etoglaux, 1841, et Aëtoglaux, 1844, Hodge. Ptiloskelos, Tick. 1859. 444. crientalis, Horsf.; P. C. 174, 229. Java, Sumatra. strepitans, Tem.; sumatra, Raffl. orientalis minor, Schl. Bangka. 445. nipalensis, Hodgs. Madr. Journ. 1831, pl. 1. N. India. pectoralis, Jerd.; orientalis, p., Bl. Amherstii, Tick. 137. c. URRUA, 1837, et Mesomorpha, Hodgs. 1841. 446. bengalensis, Frankl.; Gould, C. B. pl. 3. India, Ceylon. Affghanistan. caveria, Hodgs. 447. coromanda, Lath.; Gr. I. Ind. Z. pl. 20. India. umbrata, Bl. 138. d. NYCTAETUS, Glog. 1842. Bubo a, p., Nitzeck. Nyctaetos, Bp. 448. lacteus, Tem. P. C. 4. W. Afr., Seneg. N. Africa? sultaneus, Less. 449. fasciolatus, Tem.; Proc. Z. S. 1863, pl. 33; Schl. Handb. Dierk. t. 1. 11. Gold Coast. poensis, Fras. 450. Verreauxii, Bp. S. Africa. lacteus, Gr.; lacteus, p., Schl. Gold Coast. 451. leucostictus, Tem. 139. e. NISUELLA, Bp. 1854. Trans. Z. S. iv. pl. 57. 5. 452. maculosus, V.; P. C. 50; Gal. des Ois. t. 23 bis. S. Africa. africana, Tem.; nisuella, Smith. gracilis, Less. Dilloni, Des Murs; Lefebr. Voy. en Abyss. t. 3. 453. cineracous, Guer.; Ferr. & Gal. Voy. Abyss. t. 2; Lefebr. Voy. Abyss. t. 4. N.E. Africa. abyssinicus, Dubus. selenotis, Würt. africanus, p., Kaup. 454. madagascariensis, Smith; Arch. du Mus. 1844, t. 23. Madagascar. 140. f. Ascalaphia, I. Geoffr. 1830. Otus, Cuv. 455. ascalaphus, Sav. Hist. de l'Egypte, t. 3. 2; P. C. 57; Gould, B. E. pl. 38. N. Africa.

S. Europe.

Flores.

141. g. PSEUDOPTYNE, Kaup, 1848. 456. philippensis, G. R. Gr.; Schl. De Dier. fig. , p. 10. Philippine Isl. 142. KETUPA, Less. 1831. Cultrunguis, Hodgs. 1836. Ketupu!, G. R. Gr. 1840. Bubo, β, Nitzsch, 1840. G. of B. i. p. 38, pl. 13. f. 1; Reich. S. A. t. 91. f. ; Trans. Z. S. iv. pl. 57. 6, 7. a. KETUPA. India, Ceylon, 457. ceylonensis, Gm.; P. C. 20; Gr. I. Ind. Z. pl. 31. Bur., China. Hardwickii, Gr.; Leschenaultii, Tem. Palestine. dumeticola, Tick.; nigripes, Hodgs. 458. flavipes, Hodgs. T. A. S. B. v. fig. p. 364. Himalayas. 459. javensis, Less.; P. C. 74. Java. ketupa, Horsf.; ceylonensis, Tem. javanensis, Schl. b. Scotopelia, Bp. 1849. Megapelia, Kaup, 1851, nec 1836. Scotoglaux, Heine, 1860. 460. Peli, Tem.; Schl. Handb. Dierk. t. 1. 10; Ibis, 1859, pl. 15. W. & S. Africa. typica, Bp. 144. SCOPS, Sav. 1809, nec Mahr. 1752. Ephialtes, Keys. & Bl. 1840 (nec Schrank, 1802). Bubo, p., Boie, 1822. G. of B. i. p. 38; Reich. S. A. t. 91. f. a. Scors. 461. zorca, Gm.; P. E. 436; Naum. Vög. t. 43. 3; Gould, B. E. S. Europe. Scops, L.; Giu, Scop.; europæus, Less. pulchella, Pall.; Aldrovandi, Flem. ephialtes, Sav. longipennis, Kaup; striolata, Ehren. N. Africa. 462. capensis, Smith. S. & W. Africa. senegalensis, Sw.; ephialtes, var., G. R. Gr. latipennis, Kaup. zorca africanus, Schl. fazoglensis, Würt. 463. japonicus, Tem. & Schl. F. J. t. 9. Japan. bakkamæna, Bl.; scops japonicus, Schl. 464. sunia, Hodgs.; Jerd. I. Ind. Orn. pl. 41. India, Ceylon. Himalayas, Burpennata, Hodgs.; Aldrovandi et spilocephala, Bl.; zorca, p.?, mah. Bp.zorca asiaticus, Schl. Japan?

465. elegans, Cass. 466. sylvicola, Wall.

467. kamtchatchensis, Verr.	Kamtschatka.
468. novæ zealandiæ, Schl. & Bp.	New Zealand.
469. Hendersoni, Cass.	Angoli.
470. rutilus, Puch. Arch. du Mus. 1844, t. 22. menadensis, var. Schl. & Poll.; sunia, var. rufus, Bl. madagascariensis, Grandid.	Madagascar. Mayotta.
145. b. Lempijius, Bp. 1854.	
471. lempiji, Horsf.; P. C. 99. noctula, Reinw.; javanicus, Less.	Java, Borneo. Sumatra.
472. lettia, Hodgs. griseus, Jerd.; lettoides, Bl. lempiji, p., G. R. Gr.; semitorques, p.?, Schl. sagittatus, p.?, Bp.; indicus, Gm.?	N. India. E. Ghata.
473. semitorques, Schl. F. J. t. 8. lettia, p., Swinh.; lempiji, p., Bl.	Japan, China. I. of Formosa.
474. ? megalotis, G. R. Gr. (juv.).	Manilla.
475. sagittatus, Cass. Journ. Ao. Phil. ii. pl. 12.2. semitorques, p.?, Schl.; lettoides?, Jerd.	Malacca.
476. rufescens, <i>Horef</i> . superciliaris, p., et "sagittatus, <i>Cass.</i> ," <i>Bl.</i>	Java.
477. mantis, Mill. rufescens, p., Bl.; manadensis, p., Kaup.	Borneo. Celebes.
146. c. Pisorhina, 1848, ct Psilorhina, 1849, Kaup.	
478. manadensis, Quoy & G. Voy. Astrol. t. 2. 2.	N. Celebes.
479. magicus, Müll.	Amboina, Celeb
480. leucospila, G. R. Gr. magicus, p., Schl.	Batchian, Gilolo Bouru, Morty Ternate, Celeb
147. d. Acnemis, 1848, et Aenemis, 1851, Kaup.	
481. gymnopodus, G. R. Gr. zorca asiaticus, p.?, Schl. saggitatus, p.?, Bp.	India (?).
148. e. Ptilopsis, Kaup, 1848.	
482. leucotis, Tem. P. C. 16.	W. Africa.
149. f. Megascors, Kaup, 1848. G. of B. i. pl. 13. f. 2.	
483. asio, L.; Wils. A. O. pl. 19. 1, & 42. 1; P. C. 80. nævia, Gm.; striata, V.; ocreata, Licht.	N. America.

HAND-LIST OF BIRDS.

484. brasiliana, Gm.; Spix, A. B. t. 9. 10. Cayenne, Brazil. choliba, V.; brasiliensis, Tem. & Schl.; decussata, Licht. crucigera et undulata, Spix. atricapilla, Cuv. P. C. 145. 485. ? portoricensis, Less; Des Murs, I. O. t. 26. Porto Rico, Trin. brasilianus, p., Schl. New Granada. 486. ? usta, Sclat.; Trans. Z. S. iv. pl. 61. Ega, Sarayaca. brasiliensis, var., Sclat. & S. 487. lophotes, Less. Cayenne? atricapillus, p., Kaup. 488. Watsoni, Cass. Journ. Ac. Phil. ii. pl. 12. 1. Venezuela. lophotes, Pucher. Surinam. 489. flammeola, Licht.; Pr. Z. S. 1868, p. 57. fig. (foot); Solat. Mexico. d S. Exot. Orn. pl. 50. 490. trichopsis, Wagl. ** 491. psilopoda, V. O. A. M. t. 22. Antilles. nudipes, V. nec Daud. Isl. of St. John. 492. Kennicotti, Elliot. Sitka. 493, argentina, Licht. Monte Video. Watsonii, p.?, Schl. 494. barbarus, Sclat. & S. Exot. Orn. pl. 51. Guatemala. 495. M'Callii, Cass.; Baird, B. of N. A. pl. 39. W. & S.W. Amer. Maccallii, Aliq.; flammeola, p.?, Schl. trichopsis, p., Sclat. & S.

g. Gymnasia, Bp. 1851. 150. Athene, Boie, 1826. Gymnoglaux, Cab. 1855.

496. nudipes, Daud.; V. O. A. S. t. 16. Newtoni, Lawr.; Ibis, 1859, pl. 1.

497. Lawrencei, Sclat. & S. Pr. Z. S. 1868, pl. 29. nudipes, Lemb. Voy. Cuba, t. 4. 2. nudipes, p., V.?

151. A. LOPHOSTRIX, Less. 1837.

498. cristatus, Daud.; Lev. O. A. t. 43. griseata, Lath.

499. Stricklandi, Sclat. & S.; Contr. Orn. 1848, pl. cristata, var. Strickl.; griscata, Griff. An. Kingd. i. pl. ? N. of S. Amer.

C. America.

St. Croix, St. Thomas.

Cuba.

Porto Rico, St. Domingo.

Subfam. III. Syrniinæ, G. R. Gr. 1845.

Syrnina et Asionina, Vig. 1825. Ululinæ, Bp. 1838. Buboninæ, p., Bl. 1849.

152. SYRNIUM, Sav. 1809.

Strix, Cuv. 1799, 1800. Strix, Briss. 1760.
Aluco, Kaup, 1829, nec Flem. 1822.
Ulula, Barr. 1745, et Cuv. 1817.
Scotiaptix, Sw. 1837. Scoptioptex, Agass.
G. of B. i. p. 39, pl. 14. f. 2; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 57. 9, 10.

a. Syrnium.

500. aluco, L.; P. E. 441. 437; Naum. Vög. t. 47; Gould, B. E. pl. 47. N. Europe. stridula, L.; sylvatica, Shaw. ululans, Sav.

501. nivicolum, Hodge.

N. India.

502. Woodfordi, Smith, I. S. A. Z. pl. 71.

S. Africa.

503. lapponicum, Retz.; Naum. Vög. t. 349; Gould, B.E. pl. 42. N. Europe. barbatum, Pall.; microphthalma, Tyzensk. cinereum, p., Bp.

504. cinereum, Gm.; Faun. Bor.-Amer. pl. 31. acclimator, Bartr.; fuliginosa, Shaw.

N. America.

nebulosum, Forst.; Wils. A.O. pl. 33.2; Gould, B. E. pl. 46.
 varius, Bartr.; chichictli, Gm.; fernandina, Shaw.

N. Europe.

506. fulvescens, Sclat. & S. nebulosum, p., Salv.

Guatemala.

507. occidentale, Xantus; Baird, B. N. A. pl. 66.

Port Tejou.

508. rufipes, King. fasciatus, p., Bp.

Str. of Magellan.

509. hylophilum, Tem. P. C. 373.

Brazil.

510. umbrinum, Heugl.

N.E. Africa.

511. fasciatum, Des Murs, I. O. t. 37.

Chili.

hypophila, p., Bp.; rufipes, p.?, Sclat. & S.

153. b. Ptynx, Bl. 1840, nec Mahr. 1752.

512. uralense, Pall.; P. C. 27; Naum. Vög. t. 42; Gould, B. E. pl. 44.

C. E. Europe.

liturata, *Petz.*; macroura, *Natt.* macrocephala, *Meism.*

513. fulvescens, Tem. & Schl. F. J. t. 10. rufescens, Tem. (letterpr.).

Japan.

134. c. Bulaca, 1837,	
et Meseidus, 1841, Hodgs. Meseides, G. R. Gr. 1845. Mesides, Agass.	
514. indrance, Sykes. monticola, Jerd.; lacteus, p., Bp. newarense, p., G. R. Gr.	S. India, Ceylon. Malay penin.
515. newarense , <i>Hodgs.</i> ; <i>G. R. Gr. & M. G. B.</i> pl. 14. indrance, p., <i>Schl.</i>	Himalayas.
516. sinense, Lath.; Gr. I. Ind. Z. pl. 21. orientalis, Shaw.	India, Ceylon.
517. caligatum, Swinhoe. indranee?, Swinhoe.	I. of Formosa.
518. ocellatum, Less. sinensis, p., Schl.	S. Asia.
155. d. Myrtha, Bp. 1853.	
519. leptogrammicum, Tem. P. C. 525.	Borneo.
520. seloputo, Horsf.; P. C. 230. pagodarum, Tem.	Java.
521. sumstranum, Bp. myrtha, Bp.; leptogrammica, var., Schl.	Sumatra.
156. c. CICCABA, Wagl. 1831.	
522. huhula, Daud.; Lev. O. A. t. 41; Spix, A. B. t. 10 ^a . lineata, Skaw.	Brazil.
523. spilonotum, n. sp. ?	Bogota.
524. albomarginatum, Spix, A. B. t. 10 ^a . huhula, p., Kaup.	Brazil.
525. nigrolineatum, Sclat. Trans. Z. S. iv. pl. 63.	S. Mexico.
157. f. Macabra, Bp. 1853?	
526. albitarse, G. R. Gr.; Trans. Z. S. iv. pl. 60. hylophilum, p., Kaup.	S. America.
527. suinda, V. dominicensis, Cab.; cayanense, juv., Kaup. polygrammicum, p., G. R. Gr.	Paraguay.
528. albogulare, Cass. Journ. Ac. Phil. iv. pl. 4. albopunctata, G. R. Gr.; macabrum, Bp.	Bogota, Columb. Mexico.
529. virgatum, Cass. Journ. Ac. Phil. iv. pl. 3. squamulata et chrysosticta, Licht. zonocercum, G. R. Gr.; cayannense, p., Kaup.	Mexico, Carac. New Granada.
lineatum, Lawr. 530. polygrammicum, G. R. Gr.	Brazil.
fasciata, p.; cayannense, p., Kaup.	ari wall.
531. cayanense, Gm.; P. E. 442.	Cayenne.
fasciata, p., Kaup; cayannensis, Aliq.	33
	R

545. midas, Licht.

532. fasciatum, V. N. of S. America. cayannense, p., Kaup. 533. superciliare, Natt. Brazil. 158. g. Gisella, Bp. 1854. Nyctalatinus, Kaup, 1854. 534. Harrisii, Cass. Journ. Ac. Phil. 1848, pl. 5. Brazil. gisella, Bp. Bogota. albipunctatus, Kaup? 535. Lathami, Bp. ____ ? 159. h. Pulsatrix, Kaup, 1848. 536. torquatum, Daud.; Lath. Syn. pl. 107; Lev. O. A. t. 42, 44. personata, Daud.; perspicillata, Lath. larvata et superciliosa, Shaw. 537. melanonotum, Tech. F. P. t. 4. Peru. melanota, Tsch. 538. pulsatrix, Max. Brazil. major, Bp.; torquatum, Q, Kaup. melanotus, Pucher. 160. OTUS, Cuv. 1729-1800. nec Barr. 1745. Bubo, Sav. 1809, nec Dum. 1806. Asio, Sw. 1831, nec Briss. 1760. Ægolius, Keys. & Bl. 1840, nec Kaup, 1829. G. of B. i. p. 39, pl. 14. f. 3; Reich, S. A. t. 91, f. . a. OTUS. 14952 539. vulgaris, Flem.; P. E. 29; Naum. Vög. t. 45.1; Gould, B. E. pl. 39. Europe. otus, L.; europæus, Stoph. communis, Less.; albicollis, Daud. India. 16/5. 540. americanus, Gm.; Wils. A. O. pl. 51. 1. N. America. Wilsonianus, Less.; vulgaris, Aud. otus, Wils.; vulgaris americanus, Schl. 541. zonurus, G. R. Gr. Mexico. 542. melanotus, Heugl. N.E. Africa. b. NYCTALOPS, Wagl. 1832. 161. 543. stygius, Wagl.; Arch. du Mus. 1844, t. 24. St. Paul. communis, var. brasiliensis, Less. 544. siguapa, D' Orb. Voy. Cuba, t. 2. Cubs. melanopis, Licht.; stygius, p., Kaup.

Monte Video.

4000

162.

c. RHINOSTRIX, 1848.

Rhinoptynx et Rhenoptynx, 1851, Kaup.

546. mexicanus, Gm.; V. O. A. S. t. 20.

clamator, V.; maculosa, Max. longirostris, Spix, A. B. t. 9.

Mexico.

Brazil.

d. Pseudoscors, Kaup, 1848.

547. grammicus, Gosse, Ill. of B. of Jam. pl. 4.

Jamaica.

548. macrurus, Kaup.

Mexico.

164.

e. Brachyotus, Gould, 1837.

Reich. S. A. t. 91. f.

549. brachyotus, L.; P. E. 438; Naum. Vög. t. 45. 2; Gould, 12. da B. E. pl. 40.

ulula et accipitrina, Gm. ægolius, Pall.; caspia, Shaw. tripennis, Schr.; brachyura, Nils. palustris, Smies.

palustris europseus, Bp.

550. Cassinii, Brew.; Wils. A. O. pl. 33. 3.

brachyotus, Wils.; brachyotus, p., Schl. palustris americanus, Bp.

551. galapagoensis, Gould, Voy. Beagle, pl. 3.

brachyotus, p.?, Schl.

552. ? sandwichensis, Blox.

brachyotus, Peale.

N.C. Europe. India.

N. Africa. N. China.

N. America. Greenland. Cuba.

Galapagos.

Chili, Bolivia.

Sandwich I.

f. Phasmaptynx, 1848,

et Phasmoptynx, 1851, Kaup. Phasmatoptynx, Bp. 1854.

553. capensis, Smith, I. S. A. Z. pl. 67.

S. & N.E. Africa.

helvolus, Licht.

abyssinicus, Guér.; Ferr. & Gal. Voy. Abyss. t. 3.

candida, p., Kaup.

tingitanus, Bp. (var. a).

S. Spain.

166. NYCTALA, 1828, et Nyctale, 1831, Brehm.

Ægolius, Kaup, 1829. Scotophilus, Sw. 1837, nec Leach, 1822.

G. of B. i. p. 40, pl. 14. f. 1; Reich. S. A. t. 92. f. .

554. funerea, L.; Edw. B. pl. 228; Naum. Vög. t. 43, 1, 2; Gould B. E. pl. 49?

noctua, Teng.; Tengmalmi, Gm dasypus, Bechst.; passerina, Pall.

555. Richardsoni, Bp.; Faun. Bor.-Amer. pl. 32.

Tengmalmi, Rich.; funerea, p., Kaup.

556. acadica, Gm.; Lath. Syn. pl. 5.2; Wils. A. O. pl. 34. 1. acadiensis, Lath.; passerina, Wils.

Dalhousiei, Hall, MS.

N. America.

N. Europe.

Oregon, Calif.

E 2

557. albifrons, Shaw, Nat. Misc. pl. 171; Cass. B. Calif. pl. 11. frontalis, Licht.; Kirtlandii, Hoy. acadica, p., Bp.

N.W. America Wisconsin, Canada.

Subfam. IV. Striginæ, Bp. 1838.

Strigina, Vig. 1825.

167. STRIX, Sav. 1809, nec L. 1735.

Aluco, Flem. 1822. Hybris, Nitzsch, 1840. Stridula, Sel. Longch. 1842.

Eustrinx, Webb of Berth. 1844.

Sw. C. of B. f. 197; G. of B. i. p. 41, pl. 15. f. 2; Reich. S. A. t. 92. f.; Trans. Z. S. iv. pl. 57. 8.

a. Strix.

558. flammea, L.; P. E. 440; Naum. Vög. t. 47; Gould, B. E. pl. 36. C. S. Europe.

splendens, Licht.; guttata et Kirchhoffii, Brehm.

559. africana, Bp. flammes, Poll. & V. D.

560. indica, Bl.

javanica, Jerd.; flammea, p., Gould.

561. poensis, Fras. affinis, Bl.

562. javanica, Gm.

delicatula, p., Kaup.

1(9) 4 • 563. delicatula, Gould, B. A. i. pl. 31. flammea, p., Vig. & Horsf.; javanica, p., Kaup.

1642 4 564. lulu, Peale. delicatula, p., G. R. Gr.; Forsteri, Hartl. Bakkamuna, Forst.; Forsteni, Bp. flammea, p., Schl.

565. pratincola, Bp.; Wils. A. O. pl. 50. 2. flammea, Wils.; americana, Aud. flammea americana, Schl.

566. punctatissima, G. R. Gr. Voy. Beagle, pl. 4.

567. glaucops, Kaup.

568. thomensis, Hartl.; Müll. Beitr. t. 15. Santi Thomæ, Kaup.

569. Walleri, Diggles, Orn. of Austr. pl. .

570. Rosenbergii, Schl.

571. amaurota, v. Mart.

b. GLYPHIDIURA, Reich. 1850. 168.

Strigymnhemipus, Des Murs, 1852.

Reich. S. A. t. 92. f. .

572. perlata, Licht.; P. C. 432. furcata, Tem. flammea americana, Schl.

N. Africa.

S. Africa. Madagascar.

Nepal.

W. & S. Africa.

Java.

Australia.

Navigators Isl.

Tonga Islands. Feejee Islands.

N. America. Mexico.

Galapagos I. Jamaica.

W. Africa. I. St. Thomas.

Australia

Celebes. Philippine I.

Brazil. Cuba. Jamaica. 169.

c. GLAUX, Bl. 1848.

Scelostrix, Kaup, 1851. Glaucostrix, $B\hat{p}$. 1854.

578. candida, Tick.; Jerd. I. Ind. O. pl. 30. longimembris, Jerd.

India.

574. punctata, Licht.; Smith, I. S. A. Z. pl. 45. capensis, Smith.

S. Africa.

575. pithecops, Swinkos.

Isl. of Formosa.

170. d. DACTYLOSTRIX, Kaup, 1851.

• 576. novæ hollandiæ, Steph.; Gould, B. A. i. pl. 29. personata et cyclops, Gould.

Australia.

577. castanops, Gould, B. A. i. pl. 28.

Tasmania.

578. Haasti, Buller.

New Zealand, Canterbury.

171. e. MEGASTRIX, Kaup, 1848.

579. tenebricosa, Gould, B. A. i. pl. 30.

New S. Wales.

172. PHODILUS, I. Geoffr. 1830.

Pholidus!, G. R. Gr. 1840. Phodilas!, Kaup, 1851. G. of B. i. p. 41, pl. 15. f. 1; Reich. S. A. t. 92. f. .

580. badius, Horsf. Zool. Res. pl. ; P. C. 318.

Java.

581. nepalensis, n. sp.

Nepal.

badius, p., Hodgs.

Order II. PASSERES, L.

Tribe I. FISSIROSTRES, Cuv.

Subtribe I. FISSIROSTRES NOCTURNÆ.

FAM. I. CAPRIMULGIDÆ, Vig. 1825.

Ampelidæ, p., et Hirundinidæ, p., Bp. 1831. Coraciadæ, p., Cab. 1847.

Subfam. I. Podargina, G. R. Gr. 1840.

Steatorninæ, p., G. R. Gr.

173. PODARGUS, Cuv. 1829.

G. of B. i. p. 44, pl. 16. f. 1; Reich. S. A. t. 90. f. .

• 582. strigoides, Lath.; Jard. & S. I. Orn. pl. 88; Gould, B. A. New S. Wales. 27. ii. pl. 3. podargus, Desm.; australis, Steph.

cinereus, V.; humeralis, Vig. & Horsf. gracilis, Lath.; gigas, Nitzsch?

583. Cuvieri, Vig. & H.; Gould, B. A. ii. pl. 4.

584. megacephalus, Lath. Stanleyanus, Vig. & H.

585. brachypterus, Gould. macrorhynchus, Gould.

7527 • 586. phalsenoides, Gould, B. A. ii. pl. 5. Vincendonii, Jacq. & P. Voy. Pôle Sud, t. 21. 1?

587. papuensis, Quoy & G. Voy. Astrol. t. 13.

588. ocellatus, Quoy & G. Voy. Astrol. t. 14.

589. marmoratus, Gould.

590. superciliaris, G. R. Gr. Pr. Z. S. 1861, pl. 42.

591. plumiferus, Gould, B. A. ii. pl. 6.

Tasmania, S. Australia. New S. Wales, Australia.

W. Australia.

N. Australia, Port Essington.

New Guinea, Waig., Salw., Aru,Cape York. New Guinea, Aru, Salwatti. Cape York, New Guinea.

New S. Wales.

Waigiou.

174. BATRACHOSTOMUS, Gould, 1838.

Podargus, *Boie*, 1826. Bombycistomus, *Horsf.* Bombycistomas, *Hay*, 1841. Bombycistoma, *Bl.* 1842. G. of B. i. p. 45, pl. 16. f. 3; Reich. S. A. t. 90. f. .

a. BATRACHOSTOMUS.

592. javanensis, Horsf. Zool. Res. pl. 6; P. C. 159. cornutus, Tem.

Java, Borneo.

S. India, Ceylon.

593. moniliger, Bl. javanensis, p., Jerd.

Java.

594. stellatus, Gould. javanensis, p., Bp. 595. stictopterus, Cab.

Malacca.

596. crinifrons, Tem. stellatus?, p., Moore. Gilolo.

597. psilopterus, G. R. Gr. crinifrons, p., Wall.

Batchian I.

598. auritus, Vig.; Griff. An. Kingd. ii. pl. p. 114; Gould, *I. A.* pl. . Fullertoni, Hay.

Sunda Islanda.

599. affinis, Bl.; Schl. Handl. Dierk. t. 2. 15. parvulus, Tem.

Malacca. Sumatra. 175.

b. Otothrix, G. R. Gr. 1859.

600. Hodgsoni, G. R. Gr.; Pr. Z. S. 1859, pl. 152. affinis, p., et cornutus, Bl. Nepal.

176. ÆGOTHELES, Vig. & H. 1825.

Œgotheles, Less. 1831.

G. of B. i. p. 45, pl. 16. f. 4; Reich. S. A. t. 90. f. .

42'/1601. novse hollandise, Lath.; White's Voy. pl.; Gould, B. A. Australia, Tasii. pl. 1. manis.

cristatus, Shaw; vittatus, Lath. lunulatus, Jard.; australis, Sw.

602. leucogaster, Gould, B. A. ii. pl. 2.

603. Wallacei, G. R. Gr. brachyurus, v. Rosenb. (apud Schl.), argus, v. Rosenb. (apud Hartl.). N.W. Australia, Port Essington. New Guinea. Aru.

Subfam. II. Steatornithinse, Bp. 1849. Podarginse, p., 1840, et Steatorninse, 1846, G. R. Gr.

177. STEATORNIS, Humb. 1817?

Podargus, p., Bp. 1831.

G. of B. i. p. 44, pl. 16. f. 2; Reich. S. A. t. 90. f. .

604. caripensis, Humb.; Ann. du Mus. 1834, t. 15; Schl. De Caripé, Vene-Dier. fig. p. 116. zuela. Trinid., Bogota.

Subfam. III. Nyctibiinæ, Cab. & H. 1860.

Steatorninæ, p., Cab. 1847. Podarginæ, p., Sclat. 1866.

178. NYCTIBIUS, V. 1816.

Caprimulgus, Lath. 1790. Nyctornis, Nitzsch, 1840. 1bijus, Rafinq. 1815? Nycticorax, Mahr. 1752?
G. of B. i. p. 46, pl. 16. f. 5; Reich. S. A. t. 90. f.

605. grandis, Gm.; P. E. 325; Jard. & S. I. O. pl. 89; G. R. Gr. Cayenne, S.E. & M. G. B. pl. 16. Brazil.
maximus, Shaw; Mus. Lev. pl. 9.

606. **æthereus**, *Max*. longicaudatus, *Max*.

S.E. Brazil.

607. longicaudatus, Spix, A. B. t. 1. athereus, p., Max., Cab. & H.

Brazil, R. Japura, E. Peru. jamaicensis, Gm.; Lath. Syn. pl. 57; Gould, I. A. pl. pectoralis, Gould.

cornutus, V.; urutau, Lafr.

. Jamaica.
Guatemala.
Ecuador, E. Peru,

609. bracteatus, Gould; P. E. 735?; Sclat. & S. Ex. Orn. pl. 20. rufus, Cab.
? furcatus, Cuv.; ? longicaudatus, D'Orb.

Parag., Brazil. New Granada, Br. Guiana.

610. pallidus, Gosse. jamaicensis, p. ?

Jamaica.

611. leucopterus, Max.; Des Murs, I. O. t. 49, 50.

S.E. Brazil.

Subfam. IV. Caprimulginæ, Sw. 1831.

179. CAPRIMULGUS, L. 1756-66.

Hirundo, Klein, 1759, et p., L. 1735.

Nyctichelidon, Renn. 1831.

Sw. C. of. B. f. 65; G. of B. i. p. 47, pl. 17. f. 5; Reich. S. A. t. 90. f.

a. CAPRIMULGUS.

612. europeaus, L.; P. E. 193; Naum. Vög. t. 148; Gould, B. E. pl. 51.

maculatus et vulgaris, V.; punctatus, Wolf & M. caprimulgus, Pall.

Europe. Arabia, Egypt.

613. Smithi, Bp.; Smith, I. S. A. Z. pl. 102. europæus, Smith; capensis, Verr.

S. Africa.

614. ruficollis, Tem.; Wern. Icon. t. . rufitorques et rufitorquatus, V. torquatus, Brehm. S.W. Europe, N. Afr., Palestine.

615. ægyptius, Licht.; P. C. 379. isabellinus, Tem.; ægyptiacus, Aliq. fasciatus, Hempr. & E. ? N.E. Africa.

616. tamaricis, Tristr.; Ibis, 1866, pl. 11.

Palestine.

617. tristigma, Rüpp. S. U. t. 3. poliocephalus!, Rüpp.

N.E. Africa.

618. lentiginosus, Smith, I. S. A. Z. pl. 101. tristigma, p., Cass.

S. Africa, Damaraland.

619. rufigena, Smith, I. S. A. Z. pl. 100. pectoralis, p., Strickl. & S.; damarensis, Strickl. & S.? S. & W. Africa, Damaraland.

620. pectoralis, Cuv.; Lev. O. A. t. 49. africanus, Steph.; atrovarius, Sundev. asiaticus, V. S. Africa.

S. Africa!

 ^{178°.} Selochusa, G. R. Gr. 1841.
 fornicatus, V.; Lev. O. A. t. 47, 48.
 est fictitia Avis, Bp.

HAND-LIST OF BIRDS.

HAND-MOI OF BIRDS,	٠,
621. mossambicus, Peters. mozambiquus, Cab.	Mozambique. Tette.
622. madagascariensis, Sganz.	Madagascar.
623. Fossii, Verr.	Gaboon.
624. indicus, Lath. cinerascens, V.; saturatior, Hodgs. (var.).	India. Nepal.
625. asiaticus, Lath.; Gr. I. Ind. Z. pl. 34. 2.	India.
628. albonotatus, Tick. gangeticus et macrurus, Bl. nipalensis, Hodgs.; bimaculatus, Peale.	"
627. mahrattensis, Sykes; Jerd. I. Ind. O. pl. 24; Gould, B. As. pl. arenarius, Bl.	"
628. monticola, Frankl. gymnopus, Hodgs.	"
629. griseatus, n. sp.?	Philippines.
630. spilocircus, G. R. Gr.	Madras.
macrourus ϵt atripennis, $Jerd.$; mahrattensis, $Bl.$	Ceylon.
631. Kelaarti , <i>Bl.</i> indicus, <i>Jerd</i> .	Ceylon, India.
632. jotaka, Tem. & Schl. F. J. t. 12, 13. dytiscivorus, Swink.; Swinhoii, Bl.	Japan, China. R. Amur.
633. macrurus, Horsf.; Gould, B. A. ii. pl. 9.	Java, Lombock, 702, 4.
634. Schlegelii, n. sp.? macrurus, p., G. R. Gr.	ram, Gilo., &c. Aru, Dorey, N. G., Waigiou.
635. affinis, Horsf. europæus, Raffl.; bisignatus, Tom. arundinaceus, Homb. & J. Voy. Pôle Sud, t. 21. 2?	Java, Sumatra. Borneo.
636. assimilis, G. R. Gr.	"
637. manillensis, G. R. Gr.	Manilla.
638. poliocephalus, Rüpp. S. U. t. 4. tetrastigma!, Rüpp.	N.E. Africa.
639. nubicus, Licht.; Rüpp. Atl. t. 6. infuscatus, Rüpp.	N.E. Africa. Natal.
640. eximius, Rüpp.; P. C. 398.	Sennaar, Nubia, Kordofan.
641. Welwitschii, Bocage.	Angola,
642. concretus, Tem.	Ashanti.
643. binotatus, Tem.	W. Africa.
644. fulviventris, Hartl.	79

645, stictomus, Swinhoe.

China, I. of Formosa.

646. papuensis, Schl.

Salwatti, New Guines. Sumatra.

647. pallidus, Hartl.

648. Würtembergii, v. Müll.

Sennaar.

180.

b. CAPRIPEDA, Verr. 1857.

649. natalensis, Smith, I. S. A. Z. pl. 99.

S. Africa, Port Natal.

181.

c. Hydropsalis, Wagl. 1832.

Psalurus, Sw. 1837. Hydropsalia, G. R. Gr. 1840. Pydrosalis, Less. 1847. Hydropsallis, Reich. 1850. Reich, S. A. t. 90, f.

650. torquatus, Gm.; P. C. 157; Journ. Ac. Phil. ii. pl. 14. 4. Brazil. furoifer, V.; psalurus, Tem.; Azaræ, Wagl. flssicaudis, Merr.; grandis, Licht. macropterus, Sw.; boliviensis, G. R. Gr. manurus, V.?; sphenurus, V.

Parag., Bolivia.

651. pallescens, Pelz.

Bahia.

pallescensee!, Pelz.; furcifer, V.?

Brazil.

d. MACROPSALIS, Sciat. 1866. 182.

652. lyra, Gould; Journ. Ac. Phil. ii. pl. 14. 2.

New Granada.

653. segmentatus, Cass.; Journ. Ac. Phil. ii. pl. 14, 3.

New Granada, Ecuador.

654. forfipatus, Nitzsch; Journ. Ac. Phil. ii. pl. 14. 1. limbata, Cass.; forcipatus, Burm.

S.E. Brazil.

creagra, Bp. ? 655. ypanemæ, Pels.

Brazil.

e. DIPLOPSALIS, Sclat. 1866.

656. trifurcatus, Natt.

Peru, Ucayali.

657. climacocercus, Tsch. F. P. t. 6. 1. trifurcatus, p. ?, Sclat.

Peru.

658. Schomburgkii, G. R. Gr.

British Guiana.

184.

183.

f. Tetroura, Less. 1843.

Hydropsalis psaluri, Bp.

Paraguay.

659. enicurus, V. cordicilla, Merr.; cayennensis, p. ?, Cass.

185. g. Antrostomus, Gould, 1838.

660. carolinensis, Gm.; Wils. A. O. pl. 54.2; V. O. A. S. t. 25. N. Amorica. lucifugus, Bartr.; rufus, V. Cuba. brachypterus, Steph.

661. vociferus, Wils. A. O. pl. 41. virginianus et clamator, V. vociferans, Koenig, Warth.	E. of U. States. S. Mexico, Guatemala.
662. Nuttallii, Aud. B. A. vii. pl. 495.	Pacific Coast, Kansas, Ari-
663. ornatus, Sclat.; Pr. Z. S. 1866, pl. 45. serico-caudatus, p., Sclat.	zona, Texas. Bahia.
664. cubanensis, Lawr. vociferus, p., Gundl.	Cuba.
665. serico-caudatus, Cass. Journ. Ac. Phil. ii. pl. 13.	Venez., Brazil.
666. macromystax, Wagl. vociferus, p. ?, Cass.	S. Mexico.
667. dominious, Bp.	St. Domingo.
668. californianus, <i>Bp.</i> asiaticus, p.?, <i>Cass.</i>	California.
669. rufus, Bodd.; P. E. 735.	Cayenne.
670. rutilus, Burm. cortapus, Natt.; rufus, p., Sclat.	Para, Brazil.
186. h. Nyctiphrynus, Bp. 1857.	
196. A. NYCTIPHRYNUS, Bp. 1857. 671. ocellatus, Tuch, F. P. t. 5. 2.	Peru.
	Peru. S.E. Brazil.
671. ocellatus, Tsch. F. P. t. 5. 2.	
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. 	
 671. ocellatus, Tsch, F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayenus, Lath.; odontopteron, Less. 	S.E. Brazil.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. 	S.E. Brazil.
 671. ocellatus, Tech. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenofsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayenus, Lath.; odontopteron, Less. odonpteron, Bp.; cayenensis, Harti. 	8.E. Brazil.
 671. ocellatus, Tsch, F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Harti. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P. t. 5.1; U. S. Expl. Exp. pl. 	S.E. Brazil. Cayenne. Tobago, Parag.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili.
671. ocellatus, Tech. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Harti. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tech. F. P. t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tech. andinus, Phil. & Landb. 674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17.	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P. t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb. 674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P. t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb. 674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr. 675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada. Brazil, Bolivia?
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P. t. 5. 1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb. 674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr. 675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada. Brazil, Bolivia? New Granada.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb. 674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr. 675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 677. reticulatus, G. R. Gr. 678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada. Brazil, Bolivia? New Granada. Brazil.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. § S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. § Landb. 674. nigrescens, Cab.; G. R. Gr. § M. G. B. pl. 17. semitorquatus, G. R. Gr. 675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 677. reticulatus, G. R. Gr. 678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. mixtus, p., Licht. 679. platurus, Natt. § Pelz. 680. leucurus, V. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada. Brazil, Bolivia? New Granada. Brazil. La Plata. S. Brazil. Paraguay.
 671. ocellatus, Tsch. F. P. t. 5. 2. brasiliensis, Max. et p. Cab. 187. i. Stenopsis, Cass. 1851. 672. cayennensis, Gm.; P. E. 760. cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. § S. I. O. pl. 87. 673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl. 13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. § Landb. 674. nigrescens, Cab.; G. R. Gr. § M. G. B. pl. 17. semitorquatus, G. R. Gr. 675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 677. reticulatus, G. R. Gr. 678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. mixtus, p., Licht. 679. platurus, Natt. § Pelz. 	S.E. Brazil. Cayenne. Tobago, Parag. Chili. Peru. British Guiana. New Granada. Brazil, Bolivia? New Granada. Brazil. La Plata. S. Brazil.

681. Langsdorfi, Pelz. candicans, juv. aut Q?, Pelz. E. Brazil.

682. æquicaudatus, Peale.

parvulus, p., Cass.; conterminus, Peale.

Peru.

j. Siphonorhis, Sclat. 1861.

Nyctidromus, p., Cass.

683. americanus, L.; Sloane, Jamaica, pl. 255, i.; P. Z. S. 1861, fig. (caput), p. 78.

Jamaica.

189. ELEOTHREPTUS, G. R. Gr. 1840.

Amblypterus, Gould, 1837, nec Agass. 1833. Amplypterus!, Wiegm. Heleothreptus, Sclat. 1866. G. of B. i. p. 48, pl. 17. f. 1; Reich. S. A. t. 90. f. .

684. anomalus, Gould, I. A. pl. 1.

Demerara.

190. NYCTIDROMUS, Gould, 1838.

Nyctydromus, Aliq. Eucapripodus, 1843, et Lucapripodus, 1847, Less.

G. of B. i. p. 48, pl. 17. f. 4; Reich. S. A. t. 90. f. .

685. albicollis, Gm.; Gould, I. A. pl. 2. guianensis, Gm.; americanus, Cass. Derbyanus, Gould; affinis, G. R. Gr.?

Guiana, Ucayali.

Bolivia.

laticaudatus, Drap. 686. grallarius, Max.

americanus, p., Cab. & H. albicollis, p., Sclat.

Brazil.

191. SCORTORNIS, Sw. 1837.

Scotornia, G. R. Gr. 1840. Climacurus, Glog. 1842. G. of B. i. p. 51, pl. 18. f. 3; Reich. S. A. t. 90. f. .

687. longicaudus, Steph.; Lath. Hist. B. pl. 114; Gal. des Ois. t. 112.

W. Africa.

climacurus, V. climacteris, Sw.; climacturus!, G. R. Gr. macrocercus et longissimus, Würt.

688. Finschii, n. sp.?

E. Africa.

689. trimaculatus, Sw.

W. Africa.

192. MACRODIPTERYX, Sw. 1837.

Stelidopteryx, Glog. 1842.

Macrodypteryx, Bp. 1849. Macrodipterix, Cass. 1851. G. of B. i. p. 51, pl. 18. f. 1; Reich. S. A. i. t. 90. f.

a. MACRODIPTERYX.

690. longipennis, Shaw, Nat. Misc. pl. 265; Sw. B. W. Afr.

macrodipterus, Afz.; africanus, Sw.

691. condylopterus, Heugl.

C. Africa.

Africa.

193. b. Cosmetornis, G. R. Gr. 1840. Semeiophorus, Gould, 1838, nec Wagl. 1830.

692. vexillarius, Gould, I. A. pl. 3; Ibis, 1864, pl. 2. longipennis, p., Schl.; Spekii, Sclat. MS.

693. ? Burtoni, G. R. Gr.

Red Sea, Madag. E. & W. Africa. Fernando Po.

Subfam. V. Podagerinse, G. R. Gr. 1847. Caprimulginse, p., Cab.

194. PODAGER, Wagl. 1832.

Proithera, Sw. 1837. Podarger, Aliq. G. of B. i. p. 52.

a. PODAGER.

694. nacunda, V.; P. C. 182. diurnus, Max.; campestris, Licht. S.E. Brazil.

Paraguay, Brit.
Guiana, Boliv.,
Argent. Rep.

195. b. Lurocalis, Cass. 1851.

Urocolus, Cab. & H. 1860. G. of B. i. pl. 18. f. 2; Reich. S. A. t. 90. f. .

695. Nattererii, Tem. P. C. 107. brachyurus, Nordm.

S.E. Brazil.

696. semitorquatus, Gm.; P. E. 734; G. R. Gr. & M. G. B. pl. 18.
Gouldii, G. R. Gr.

Cayenne. S. Brazil.

196. CHORDEILES, Sw. 1831.

Chordeilus, G. R. Gr. 1840. Chordedilus, 1861, et Chordediles, 1847, Cab.

G. of B. i. p. 49, pl. 17. f. 2; Reich. S. A. t. 90. f. .

a, CHORDEILES.

697. virginianus, Gm.; O. A. S. t. 24; Wils. A. O. pl. 40. popetue, V. americanus, Wils. Wiederspergii, Reich. All. deuts. N. Zeit. 1846, t. 5.

N. & C. Amer. Brazil.

698. texensis, Lawr.; Baird, B. N. A. pl. 44. sapiti, p., Cass.; brasiliensis, Lawr.

Texas, Mexico. Guatemala.

699. rupestris, Spix, A. B. t. 2.

Braz., RioNegro, Low. Ucayali. Bahia.

700. pusillus, Gould. brasiliensis, p., Pele.

Cuba. Jamaica.

S.E. Brazil.

701. minor, Cab.
Gundlachii, Lawr.; virginianus, Lemb.

Utah, New & S. Mexico.

702. Henryi, Cass.; Baird, B. N. A. pl. 17.

703. brasiliensis, Gm.; Petiv. pl. 59. 1. variegatus, V.; jaspideus, Merr. noitibo, V.?; guianensis, p., Hartl. semitorquatus, p., Max. Brazil.

704. ? hirundinaceus, Spix, A. B. t. 3. 1. acutipennis, p., Sclat.? brasiliensis, p. ?, Pelz.

197. b. NYCTIPROGNE, Bp. 1857. Chordeiles (Podochætes), Sclat. 1866.

705. leucopygus, *Spix*, *A. B.* t. 3. 2. leucopterus, p., *Bp.*; leucopygius, *Bp.*

706. minutus, Natt. rufulus, Lafr.

c. ? Ramphaoratus, Bp. 1857.
 Microrhynchus, Less. 1847, nec Meig. 1825.

acutipennis, Bodd.; P. E. 732.
 acutus, Gm.; semitorquatus, Max.
 sapiti, Natt.; labeculatus, Jard.

708. stenopterus, Natt. & Pelz.

709. ? peruvianus, Peale; F. P. t. 6. 2. pruniosus et semitorquatus, Tsch. acutipennis, p., Cass.; exilis, Less. Cayenne. Tobago, S.E. Brazil.

٠.

Bahia. Peru,

199. EUROSTOPODUS, Gould, 1837.

Eurystopodus, Wiegm.
G. of B. i. p. 49, pl. 17. f. 3; Reich. S. A. t. 90. f.

a. Eurostopodus.

710. guttatus, Vig. & H.; Gould, B. A. ii. pl. 8.

: P. C. 410.

711. albigularis, Vig.; Gould, B. A. ii. pl. 7; P. C. 410. albimaculatus, Cuv.; mysticalis, Tem. brachyurus, v. Rosenb. (apud Hartl. nec Schl.).

N. S. Wales, Aru.

200. b. Lyncornis, Gould, 1838.

712. cerviniceps, Gould, I. A. pl. 4.

713. macrotis, Vig.; Gould, I. A. pl. 5. Var.

714. **Temminckii**, Gould, I. A. pl. 6. pulcher, Hay; imberbis, Tem.

715. macropterus, Tem.

716. borneensis, Wall. MS.

Burmah.

Australia.

Philippine I. N. China.

Borneo.

Sundal., Penang.

Celebes.

Borneo. ·

Subtribe II. FISSIROSTRES DIURNÆ.

FAM. I. CYPSELITE, Cab. 1847.

Hirundinidæ, p., Vig. 1825.

Subfam. I. Cypselinæ, Bp. 1838.

201. CYPSELUS, Illig. 1811.

Apus, Scop, 1777, nec Schäff. 1756.
Micropus, Wolf & M. 1810. Brachypus, Mey. 1815.
Sw. C. of B. f. 292 a; G. of B. i. p. 53, pl. 19. f. 2; Reich. S. A. t. 87. f.

a. CYPSELUS.

717. apus, L.; P. E. 542. 1; Naum. Vog. t. 147. 2; Gould, B.
E. pl. 53. 1.

murarius, Tem.; vulgaris, Steph.
niger, Leach; barbatus, Tem.
aterrimus, Heugl.?
dubius, Antin.?

C. Africa.

718. unicolor, Jard. & S. I. O. pl. 83. murarius, Heinck.

Abyss., Madag.
ould, S.W. Eur., Palestine, W. Asia,

Madeira.

719. melba, L.; Edw. B. pl. 27; Naum. Vög. t. 147. 1; Gould, B. E. pl. 53. 2.
alpinus, Scop.

S. Africa.

India, Greece.

720. gutturalis, V.; Lev. O. A. t. 243. gularis, Steph.; Layardi, Tristr.

S. Africa. Natal. Damaraland. Nubia, Abyss.

721. caffer, Licht.; P. C. 460. 1.
hottentotus, Lafr.
pygargus, Tem.; leucorhea, Smith.
abyssinious, Heugl.
leucorhous, Steph.; Lev. O. A. t. 244. 1.
nigra, V.; Levaillantii, v. Müll.
melba, p., Cab. & H.

722. affinis, Gr. I. Ind. Zool. pl. 35. 2. nepalensis, Hodgs.; montanus, Jerd. abesynicus, Streub.; Streubelii, Hartl.

723. galilmensis, Antin. abeasynicus, p., Streub.; affinis, p., Sclat.

724. subfurcatus, Bl. affinis, var., Strickl.; leucorrhous, Müll. leucopygialis, Cass. Pr. A. Phil. v. pl. 13. 1.

725. acuticaudus, Bl.

726. palmarum, Gr. I. Ind. Z. pl. 35. 1. batassiensis, Gr.; balassiensis!, Gr.

India, Nepal. Kumaon. Abyssinia.

Palestine.

Malac., Penang. S.Chi., For., Jav. Sumatra.

Nepal.

India, Ceylon.
Assam, Burmah.

727. pacificus, Lath.; Gould, B. A. ii. pl. 11. australis, Gould. vittatus, Jard. & S. I. O. pl. 39. apus, var. β, Pall.; caffer, p., Radde.

728. aquatorialis, Müll. Orn. d'Afr. t. 7. Rüppellii, Heugl.?

729. abyssinicus, Licht. affinis, Hartl.; fuliginosus, Verr.

730. infumatus, Sclat.

731. leuconyx, Bl.

202.

b. Cypsiurus, Less. 1843.

732. parvus, Licht.; P. C. 460. 2. ambrosiacus, Tem. ambrosiaca, Gm.?; Briss. Orn. ii. t. 45. 4? unicolor, Hartl.

203. c. Tachornis, Gosse, 1847.

Cypselus, B., Sclat. Reich, S. A. t. 87. f. .

733. phoenicobius, Gosse, Ill. B. Jam. pl. 9; Voy. Cuba, t. 7.4. Iradii, Lemb.

734. squamatus, Cass.; P. Z. S. 1865, pl. 33. marginipennis, Natt.

735. andicolus, Lafr.; D'Orb. Voy. A. M. t. 42. 2.

736. montivagus, D' Orb. Voy. A. M. t. 42. 1.

204: d. PANYPTILA, Cab. 1847.

Pseudoprocne, Streub. 1848. Panyptilus!, G. R. Gr. 1849. Reich. S. A. t. 87. f. .

737. cayanensis, Gm.; P. E. 725. 2.

738. melanoleucus, Baird, B. N. A. pl. 18. 1. saxatilis, Woodh.; = "niger, Gm.," Baird.

739. Santi hieronymi, Salv. P. Z. S. 1863, pl. 23.

205. DENDROCHELIDON, Boie, 1828.

Macropteryx, 1832, et Macropterus, Sw. Pallestre, Less. 1837. Palaestra, Agass. Hemiprocne Chelidonia, Streub. 1848, nec Nitzsch, 1840. Sw. C. of B. f. 292, c; G. of B. i. p. 54, pl. 19. f. 1; Reich. S. A. t. 87. f.

740. Klecho, Horsf.; P. C. 83. 1; Gould, B. As. pl.; Schl. De Dier. fig. p. 114.

longipennis, Tem.; urbica, Raffl.

New S. Wales. Ca. York, China. Formo., Penang. Siberia.

Abyssinia.

N.E. Africa.

Borneo.

N.W. Himalayas, Malab., Bootan.

Egypt, Nubia. Cape of G. H. BlueNile, W.Afr. Fernando Po,

Comoro I., Zanzi., Madag.

Jamaica. Cuba.

> British Guiana. Brazil.

Bolivia.

Bolivian Andes.

Cayenne, Brazil, Bahia. New Mexico. Guatemala.

Vera Paz.

Java, Sumatra. Malay penins.

741. coronata, Tick.; Gould, B. As. pl. longipennis, Jerd.; velatus, Less. schisticolor, Bp.

742. Wallacei, Gould, B. As. pl.

743. comata, Tem.; P. C. 268; Gould, B. As. pl.

744. mystacea, Less. Voy. Coqu. t. 12; Gould, B. As. pl.

745. ? cristata, V.; Lev. O. A. t. 247.

206. COLLOCALIA, G. R. Gr. 1840.

Salanganes, I. Geoffr. 1836. Colocalia, Gould. Callocalia, Van der Hoeven, 1856. Hemiprocne, Cypseloides, Salangana, Streub. 1848. G. of B. i. p. 54, pl. 19. f. 3; Reich. S. A. t. 87. f.

746. nidifica, G. R. Gr.; Lath. H. B. pl. 113.
esculenta, Osbeck? fuciphaga, Thunb. Act. Holm. 33, t. 4;
gelatinosa, Streub.?
var. brevirostris, M'Clell.; unicolor, Jerd.
concolor, Bl.
nidifica, var.

nidifica?, Garn.; ualensis, Streub.? nidifica, Freyc.

747. Linchi, Horsf.; Reise Novara, t. 2. 2. fuciphaga, Horsf.; esculenta, Bernst. fucivora, Streub.; malaisia, Streub.?

748. troglodytes, G. R. Gr. & M. G. B. pl. 19. philippins, Streub.?

749. hypoleuca, G. R. Gr. esculenta, p., Wall.; viridinitens, G. R. Gr. MS.

750. spilura, G. R. Gr. hypoleuca, p., G. R. Gr.; esculenta, Wall. nec L.

neglecta, G. R. Gr.
 esculenta, var., Less.; esculenta, Bp.; esculenta, p., Wall.

752. francica, Gm.; P. E. 544. 2. virescens, V.; spodiopygius, p.?, Cass.

753. spodiopygia, Peale, U. S. Expl. Exp. pl. 49. 5.

754. leucopygia, Wall.
Linchi, Verr. & Des Murs; troglodytes, Bp.

755. uropygialis, G. R. Gr. leucopygia, p., Wall.

fuciphaga, p., Wall.

Nepal, C. India, Ceylon.

Celebes, Sula.

Philip. I., Siam, Timor, Celebes, Borneo, Sumat. New Guin., Aru, Molucc., Celeb., Ceram, Morty, Batchian, Gilolo, Waigiou. S. Afr.?, India?

Java, Sumatra.

Andaman Isl.
India, Ceylon.
Siam.
Born., Louisiade,
Celeb., Timor.
Caroline Isl.
Marianne Isl.

Java, Malacca. Nicob.I.,Mergui.

Philippine Isl.

Aru, Mysol, N. Guinea, Celeb.

Batchian Isl.

E. Timor.

Isle of France. Madagascar.

Feejee, Navig. I. / 67/

New Caledonia

New Hebrides.

40 5 4 756. vanikorensis, Quoy & G. Voy. Astrol. t. 12. 3. fuciphaga, p. ?, Bp.; inquietus, Kittl.

I. Vanikoro, Feej.I.,Pelew I.

757. affinis, Beav. linchi, p., Bl.

Andaman I.

linchi, p., Bl.
758. ? Forsteri, Hartl.

Otaheite, Marque-

peruvianus, p., Forst.; cinerea, p., Gm. fuciphaga, p., Bp.; spodiopygia, p., ?, Finsch & Hartl.

Tahiti.

759. ? leucophæa, Peale.

cinerea, Cass.; fuciphaga, p., Wall. vanicorensis, p., Finsch & H.

Subfam. II. Chæturinæ, Sclat. 1865.

207. CHÆTURA, Steph. 1825.

Acanthylis, Boie, 1826. Pelasgie, I. Geoffr.
Uranteris, Glog. 1842.
Acanthura et Chætura, Guild. 1827. Chætura, a, Solat.
Acanthyllis, Agass.
Sw. C. of B. f. 292, b; G. of B. i. p. 55, pl. 19. f. 4; Reich. S.
A. t. 87, f.

a. CHÆTURA.

760. pelasgia, L.; Wils. A. O. pl. 39. 1. acutus, Tem.

761. Vauxii, Towns.; Baird, B. N. Am. pl. 18. 2.

762. poliura, Tem.; P. E. 726. 2. cinerejcauda, Cass. Pr. Ac. Phil. 1852, pl. 13. 2. pelasgius, Max.; oxyura, Burm.; brachyura, Jard.?

763. spinicauda, Tem.; P. E. 726. 1. pelasgia, var., Lath.

764. rutila, V.; Ibis, 1860, pl. 3.
Robini, Less.; brunneitorques, Lafr.

765. brachycerca, Sclat. P. Z. S. 1867, pl. 34. brachyceres!, Hartl.

766. Sclateri, Pelz.

767. cinereiventris, Sclat. P. Z. S. 1863, pl. 14. 1. acutus, Max.; spinicauds, Burm.

768. acuta, Gm.; P. E. 544. 1.

769. oxyura, V. pelasgia, p., Max.

E. of N. Am. to Rocky Mounts. W. of N. Amer., Puget's Sd. to Calif., Mexico,

Guatemala.

Cayenne.
Brazil.
Tobago.

Cayenne.

Guatemala.

Upper Amazon. Xeberos.

Brazil, Chamicuros. S.E. Brazil.

Martinique.

Paraguay.

b. Hirundapus, Hodgs. 1836.
 Chætura, Sw. 1837. Hirundinapus et Chætura, a, p., Sclat.

770. caudacuta, Lath.; Sw. Zool. Ill. n. s. pl. ; Gould, B. A. New S. Wales, ii. pl. 10. Tasmania. fusca et australis, Stepk. macropterus, Sw.; ciris, p., Bl.

771. nudipes, Hodgs.; Mag. de Zool. 1840, t. 20. Nepal. leuconotus, Deless.; fusca, p., et ciris, p., Bl. caudacuta, p., Jerd.

772. ciris, Pall. China, Dauria. caudacuta, p. ?, Sclat. Amur.

209. Cheetura, B. Sclat.

773. Sabini, Gr. leucopygia, Boie; bicolor, Gr. Sabinei, Hartl.

774. Cassini, Sclat. Pr. Z. S. 1863, pl. 14. 2. Hartlaubii, Jard.; Sabinei, p., Cass.

775. Grandidieri, Verr. N. Arck. du Mus. 1867, t. Coquerelii, Poll. MS.

210. d. ---. Chætura, y, Sclat.

776. sylvatica, Tick. Sabinei, p., Tick.; coracinus, p.?, Bl.

777. coracina, Müll.; Schl. Handl. Dierk. t. 2. 14. leucopygialis, Bl.

e. Pallenia, Bp. 1857. Pallene, Less. 1837, nec Meig. 1823. Chaetura, a, p., Sclat.

778. gigantes, v. Hass.; P. C. 364. caudacuta, Bl. var. celebensis, Sclat.

212. f. Hemiprocne, Nitzach, 1840. Chætura, b, Sclat.

779. zonaris, Shaw; P. C. 195; V. Gal. des Ois. t. 120. albicollis, V.; collaris, Max.; torquatus, Licht. albicincta, Cab.

780. biscutata, Natt.; Sclat. Pr. Z. S. 1865, pl. 34. zonaris, var.?, Sclat.

781. semicollaris, De Sauss.; Sclat. & S. Exot. Orn. pl.

g. Acanthylops, Bp. 1857. 213. Pallenis, Reich. 1850, nec Lap. 1836. Hemiprocne, Cypseloides, Senex, Streub. 1848. W. Africa, Sierra Leone. Fernando Po.

W. Africa. Gaboon.

E. coast of Madagascar.

N. & C. India.

Borneo, Sumat. Pinang.

Java.

India, Ceylon. Celebes.

S. America. Jama., St. Domi.

razil.

Mexico.

Cypseloides, a, Sclat. 1866. Reich. S. A. t. 87. f.

782. fumigatus, Natt.

783. senex, Tem. P. C. 397. Temminckii, Streub.

A. NEPHOCÆTES, Baird, 1858.

Cypseloides, b (Nephœcetes), Sclat. 1866.

784. niger, Gm.; Gosse, Ill. B. Jam. pl. 10; Elliot, B. N. A. pl. Jamaica, Cuba.

785. borealis, Kenn. nigra, p., Baird. N.W. America.

S.E. Brazil.

FAM. II. HIRUNDINIDÆ, Leach.

Subfam. I. Hirundining, Sw. 1831.

213. HIRUNDO, L. 1735-66.

Cecropis, p., Boie, 1826. Sw. C. of B. f. 293; G. of B. i. p. 57, pl. 19. f. 7; Reich. S. A. t. 87. f.

a. HIRUNDO.

786. rustica, L.; P. E. 543. 1; Naum. Vog. t. 383. 2; Gould, B. E. pl. 54.

domestica, Brehm; albifrons, Rüpp. jewan, Sykes; javanica, Hodgs.

panayana, Gm.; gutturalis, Scop.

787. albigula, Bp.; Contr. Orn. 1849, pl. 17. albigularis, Strickl.; rufifrons, Less. nec V.

788. horreorum, Bart.; V. O. A. S. t. 30; Wils. A. O. pl. 38. 1, 2. N. Amer., Green.,

rufa, V.; americana, Wils.; rustica, Aud.

789. cahirica, Licht.; Descr. del' Egypte, t. 4. 4; Naum. Vög. t. 383. 1. S.E. Europe. Savignyi, Leach; Riocourii, Audouin. Boissonneauti, Tem.; castanea, Less. rustica orientalis, Schl.; rustica, β , Blas.

rustica, var., Hartl. & F.

790. Tytleri, Jerd. rustica, var., p. ?, Hartl. & F.

791. andamanensis, Tytl.

792. lucida, Verr. & Hartl.

793. rufifrons, V.; Lev. O. A. t. 245. 2.

794. angolensis, Bocage.

Europe, Palest. Africa, Natal. Ind., Malac., Pinang, Tenas., Burmah. Philip. I., Suma., Born., China, Celeb., Bat. I.

S. Africa, Natal.

C. America. W. Indies.

N.E. Africa.

Bengal.

Andaman I.

W. Africa.

Seneg., Sennaar, S. Nubia. W. Africa.

216. b. CECROFIS, Boie, 1 div. 1826. Acropis! Reid & Hahn, 1835. 795. cucullata, Bodd.; P. E. 723. 2; Lev. O. A.

795. cucullata, Bodd.; P. E. 723. 2; Lev. O. A. t. 245. 1. S. Africa. capensis, Gm.; rufula, p., Tem.

796. senegalensis, L.; P. E. 310; Gould, B. E. pl. 55; Sw. B.
 W. Afr. pl. 6.
 rufula, Gould.
 W. Africa.
 Abyssinia.

797. puella, Tem.; Rüpp. S. U. t. 6; Ferr. & Gal. Voy. Abyss. t. 10.
 striolata, Rüpp.; abyssinica, Guér.

N, Africa.

Ceylon.

798. hyperythra, Bl.; Gould, B. As. pl.

799. Gordoni, Jard. W. Africa. melanocrissus, Jard. nec Rüpp. Fantee.

800. Korthalsii, Bp. abyssinica, juv.?, Schl.

—— \$-

801. striolata, Tem.; Schl. Handl. Dierk. t. 1. 13. rusticoides, Kuhl.

Java.

803. Montieri, Hartl.; Ibis, 1862, pl. 11.

Caffraria.
Angola.

804. badia, Cass.

802. semirufa, Sundev.

Malacca ?

217. c. Lillia, Bois, 1859.

805. daurica, L.; Naum. Vog. t. 383. 4; Gould, B. As. pl. . Siberia.
alpestris, Pall. Zoogr. t. 30. 2. N.E. Asia, Pales.

806. erythropygia, Sykes; Gould, B. As. pl. nipalensis, Hodgs.; europygia, Tick. daurica, p., Jerd. India, Ceylon.

807. melanocrissa, Rüpp. S. U. t. 5. rufula, p., Bp.

E. & W. Africa. Abyssinia.

808. rufula, Tem.; Naum. Vög. t. 383, 3; Gould, B. As. pl. duarica, p., Savi; alpestris, p., Hartl.; capensis, Duraz. alpestris, β, Blas.

Africa. S. Europe.

809. ? japonica, Tem. & Schl. F. J. t. 11. rufula, p., Tem. alpestris japonica, Tem.

Japan.

domicella, Hartl. & F. melanocrissus, Hartl.

Kasamanse.

218. d. Hypurolepsis, Gould, 1868. Herse, Less. 1837, nec Oken, 1815.

,	AND-LIST OF BIRDS.	
13618	811. tahitica, Gm.; Lath. Syn. pl pyrrholæma, Forst.; tahitensis, Boie. taitensis, Less.	Society Islands.
	subfusca, Gould.	Feejee Isl., New
2/12	812. frontalis, Quoy & G. Voy. Astrol. t. 12. 1.	Hebrides. New Guin., Aru.
i	neoxena, Gould, B. A. ii. pl. 13. javanica, Vig. & H.	Austral., Tasma. Redoar Island.
	813. javanica, Sparrm. M. C. t. 100; P. C. 83. 2.	Java, Lombock, Celebes,
	814. domicola, Jerd. javanica, p., Hartl. & F.	Ceylon, Pinang. Neilgherries.
	815. fretensis, Gould.	W. Australia.
	rustica, p.?, Hartl. & F.	Torres Straits.
•	816. frenata, Bl.	S. India.
	219. e. Hylochelidon, Gould, 1865.	
7250 .	817. nigricans, V.; Gould, B. A. ii. pl. 14.	Australia. 🗸
·	pyrrhonota, Vig. & H.; arborea, Gould.	Aru.
	220. f. LAGENOPLASTES, Gould, 1865.	
4971 .	818. ariel, Gould, B. A. ii. pl. 15.	Australia, Aru.
,	819. fluvicola, Jerd.; Gould, B. As. pl. empusa, Gould, MS.	India.
	221. g. Uromitus, Bp. 1854. Ubromitus!, Hartl. 1857.	
	820. filifera, Steph.; Lath. H. B. pl. 113; Gould, B. As. pl. filicaudata, Frankl. erythrocephala, Gm.?; indica, Gm.?	India. N.W. Himala. Cashmere.
•	821. ruficeps, Licht. Cranchii, Leach; Smithii, Cranch. filifera, p.?, Hartl.; filicaudata, Rüpp. Anchietæ, Bocage.	Abyssinia. Isl. off Chisalla I.
	822. atrocerulea, Sundev.	Natal, Lower Caffraria.
	222. h. Psalidoprocne, Cab. 1850.	
	823. holomelas, Sundev.; Pr. Ac. Phil. 1850, pl. 12, 2. hamigera, Cass.; cypselins, Cab.	S. & W. Africa.
	824. melbina, Verr.	Gaboon.
	825. ? velox, V.; Lev. O. A. t. 244. 2. velocifera, Aliq.	S. Africa.
	826. ? cypeeloides, Heugl.	C. Africa.
	. Unwarenens Re 1957	•
	223. <i>i.</i> Hemicecrops, <i>Bp.</i> 1857. 827. leucosoma, <i>Sw.</i>	W. Africa.
	828. spilodera, Sundev.	Caffraria.

۷.

HAND-LIST OF BIRDS.	71
829. nigrita, G. R. Gr. & M. G. B. pl. 20.	W. Afr., Fantee.
830. obscura, Tem.	W. Africa.
831. nitens, Cass.	**
832. dimidiata, Sundev.	S. Africa.
scapularis, Cass. Pr. Ac. Pkil. 1852, pl. 12. 3. leucosoma, Grill.	E. Africa.
833. ? griscopygia, Sundev.	S. Africa, Natal.
224. j. Phedina, Bp. 1855.	
834. borbonica, Gm.; P. E. 544. 2, var. ?; Coqu. Alb. de la Ré- union, fig. 2.	Isle of France.
var. madagascariensis, Hartt.	Isle of Bourbon, Madagaecar.
225. k. Petrochelidon, Cab. 1850.	-
835. melanogastra, Sw. Swainsoni, Sclat.	Mexico.
836. lunifrons, Say; Bp. A. O. pl. 7. 1.	N. America.
fulva, <i>Bp.</i> republicana, <i>Aud.</i> ; opifex, <i>Clint</i> .	
- '	Jamaica.
837. poeciloma, Gosse. fulva, p., Bp.	у ашазса.
838. Alfredi, Hartl.; Ibis, 1868, pl. 4.	Cape of G. Hope.
lunifrons, p., Layard.	-
839. ruficollaris, Peale.	Peru.
840. americana, Gm.; P. E. 724.	Brazil.
pyrrhonota, V.; platensis, Steph.	Paraguay.
erythrogaster, p., $G.R.Gr.$ cyanopyrrha, $V.$	
Petrochelidon, a, Solat. Chelidon, Boie, 1826, nec 1822. Hirundo, p., et Tachycineta, a, Baird, 1865.	
841. thalassina, Sw.; Aud. B. A. i. pl. 49.	Mexico.
viridis, Licht.	W. & C. Amer., Guatemala.
227. m. ——? Tachycineta, b, Baird, 1865.	Guatemara,
842. bicolor, V.; Wile. A. O. pl. 38, 3; V. O. A. S. t. 31. viridis, Wils.; leucogaster, Steph.	N. America. California.
843. albiventer, Bodd.; P. C. 546. 2. leucoptera, Gm.; albiventris, Pelz.	Cayen., Guiana. Brazil, Bolivia.
844. æquatorialis, Lawr.	Upper Amazon.
845. albilineata, Lawr.	C. America.
littorea, Salv.; leucoptera, Lawr.	Panama.
846. ? maculata, Bodd.; P. E. 546. 1. leucoptera, var., Lath.	Cayenne.

847. leucorrhoa, V. leucopyga, Licht.; frontalis, Gould. Gouldii, Cass.; frontata, Boie. leucorrhoa, Burm.

Meyeni, Cab.; Nov. Act. 1834, t. Suppl. 10.
 leucopyga, Meyen nec Licht.; leucorrhoa, p., Lafr.
 leucopygia, Gould.

228. n. Callichelidon, Bryant, 1865. Hirundo, p., Baird.

849. euchrisea, Gosse, Ill. B. of Jam. pl. 12. var. dominicensis, Bryant.

850. cyaneoviridis, Bryant.

229. o. Pygochmlidon, Baird, 1865. Petrochelidon, a, Sclat. Atticora, p., Baird.

cyanoleuca, V.; P. C. 209. 1.
 melampyga, Licht.; minuta, Max. var. montana, Baird.

852. murina, Cass. cinerea, Gm.??; cyanophæa, Cab. cinerea, Solat.

853. andicola, Lafr.

854. melanoleuca, Max.; P. C. 209. 2.

855. patagonica, Lafr. hemipyga, Burm.; viridi alba, Lafr.

856. peruviana, *Gm.* peruviana major, *Tach.*

230. ATTICORA, Boie, 1844.

Acticora, Gould. Actocora, Agass. G. of B. i. p. 58, pl. 19. f. 5; Reich. S. A. t. 87. f.

a. ATTICORA.

857. fasciata, Gm.; P. E. 724. 2.

231. b. NEOCHELIDON, Sclat. 1862.
Microchelidon, Sclat. 1861, nec Reich.
Atticora, p., Baird.

858. fucata, Tem. P. C. 161. 1. brasiliana, Lafr.

859. tibialis, Cass.

232. c. Notiochelidon, Baird, 1865.
Cotyle, Bois, 1826, nec 1822. Atticors, p., Baird.

860. pileata, Gould. cyanoleuca, juv., Cab.

Paraguay. Brazil, La Plata. Monte Video. Parana.

Chili. Patagonia.

Jamaica. St. Domingo.

Bahamas.

Paraguay, Chili, Patagonia. Bolivia, Argent. Rep., Brazil, Costa Rica. Andes of S.Amer. Ecuador.

Bolivia, Tinta, Peru. Brazil.

Patagonia. Chili. Peru.

_ ----

Cayenne, Rio Negro.

Paraguay, Brazil.
Argentine Rep.,
La Plata.
Panama to Brazil, New Gran.

Panama. Guatemala. 233.

d. PRISTOPTERA, Bp. 1857.

pristoptera, Rüpp.; typica, Bp.

861. albiscapulata, Boie; Rüpp. F. A. t. 39. 2.

862. albiceps, Sclat. Pr. Z. S. 1864, pl. 14.

E. Africa.

Abyssinia.

234.

e. Cheramgeca, Cab. 1850.

863. leucosternon, Gould, B. A. ii. pl. 12.

New S. Wales, 7527 8. & W. Aust.

235. COTILE, Boie, 1822.

Cotyle, p., Boie, 1826. Biblis, Less. 1837. G. of B. i. p. 59, pl. 19. f. 6; Reich. S. A. t. 89. f. .

a. Cotile.

864. riparia, L.; P. C. 543. 2; Naum. Vög. t. 146. 3, 4; Gould, B. E. pl. ; Aud. B. A. i. pl. 50. cinerea, V.

865. sinensis, Gr. I. Ind. Z. pl. 35. 3. brevicaudata, McClell.; minuta, Hodgs.

866. subsoccata, Hodgs. sinensis, p., G. R. Gr. E. Eur., India. N. Africa, Greenland, Bermuda, Great Antilles. N. India.

Nepal.

236.

b. Stelgidopteryx, Baird, 1858.

867. serripennis, Aud. B. A. i. pl. 51.

868. ruficollis, V. flavigastra, V.; hortensis, Licht. jugularis, Max.; flaviventer, Less.

869. fulvipennis, Sclat. serripennis, p., et flavigastra, p., Sclat.

870. uropygialis, Lawr. flavigastra, p., et ruficollis, p., Sclat.

871. fulvigula, Baird.

N. America, C. Mexico. La Plata. Brazil. Paraguay.

Mexico. Guatemala.

Ist. of Panama. Esmeraldas. Ecuador. Costa Rica.

c. PTYONOPROGNE, Reich. 1850.

Cotyle, p., Boie, 1826. Reich. S. A. t. 87. f. .

872. rupestris, Scop.; Naum. Vög. t. 146. 1,2; Gould, B. E. pl. 56. S. Europe.

rupicola, Hodgs.; inornata, Jerd. montana, Gm.

873. concolor, Sykes.

874. fuligula, Licht.; Lev. O. A. t. 246. 1. rupestris, p., Tem.; fulva, Bp.; torquata, Boie. capensis, Less.; hyemalis, Forst.

875. cincta, Scop.; P. E. 723. 1. torquata, Gm.

India, W. Africa. Palestine.

India, Behar.

S. Africa.

,,

876. obsoleta, Cab. rupestris, Rüpp.

N.E. Africa.

877. paludicola, V.; Lev. O. A. t. 246. 2. palustris, Steph.; paludibula, Bp.

S. Africa.

878. **minor**, *Cab*. paludibula, *Rüpp*.

N.E. Africa.

879. eques, Hartl.

Prince's Island.

238. CHELIDON, Boie, 1822.

Hirundo, Cuv. 1817.

G. of B. i. p. 60, pl. 19. f. 9; Reich. S. A. t. 87. f. .

a. CHELIDON.

 880. urbica, L.; P. E. 542. 2; Naum. Vög. t. 145. 2; Gould, B. E. pl. 57.

Eur., India, N. Afr., Lebanon. Amoor.

881. lagopoda, Pall. urbica, p., Bp.

Japan.

882. Blakistoni, Swinhoe. urbica, p., Blak.

Borneo.

883. dasypus, Tem. albigena, Heugl.?

Cashmere.

884. cashmeriensis, Gould.

239. b. Delichon, Hodgs. 1854.

885. nipalensis, Hodgs. Pr. Z. S. 1854, pl. 63; Gould, B. As. pl. . Nepal.

240. PROGNE, Boie, 1826.

Procne, DesMurs, 1852.

G. of B. i. p. 59, pl. 19. f. 8; Reich, S. A. t. 87. f. .

a. PROGNE.

886. purpurea, L.; P. E. 722; Wils. A. O. pl. 39. 2. subis, L.; violacea, Gm.

subis, L.; violacea, Gm. cærulea et versicolor, V.

Brazil, Bolivia. Argentine Rep.

Guiana.

887. chalybea, Gm.; P. E. 545. 2.

ludoviciana, Cuv.; chalybea, Max.

purpurea, p., Lafr.

Buenos Ayres.

N. America.

888. **elegans**, Baird. purpurea, p., Gould.

Brazil.

889. concolor, Gould, Voy. Beagle, pl. 5. modesta, Gould,

Galapagos I.

890. furcata, Baird. modesta, p., G. R. Gr. Chili.

891. dominicensis, Gm.; V. O. A. S. t. 28, 29.

W. Indies, Porto Rico. St. Domingo.

albiventris, V.

892. leucogaster, Baird.

dominicensis, Sclat. chalybees, p., Cab.

S. Mexico to Ist. of Darien. C. America.

893. domestica, V.

purpures, p., D' Orb.; chalybes, p., Max.

894. cryptoleuca, Baird. purpurea, p., D' Orb.

S. America.
Paraguay, Brazil.
Cuba, Florida?

241. b. Pheoprogne, Baird, 1865.

Progne, p., Cab.

895. fusca, V. tapera, p., Burm.

Paraguay, Boliv.
Argentine Rep.

242.

c. Tapera, Bp. 1857.

Phæoprogne, p., Baird.

896. pascuum, Max.

? tapera, L.; Briss. Orn. ii. t. 45. 3. tapera, Cab.

8. Brazil. Rio Grande.

FAM. III. CORACIADÆ, G. R. Gr. 1845.

Oriolidæ, p., *Boie*, 1826. Todidæ, p., Corvidæ, p., *et* Buceridæ, p., *Vig.* 1825. Ampelidæ, p., 1831, *Bp*.

Subfam. I. **Coracianse**, *G. R. Gr.* 1840. Coraciana, *Vig.* 1825.

243. CORACIAS, L. 1758-66, nec 1735.

Galgulus, Briss. 1760, nec Barr. 1745. Coratius!, Reid & Hahn, 1835.

Sw. C. of B. f. 289, c; G. of B. i. p. 61, pl. 20. f. 2; Reich. S. A. t. 34. f.

a. CORACIAS.

897. garrula, L.; P. E. 486; Naum. Vög. t. 60; Gould, B. E. pl. 60. C. & S. Europe.

Madagascar,
I. St. Thomas,
Egypt, Arabis,
Persia, Natal.
N.E. Africa.
Damaraland.

898. pilosa, Lath.; Lev. Parad. t. 28, 29. crinita, Shaw; nævia, Licht.; nuchalia, Sw. Levaillantii, Tem.; indica, p., G. R. Gr. nævia, p., Wagl.

899. Temminckii, V.; Lev. Prom. t. D. Urvillei, Quoy & G. Voy. Astrol. t. 16. papuensis, Quoy & G.; pileata, Reinw. Celebes, Sula.

244. b. —— Galgulus, Reich. 1852, nec Barr.

900. indica, L.; Edw. B. pl. 326. India. bengalensis, L.; P. E. 285. Nepal. nævius, V.; indica, var. bengalensis, Reich. 901. affinis, McClell.; G. R. Gr. & M. G. B. pl. India. assamensis, McClell. Burmah. indica, p., G. R. Gr. 902. viridis, Cuv.; Lev. Parad. t. 31. India. c. Coraciura, Bp. 1854. 903. cyanogastra, Cuv.; Lev. Parad. t. 26; Sw. B. W. Afr. pl. 13. W. Africa. cyanogaster, V. 904. caudata, L.; P. E. 88; DesMurs, I. O. t. 28. S.W. & E.Africa. angolensis, Shaw; natalensis, Licht. Natal. 905. abyssinia, Bodd.; P. E. 628; Lev. Parad. t. 25. S. Africa. abyssinica et senegalensis?, Gm. Abyssinia. leucocephalus, Müll.?; senegalla, Lath.? albifrons, Shaw; caudata, V. Arabia. **246. EURYSTOMUS, 1816.** et Eurysthomus, 1825, V. Colaria, Cuv. 1817. Sw. C. of B. f. 289, b; 5 pt. f. 69; G. of B. i. p. 62, pl. 21. f. 3; Reich. S. A. t. 34. f. a. EURYSTOMUS. 4653 • 906. orientalis, L.; P. E. 619; V. Gal. des Ois. t. 111; Lev. Parad, t. 36 ?. India, Ceylon. cyanicollis et fuscicapillus, V. Malayana, Bor. Lombock, China. calornyx, Hodgs. N. S. W., V. D. Land, Waigiou. 907. pacificus, Lath.; Gould, B. A. ii. pl. 17. orientalis, Vig. & H.; australis, Sw. Aru, N. Guinea. 908. azureus, G. R. Gr. Batchian I. b. Cornopio, Cab. & H. 1859. Eurystomus, Bp. 1854. 909. gularis, V.; Lev. Prom. t. 56; Jard. & S. I. O. pl. 109. W. Africa. collaris, Viq. 910. glaucurus, Müll.; P. E. 501; Lev. Parad. t. 34. Africa. madagascariensis, Gm. Madagascar. violaceus, V. 911. afer, Lath.; Lev. Prom. t. 35. W. Africa.

rubescens et purpurascens, V. orientalis, Rüpp.; viridis, Wagl., juv.

Madagascar.

Subfam. II. Leptosominse, Bp. 1850.

Cuculinse, p., Bp. 1831.

248. LEPTOSOMUS, V. 1816.

Leptosoma, Bp. 1849. Courols, Cuv. 1817.

Crombus, Reich. 1849.

G. of B. app. p. 22, pl. Suppl. 186. f. 7; Reich. S. A. t. 50. f.

912. discolor, Herm.; P. E. 587, 588; Lev. O. A. t. 226, 227; V. Gal. des Ois. t. 40.

afer, Gm.; africanus, Steph.; viridis, V. crombec, Less.; madagascariensis, Reich.

249. BRACHYPTERACIAS, Lafr. 1834.

Chloropygia, Sw. 1837.

G. of B. i. p. 61, pl. 21. f. 1; Reich. S. A. t. 34. f.

a. BRACHYPTERACIAS.

913. leptosoma, Less. Ill. de Zool. t. 22; Mag. de Zool. 1834, t. 31.

collaris, Pucher.

250. b. Atelornis, Pucher. 1846.

Brachypteracias, Reich. 1849. Corapitta, Bp. 1854.

914. pittoides, Lafr. Mag. de Zool. 1834, t. 32; Ibis, 1862, pl. 9.

251.

Atelornis, Bp. 1854.

915. squamigera, Lafr.; Des Murs, I. O. t. 39.

FAM. IV. EURYLAIMIDÆ, Selys, 1842.

Todidæ, p., Vig. 1825. Oriolidæ, p., Boie, 1826. Coraciadæ, p., Cab. 1847.

Subfam. I. Eurylaiminæ, Sw. 1837.

252. EURYLAIMUS, Horaf. 1820.

Platyrhynchus, V. 1825. Eurylæmus, Strickl. Sw. C. of B. f. 144; G. of B. i. p. 65.

a. EURYLAIMUS.

916. javanus, Horef.; P. C. 130, 131; Gould, B. As. pl. javanicus, Horef.; Horefieldii, Tem.

ochromelas, Raffl.; P. C. 261; Gould, B. As. pl. ochromelus, Raffl.; cucullatus, Tem. Rafflesii, Less.

Java, Sumatra. 🖊 🖰 🤼

Moalmaza.

Sumatra, Java. //

b. Serilophus, Sw. 1837.

Berolophus, Agass. Sericolophus, Reich. 1850.

Reich. S. A. t. 34. f. .

918. lunatus, Gould, Trans. Z. S. i. pl. 25; Gould, B. As. pl. lunulatus, Sw.

Tenasserim. Rangoon.

919. rubropygius, Hodgs.; G. R. Gr. & M. G. B. pl. 23; Gould, B. As. pl.

Nepal.

lunatus, Horsf.

254. c. Psarisomus, Sw. 1837.

Crossodera, Gould, 1837. Raya, 1839, Simus, 1841, et Simornis, 1844, Hodgs. Psarosomus, Agass.

920. Dalhousiss, James.; Gould, I. A. pl.; id. B. As. pl. seriogula et nipalensis, Hodgs. psittacinus, Müll.; P. C. 598.

Himalayas.

Sunda Islands.

255. d. Corydon, Less. 1828.

Eurylaimus, Wagl. 1827.

G. of B. i. pl. 22. f. 3; Reich. S. A. t. 34. f. (Cymbirhynchus!).

/ 37 921. sumatranus, Raffl.; P. C. 297; Gould, B. As. pl. . Sumatra. corydon, Tem.; Temminckii, Less.

256. CYMBIRHYNCHUS, Vig. 1831.

Cymborhynchus, *Agass.* Erolla, *Less.* 1831. Cymbyrhynchus, *Eyton*, 1839.

G. of B. i. p. 66, pl. 22. f. 4; Reich. S. A. t. 34. f. (Eurylaimus!).

922. macrorhynchus, Gm.; Lath. Syn. pl. 30; P. C. 154.

Sumatra. Java, Borneo.

nasutus, Lath.; ornatus, Desm. lemniscatus, Raffl.; nasica, Less. Var.

Malacca.

923. affinis, Bl.; Gould, B. As. pl.

Arac., Siam, Cambodia, Tenasser.

Subfam. II. Calyptomeninæ.

257. CALYPTOMENA, Raffl. 1820.

Calyptomina, Sw. 1837. Calyptomeina I, G. R. Gr. 1840. Calyptomene, Reick. 1850. Calyptomena, Bp. 1854. Sw. C. of B. f. 221, a; G. of B. i. p. 275, pl. 67. f. 1; Reich. S.

// \$ 924. viridis, Raffl.; P. C. 216; Horef. Zool. Res. pl. . Rafflesii et caudacuta, Sw.

Sumat., Borneo. Java.

FAM. V. TODIDÆ, Vig. 1825.

Colopteridæ, p., Cab. 1847.

Subfam. I. Todinæ, G. R. Gr. 1841.

258. TODUS, *L.* 1766.

Alcedo, p., L. 1758.

Sw. C. of B. f. 228 c; G. of B. i. p. 63, pl. 22. f. l.; Reick. S. A. t. 48. f.

925. viridis, L.; V. O. A. S. t. 56; Gosse, IU. B. Jam. pl. 14. Jamaica, Antilles.

926. mexicanus, Less.; Dict. Sc. N. t. 32. 1. viridis, Dict.

Mexico.

Cubs.

927. multicolor, Gould, Ic. Av. pl.; Voy. Cuba, t. 22. viridis, Vig. portoricensis, Less.; cyanogenys, Sagra.

Porto Rico.

928. angustirostris, Lafr. multicolor, p., Sclat.; dominicensis, p., Sallé.

hypochondriacus, Bryant.

St. Domingo.

929. subulatus, Gould; G. R. Gr. & M. G. B. pl. 22. dominicensis, Lafr.; P. E. 585. 1, 2?

FAM. VI. MOMOTIDÆ, Solys, 1842.

Buceridse, p., Vig. Rhamphastidse, p., Boie, 1826. Prionitidse, Bp, 1849.

Subfam. I. Momotina, G. R. Gr. 1840.

Prionitinæ, Cab. 1847.

259. MOMOTUS, Briss. 1760.

Ramphastos, p., L. Momots, Lacép. 1800-1. Baryphonus, V. 1816. Prionites, III. 1811. Momota, Shaw. Merula, Mochr. 1752. G. of B. i. p. 67.

a. Monorus.

 brasiliensis, Lath.; P. E. 370; Lev. Parad. t. 37, 38. momota, L.; cyanocephalus, V. N. of S. America, E. Peru, Braz.

931. subrufescens, Sclat. parvirostris, Bp.?

Santa Martha. Cartagena.

932. bahamensis, Sw.; Jard. & S. I. O. pl. 45. Swainsoni, Sclat.

Bahama. Tobago, Trinid. 933. equatorialis, Gould. grandis, Lafr.

Ecuador.

934. microstephanus, Sclat. brasiliensis, p., Sclat.

New Granada.

935. Nattereri, Sclat. brasiliensis, Lafr.? Bolivia. Brazil.

260.

b. —

Prionites, Cab. & H. 1859.

936. ceruliceps, Gould; Baird, B. N. A. pl. 46.

S. Mexico.

cæruleicephalus, Jard. & S. I. O. pl. 42. subhutu, Less.; cæruleiceps, Sclat.

C. America.

937. Lessoni, Less.; Des Murs, I. O. t. 62.

momotus et psalurus, Bp.

c. CRYBELUS, Cab. & H. 1859. 261.

Momotus, Bp., 1854.

938. mexicanus, Sw.; Jard. & S. I. O. pl. 23; Sw. Zool. Ill.

n. s. pl. 81., Martii, Jard. & S. S. Mexico.

939. Martii, Spix, A. B. t. 60. semirufus, Sclat.

New Granada. Brazil, Ecuador.

940. castaneiceps, Gould.

Guatemala.

262. d. Baryphthengus, Cab. & H. 1859.

Baryphonus, Bp. 1854.

G. of B. i. pl. 22. f. 5; Reich. S. A. t. 48. f. .

941. cyanogaster, V. Gal. des Ois. t. 190. tutu, Ranz.

Paraguay, Brazil.

Levaillantii, Less.; Lev. Prom. suppl. t. B. 942. melanocholicus, Cab. & H.

Buenos Ayres?

943. ? ruficapillus, V.; Lev. Parad. t. 39. Dombeyanus, Rantz; Dombeyi, Less. rubricapillus, Steph.; tutu, Less.

Peru.

C. America.

e. EUNONOTA, Sclat. 1857. 263.

Spathophorus, Cab. 1859.

944. superciliaris, Sandb.; Jard. & S. I. O. pl. 18; Schl. De Dier. fig. p. 55.

superciliosus, Sw.; apiaster, Less. yucatanensis, Cabot.

f. PRIONIRHYNCHUS, Sclat. 1857.

Crypticus, Sw. 1837, nec Latr. 1817.

Reich. S. A. t. 48. f. .

945. platyrhynchus, Leadb.; Jard. & S. I. O. pl. 106. Martii, Toch.

E. Peru, Bolivia.

946. carinatus, Du Bus; Pr. Z. S. 1857, pl. 128.

Guatemala.

265. g. Hylomanes, Licht. 1838. Reich. S. A. t. 48. f.

947. momotulus, Licht. Abh. Ac. Berl. 1838, t. 4; G. R. Gr. & M. G. B. pl. 24.

Mexico.

948. gularis, Lafr.; Jard. Contr. Orn. 1849, pl. .

Guatemala.

FAM. VII. TROGONIDÆ, Sw. 1831.

Bucconidæ, p., Boie, 1826. Cuculidæ, p., ? Vig. 1825,

Subfam. I. Trogoninæ, Bp. 1849.

Bucconinæ, p., Bp. 1831.

266. TROGON, Mahr. 1752, et L. 1766. Curucujus, Bp. 1854. Troctes, Cab. & H. 1863. G. of B. i. p. 69.

a. TROGON.

949. curucui, L.; P. E. 452, 737; Gould, Trog. pl. 18. melanurus, Sw.; nigricaudatus, Gould. strigilatus, Spix.

Cayenne. Brazil.

950. macrurus, Gould, Trog. pl. 17.

Carthagena.

951. Massena, Gould, Trog. pl. 16.

Guatem., Hondu.

952. calthratus, Salv. 953. mesurus, Cab. & H. Veragua.

melanurus?, Sclat.

Ecuador.

954. Hoffmanni, Cab. & H.

Costa Rica.

b. Aganus, Cab. & H. 1863. Trogon, Bp. 1854. Agames!, Hartl. 1864.

955. caligatus, Gould. Trog. pl. 7.

956. aurantius, Spix, A. B. t. 36. chrysogaster, Sw.

Guatemala, Carthagena. Brazil.

957. viridis, L.; P. E. 765, 766; Gould, Trog. pl. 10, 11. strigilatus, Gm.; violaceus, Spix. Leverianus, Shaw; albiventer, Cuv. melanopterus, Sw.

G

958. melanocephalus, Gould, Trog. pl. 12.
959. braccatus, Cab. & H.
caligatus, G. R. Gr.; violaceus, Pele.

960. Ramonianus, Dev. & Des M.

961. lepidus, Cab. & H. caligatus, Sclat.

962. meridionalis, Sw.; Gould, Trog. pl. 9. sulphureus, p., Gould; violaceus, C. & H.

963. Devillei, Cab. & H. meridionalis, p., Dev. & Des M.

964. crissalis, Cab. & H. ? meridionalis, p., Pelz.

965. concinnus, Lawr. caligatus, Lawr.

268.

966. venustus, Cab. & H. heliothrix, Bp. ?; melanopterus, Sclat. viridis, Sclat.

967. citreolus, Gould, Trog. pl. 13. chrysogaster, Sw.?; capistratum, Less.

c. Trogonurus, Bp. 1854.

Trogon, Cab. & H. 1863. G. of B. i. pl. 25. f. 1; Reich. S. A. t. 88. f.

968. collaris, V.; Lev. Cour. t. 6; Gould, Trog. pl. 5. curucui, Max.; auratus, Sw. castaneus, Spix; rosalba, Cuv. elegans et erythrinus, Licht.

969. mexicanus, Sw. Zool. III. pl. 82, 83; Gould, Trog. pl. 12. Morgani, Sw.; glocitans, Licht. capistratus, Less.?

970. elegans, Gould, Trog. pl. 3. personatus, Hartl.; mexicanus, p., Baird. auriceps ♀, Hartl.

971. ambiguus, Gould, Trog. t. 4. mexicanus, Baird, B. of N. A. pl. 40.

972. puella, Gould; Dubus, E. O. t. 5. xalapensis, Du Bus; Luciana, Less.

973. personatus, Gould. collaris, p., Sclat.

974, Eytoni, Fras.

975. exoptatus, Cab. & H.

Mex., Honduras.

Mexico.

Pampa, Ucayali, Chamicuros. Ecuador.

Trinid.,Cayenne. Brazil.

Santa Maria. Amazon.

Bahia.

New Granada.

Mexico.

Cayenne. Brazil. Ucayali.

Mexico. Vera Paz.

Guatemala. Mexico.

"

Guatemala. Mexico.

Brazil. New Granada.

Rio Janeiro.

Venezuela.

976. virginalis, Cab. & H. collaris, p., Sclat.

Ecuador.

977. propinquus, Cab. & H. personatus, p., Selat.

Peru.

978. heliothrix, Tsch. assimilis, Gould.

Mexico.

979. erythronotus, Müll.

d. HAPALOPHORUS, Cab. & H. 1863.

980. variogatus, Spix, A. B. t. 37. purpuratus, Sw. B. Braz. pl. 63, 64.

Brazil.

981. surucua, V.; Gould, Trog. pl. 15. leucurus, Sw.

Paraguay. Brazil.

270. c. Pothinus, Cab. & H. 1863.

982. atricollis, V. Gal. des Ois. t. 31; P. E. 195, 736; Gould, Trog. pl. 8. rufus, Gm.; lepturus, Sw. scalaris, Licht.

983. tenellus, Cab. & H. atricollis, p., Salv.

Veragua.

984. aurantiiventris, Gould. Sallæi, Bp.

S. Mexico.

985. sulphureus, Spix, A. B. t. 38.

N. Brasil.

986. chrysochlorus, Natt. & Pelz.

Brazil (Ypane-ma).

271. f. Temnotrogon, Bp. 1854. Tmetotrogon, Cab. & H. 1863.

987. roseigaster, V.; Lev. Cour. t. 13; Gould, Trog. pl. 20. domicellus, Sw.; rhodogaster, Tem.

Haiti.

272. PRIOTELUS, G. R. Gr. 1840.

Trogon, Boie, 1826. Temnurus, Sw. 1837, nec Less. 1831.
Prionotelus, Reick. 1850.

G. of B. i. p. 70, pl. 25. f. 5; Reich. S. A. t. 88. f. .

988. temnurus, Tom. P. C. 326; Gould, Trog. pl. 19. albicollis, Sw.; silens, Würt.

Cuba.

273. APALODERMA, Sw. 1837.

Hapaloderma, Agass.

G. of B. i. p. 70, pl. 25. f. 4; Reich. S. A. t. 88. f. .

989. narina, V.; Lev. Cour. t. 10, 11; Gould, Trog. pl. 26; Lev. S. Africa, Abysoc. A. t. 228, 229.

274. HARPACTES, Sw. 1837.

Hapalurus, Reich. 1850.

G. of B. i. p. 70, pl. 25. f. 3; Reich. S. A. t. 88. f. .

Sumatra

Malac., Sumatra.

Philippine I.

Nepal.

Sumatra. Bor., Rangoon,

Pegu.

Java.

a. HARPAOTES.

990. fasciatus, Gm.; Gould, Trog. pl. 31; id. B. As. pl. India. malabaricus, Gould.

12 3 991. kasumba, Raffl.; P. C. 321; Gould, Trog. pl. 29; id. B. As. pl.

> fasciatus, Tem.; Temminckii, Gould. kondea, Cuv.; Duvaucelii, Vig.

flagrans, Kuhl.

992. Diardi, Boie; P. C. 541; Gould, Trog. pl. 30; id. B. As. pl.

275. b. Pyrotrogon, Bp. 1854.

993. ardens, Tem. P. C. 404; Gould, Trog. pl. 35; id. B. As. pl. rhodiosternus, Peale.

994. Hodgsoni, Gould, Trog. pl. 34; id. B. As. pl. erythrocephalus, p., Gould.

995. erythrocephalus, Gould, Trog. pl. 33. flagrans, Müll.

276. c. DUVAUCELIUS, Bp. 1854.

996. rutilus, V.; P. C. 291; Lev. Cour. t. 14; Gould, B. As. pl. Sumatra. cinnamomeus et Duvaucelii, Tem. Borneo. kasumba, juv., Raffl.

Malacca. 997. orphophæus, Cab. & H.; Gould, Trog. pl. 32. Duvaucelii, Gould.

277. d. Oreskios, Bp. 1854.

Orescius, Cab. & H. 1863.

/4/ 998. creskics, Tem. P. C. 181; Gould, Trog. pl. 36; id. B. of As. pl.

Burmah. Gouldii, Sw. 999. ? gigas, V.; Lev. Cour. t. 12; Gould, Trog. pl. 28. Moluccas? Temminckii, Cuv.; Cuvieri, Sw.

e. Apalharpactes, Bp. 1854.

Hapalarpactes, Cab. & H. 1863.

1000. Reinwardtii, Tem. P. C. 124; Gould, Trog. pl. 27; id. Java. B. As. pl. Malacca. sulphureus, Begbie.

1001. Mackloti, Müll. Tijdseh. Nat. Gesch. 1835, t. 8. 1; Gould, B. As. pl. Sumatra. Reinwardtii, p., Horaf. & M.

279. PHAROMACRUS, De la Llave, 1801.

Calurus, Sw. 1837. Calliurus, Agass. G. of B. i. p. 71, pl. 25. f. 2; Reich. S. A. t. 88. f. . a. PHAROMACRUS.

1002. mocinna, Llave; P. C. 372; Gould, Trog. pl. 21. paradiseus, \hat{Bp} .; resplendens, Gould. pavoninus, Tem.; pavonius, Glog. micinno, Cab. G H.

Guatemala.

280. b. Tanypeplus, Cab. & H. 1863.

Cosmurus, Bp. 1854.

1003. pavoninus, Spix, A. B. t. 35; Gould, Trog. pl. 23.

Peru, Brazil.

1004. auriceps, Gould; G. R. Gr. & M. G. B. pl. 25.

New Granada.

1005. fulgidus, Gould, Trog. pl. 24; Schl. Handl. Dierk. t. 3. 36. Bogota, Venezu. pavoninus, Tem.

1006. heliactin, Cab. & H. auriceps, p., Sclat.

Ecuador.

c. Cosmunus, Reich. 1850.

Antisianus, D' Orb. 1836.

Reich. S. A. t. 88. f.

1007. antisianus, Lafr. Mag. de Zool. 1837, t. 85; Gould, Trog. pl. 22.

Bogota.

pulchellus, Gould; peruvianus, Gould, MS. antisinensis, D' Orb.

d. LEPTUAS, Cab. & H. 1863.

1008. neoxenus, Gould, Trog. pl. 25.

Mexico.

FAM. VIII. BUCCONIDÆ, Cab. 1862, et p. Boie, 1826.

Haleyonidæ, p. ?, Vig. Cuculidæ, p., Cab. 1847. Tamatiadæ, Bl. 1849.

Subfam. I. Bucconing, Bp. 1831.

Tamatianæ, G. R. Gr. 1840.

283. BUCCO, L. 1776.

Capito, Tem. 1820.

G. of B. i. p. 73.

a. Bucco.

1009. collaris, Lath.; P. E. 395; Lev. Parad. t. 42.

Cayenne.

capensis, L.; strigilatus, Less.

284. b. Tamatia, Cuv. 1797-98.

Notharchus, Cab. & H. 1862.

Reich. S. A. t. 45. f.

1010. macrorhynchus, Gm.; P. E. 689; Lev. Parad. t. 39. Hondur., Brazil.

1011. pectoralis, G. R. Gr. & M. G. B. pl. 26.

S. America.

1012. Swainsoni, G. R. Gr.; Sw. Zool. Ill. pl. 99. macrorhynchus, Sw.

Brazil.

1013. Ordi, Cass.

1014. hyperrhynchus, Sclat. Pr. Z. S. 1855, pl. 105. mscrorhynchus, Sclat. et p. Schl. giganteus, Pels. Venezuela, Ega, Brazil. Upper Amazon.

1015. Dysoni, Sclat.

macrorhynchus, p., Sclat.; gigas, Bp.?

C. America.

Para,

1016. leucocrissus, Sclat.

albicrissus, Cab. & H.; macrorhynchus, p., Schl.

Ecuador.

1017. napensis, Sclat.

Rio Napo.

285. c. Cyphos, Spix, 1824.

Argicus, Cab. & H. 1862. Cyphus, Agass.

1018. macrodactylus, Spix, A. B. t. 39. 2. cyphos, Wag!.

286. d. Notariscus, Cab. 4 H. 1862.

1019. tectus, Bodd.; P. E. 688. 2; Lev. Parad. t. 40. melanoleucus, Gm. Cayenne. Bio Negro.

Brazil.

1020. picatus, Sclat. tectus, p., Schl.

Amazon. Chamicuros.

1021. subtectus, Sclat.

Ecuador.

287. e. Hypnelus, Cab. & H. 1862.

Chaunornis, Bp. 1854. G. of B. i. pl. 28. f. 1.

1022. bicinctus, Gould. bitorquatus, Sw.

Trinidad. Venezuela.

1023. ruficollis, Licht. gularis, Lafr.

New Granada.

288. f. Chaunornis, G. R. Gr. 1841.

Capito, Boie, 1826. Bucco, Gm. 1788. Nyctaotes, Strickl. 1841, nec Glog. 1827. Tamatia, Sw. 1837.

1024. tamatia, Gm.; P. E. 746. 1; Lev. O. Parad. t. 41. maculata, Cuv.; variegatus, Dum. Guiana. Brazil.

1025. pulmentum, Bp.; Pr. Z. S. 1855, pl. 106.

E. Peru.

9. NYCTALUS, Cab. & H. 1862.

Nyctactes, Bp. 1854. Sw. C. of B. f. 289, e.

vulgaris, Drap.

1026. maculatus, Gm.; Lev. Parad. suppl. t. F; Sw. B. Bras. pl. 9.

Brazil.

somnolentus, Licht.

1027. striatipectus, Sclat. flammulatus, Bp.?

Bolivia.

1028. chacura, V.; P. C. 94. melanotis, Tem.; leucotis, Sw.

Brazil.

1029. radiatus, Sclat. Pr. Z. S. 1853, pl. 50. ruficervix, Bp. New Granada.

1030. striolatus, Natt. & Pelz.

Brazil.

1031. lanceolatus, Dev.

Peru.

290. MONASA, V. 1816.

Barbacous, V. Lypornix, Wagl. 1827. Scotocharis, Glog. 1827. Monastes, Nitzsch, 1840. Monaste, Cab. 1847. Monasea, Sw. 1837. Sw. C. of B. f. 290, b; G. of B. i. p. 74; Reich. S. A. t. 45. f.

a. MONABA.

1032. nigra, Müll.; P. E. 512; Lev. O. Parad. t. 44. atra, Bodd.; tranquilla, australis et cinerca, Gm. calcarata, Lath.; affinis, Shaw. Cayenne.

1033. morphsea, Hahn; Spix, A. B. t. 43. 1; V. Gal. des Ois. t. 36. personata, V.; leucops, Licht.; albifrons, Spix.

Brazil.

1034. nigrifrons, Spix, A. B. t. 43. 2. unicolor, Wagl.

Bolivia.

1035. flavirostris, Strickl.; Contr. Orn. 1850. pl. axillaris, Lafr.

Bogota.

1036. peruviana, Bp. & Verr.

Upper Amazon.

1037. grandior, Sclat. & S.

Costa Rica.

1038. pallescens, Cass. Pr. Ac. Phil. 1864, pl. 4.

New Granada, Panama.

b. Malacoptila, G. R. Gr. 1841.
 Lypornix, 2 div., Wagl. 1827. Bucco, V. 1823.
 Lypornix, Sw. 1837.
 Sw. C. of B. f. 290, a; G. of B. i. pl. 26. f. 3.

1039. rufa, Spix, A. B. t. 40. 1. senilis, Popp.

Brazil.

Upper Amazon

1040. torquata, Hahn, Ausl. Vög. t. 5; Spix, A. B. t. 40. 2. fuscus, Licht.; striatus, Spix.

Brazil.

1041. fusca, Gm.; Lev. O. Parad. t. 43. torquatus, juv., Wagl.; inornata, Sclat. unitorques, Du Bus. Cayenne. Brazil.

Venezuela. 1042. adspersa, Sclat. 1043. verse-pacis, Sclat. & S. Vera Paz. 1044. nigrifusca, Sclat. Bogota. fusca, Sclat. 1045. fulvogularis, Sclat. Bolivia. pyrrholæmus, Bp.? New Granada. 1046. substriata, Sclat. Pr. Z. S. 1853, pl. 51. 1047. æquatorialis, Cab. & H. Ecuador. panamensis, Sclat. 1048. panamensis, Lafr. Panama. 1049. costarioensis, Cab. Costa Rica. 1050. inornata, Du Bus. Guatemala. 1051. blacica, Cab. Peru. blazika!, Hartl. 1052. mystacalis, Lafr. New Granada. 1053. castanea, J. Verr. R. et M. de Zool. 1866, pl. 19. Santa Fé. c. NONNULA, Sclat. 1853. Scotocharis, Bp. 1854. 1054. rubecula, Spix, A. B. t. 39. 1; P. C. 323. 2. Brazil. phaioleucus et rufalbinus, Tem. Bogota, Upper Ucayali. 1055. frontalis, Sclat. 1056. ruficapilla, Tsch. F. P. t. 24. 1. Upper Amazon. 293. CHELIDOPTERA, Gould, 1836. Monasa, Boie, 1826. Lypornix, 3 div., Wagl. 1827. Brachypetes, Sw. 1837. Sw. C. of B. f. 291; G. of B. i. p. 75, pl. 26. f. 2; Reich. S. A.

1057. tenebrosa, Pall.; P. E. 505; P. C. 323.1; Lev. O. Parad. t. 46. tenebrio, Tem.

1058. albipennis, Bp.

6.

1059. brasiliensis, Sclat. tenebross, Max.

Brazil.

Venezuela, Cumana. S.E. Brazil.

FAM. IX. ALCEDINIDÆ, Bp. 1838.

Haleyonida, Vig. 1825.

Subfam. I. Daceloninæ, Bp. 1849.

Alcedinine, p., Bp. 1831. Halcyonine, ? G. R. Gr. 1840.

294. DACELO, Leach, 1816.

Alcedo, Lath. 1790. Paralcyon, 1827, et Nycticeyx, 1842, Glog. G. of B. i. p. 77; Reich. S. A. t. 33. f.

a. DACELO.

 1060. gigas, Bodd.; P. E. 663; V. Gal. des Ois. t. 188; Gould, B. A. ii. pl. 18.

gigantea, Lath.; fusca, Gm.; australe, Less. undulata, Scop.; Sonn. Voy. t. 106.

• 1061. Leachii (Lath.), Vig. & H.; Gould, B. A. ii. pl. 19.

1062. cervina, Gould, B. A. ii. pl. 20; Voy. Pôle Sud, t. 23. 1. cervicalis, Kaup; Salussii, Homb. & J.

295. b. Choucaldyon, Less. 1831.

Chousealyon!, G. R. Gr. 1847. Sauromarptis, Cab. & H. 1859.

G. of B. i. pl. 27. f. 1.

1063. Gaudichaudi, Quoy & G. Voy. Uranie, t. 25; Schl. Vög. Ned. Ind. t. 4. 2, 3; Sharpe, Alced. pl. 18.

New Guinea, Waig., Guebe, Mysol, Ceram.

New S. Wales. 2 2 03

N. Australia. 2 2 6 3 av

S. Australia.

1064. Tyro, G. R. Gr. Pr. Z. S. 1858, pl. 133; Schl. Vog. Ned. Ind. t. 4. 4; Gould, B. As. pl.; Sharpe, Alced. pl. 19. Gaudichaudi, p., Schl.

Aru,

296. c. CITTURA, Reich. 1851.

1065. cyanotis, Tem. P. C. 262; Schl. Vog. Ned. Ind. t. 6. 1, 2; Sharpe, Alced. pl. 10. sanghierensis, juv., Finsch.

Celebes.
"Sumatra," Tem.

1066. sanghierensis, Schl.; Pr. Z. S. 1868, pl. 27; Sharpe, Alced. pl. 9.

Sanghir.

297. d. Melidora, Less. 1831.

1067. macrorhyncha, Less. Voy. Cogu. t. 31 bis. 2; Schl. Vog. Ned. Ind. t. 4. 1; Sharpe, Alced. pl. 25. euphrasia, Less.

New Guines.

298. e. Monachaleyon, Reich. 1851.

1068. princeps, Reich.; Schl. Vog. Ned. Ind. t. 7. 1-3. monachus, Tem.; cyanocephala, Forst. Celebes, Ceram. Ternate.

299. TANYSIPTERA, Vig. 1823.

Pyrrhocorax, Mahr. 1742?

G. of B. i. p. 78, pl. 27. f. 3; Reich. S. A. t. 33. f. .

1069. dea, L.; P. E. 116; Schl. Vog. Ned. Ind. t. 13. 3?

Ternate.

1070. margaretta, Heine; Schl. Vog. Ned. Ind. t. 13. 2. Isis, G. R. Gr.; dea, Mill.?; dea, p., Schl.

Batchian, Gilolo,

1071. galatea, G. R. Gr.; Sch'. Vog. Ned. Ind. t. 13. 1, t. 15. 2. New Guinea. dea, Less.; dea, p., Schl.

Waigiou, Aru.

1072. nympha, G. R. Gr.; Sharpe, Alced. pl. 19. dea, p., Schl.

Philippine I.? N.W. of New Guines.

1073. sabrina, G. R. Gr. Pr. Z. S. 1860, pl. 170; Schl. Vog. Nod. Ind. t. 14. 4, 5?

Kaisa, Batchian.

1074. nais, G. R. Gr.

Amboina.

Aru

1075. hydrocharis, G. R. Gr.; Schl. Vog. Ned. Ind. t. 15. 4.

Cape York.

1076. sylvia, Gould, B. A. suppl. pl.

1077. doris, Wall.; Schl. Vog. Ned. Ind. t. 14. 1, 2, 3, & t. 15. 3. Morty Island. sabrina, p., Schl.

1078. acis, Wall. nais, var., Schl. Ceram.

1079. Rosenbergii, Kaup.

New Guinea.

1080. Riedelii, J. Verr.; N. Arch. du Mus. ii. t. 3. 1.

Celebes.

300. HALCYON, Sw. 1821.

Entomothera, Horsf. 1820? Entomophila, Leach? Paraleyon, Glog. 1842.

Sw. C. of B. f. 290, d; G. of B. i. p. 79; Reich. S. A. t. 33. f. .

a. HALCYON.

1081. senegalensis, L.; P. E. 594; Sw. Ill. Zool. pl. 27.

W. Africa, Natal.

1082. cinereifrons, V. Gal. des Ois, t. 187. torquata, Sw.; malembica, Shaw.

1083. semicærulea, Forsk.; Rüpp. Wirbelth. t. 21. cancrophaga, Forst.; senegalensis, p., G. R. Gr.

Arabia, N.E Afr.

1084. leucocephala, Müll.; P. E. 356.2; Sw. B.W. Afr. pl. 12. W. Africa. senegalensis, var. 8, Gm.; erythrogaster, Tem. rufiventer, Sw.; Swainsoni, Smith. semicærules, p., G. R. Gr.

1085. erythrorhyncha, Gould.

Cape Verd Isl.

1086. badia, Verr.; Sharpe, Alced. pl. 20. cancrophaga, Stricki.

Gaboon

1087. dryas, Hartl.; Sharpe, Aloed. pl. 4.

W. Afr., St. Thomas, Prince's I.

Celebes, Sula.

1088. senegaloides, Smith, I. S. A. Z. pl. 63; Sharps, Alced. pl. 26. S. Africa. irrirata, Cab. 1089. cancrophaga, Bodd.; P. E. 334. Senegal. 48.00.00 p. 16.5 p. 3 1842 Bollings Birmy b. Chelicutia, Reich, 1851. Haleyon, Bp. 1850. Pagurothera, Cab. & H. 1859. 1090. Chelicuti, Stanl.; Rüpp. Atl. t. 28, b. Abyssinia. pygmæa, Kretss.; striolata, p., Hartl. 1091. variogata, V. Natal. striolata, Licht. 1092. fuscicapilla, Lafr. Mag. de Zool. 1833, t. 18. S. Africa. Vaillantii. Tem. 1093. damarensis, Strickl. Damaraland. 1094. orientalis, Peters. Mozambique. c. Entomobia, Cab. & H. 1859. Entomothera, Reich. 1851, nec Horsf. Halcyon, Bp. 1854, nec Sw. 1095 smyrnensis, L. Asia Minor. arabica, Hempr. fusca, Bodd.; P. E. 894; Gould, B. As. pl. Malacca. smyrnensis, var. γ, Gm. smyrnensis, Sykes; albigularis, Bl. India, Ceylon. 1096. gularis, Kuhl; P. E. 232; Gould, B. As. pl. Philippine I. rufirostris, IU.; smyrnensis, Kittl. ruficollis, Sw.; melanoptera, Tom. China. 1097. pileata, Bodd.; P. E. 673; Gould, B. As. pl.; Sharps, Alced. pl. 3. Sumatra, Borneo. Malacca, Tenas. atricapilla, Gm.; brama, Less, puella, Kreling.; albiventer, Scop. Ceylon, India, Andam. I. &c. 1098. cyaniventris, V.; P. C. 135; Schl. Vog. Ned. Ind. t. 9. 3, 4; Gould, B. As. pl. Java. melanoptera, Horsf. omnicolor, Tem.; multicolor, Kaup. d. Calialcyon, Bp. 1850. Callialcyon, Reich. 1851. Callalcyon, Bp. 1854. 1099. coromandeliana, Scop.; Sonn. Voy. t. 118. India. coromanda, Lath.; lilacina, Sw. Tenasserim. coromandelicus, Vig. Sumatra. coromanda minor, Tem. & Schl. Vog. Ned. Ind. t. 8. 1. Java. calipyga, Hodgs.; varia, Eyton. Borneo. 1100. Schlegeli, Reich. Japan.

coromanda major, Tem. & Schl.

1101. rufa, Wall.

304. e. Hylcaon, Reich, 1851. 1102. melanorhyncha, Tem. P. C. 391; Schl. Vog. Ned. Ind. t. 2. 1. Celebes. 305. f. Pelargopsis, Glog. 1842. Rhamphaleyon, Reich. 1851. Haleyon, Boie, 1826. India. 1103. capensis, L.; P. E. 590. leucocephala, McClell.; gurial, Pears. brunniceps, Jerd. 1104. javana, Bodd.; P. E. 757; Schl. Vog. Ned. Ind. t. 2. 2, 3, 4. Java, Borneo. leucocephala, Gm.; javanica, Shaw. Malacca. 1105. amauroptera, Pears. India, Burmah. 306. g. Cyanalcyon, Verr. 1854. 2 4. e) = 1106. Macleayi, Jard. & S. I. O. pl. 110; Gould, B. A. ii. pl. 24. New S. Wales. unicinctus, Gould. W. Australia. 1107. diops, Tem. P. C. 272; Schl. Vog. Ned. Ind. t. 11. 3, 4. Celebes, Ternate, Batch., Gilolo. 1108. lazuli, Tem. P. C. 500; Schl. Vog. Ned. Ind. t. 12. 1, 2. Amboina, Gilolo, Batch., Ceram. 1109. leucopygia, Verr. Solomon Islds. 1110. Jacquinoti, G. R. Gr. Tonga Island. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. -- ? A. SAUROPATIS, Cab. & H. 1859. 307. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. Australia, sacra, Steph.; chlorocephala, var., Less. Loyalty I. australasise, Cass. Norfolk I. 1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. New Zealand. chlorocephala, var. y, Less.; cyanea, Forst. 1114. sordida, Gould, B. A. ii. pl. 23. N. Australia. 1115. Grayi, Cab. & H. Aru. Louisiade I. sordida, var., G. R. Gr. 1116. chloris, Bodd.; P. E. 783. 2; Schl. Vog. Ned. Ind. t. 10. 3, 4. India, Malacca. collaris, Scop.; chlorocephala, Gm. Sunda I. abyssinica, Pelz. Philippine I. \$ (a) 1117. pyrrhopygia, Gould, B. A. ii. pl. 22. New S. Wales, S. & W. Austr. 1118. australasis, V.; Schl. Vog. Ned. Ind. t. 10. 2. Lomb., Timor. coronata, Müll. 1119. superciliosa, G. R. Gr.; U. S. Expl. Exp. pl. 16. 2.

> superciliaris, Reich.; vitiensis, p., Peale. collaris, var. A, Forst.; sacra, p., Finsch & Hartl.

Tonga I.

1120. vitiensis, Peale, U. S. Expl. Exp. pl. 16. 1. tuta, Peale, l. c. pl. 15. 1; Cassini, Finsch & H. superciliosa, p., G. R. Gr.

Feejee I.

. • 1121. Reichenbachii, Hartl. cinnamomina, p., G. R. Gr.; collaris, var. 11, Forst,? Marquesas.

1122. ruficeps, Cuv. cinnamomina, p.?, Cab. New Ireland.

1123. cinnamomina, Sw. Zool. Ill. pl. 67.

Mariannes. 4/3

1124. Julia, Reich.

New Hebrides.

coronata, p., G. R. Gr.; Grayi, Schl. sacra, p., Hartl.

N.W. of New Guines. Celebes, Gilolo.

.1125. nigrocyanea, Wall. Pr. Z. S. 1862, pl. 19.

1126. funebris, Forst.; Schl. Vog. Ned. Ind. t. 11. 2.

1127. saurophaga, Gould, Voy. Sulph. pl. .; Schl. Vog. Ned. New Guines. Ind. t. 11. 3, 4. cyanoleuca, Tem.; albicilla, p., Schl.

New Ireland, Mysol, Louisi-ade Isl.

Celebes.

1128. Forsteni, Tem.; Schl. Vog. Ned. Ind. t. 11. 1.

Mariannes, La-drone, Pelew Islands.

1129. albicilla, Cuv.

308. i. Todiramphus, Less. 1828. Halcyon, Sw. 1837. Coporhamphus, Glog. 1842.

> Society I. Sandwich I.

• 1130. sacra, Gm.; U. S. Expl. Exp. pl. 42. 1. collaris, Forst.

Society I. 747 New Caledonia.

• 1131. tuta, Gm. cyanea, Forst.

> Society I. Friendly I.

1132. venerata, Gm.; Mem. Soc. H. N. Paris, iii. t. 12. divinus, Less.; tuta, G. R. Gr. nullitorques, Peals, U. S. Expl. Exp. pl. 18. 1.

Samoan I. 33 ,,

• 1133. recurvirostris, Lafr.; U. S. Expl. Exp. pl. 45. platyrostris, Gould; minima, Peale.

309. j. CARIDAGRUS, Cab. & H. 1859. Paralcyon, Bp. 1850, nec Glog. 1827.

1134. concreta, Tem. P. C. 846; Schl. Vog. Ned. Ind. t. 8.2, 3. Sumatra, Java, Borneo.

k. ASTACOPHILUS, Cab. & H. 1859. 310. Actenoides, p., Hartl. 1855.

1135. Lindsayi, Vig.; Voy. Bonite, t. 7; G. R. Gr. & M. G. B. pl. 27. Lessoni, Viq.

Philippine L

I. ACTENOIDES, Hombr. 1853.

1136. Hombroni, Bp.; Voy. Pôle Sud, t. 23. 2. variegatus, Pucher.

, Mindanao.

312.

m. LACEDO, Reich. 1851.

Carcineutes, Cab. & H. 1859.

1137. pulchella, Horsf.; P. C. 277; Schl. Vog. Ned. Ind. t. 5. 1, 2; Sharps, Alced. pl. 2. buccoides, Tom. P. C. 586.

Sunda I. Malacca, Mergui, Burmah.

1138. melanops, Tem.; Schl. Vog. Ned. Ind. t. 5. 3, 4; Sharpe, Alced. pl. 15.

Borneo.

313.

m. CARIDONAX, Cab. & H. 1859.

1139. fulgida, Gould, B. As. pl.; Schl. Vog. Ned. Ind. t. 9. 1; Sharpe, Aloed. pl. 1.

Flores, Lombock.

314.

o. SYMA, Less. 1828.

Lyma!, Selby, 1840. Reich. S. A. t. 33. f.

1140. torotoro, Less. Voy. Coqu. t. 31 bis. 1-; Schl. Vog. Ned. Ind. t. 6. 3, 4; Sharpe, Alced. pl. 21. syms, Mill.; Lessonia, Sw.

New Guinea. Aru, Mysol, Waigiou.

1141. flavirostris, Gould, B. A. suppl. pl.; Sharpe, Alced. pl. 22. torotoro, p., Schl. Cape York, N. Australia.

315. CEYX, Lacep. 1800-1801.

Alcedo, 2 div., Tem. 1820.

frontalis, Kaup, MS.

G. of B. i. p. 79, pl. 27. f. 1; Reich. S. A. t. 33. f.

1142. tridactyla, L.; Pall. Spio. Zool. t. 2.1; Sonn. Voy. t. 32; P. E. 778. 2; Schl. Vog. Ned. Ind. t. 16; Sharpe, Alced. pl. 23. rubra, Bodd.; purpurea et erythaca, Gm. luzoniensis, Steph. microsoma, Burt.

India, Ceylon.
Penang.
Sumatra, Philippines.

1143. rubra, Müll.; Jard. & S. I. O. pl. 55. 2; Sohl. Vog. Ned. Ind. t. 16; Sharpe, Alced. pl. 13. tridactyla, var., Shaw; tridactyla, Jard. & S.

Sunda I., Malac.

rufidorsa, Strickl.

1144. melanura, Kaup; Sharpe, Alced. pl. 14.

Luzon, Manilla.

1145. lepida, Tem. P. C. 595. 1; Schl. Vog. Ned. Ind. t. 16. 4, 5; Sharpe, Alced. pl. 11.

S.&S.W. N. Gu., Amboi., Ceram.

1146. Wallacei, Sharpe, Alced. pl. 6; Sohl. Vog. Ned. Ind. t. 16. 3? lepids, Wall.

Sula.

1147. cajeli, Wall. Pr. Z. S. 1863, pl. 5; Schl. Vog. Ned. Ind. t. 16, 3; Sharpe, Alced. pl. 5.

Bouru, Matabella. Batchian Gilolo,

1148. uropygialis, G. R. Gr.; Sharpe, Alced. pl. 30.

Ternate. Labuan.

1149. Dillwynni, Sharpe; Reich. Handb. Alced. t. 403 b, f. 3389. tridactyla, Reich.; rufidorsa, Sciat.

316. b. "Therosa, Müll.," Bp. 1849.

Ceyx et Ceux, Mill.

meninting, Less.

1150. solitaria, Tem. P. C. 595. 2; Schl. Vög. Ned. Ind. t. 3. 2; Sharpe, Alced. pl. 12. solitaris, Müll.

N. Guinea, Aru, Mysol, Ceram.

Subfam. II. Alcedininge, G. R. Gr. 1840.

Halcyoninæ, p., Sw.

317. ALCEDO, L. 1756.

Ispida, L. 1735.

Sw. C. of B. f. 290, e; G. of B. i. p. 81, pl. 28. f. 3; Roich. S. A. t. 33. f. .

a. ALCEDO.

1151. ispida, L.; P. E. 77; Naum. Vog. t. 144; Gould, B. E. pl. Europe, Egypt. atthis, Gm.; ægyptis, V. Pallasii, Reich.

Red Sea. Russia.

1152. hengalensis, Gm.; Edw. B. pl. 11; Gould, B. As. pl. hispidioides, Less; japonica, Bp.

India. Japan, Formosa, China. Java, Sumatra.

1153. euryzona, Tem.; Schl. Vog. Ned. Ind. t. 1. 1, 2. nigricans, Bl.; cærules, Bp.

> Java, Malacca. Lombook.

1154. meningting, Horsf.; P. C. 239, 2; Schl. Vog. Ned. Ind. t. 2. 2, 3. asiatica, Sw.; bengalensis, var., Gm.

1155. Verreauxi, De la Berg, Rev. et M. de Zool. 1851, t. 9. Borneo.

1156. molluccensis, Bl.; Schl. Vog. Ned. Ind. t. 1. 4, 5. minor molluccensis, Schl.

Molucons, Celeb. -New Ireland.

1157. sondaica, Reich.; Schl. Vog. Ned. Ind. t. 1. 3. minor, Schl.

Borneo, Java, Flores, Timor.

1158. beryllina, V.; P. C. 239. 1; Schl. Vog. Ned. Ind. t. S. 1. biru, Horsf.; cerulescens, V.

Java, Sumatra. Lombock, Timor.

1159. quadribrachys, Tem.; Contr. Orn. 1850, pl.

W.Africa, Natal.

1160. semitorquata, Sw. Zool. Ill. pl. 151; Rüpp. S. U. t. 7. azureus, Less.

N. Africa, Shoa.

1161. cyanopectus, Lafr.; Contr. Orn. 1850, pl.; Sharpe, Alced. pl. 31. cincta, Jard.

Philippine I.

1162. philippensis, Gould; Sharpe, Alced. pl. 24.

azurea, p., Schl.

1163. grandis, Bl. Darjeeling, Sikhim, 1164. senegalensis, Hartl. Senegal. 318. b. Corythornis, Kaup, 1848. Alcedo, L. 1766. 1165. galerita, Müll.; P. E. 356. 1. N. & E. ? Africa. nigra, Bodd.; cæruleocephala, Gm. cyanocephala, Shaw. nais, Kaup. Gaboon. 1166. cristata, L.; P. E. 756. 1; Rüpp. Wirbelth. t. 24. 2. S. Africa. cyanostigma, Rüpp. Abyssinia. 1167. Hartlaubi, n. sp.? Ashanti. cristata, p. 1168. vintsioides, Eyd. & Gerv. Mag. de Zool. 1836, t. 74. Madagascar, Gambesi and Shiré River. cristata, p., L.?; Edw. B. pl. 336? Johanna, Mayotta.

1169. leucogaster, Fras. Zool. Typ. pl. 32; Sharps, Alced. pl. 28. W. Africa. 319. c. Ispidina, 1848, et Ipsidina!, Kaup. 1170. picta, Bodd.; P. E. 783. 1; G. R. Gr. & M. G. B. pl. 28; Sharpe, Alced. pl. 29. S.&W.Afr., Natal. oærulea, Gm.; capistrata et pusilla, Shaw. ultramarina, Daud.; nutans, V. Abyssinia. cyanotis, Sw. "natalensis, Smith," Layard. 1171. coronata, Smith. S. & W. Africa. nitida, Kaup; picta, Reich. picturata, Schl. 1172. madagascariensis, L.; P. E. 778. 1; Sharpe, Alced. pl. 27. Madagascar. rufulus, Lafr. 1173. ruficeps, Hartl. W. Africa. 1174. Lecontei, Cass. 320. ALCYONE, Sw. 1837. Halcyone, Agass. G. of B. i. p. 82, pl. 28. f. 2; Reich. S. A. t. 33. f. 54 / 1175. azurea, Lath.; Gould, B. A. ii. pl. 25. Australia, tribrachys, Shaw; cyanes, Less. australis, Sw. 1176. pulchra, Gould. N. Australia. azurea, p., Schl.; Lessonii, Cass. New Guin., Aru. 1177. diemenensis, Gould. Tasmania.

1178. affinis, G. R. Gr.; Schl. Vog. Ned. Ind. t. 3, 4. azurea, p., Schl.

Batchian.

1179. pusilla, Tem. P. C. 595. 3; Gould, B. A. ii. pl. 28.

N. Austr., New Guin., Aru, Mysol.

321. CERYLE, Boie, 1828.

Alcedo, Illig. 1811. Ispida, Sw. 1837, nec L. 1735. G. of B. i. p. 82; Reich. S. A. t. 33. f. .

a. CERYLE.

1180. rudis, L.; P. E. 62, 716. bicincta et bitorquata, Sw.

S.E. Europe. N.E. Africa.

1181. varia, Strickl. rudis, Sykes; leucomelanura, Reich. rudis, p., Schl.

India.

1182. ? tricolor, V.

Senegal.

322. b. MEGACERYLE, Kaup, 1848.

G. of B. i. pl. 28. f. 1.

1183. guttata, Vig.; Gould, C. B. pl. 5.

1184. lugubris, Tem. P. C, 548; F. J. t. 38 b. guttata, p., G. R. Gr.

Nepal. Japan.

323. с. Іситнуномия, Сав. 1859.

Megaceryle, Reich. 1851, nec Kaup.

1185. maxima, Pall.; P. E. 679; Sw. B. W. Afr. pl. 11. guttata, Bodd.; afra, Shaw; gigantea, Sw.

W. Africa. Abyssinia, Natal.

d. Streptocenyle, Bp. 1854.

Alcedo, Illig. 1811.

1186. torquata, L.; P. E. 284. cyanea et cinerea, V. cæsia, Reich.

Brazil, Bolivia. Argent. Rep. Peru.

mingo.

1187. alcyon, L.; P. E. 715; Wils. A. O. pl. 23. 1; Sharpe, Alced. pl. 7.

N. & C. Ameri- 769 ca, Antilles. Jamaica, St. Do-

ludoviciana, Gm.; jaguacati, Dum. guacu, V.; domingensis, Reich.?

1188. stellata, Meyen, N. A. N. C. xvi. suppl. t. 14. Chili. torquata, Tach.

325. e. Chloroceryle, Kaup, 1849.

1189. amazona, Lath.

vestita, Dum.; rubescens, V. leucosticta et amazona, Reich.; amazonia, Cab. Brazil, Bolivia. Argent. Rep.

1190. americana, Gm.; P. E. 591; Baird, B. N. A. pl. 45. viridis, V.; brasiliensis, Gm. chalcites, Reich.

Brazil, Texas, Guatemala, Boliv., Peru. 1191. Cabanisi, Reich.; Sharpe, Alced. pl. 16. americana, p., Tsch.; americana, p., Cass.

S. of U. States, C. America, W. of S. Am.

326.

f. Amazonis, Reich, 1854.

1192. inda, L.; Edw. B. pl. 325; P. E. 592; Sharpe, Alced. pl. 32. Brazil. viridirufa, Bodd.; surinamensis et bicolor, Gm.; indica, Drap. C. America.

1193. superciliosa, L.; Edw. B. pl. 245; P. E. 756. 2, 3; Sharps, Demerara, Brit. Alced. pl. 8. supercilosa, Reich.

Guiana, Brazil, C. America.

FAM. X. MEROPIDÆ, Leach.

Subfam. I. Nyctiornithina, Cab. & H. 1859. Meropinæ, p., G. R. Gr. 1840.

327. NYCTIORNIS, Sw. 1831.

Alcemerops, I. Geoffr. 1832.

G. of B. i. p. 87, pl. 30. f. 2; Reich. S. A. t. 34. f. .

a. Nyctionnis.

1194. amictus, Tem. P. C. 310; Sw. Zool. Ill. pl. 56.

Sumatra, Born.

1195. malaccensis, Cab.

amictus, Reich.; amictus, p., Schl.

Malacca. Burmah.

328.

b. Bucia, 1836,

st Napophila, 1841, Hodgs.

1196. Athertoni, Jard. & S. Ill. Orn, pl. 58. cærulea, Sw.; Amherstiana, Royle. nipalensis, Bl.; meropina, Hodgs.

India.

Assam, Arakan. Tenasserim.

cyanogularis, Jerd.; paleazureus, Less.; assamensis, McClell.

c. MEROPISCUS, Sundev. 1849.

1197. gularis, Shaw, Nat. Misc. pl. 337; G. R. Gr. & M. G. B. pl. 30.

W. Africa.

1198. Mulleri, Cass. Journ. Ac. Phil. 1860, pl. 49. 2.

W. Africa.

Meropogon, Bp. 1850.

1199. Forsteni, Tem.; Schl. De Dierk. fig. p. 53.

Celebes.

BOMBYLONAX, Heine, 1859.

Archimerops, Hartl. 1859. Pogonomerops, Cass.

١

1200. Breweri, Cass. Journ. Ac. Phil. 1861, pl. 49. 1.

Cama R., W.Afr.

Subfam. II. Meropinæ, Bp. 1831.

332. MEROPS, *L.* 1756.

Ispida, L. 1744. Apiaster, Briss. 1760. Sw. C. of B. f. 289, a; G. of B. i. p. 85, pl. 30. f. 1; Reich. S. A. t. 34. f. ,

a. MEROPS.

1201. apiaster, L.; P. E. 938; Naum. Vög. t. 143; Lev. Guép. Eur., N.&W.Afr., Palestine, Arab. schaeghagha, Forsk.; chrysocephalus, Gm. Egypt, Cashmere. galilæus, Hasselq.; hungariæ, Brehm.

b. Melittophas, Reich, 1852.

1202. bicolor, Bodd.; P. E. 252; Lev. Guép. t. 12. badius, Gm.; castaneus, Lath. sumatranus, Raffl.; Latreillei, V. cyanopygius, Less.; hypoglaucus, Reich. americanus, Müll.

Sumatra, Java. Borneo.

1203. chlorolæmus, n. sp. ?

---?

334. c. Blepharomerops, Reich. 1852.

1204. superciliosus, L.; P. E. 259; Lev. Guép. t. 19. ruficapillus, V.; Vaillianti, Bp. Bonnelli, Lev.

Madagascar. Port Natal.

1205. ? segyptius, Forsk.; Descr. de l'Egypte, t. 4. 3; Lev. Guép. persica, Pall.; Savignyi, Cuv.

E.&S.E. Europe. N. Africa.

1206. ? Savignyi, Sw. B. of W. Afr. pl. 7; Lev. Gulp. t, 6 bis. S. & W. Africa. ægyptius, Bp.; longicauda, V. chrysocercus, Cab.

1207. philippinus, L.; P. E. 57. philippensis, Tem.

Philippine Isl.

1208. Daudini, Cuv.; Lev. Guép. t. 14; Gould, B. As. pl. cyanorrhous, Tem.; javanicus, Horsf. typicus, Hodgs.; philippinus, p., G. R. Gr.

India, Ceylon. Java, Flores, Lomb., Timor.

335. d. AEROPS, Reich. 1852.

ruficollis, V.; superciliosus, Licht.

1209. albicollis, V.; Lev. Guép. t. 9; Sw. Zool. Ill. pl. 76. Cuvieri, Licht.; Savignyi, Sw.

W. Africa. Nile below Khartoum.

336. e. Phlothrus, Reich. 1852.

1210. viridis, L.; Edw. B. pl. 183; Lev. Gulp. t. 10, 11.

India, 64/1

torquatus, Lath.; Lamarckii, Cuv. orientalis, Lath.; ferrugineiceps, Hodgs. indicus, Jerd.; citrinella, V.

н 2

1191. Cabanisi, Reich.; Sharpe, Alced. pl. 16. americana, p., Tsch.; americana, p., Cass.

S. of U. States, C. America. W. of S. Am.

326. f. Amazonis, Reich. 1854.

1192. inda, L.; Edw. B. pl. 325; P. E. 592; Sharpe, Alced. pl. 32. Brazil. viridirufa, Bodd.; surinamensis et bicolor, Gm.; indica, Drap. C. America.

1193. superciliosa, L.; Edw. B. pl. 245; P. E. 756. 2, 3; Sharps, Demerara, Brit. Alced. pl. 8. supercilosa, Reich.

Guiana, Brazil, C. America.

FAM. X. MEROPIDÆ, Leach.

Subfam. I. Nyctiornithinæ, Cab. & H. 1859. Meropinæ, p., G. R. Gr. 1840,

327. NYCTIORNIS, Sw. 1831.

Alcemerops, I. Geoffr. 1832. G. of B. i. p. 87, pl. 30, f. 2; Reich. S. A. t. 34, f. .

a. NYCTIORNIS.

1194. amictus, Tem. P. C. 310; Sw. Zool. 111. pl. 56.

Sumatra, Born.

1195. malaccensis, Cab. amictus, Reich.; amictus, p., Schl. Malacca. Burmah.

India.

W. Africa.

328.

b. Bucia, 1836,

et Napophila, 1841, Hodgs.

1196. Athertoni, Jard. & S. Ill. Orn, pl. 58.

cærulea, Sw.; Amherstiana, Royle. Assam, Arakan. Tenasserim.

nipalensis, Bl.; meropina, Hodgs. cyanogularis, Jerd.; paleazureus, Less.; assamensis, McClell.

c. MEROPISCUS, Sundev. 1849.

1197. gularis, Shaw, Nat. Misc. pl. 337; G. R. Gr. & M. G. B. pl. 30.

W. Africa.

MEROPOGON, Bp. 1850. 330.

1198. Mulleri, Cass. Journ. Ac. Phil. 1860, pl. 49. 2.

1199. Forsteni, Tem.; Schl. De Dierk. fig. p. 53. Celebes.

BOMBYLONAX, Heine, 1859.

Archimerops, Hartl. 1859. Pogonomerops, Cass.

1200. Breweri, Cass. Journ. Ac. Phil. 1881, pl. 49. 1.

Cama R., W. Afr.

----?

Subfam. II. Meropinæ, Bp. 1831.

332. MEROPS, *L.* 1756.

Ispida, L. 1744. Apiaster, Briss. 1760.
Sw. C. of B. f. 289, a; G. of B. i. p. 85, pl. 30. f. 1; Reich. S. A. t. 34. f.

a. MEROPS.

1201. apiaster, L.; P. E. 938; Naum. Vög. t. 143; Lev. Guép. Eur., N.&W.Afr., t. 1. 2. Palestine, Arab. schaeghagha, Forsk.; chrysocephalus, Gm. Egypt, Cashmere. galikeus, Hasselg.; hungariæ, Brehm.

333. b. Melittophas, Reich, 1852.

1202. bicolor, Bodd.; P. E. 252; Lev. Guép. t. 12.

badius, Gm.; castaneus, Lath.

sumatranus, Raffl.; Latreillei, V.

cyanopygius, Less.; hypoglaucus, Reich.

americanus, Müll.

1203. chlorolæmus, n. sp. ?

334. c. Blepharomerops, Reich. 1852.

1204. superciliosus, L.; P. E. 259; Lev. Guép. t. 19.

Madagascar.

Port Natal.

Bonnelli, Lev.

1205. ? sagyptius, Forsk.; Descr. de l'Egypte, t. 4. 3; Lev. Guép.
t. 6. 16.
persica, Pall.; Savignyi, Cuv.
ruficollis, V.; superciliosus, Licht.

E.&S.E. Europe.
N. Africa.

1206. ? Savignyi, Sw. B. of W. Afr. pl. 7; Lev. Guép. t, 6 bis. S. & W. Africa. segyptius, Bp.; longicauda, V. chrysocerous, Cab.

1207. philippinus, L.; P. E. 57. Philippine Isl. philippensis, Tem.

1208. Daudini, Cuv.; Lev. Guép. t. 14; Gould, B. As. pl. cyanorrhous, Tem.; javanicus, Horsf. Java, Flores, typicus, Hodgs.; philippinus, p., G. R. Gr. Lomb., Timor.

335. d. Aürops, Reich. 1852.

1209. albicollis, V.; Lev. Guép. t. 9; Sw. Zool. Ill. pl. 76. W. Africa. Cuvieri, Licht.; Savignyi, Sw. Nile below Khartoum.

336. e. Phlothrus, Reich. 1852.

1210. viridis, L.; Edw. B. pl. 183; Lev. Gulp. t. 10, 11. India. 6477 torquatus, Lath.; Lamarckii, Cuv. orientalis, Lath.; ferrugineiceps, Hodgs. indicus, Jerd.; citrinella, V.

1211. viridissimus, Sw.; P. E. 740. viridis, p. ægyptius, Licht.; viridis, Rüpp.

W.& N.E. Africa. Isle of France.

1212. cyanophrys, Cab.

Arabia.

337. f. Melittotheres, Reich. 1852.

1213. nubicus, Gm.; P. E. 649; Lev. Guép. t. 3. cæruleocephalus, Lath, superbus, Penn.

W., S., & N.E. Af.

1214. nubicoides, Des Murs, I. O. t. 35. natalensis, Reich,

Africa.

338. g. Tephraerops, Reich. 1852.

1215. malembicus, Shaw, Nat. Misc. pl. 701; Lev. Guép. t. 5; Ann. du Mus. ii. t. 62. 1.

W. Africa.

bicolor, Daud. nubicus, p.

339. A. MELITTIAS, Cab. of H. 1859. Urica, Bp. 1854.

1216. quinticolor, V.; Lev. Guép. t. 15. 18; Sw. Zool. Ill. t. 8. urica, *Horsf.*; erythrocephala, *Bl.* Leschenaultii, *V.*

India, Sunda I. Tenasserim.

i. Cosmandops, Cab. & H. 1859. 340. Urica, p., Bp. 1854.

37 . 4 1217. ornatus, Lath.; Lev. Guép. t. 4; Gould, B. A. ii. pl. 16. Australia. Thouini et tenuipennis, Dum. melanurus, Lewin, B. N. Holl. pl. 18.

Moluccas. Lombock.

1218. carulescens, n. sp.? ornatus, p., G. R. Gr.

N. Guin., Mysol. Ceram?

 SPHECOPHOBUS, Reich. 1852. 341.

1219. angolensis, Gm.; Briss. Orn. t. 44. 1; Lev. Guép. t. 7. E. Africa. Sonnini et variegatus, V. cyanipectus, Verr.; erythropterus, Rüpp.

1220. Lafresnayi, Guér.; Des Murs, I. O. t. 34; Ferr. & Gal. Voy. en Abyss. t. 15.

N.E. Africa.

Lefebvrei, Des Murs; Lefebr. Voy. en Abyss. t. 5. variegatus, p., Schl.

342. k. DICROCERCUS, Cab. & H. 1859.

Tachymerops, Fitz. 1864. Melittophagus, Bp. 1854.

1221. hirundinaceus, V.; Lev. Guép. t. 8; Sw. B. W. Afr. W., N.E., & S. pl. 10. Africa.

taiva, Cun; chrysolaimus, Jard. azuror, Less.; furcatus, Stanl.

HAND-LIST OF BYRDS.

343. MELITTOPHAGUS, Boie, 1828.

G. of B. i. p. 86, pl. 30. f. 3; Reich. S. A. t. 34. f.

1222. pusillus, Müll.; P.E. 318; Lev. Guép. t. 17. bicolor, Bodd.; erythropterus, Gm.

N.E. & S. Africa

minutus, V.; pusillus, Sw. variegatus, Rüpp.; minulus, Cuv.

1223. collaris, V.; Kittl. Kupf. der Vög. t. 7.2. erythropterus, p., Schl. Sonnini, p. ?, Bp.

W. Africa.

344. COCCOLARYNX, Reich. 1852. Spheconax, Cab. & H. 1859.

1224. Bullocki, V.; Don. Nat. Rep. pl. 137; Lev. Guép. t. 20. cyanogaster, Sw. B. of W. Afr. pl. 8.

1225. Bullockoides, Smith, I. S. A. Z. pl. 9. albifrons, Cab.; Smithii, Schl.; Bullockioides, Reich. S. Africa.

1226. frenatus, Hartl.; Reich. Handb. t. 450, 3250-51. Bullockii, Rüpp.; Bullockii, p., Schl.

N.E. Africa.

1227. Boleslavskii, Pelz. frenatus, p.?, Hartl. & F. Sudan.

FAM. XI. GALBULIDÆ, Cab. 1847.

Halcyonidæ, p., Vig. 1825.

Subfam. I. Galbulinæ, G. R. Gr. 1841.

345. GALBULA, Mochr. 1752.

G. of B. i. p. 83, pl. 28. f. 5; Reich. S. A. t. 34. f.

a. GALBULA.

1228. viridis, Lath.; P. E. 238; Lev. Jac. t. 47, 48, 49. galbula, L.; rubricollis, Steph. viridicauda, Sw.

Cayenne. Brazil.

1229. rufoviridis, Cab.

viridis, V.; maculicauda, Scl. ruficauda, Sw.

1230. ruficauda, Cuv.; Lev. Jac. t. 50; V. Gal. des Ois, t. 29. macroura, V.; leptura, Sw.

Venez., Tobago. Cartheg., Brazil.

1231. cyanicollis, Cass. Pr. Ac. Phil. v. pl. 7. cyanopogon, Cab.; albirostris, Burm.

Para, Rio Negro. Brazil,

1232. tombacea, Spix, A. B. t. 58. cyanescens, Dev.?

Peruvian Andes.

1233. fuscicapilla, Sclat. P. Z. S. 1855, pl. 77. tombacea, Sclat.

New Granada,

1234. albirostris, Lath.; Lev. Jac. t. 51.

Guiana, Brazil.

flavirostris, V.



HAND-LIST OF BIRDS.

1235. castaneopectus, n. sp.?

Amazon, Quito.

1236. chalcocephala, Dev.; Voy. Casteln. t. 9. 2. quadricolor, Verr.

Peru, Rio Negro.

1237. melanogenia, Sclat. Contr. Orn. 1853, pl. 90.

C. America.

346.

b. CAUCALIAS, Cab. & H. 1863. 1238. leucogaster, V.; Lev. Guép. suppl. t. 11; G. R. Gr. S.

Guiana,

M. G. B. pl. 29. albiventris, Cuv.; albiventer, Sw.

Brazil.

1239. chalcothorax, Sclat.

Quito, Ecuador.

347.

c. UROGALBA, Bp. 1854.

Urocex, Cab. & H. 1863.

Chalcophanes, Reich. 1853, nec Wagl. 1827.

1240. paradisea, L.; P. E. 271; Lev. Jac. t. .

Cayenne.

1241. amazonum, Sclat.

Brazil.

paradisea, p., Cab. & H.

d. Brachygalba, Bp. 1854.

Brachycex, Cab. & H. 1863. Brachygalbula!, Sclat. 1862.

1242. lugubris, Sw.

Upper Amazon.

inornata, Sclat.; alboventer, Bp. chalcoptera, Reich.; albiventris, Less.?

1243. albogularis, Spix, A. B. t. 57. 1.

Rio Janeiro, R. Javari.

1244. melanosterna, Sclat.

Brazil, Bolivia.

1245. Göeringi, Sclat. & S.

Venezuela.

e. Jacamaralcyon, Cuv. 1829.

Aleyon, Spix, 1824. Galbula, Boie, 1826.

Halcyon, Agass. Cauax, Cab. 1847. Reich. S. A. t. 34. f.

1246. tridactyla, Pall.; Lev. Guép. suppl. t. 4; Spix, A. B. t. 57. 2. Brazil.

ceyceides, Such; armata, Sw. brasiliensis, Less.

350. GALBALCYRHYNCHUS, 1845, et

Jacamaralcyonides, 1849, Des Murs. Cauecias, Cab. 1851. Alcyonides, Reich. 1852.

Galhalcyorhynchus!, G. R. Gr. 1849.

1247. leucotis, Des Murs, I. O. t. 17. Bogota.

351. JACAMEROPS, Cuv. 1829.

Lamprotila, Sw. 1837. Lamproptila, Agass. G. of B. i. p. 84, pl. 28. f. 4; Reich. S. A. t. 34. f.

1248. grandis, Gm.; Lev. Jac. t. 54.

Brazil.

jacamarici, Shaw, Nat. Misc. pl. 83 platyrhyncha, Sw.

1249. Isidori, Dev. Casteln. Voy. t. 10. grandis, var., Des Murs.

E. Peru.

Tribe II. TENUIROSTRES, Cuv.

FAM. I. **UPUPIDÆ**, Bp. 1838.

Promeropidæ, p., Sw. Certhiadæ, p., Boie, 1826. Paradiseidæ, p., Cab. 1851.

Subfam. I. Upupinæ, Bp. 1831.

352. UPUPA, L. 1735–66.

Hupupa, Bonn.

G. of B. i. p. 89, pl. 31. f. 2; Reich. S. A. t. 41. f. .

1250. epops, L.; P. E. 52; Lev. Prom. t. 22; Naum. Vög. t. 142; Gould, B. E. pl. 238.

vulgaris, \bar{Pall} .; maculigera, Reich.; bifasciata, Brehm. indica, Hodgs.

1251. senegalensis, Sw. epops, var., Sw.

1252. minor, Shaw; V. O. D. t. 2; id. Gâl. des Ois. t. 184; Jard. & S. I. O. pl. 142.

africans, Licht.; cristatella, V. capensis, Sw.

1253. nigripennis, Gould. minor, Sykes; senegalensis, Bl. indica, Reich.; epops, Burgess. ? ceylonensis, Reich.

1254. ? major, Brehm.

1255. decorata, Hartl.

1256. marginata, Peters. madagascariensis, Bp. ?

1257. ? longirostris, Jerd.

1201. I longirostris, Jera.

1258. ?? monolophos, Wagl.; Lev. Prom. t. 9. (tail imperf. or artificial).

Europe, India.
Assam, Hima.,
Cashmere, Palest., Bagdah,
Upp.Burmah?
W. Africa.

Fernando Po.

S. Africa. Caffraria.

S. & C. India.

Ceylon. Egypt.

Angola.

Madagascar.

Burmah.

S. Africa.

Subfam. II. Irrisorinæ, Bl. 1849.

Promeropinæ, G. R. Gr. 1840.

353. IRRISOR, Less. 1831.

Promerops, *Boie*, 1826. G. of B. i. p. 90.

351. Galbuloides, Des Murs, 1851.

Boersii, Ranz.; Lev. Jac. t. 53. (Avis fictitia.)

S. America.



1259. erythrorhynches, Lath.; Lev. Prom. t. 1-3. viridis, Licht.; capensis, Less.; erythrorhynchus, V. ? Stricklandii, Bp.

1260. senegalensis, V.; G. R. Gr. & M. G. B. pl. 31. melanorhynchos, Licht.

1261. Bollei, Hartl.

1262. caudacutus, V.; Lev. Prom. t. 8, 9. obscurus, Wagl.

1263. sibilator, V.; Lev. Prom. t. 10. sibilatrix, Wagl.

354. b. Lamprolophos, Des Murs, 1853. Lamprocephalus, Reich. 1854.

1264. lamprolophos, Wagl.; Lev. Prom. t. 11, 12. Levaillanti, Reich.

355. c. Cyanepops, Reich. 1853.

1285. cæruleus, Shaw, Nat. Misc. pl. 985; V. Ois dor. t. 9. indics, Lath.

1266. ? cyaneus, V.; Lev. Prom. t. 7. cæruleus, p., Wagl.

356. d. Scoppelus, Cab. & H. 1859.

Irrisor, Bp. 1854. Iridoptilus, Fitz. 1864. 1267. aterrimus, Steph.

pusillus, Sw.; unicolor, Wagl. cyanomelas, Rüpp.?

357. e. Rhinopomastus, Smith, 1828.

Rhinopomastes, Cab. 1847. G. of B. i. pl. 31. f. 1; Reich. S. A. t. 41. f.

1268. cyanomelas, V.; Lev. Prom. t. 5, 6; Zool. Journ. iv. pl. 1. purpurea, Burch.; purpurascens!, Cab.; purpuratus, Sw. Smithii, Jard.; Levaillantii, Less.

1269. minor, Rüpp. S. U. t. 8.

1270. Cabanisi, De Fil. icterorhynchus, Heugl.

Madagascar.

S. & N.E. Africa.

Damaraland.

W. Africa.

Abyssinia. Ashanti.

.

S. Africa.

W. & E. Africa.

Africa.

N.E. Africa. Damaraland.

Shos.

White Nile

Subfam. III. Epimachine, G. R. Gr. 1848. Promeropine, p., et Upupine, p., G. R. Gr. 1840.

358. PTILORNIS, &w. 1825.

Ptilorhis, Cab. 1851. Epimachus, p. G. R. Gr.

.56

- em

m seci

HAND-LIST OF BIRDS.

a. PTILORNIS.

1271. paradisea, Sw.; Voy. Coqu. t. 28; Less. O. Parad. t. 29, 30; Gould, B. A. iv. pl. 100. regius, Less.; Brisbani, Wils.

New S. Wales.

1272. Victorise, Gould, Pr. Z. S. 1849, pl. 12; id. B. A. suppl. pl.

Cape York.

359. b. Craspedophora, G. R. Gr. 1840.

1273. magnificus, V.; Lev. Prom. t. 16; G. R. Gr. & M. G. B.

New Guinea.

splendidus, Steph.
? major, Schl.?; Gould, B. A. suppl. pl.
Alberti, G. R. Gr. MS.

Cape York.

360. EPIMACHUS, Cuv. 1817.

Cinnamolegus, Less. 1835.

G. of B. i. p. 94, pl. 31. f. 4; Reich. S. A. t. 41. f. .

a. EPIMACHUS.

1274. maximus, Scop.; P. E. 638, 639; Lov. Prom. t. 13-15. New Guines. magna, Gm.; speciosa et striata, Bodd.; papuensis et superba, Lath.

361. b. SELEUCIDES, Less. 1835.

Nematophora, G. R. Gr. 1840.

Ptilornis, Reich. 1850.

1275. albus, Blumenb.; Lev. Prom. t. 17; V. Gal. des Ois. t. 185. Salwatti. nigricans, Shaw; violacea, Bechst. New Guinea, candida, Forst.; resplendescens, V. acanthylis, Less.

c. Semioptera, G. R. Gr. 1859.

1276. Wallaced, G. R. Gr.; Gould, B. A. suppl. pl.; Ibis, 1860, pl. 2. Var.

Batchian G

363. FALCULIA, I. Geoffr. 1836.

G. of B. i. p. 91, pl. 31. f. 3; Reich. S. A. t. 41. f. .

1277. palliata, I. Geoffr. Mag. de Zool. 1836, t. 49; Poll. & V. D. F. de Madag. t. 33; Schl. De Dierk. fg. p. 188.

Madagascar.

FAM. II. PROMEROPIDÆ, Vig. 1825.

Cinnyridæ, Vig. 1825. Nectarinidæ, Boie, 1826.

Subfam. I. Nectarinine, G. R. Gr. 1840.

364. NECTARINIA, *IU*. 1811.

Currucs, Mochr. 1752.

Mellisuga, 1816, et Cinnyris, 2 div., 1818, V.

Cinnyris, 2 div., Cuv. 1817.

G. of B. i. p. 97, pl. 33.f.4; Reich. S. A. t. 41. f. (Anthreptes!).

a. NECTABINIA.

1278. famosa, L.; P. E. 83. 1; Lev. O. A. t. 289, 290. formosa, Bp.; cinerea, Gm.

S. Africa.

365. b. Cirryris, Cuv. 1817, et Cab. 1850. Soui-manges, Cuv. 1797-98.

Sw. C. of B. f. 288. 1.

1279. splendida, Shaw; V. O. D. t. 82; Lev. O. A. t. 295. 1. W. Africa. splendens et bombycinus, V. coccinigastra, Lath.; lucidus, Less. nitida, Bechst.

1280. habessynica, Hempr. & Ehr. Symb. Phys. t. 4. gularis, Rüpp. Atl. t. 31. 2. purpuratus, Kittl. Kupf. t. 28. 1; porphyreocephala, Heugl.?

Abyssinia.

1281. afra, L.; Edw. B. pl. 347. 1; Lev. O. A. t. 300; V. O. D. t. 10.
erythrogastra, Shaw; smaragdinis et pectoralis, V.

E. & S. Africa.

1282. chalybea, L.; Edw. B. pl. 265; P. E. 246. 3; Sw. Zool. Ill. pl. 95.

S. & W. Africa.

1283. bifasciata, Shaw; V. O. D. t. 24. nitens, V.; mariquiensis, Smith.

S. Africa, Natal. Damaraland.

1284. fusca, V.; Lev. O. A. t. 296.

Angola, Damaraland, Somanly.

1285. Anderssonii, Strickl. talatala, Smith; Andersonii, Reich.

Damara., Natal.

1286. Jardinei, Verr.

Gaboon.

1287. osea, Bp.; Gould, B. As. pl.

Jericho.

1288. canora, Scop.; Sonn. Voy. t. 116. 2. viridis, Lath.; scarlatina, Sparrm. M. C. t. 58.

S. Africa.

1289. virescens, V. O. D. t. 34.

Africa.

1290. fasciata, Jard.

W. Africa.

1291. Johannæ, Verr.

Gaboon.

1292. albiventris, Strickl. Contr. Orn. 1852, pl.	Somanli.
1293. sovimanga, Gm.; Briss. Orn. iii. t. 32. 2, 3; V. O. D. t. 18, 19. madagascariensis, Lath.	Madagascar.
1294. erythrocerca, Heugl. Gonzenbachi, Bianc.; erythroceria!, Hartl. & F.	C. Africa.
1295. erythrothorax, V.	Angola.
1296. phæothorax, Hartl.	Ashanti.
1297. rubescens, V.	Congo.
1298. ænea, V.; Lev. O. A. t. 297.	S. Afr., Ceylon?
1299. Perreini, <i>V</i> .	Congo, Angola.
1300. gabonica, Hartl.	Gaboon.
1301. Coquerellii, Verr.	Mayotta.
1302. seychellensis, Hartl. Dussumieri, Newt.	Seychelles I.
1303. comorensis, Peters.	Joanna I.
1304. ludvicensis, Bocage.	W. Africa.
366. c. Chalcomitra, Reich. 1854. Cinnyris, p., Cab.	
1305. amethystina, Shaw; V. O. D. t. 5, 6. auratifrons, V.; aurifrontalis, Beckst. aurifrons, Licht.	Africa.
1306. senegalensis, L.; Briss. Orn. iii. t. 34.2; V. O. D. t. 8, 9; Kittl. Kupf. Vög. t. 28. 2. discolor, V.; acis et natalensis, Antin.	E. & W. Africa.
1307. gutturalis, L.; Briss. Orn. iii. t. 33. 3; P. E. 573. 3; Jard. Nect. pl. 12; Contr. Orn. 1849, pl. natalensis, Jard.	Natal.
1308. ? Bianconi, Hartl. Contr. Orn. 1849, pl discolor, Bianc.; natalensis, var. sanzibar, Jard. gutturalis, p., Hartl.	S.E. Africa. Zanzibar.
1309. cruentata, Rüpp. S. U. t. 9. proteus, Rüpp.	Abyssinia.
1310. Adelberti, Gerv. Mag. de Zool. 1833, t. 19. eboensis, Thoms.	W. Africa. Fernando Po.
1311. angolensis, Less. Ill. Orn. n. s. pl. 48. Stangeri, Jard.	W. Africa.
1312. venusta, Shaw; V. O. D. t. 79. quinticolor, Less.; parvula, Jard. pusilla, Sw.; leucogaster, V.	**
367. d. Chromatophora, Reich. 1854.	
1313. superba, V. O. D. t. 22. sougnimbindus et sanguineus, Less.	**

368. e. Anthodiata, Cab. 1850. Tephrolema, Heine, 1860.	
1314. collaris, V.; Lev. O. A. t. 299.	Africa.
1315. subcollaris, Reich.; Jard. Nect. pl. 6. collaris, Jard.	W. Africa.
1316. chloropygia, Jard. Nect. pl. 3. ohalybea, Sw.	,
1317. hypodilus, Jard. hypodelos, Reich.	Fernando Po.
1318. cyanolama, Jard.	"
1319. tephrolæma, Jard.	39
369. f. Adelinus, Bp. 1854. Eleocerthia, Reich. 1854. Mangusia, Bp.	
1320. olivacea, Smith.	S. Africa, Natal.
1321. obscura, Jard. Ill. Orn. n. s. pl. 51.	Fernando Po.
1322. Verroxi, Smith, I. S. A. Z. pl. 57; Jard. Nect. pl. 9.	S. Africa.
1323. Reichenbachii, Hartl.	Gaboon.
1324. Hartlaubii, Verr.	Angola.
370. g. Cyanomitra, Reich. 1854.	
1325. cyanocephala, Gm.; Briss. Orn. iii. t. 28. 4; V. O. D. t. 7; Jard. Nect. pl. 10. chloronotus, Sw.	W. Africa.
1326. affinis, Rüpp. F. A. t. 31. 1.	Abyssinia.
371. h. Leucochloridia, Reich, 1854.	
1327. verticalis, V. O. D. t. 25. Vieilloti, Verr.	Angola. Ashanti,
372. i. Aidemonia, Reich. 1854.	
1328. cuprea, Shaw; V. O. D. t. 23. rubrofusca, Cuv.; nibarus, V.	W. Africa.
1329. tacazze, Stanl.; Rüpp. F. A. t. 31. 3.	Abyssinia.
1330. rubrofusca, Shaw; Vieill. O. D. t. 27. erythronotus, Sw. B. W. Afr. pl. 15.	W. Africa.

j. CARMBLITA, Reich. 1852.

1331. fuliginosa, Shaw; V. O. D. t. 20, 21; Jard. Nect. pl. 14.

373.

maculata, Shaw.

374. k. Panzola, Cab. 1850.

Nectarinia, Bp. 1850.

1332. pulchella, L.; P. E. 670. 1; V. O. D. t. 40; Lev. O. A. t. 293. 1. caudatus, V.; melampogon, IU.

W. Africa.

,,

375. l. Hedydipna, Cab. 1850.

1333. platura, V.; Lev. O. A. t. 293. 2; Jard. Nect. pl. 19. sylviella, Tem.; cyanopygos, Licht.; platyura, Cab.

1334. metallica, Licht.; Lev. O. A. t. 293, 1; P. C. 347, 1, 2. Nubis, Abyss., White Nile.

376. m. Margusia, Bp. 1854.

Euchloridia, Reich. 1854.

1335. rectirostris, Shaw; V. O. D. t. 75; Gal. des Ois. t. 178.
8. Africa. elegans, V.

377. n. Angladiana. et Angaladiana, Reich. 1854.

1336. angladiana, Shaw; P. E. 575. 2, 3; V. O. D. t. 2, 3. Madagascar. madagascariensis, Q. & G.

378. o. Cosmeteira, Reich. 1854.

1337. eques, Less.; Voy. Coqu. t. 31. 1.

N. Guin., Waig., Mys., Salwat., Gilo., Ceram.

Java.

Subfam. II. Promeropinæ, G. R. Gr. 1847.

Nectarinine, p., G. R. Gr. 1840. Ptiloturine, Cab. 1850.

379. PROMEROPS, Briss. 1760.

Falcinellus, V. 1816. Nectarinia, Tom. 1820. Ptiloturus, Sw. 1837. Ptilurus, Strickl. 1841. G. of B. i. p. 96, pl. 33. f. 5; Reich. S. A. t. 41. f.

a. PROMEROPS.

1338. cafer, L.; P. E. 637; Lev. O. A. t. 287, 288. S. Africa. promerops, L. Briss. Orn. ii. t. 43. 2; longicaudatus, V. capensis, Less.

380. b. Æтноруда, Cab. 1850.

Aithopyga, Reich. 1854.

1339. siparaja, Raff.; P. C. 126. 3; Schl. De Dierk. fig. p. 127. Sumatra. mystacalis, Tem.; Lathami, Jard.

1340. eximia, Horaf.; P. C. 376. 1, 2. Kuhlii, Tem.

1341. nipalensis, Hodgs.; Jard. Nect. pl. 27; Gould, B. As. pl. Nepal, Kha. Hil. 1342. Horsfieldii, Bl. N.W. Himala.

15581.

110	HAND-LIST OF BIRDS.	
1343. goal pariens B. As. pl. miles, Hodgs.; s labecula, M'Clei		N. India.
	Hodgs.; Jard. Nect. pl. 29; Gould, B. As. pl.; phænicurs, Jard. dgs.	Nepal. Assam, Sylhet.
	dgs.; Jard. Nect. pl. ; Gould, B. As. pl. l.; assamensis, M Clell.	S.E. Himalayas. Assam, Sylhet.
1346. Gouldia, Vi	g.; Gould, C. B. pl. 56; id. B. As. pl.	Hima., Assam,
1347. Temmincki	i, Müll. Verh. Zool. t. 8. 2.	Sylhet, Arac. Sumatra.
	kes; Gould, B. As. pl; goalpariœusis, p., G. R. Gr.	Deccan.
1349. flavostriata lodoisia, <i>Salvad</i>	, Wall. Pr. Z. S. 1865, pl. 29. 2.	Celebes.
1350. Dabrii, Verr.	Rev. et M. de Zool. 1867, t. 15.	N. China.
1351. chalcopogon,	Reich. Icon. Av. t. 586. 3982–83.	Borneo.
1352. eupogon, Cab.		Born., Malacca.
	. Актноварняв, <i>Cab.</i> 1850. ; <i>Briss. Orn.</i> iii. t. 33. 6; <i>P. E.</i> 670. 2; <i>Lev.</i> сгосеця, <i>Less.</i>	Africa.
	. Снацсовтетна, Cab. 1850.	
1354. pectoralis, Ten calcostetha, Jara insignis, Jard.	n. P. C. 183. d.; Mackletii, <i>Bp</i> .	Java. Sumatra.
383. e. Chalcostetha, p., C	HERMOTIMIA, Reich. 1854.	
1355. aspasia, Les serices, Less.	. Voy. Coqu. t. 30. 4.	New Guinea, Waigiou. Mysol, Salwattie,
1356. aspasinoide aspasia, p., Mül	<u>.</u> *	Moluccas, Bouru.
1357. auriceps, G	. R. Gr.	Moluccas.
1358. proserpina,	Müll.	Bouru.
1359. Grayi, Wall.		Celebes.
1360. porphyrolæ	ma, Wall.	,,
1361. zenobia, Less. clementina, Less		Amboina. Gilolo.
1362. amasia, Less.		New Guinea,
1363. simplex, G. R.	. Gr.	Amboina. Gilolo, Batch. I.

384. f. Chalcoparia, Cab. 1850. Chalcopareia, Roich. 1854.

1364. cingalensis, Gm.; P. C. 108. 1, et 338. 2. phoenicotis, Tem. Malacca. Tenasserim.

Subfam. III. Arachnotherinæ, Cab. 1850.

Nectarinine, p., G. R. Gr. 1840.

385. ARACHNOTHERA, Tem. 1826.

Arachnocestra, Reich. 1854.
Sw. C. of B. f. 288, c; Reich. G. of B. i. p. 99.

a. Arachnothera.

1365. longirostra, Lath.; P. C. 84. 1. cinereocollis, V.; longirostris, Reich.

1366. uropygialis, G. R. Gr. & M. G. B. pl. 33.

1367. Temminckii, Horsf. & M.

1368. crassirostris, Reich.

386. b. Abachnobaphis, Reich. 1854.

1369. flavigaster, Eyton. flaviventris, Reich.

1370. simplex, Mill. & Schl.; Verh. N. G. t. 8. 4.

1371. novæ guineæ, Less.; Verh. N. G. t. 11. 3.

1372. armata, Müll. & Schl.; Verh. N. G. t. 11. 2.

1373. robusta, Müll. & Schl.; Verh. N. G. t. 11. 1.

1374. vagans, Bernst.

387. *a.* —

Aracthnothera, Reich. 1854. G. of B. i. pl. 33. f. 6; Reich. S. A. t. 41. f. .

1375. affinis, Horsf.; P. C. 84. 2. inornata, Tem.

1376. magna, Hodgs. inornata, McClell.; chrysopus, Hodgs.

1377. chrysogenys, Tem. P. C. 388. 1. longirostra, Horsf.; flavigenis, Sw.

1378. pusilla, Bl. affinis et inornatus, Bl.; longirostris, Jerd.

1379. modesta, Eyton. latirostris, Bl.

1380. Phayrei, Bl.

Java, Sum**atra.**

____2

Indian Archipel.

India.

Malacca.

Lombock.

New Guin., Aru, Salwat., Mysol. Lombock.

Sumatra, Born.

Waigiou.

Java.

N. India. Assam, Burmah.

Java, Sumatra. Borneo, Malacc.

India, Malabar.

Mysore.

Malacca.

Pagu.

388. d. Arachnechthra, Cab. 1850.

1381. asiatica, L.; V. O. D. t. 12; Jard. Nect. pl. 24; Gould, B. As. pl.

currucaria, L.; mahrattensis, Lath. cyaneus, V.; orientalis, Frankl. epauletta et strigula, Hodgs.

India, Ceylon. Burmah.

1382. lotentia, L.; Briss. Orn. iii. t. 33. 4, 5; V. O. D. t. 11; Jard. Nect. pl. 23; Gould, B. As. pl. .

polita, Sparrm.; purpurata, Shaw. notatus, Müll.

Malabar coast. Ceylon.

> Penang, Arakan. Tenasserim.

1383. flammaxillaris, Bl. jugularis, Bl.

Siam, Pinang.

1384. insignis, Gould, B. As. pl.

389. e. Cyrtostomus, Cab. 1854. Crytostomus!, G. R. Gr. 1855.

1385. pectoralis, Horaf.; P. C. 138. 1, 2; Müll. Verh. Zool. t. 9. 2. Java. Lombock.

eximia, Tem.; luteoventris, Less. 1386. solaris, Tem.; P. C. 347. 3; Müll. Verh. Zool. t. 8. 5. Timor, Amboina,

1387. frenata, Müll. Verk. Zool. t. 8. 1.

Gilolo, Flores. Celebes, Molucc., Sula. Cape York.

75 4 -1388. ? australis, Gould, B. A. suppl. pl. pectoralis, Macgill.

1389. jugularis, L.; Briss. Orn. ii. t. 32.5; V. O. D. t. 29, 30, 31; Jard. Nect. pl. 25. 2.

Philippine I.

1390. melanogastra, n. sp. ?

1391. flavigastra, Gould, Voy. Sulph. pl. 24.

Ceram. New Ireland.

India.

Assam.

Sunda I.

390. f. LEPTOCOMA, Cab. 1850.

Nectarophila, Reich. 1854.

1392. zeylonica, L.; Briss. Orn. iii. t. 34.4; V. O. D. t. 16, 17; Jard. Nect. pl. 20; Gould, B. As. pl.

quadricolor, Scop.; philippensis, Mey sola, Jerd.; nigralbus, Less.; dubia, Shaw?

1393. sperata, L.; Briss. Orn. iii. t. 31. 2, 3; P. E. 246. 1, 27; P. C. 388. 3; Jard. Noct. pl. 21.

1394. Hasseltii, Tem. P. C. 376. 3; Jard. Nect. pl. 22.

brasiliana, Shaw; sperata, Raffl. Phayrei, Bl.; ruber, Less.

1395. minima, Sykes; Jard. Nect. frontisp.

W.coast of India. Ceylon.

Phil. I., Manilla.

391. g. Anthreptes, Sw. 1830.

Anthothreptes, Cab. 1850. Anthorheptes, Agass. Hypogramma, Reich. 1854.

Sw. C. of B. p. 288, f.; Reich. S. A. t. 41. f. (Nectarinia!).

1396. malaccensis, Scop.; Voy. Sonn. t. 116. 1; P. C. 126. Sunda Island, 1, 2; Gal. des Ois. t. 177. Malacca.

lepida, Lath.; javanica, Horsf.

Celeb., Sula.

1397. hypogrammica, Müll. Verh. N. G. t. 8. 2. nuchalis et macularia, Bl.

Sumatra, Born.

392.

Cinnyricinclus, p., Less. Cinnyricincle, Reich. 1854. Anthreptes, p., Sw. "Cinnyricincla, Bp. 1854," G. R. Gr. 1855.

1398. Longuemarii, Less. Ill. Zool. t. 23; Sw. B. W. Afr. pl. 17. W. Africa. leucosoma, Sw.

1399. Fraseri, Jard. & S. Ill. Orn. n. s. pl. 53.

W. Africa, Fernando Po. Senegal.

1400. melasoma, Less.

Gaboon.

1401. aurantia, Verr.

1402. nigralba, V.

Subfam. IV. Drepaninæ, Cab. 1850.

Nectarininæ, p., 1840, et Promeropinæ, p., 1847, G. R. Gr.

393. DREPANIS, Tom. 1820, nec Rafing. 1815. Falcator, Tem. 1822. Mellisuga, Merr. 1786, nec Briss. Melithreptus, 2 div., V. 1816. Myzomela, p., Vig. & Horsf. Mellithreptus, Less. 1831. G. of B. i. p. 95.

a. DREPANIS.

1403. pacifica, Gm.; Lev. Prom. t. 19; V. O. D. t. 63.

Friendly Isl.

1404. falcata, Gm.

b. VESTIARIA, Flem. 1822.

Heorotaires, Cuv. 1817. Melithreptus, p., V. G. of B. i. pl. 33. f. 1; Reich. S. A. t. 41. f.

1405. coccinea, Gm.; V. O. D. t. 52; Gal. des Ois. t. 181. vestiaria, Lath.; evi et akaroa, Less.

Sandwich I.

obscura, Gm.

395. c. HIMATIONE, Cab. 1850.

1406. sanguinea, Gm.; V. O. D. t. 66, 67, 68. byronensis, Gr. virens, Gm.; flava, Blox.; tonganensis, Less. chloris et maculata; Cab.

d. Hemignathus, Licht. 1838. 396.

Heterorhynchus, Lafr. 1839. Reich, S. A. t. 41. f.

1407. lucida, Licht. Berl. Trans. 1838, t. 5. f. 2, 3. olivaceus, Licht.; Voy. Venus, t. 1. heterorhynchus, Less.

I

1408. Ellisiana, G. R. Gr.; Berl. Trans. 1838, v. t. 5. f. 1. Sandwich I. obscura, V. O. D. t. 53?

397. MOHO, Less. 1831.

Gracula, Merr. 1786. Acrulocercus, Cab. 1847. Mohoa, Reich.

G. of B. i. p. 96, pl. 33. f. 2; Reich. S. A. t. 41. f. .

1409. nobilis, Merr. Vog. t. 2; P. C. 471.

niger, Gm.; fasciculatus, Lath.; pacificus, Licht.

1410. apicalis, Gould, Dixon's Voy. pl. 19.

1411. bracenta, Cass.

pacifica, Peale.

398. PSITTIROSTRA, Tom. 1820.

Psittacirostra, Tem. Psittacopis, Nitzsch. Sittacodes, Glog. 1842. Psittacina, Tem.

G. of B. ii. p. 389, pl. 94. f. 2; Reich. S. A. t. 80. f. .

1412. psittacea, Lath.; P. C. 457. icterocephala, Tem.; sandwichensis, Steph.

399. LOXOPS, Cab. 1847.

Byrseus, Reich, 1853, Hypoloxias, Licht. 1854. Fringilla, p., Gm. Reich. S. A. t. 76, f. .

1413. coccinea, Gm.; V. O. D. t. 31; Voy. Sulph. pl. . rufa et sandwichensis, Bloxh.

1414. inornata, Gould, Voy. Sulph. pl. .

Bow Island.

400. DICÆUM, Cuv. 1817.

Diceum, Strickl. 1843.

G. of B. i. p. 99.

a. DICAUM.

1415. cruentatum, L.; Edw. B. pl. 81; Gould, B. As. pl. coccinea, Scop.; rubricapillum, Less.

erythronotos, Lath.; ignite, Begbis.

1416. trigonostigma, Scop.; Sonn. Voy. t. 117. 2. cantillans, Lath.

1417. chrysorrhseum, Tem. P. C. 478. 1. chrysochlorum, Bl.; croceoventre, Vig.

1418. sanguinolentum, Tem. P. C. 478. 2.

1419. ignifer, Wall.

igniferum, Wall.

1420. ignicolle, G. R. Gr.

1421. papuense, Lath.; P. E. 707. 2.

India.

Sumatr., Borneo, Labuan, Arak.

Assam, Malacca. Java, Sumatra.

Borneo, Arakan, Tenasserim. Java, Sumatra.

Arakan, Tenasserim, Malac. Java, Sumatra.

Flores.

Aru.

New Guinea.

1422. celebicum, Müll.

Leclancheri, Lafr.

1423. flammeum, Sparrm.; P. C. 108. 2, 3. rubrocana, Tem.; eruentatum, Horsf. rubescens, G. R. Gr.

1424. concolor, Jerd. Ill. Orn. pl. 39.

1425. mininum, Tick. erythrorhyncha, Lath.?; Tickelliæ, Bl. inornata, Hodgs.

1426. schistaceiceps, G. R. Gr.

1427. erythrothorax, Less. Voy. Coqu. t. 30. 1, 2. pectoralis, Müll. & Schl.?

1428. vulneratum, Wall.

1429. rubrum, Gm. atriceps, V.; scarlatinum, Schinz.

1430. Maugei, Less. rubescens, p., Reich.

401.

b. Phenacistes, Reich. 1854.

1431. griseum, Scop.; Sonn. Voy. t. 117. 3. tæniata, Shaw; flaviceps, V.

402. c. MICROCHELIDON, Reich. 1854.

Dicseum, Sw. 1837.

Sw. C. of B. f. 288, A; G. of B. i. pl. 33. f. 3; Reich. S. A. t. 41.

1432. hirundinaceum, Lath.; Lewin, B. N. H. pl. 7; Gould, B. A. i. pl. 34.

rubricollis et gularis, Lath. Desmaresti, Leach; pardalotus, Cuv. atrigaster, Less.; sanguineum, Sw.

1433. Macklotii, Müll.

1434. seneum, Homb. & J. Voy. Pôle Sud, t. 22. 4.

403. d. -Myzanthe, 1843 (nec Less. 1831), et Micrurus, 1844 (nec Ehr.

1831), Hodgs. Microchelidon, p., Reich.

1435. ignipectus, Hodgs.; Gould, B. As. pl.

Hills. 1436. pygmæum, Kittl. Mém. Pétersb. 1835, t. 5. Luzon.

e. Pachyglossa, 1843, et Pachyglossus, 1846, Hodgs.

1437. melanoxanthum, Hodgs. Nepal. **1**2

Celebes.

Java, Banda, Borneo.

Malab., Nilgiris.

India, Assam, Ceyl., Arakan.

Batchian, Gilolo

New Guinea.

Bouru, Ceram.

Timor.

Australia.

Timor, Lombock,

Salomon I.

Nepal, Sikkim,

Bootan, Khasia

405.

f. Piprisoma, Bl. 1844.

Parisoma, Jerd. Psarisoma, G. R. Gr. 1849.

1438. agile, Tick.; Ibis, 1867, pl. 10. vireoides, Jerd.; squalida, Burt.

India, Ceylon.

406.

g. Pholidornis, Hartl. 1857.

1439. Rushise, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Moonda River, Ashanti.

A. PRIONOCHILUS, Strickl. 1841.

1440. percussum, Tem. P. C. 394. 2. ignicapillum, Eyton.

Java, Sumatra.

1441. maculatum, Tem. P. C. 600. 3.

Borneo.

thoracicus, p., Bp.

1443. obsoletum, Müll. & Schl.

N. Celebes. Timor, Flores.

i. Anaimos, Reich. 1854.

1444. thoracicum, Tem. P. C. 600. 1, 2.

Borneo.

409. j. MELANOCHARIS, Sclat. 1854.

1442. aureolimbatum, Wall. Pr. Z. S. 1865, pl. 29. 1.

1445. nigrum, Less. Cent. de Zool. t. 27.

New Guin., Aru.

FAM. III. CŒREBIDÆ, Bp. 1849.

Dacnididæ, Cab. 1850. Nectarinidæ, Vig. 1825. Cinnyridæ, p., Sw. 1837.

Subfam. I. Correbinse, G. R. Gr. 1840.

Dacnidinæ, Cab. 1847.

410. CCEREBA, V. 1807.

Guitguit, Cuv. 1797-98. Guitus, Rafing. 1815? Nectarinia, Cuv. 1817. Cœreba, Vig. 1825. Cœreba, Bois, 1826. Arbelorhina, Cab. 1847. Arbelorrhina, Reick. 1854.

G. of B. i. p. 101, pl. 34, f. 1; Reich. S. A. t. 38, f.

1446. cyanea, L.; Edw. B. pl. 264. 1; P. E. 83. 2; V. O. D. t. Cayenne, Braz., 41, 42, 43. Bolivia.

cyanogastra, Lath.

1447. carneipes, Sclat.

Mexico.

cyanea, p., Sclat.

Guatemala.

1448. eximia, Cab.; Reich. Icon. t. 554 b. 4072-73. cyanea, p.?, Cass.

Porto Cabello. Trinidad.

1449. Kelletii, n. sp. ?

Gorgona.

1450. cerulea, L.; Edw. B. pl. 21. 1; V. O. D. t. 44, 45. ochrochlora, Gm.; surimanensis, Lath. cyanomela, Gm.

Cayenne, Braz. Berbice.

1451. nitida, Hartl. Contr. Orn. 1850, pl. .

Bogota, Ucayali,

1452. longirostris, Cab.

Guay., Bras. Carac., Upper Amazon, Trin. C. America.

1453. lucida, Sclat. & Salv.

Porto Cabello.

1454. brevipes, Cab.; Reich. Icon. t. 554 b. 4071.

411. DACNIS, Cuv. 1817.

38. f.

Cyanodacnis, Cass. 1864. Dacnis, div. A., Cass. Nectarinia, Sw. 1837. Sw. C. of B. f. 288 c; G. of B. i. p. 101, pl. 34. f. 2; S. A. t.

a. DACNIS.

1455. cayana, L.; Briss. Orn. iii. t. 23. 2; P. E. 578; V. Gal. des Ois. t. 165; Sw. Zool. Ill. pl. 117. cyanocephala, Gm.; cyanater, Less. cerulea, Max.

Trin., Cayenne, Guiana. Brazil.

1456. ultramarina, Lawr.

Panama.

correbicolor, Lawr.

1457. nigripes, Pels. Acad. der Wissench. xx. 1856, t. 1. 1, 2. bicolor, Boek. Mem. Mosc. vii. t. 23.

S.E. Brazil.

b. Polidacnis, Cass. 1864. Dacnis, div. B, Cass.

1458. correbicolor, Sclat.; Jard. Contr. Orn. 1852, pl. 93. 2.

New Granada.

1459. melanotis, Strickl.; P. E. 669. 1? cayana, var. γ , Lath.; cayana, V. angelica, Sclat.

Cayenne. Amazon.

1460. egregia, Sclat. Cat. of Am. B. pl. 7.

New Granada.

1461. venusta, Lawr.; Ibis, 1863, pl. 7.

Panama.

1462. angelica, Defil.; P. E. 669. 2.

Cayenne.

archangelica, Bp.; melanotis, p.?, Cass.

c. EUDAONIS, Cass. 1864. Dacnis, div. C, Cass.

1463. flaviventer, Lafr.; D'Orb. Voy. Am. M. t. 13. 2.

Bolivia, Peru.

1464. pulcherrima, Sclat. Cat. of A. B. pl. 8. torquata, Du Bus.

New Granada.

414. d. Ateleodachis, Cass. 1864. Dacnis, div. D, Cass.

1465. leucogenys, Lafr.

New Granada, Venezuela.

1466. speciosa, Max.; P. C. 293. 2; Jard. Contr. Orn. 1852, pl. 93. 1. Brazil. analis, Lafr. 1467. bicolor, V. O. A. S. t. 90 bis. Peru. cerulescens, Max.; plumbes, Lath.! Cayenne. 1468. brevipennis, Giraud, An. Lyc. N. Y. v. pl. 3. 1. ♀ or juv. of speciosa?, Cass. 415. e. Hemidacnib, Sclat. 1861. Dacnis, div. E, Cass. 1864. 1469. albiventris, Sclat. Contr. Ornith. 1852, pl. 100. 2. Bogota. 416. f. CHLOROPHANES, Reich. 1853. 1470. spiza, L.; Edw. B. pl. 348; P. E. 578. 1 and 682. 2. Cayenne, Trin. atricapilla, V.; mitrata, Licht. Bolivia. micans, Hahn; melanocephala, Max. spiza, var. a, Edw. B. pl. 25; Cass. 1471. guatemalensis, Sclat. Guatemala. atricapilla, Sclat. & S. spiza, var. b, Cass. 1472. cærulescens, Cass. spiza, var. c, Cass. Nicaragua. Rio Negro. 1473. melanops, Cass. spiza, var. d, Cass. 417. DIGLOSSA, Wagl. 1832. Campylops, Licht. 1837. Serrirostrum, 1838, et Uncirostrum, • 1839, Lafr. Agrilorhinus, 1838, et Anchilorhinus, Bp. Agriolorhinus, Wagn. 1841. Agrilorhynchus, G. R. Gr. 1842. Diglossa, div. A, Cass. 1864. G. of B. i. p. 137. a. DIGLOSSA. 1474. baritula, Wagl.; G. R. Gr. & M. G. B. pl. 42. Mexico. hamulus, Licht.; Brelayi et sittaceum, Lafr. 1475. sittoides, Lafr.; D'Orb. Voy. A. M. t. 58. 2. Bolivia. olivascens, Fras. Columbia. juv. or Q of brunneiventris?, Cass. 1476. D'Orbignii, Boiss. baritula, p., G. R. Gr.; sittoides, p., Cass. New Granada. 1477. similis, Lafr.; Reich. Icon. t. 554. 3764. Bogota, Colum. hyperythra, Cab.; D'Orbignyii Q, Boiss. 1478. ? major, Cab.; Reich. Icon. t. 551 b. 4065. Guiana.

b. Tephrodiglossa, Cass. 1864.

Bolivia.

1479. carbonaria, Lafr.; D'Orb. Voy. A. M. t. 58. 1.

Diglossa, div. B, Cass.

c. Pyrrhodiglossa, Cass. 1864.

Diglossa, div. C, Cass.

G. of B. i. pl. 42. f. 1; Reich. S. A. t. 36. f. .

1480. mystacalis, Lafr.; G. R. Gr. & M. G. B. pl. 42. 3. mystacea, G.R. Gr.

1481. brunneiventris, Lafr.; Des Murs, I. O. t. 43.

Peru, Bolivia, Chili?

420. d. Cyanodiglossa, Cass. 1864.

Diglossa, div. D, Cass.

1482. personata, Fras.; Reich. Icon. t. 552. 3752-53. cyaneum, Lafr.; melanopis, Tsch.

1483. indigotica, Sclat. Cat. of Am. B. pl. 6.

New Gran., Ecu. Peru.

Ecuador.

e. Melanodiglossa, Cass. 1864. 431.

Diglossa, div. E, Cass.

1484. Lafresnayi, Boiss.; Reich. Icon. t. 553. 3757. Bonapartei, Fras.

1485. humeralis, Fras.; Reich. Icon. t. 552. 3754. Lafresnayi, p., Boiss.

New Granada.

1486. aterrima, Lafr.; Reich. Icon. t. 553. 3759.

1487. albilatera, Lafr.; Reich. Icon. t. 553. 3758. albilateralis, Sclat.

Ecuador, New Granada. Ecuador. Bogota, Columb.

New Gran., Bog.

1488. intermedia, Cab. humeralis, p. ?, Cass.

422. f. Diglossopis, Sclat. 1856.

1489. carulescens, Sclat.

Caracc., Bogota.

423. CONIROSTRUM, Lafr. 1838.

Conirostra, Cab. 1847.

G. of B. i. p. 102, pl. 34. f. 4; Reich. S. A. t. 38. f.

a. CONIROSTRUM.

1490. cinereum, Lafr.; D'Orb. Voy. Am. M. t. 59. 2.

Peru, Bolivia.

New Granada.

1491. Fraseri, Sclat.

cinereum, p.?, Cass.

Ecuador.

1492. albifrons, Lafr.; Mag. de Zool. 1843, t. 35.

atrocyaneum et cæruleifrons, Lafr.

1493. sitticolor, Lafr.; G. R. Gr. & M. G. B. pl. 34. bicolor, Less.; rufocineres, Bp. rufum, Lafr.?

1494. ferrugineiventre, Sclat. Pr. Z. S. 1855, pl. 86.

Bogota.

Bolivia.

424.

b. Spodiornis, Sclat. 1866.

1495. Jardinii, Sclat. Pr. Z. S. 1866, p. 323. fig.

Quitian Andes.

425.

c. Oreomanes, Sciat. 1860.

1496. Fraseri, Sclat. Pr. Z. S. 1860, pl. 159.

Chimboraso.

426. CERTHIOLA, Sundev. 1835.

Cereba, V. 1807? Colius, Mochr. 1752.

Nectarinia, Less. 1831.

G. of B. i. p. 102, pl. 34. f. 3; Reich. S. A. t. 38. f. .

a. CERTHIOLA.

1497. flaveola, L.; Edw. B. pl. 122. 1, et 362. 3; Gosse, B. Jum. pl. 16.

W. Indies.

antillensis et aterrimum, Less.

1498. chloropyga, Cab.; Reich. Icon. t. 561. 3826.

brasiliensis, Sclat.; flaveola, Licht.

Brazil.

1499. luteola, Licht.; Reich. Icon. t. 561. 3824.

Ecuador. Mexico.

1500. mexicana, Sclat. luteola, Lawr.

Panama.

1501. bahamensis, L.; Catesb. Car. i. pl. 59. flaveola, var. β , L.

1502. major, Cab.

Carthagena. Guiana.

1503. guianensis, Cab.; Reich. Icon. t. 561. 3825.

1504. martinicana, Reich. Icon. t. 561. 3824. albigula, Bp.?

Martinique.

1505. dominicana, Tayl.

Dominica.

1506. Bairdi, Cab.

Indian Key.

1507. columbiana, Cab.

Bogota.

1508. majuscula, Cab.

Monte Video.

Peru.

1509. peruviana, Cab. flaveola, Tsch.?

427. b. GLOSSIPTILA, Sclat. 1856.

Neornis, Hartl. 184 ?, nee Hodgs. 1844. Reich. S. A. t. 77. f.

1510. ruficollis, Gm.; Edw. B. pl. 122.2; Gosse, B. Jam. pl. 58. Jamaica. campestris, L.?; rufigularis, Lafr. cerules, Hartl.

St. Domingo.

FAM. IV. TROCHILIDÆ, Vig. 1825.

Subfam. I. Phæthornithinæ, Bp.

Phæthorninæ, G. R. Gr. 1840. Trochilinæ, p. 1855, et Grypinæ, 1848, G. R. Gr.

428. PHAËTHORNIS, Sw. 1831.

Phætornis, Less. 1832. Phrethornis, Boie, 1831. Phæthornis, Jard. 1833. Phæthornis, Sw. 1827. Phætornis, G. R. Gr. 1848. Phætornis, Bp. 1849. G. of B. i. p. 103, pl. 35. f. 3; Reick. S. A. t. 40. f. .

a. Phaëthornis.

1511. malaris, Licht.; V. O. D. t. 17; Gould, T. i. pl. 17. N. of S. America. superciliosus, V.

1512. eurynome, Less. T. t. 31; Gould, T. i. pl. 16. eurynomus, Jard.; melanotis, Licht.

Brazil.

1513. consobrinus, Bourc. Moorei, Lawr.

N. Granada. Ecuador, Rio Napo. Cayenne.

1514. fraterculus, Gould, T. i. pl. 18.

1515. longirostris, De Lattr.; Gould, T. i. pl. 19. cephalus, Bourc. & M.

C. America.

1516. syrmatophorus, Gould, T. i. pl. 20.

Ecuador.

1517. superciliosus, L.; P. E. 600.3; Less. Col. t. 6.7; Gould, T. i. pl. 28.

E. Brazil.

Pretrei, Delatt.; brasiliensis, Cab. affinis, Natt. & Pele.

1518. boliviana, Gould.

Bolivia.

1519. Augusti, Bourc.; Gould, T. i. pl. 29. angusta, Gr. R. Gr.

Venezuela.

1520. Cassini, Lawr.

New Granada.

429. b. Guyonnis, Bp. 1854.

Toxoteuches, Cab. & H. 1860. Mesophila, Muls. & V. 1865.

1521. Guyi, Sclat.; Less. T. t. 44; Gould, T. i. pl. 26. Guy, Less.; apicalis, Licht.; typus, Bp.

Trinidad.

1522. Emilia, Bourc.

New Granada.

Guyi, p., Cab.

1523. Yaruqui, Bourc.; Gould, T. i. pl. 27.

Ecuador.

430. c. Orthornis, Bp. 1854.

Ametrornis, Reich. 1854.

1524. Bourcieri, Less. T. t. 18; Gould, T. i. pl. 25.

Cayenne.

1525. Oseryi, Bourc. & M.; Gould, T. i. pl. 23. villosus, Lawr.	New Granada.
1526. anthophilus, Bourc.; Gould, T. i. pl. 24.	New Gran., Braz.
1527. Philippi, Bourc.; Gould, T. i. pl. 21. De Filippi, Bourc.; Defilippi, Bp. Filippi, Muls. & V.	Peru or Bolivia.
1528. abnormis, Natt. & Reich.	Brazil.
1529. hispidus, Gould, T. i. pl. 22.	Bolivia.
431. d. Pygmornis, <i>Bp.</i> 1854. Ptyonornis, <i>Reich.</i> 1854. Pygornis, <i>Muls. & Verr.</i> 1865.	
1530. squalidus, Natt.; Less. C. t. 8; P. C. 120. 1; Gould, T. i. pl. 30. leucophrys, Licht. brasiliensis, G. R. Gr.	S.E. Brazil.
1531. Longuemareus, Less. T. t. 2. 62; Gould, T. i. pl. 31. Longuemari, Reich.; Longuemarei, Cab. & H. intermedius, Less. T. t. 19.	N. of S. America. Trinidad, Brazil.
1532. Adolphi, Bourc.; Gould, T. i. pl. 35.	C. America.
1533. griseogularis, Gould, T. i. pl. 36.	New Granada, Ecuador ?
1534. striigularis, Gould, T. i. pl. 37.	New Granada.
1535. episcopus, Gould, T. i. pl. 39. 2.	British Guiana, Surin., Demer.
1536. amaura, Bourc.; Gould, T. i. pl. 32. atrimentalis, Lawr.; striigularis, p., Muls. § V.	Rio Napo.
1537. nigrocinctus, Lawr.; Gould, T. i. pl. 39. 1. rufigaster, p., Muls. & V.; nigricinctus, Gould.	R. Amazon.
1538. aspasiæ, Bouro. & M.; Gould, T. i. pl. 33. viricaudata, Gould; pygmæus, Tsch. griseogularis, p., Muls. & V.	Brazil, Peru.
1539. zonura, Gould, T. i. pl. 34. zonara!, Muls. & V.	Peru.
432. e. Monus, Muls. & V. 1866. Pygornis, p., Muls. & V.	
1540. Idalize, Bourc. & M.; Gould, T. i. pl. 38. obscurs, Gould.	Brazil.
433. f. Erbnita, Reich. 1854.	
1541. eremita, Gould, T. i. pl. 40; P. C. 120. 2. squalidus et brasiliensis, Tem. rufiventris, Less.	N. Brazil.
1542. rufigaster, V. O. D. t. 19; Less. T. t. 13. Davidianus, Less. pygmæus, Cab.; rufiventris, Cab. & H.	Cayenne. Brazil.
1543. pygmæus, Spix, A. B. t. 80. 1; Gould, T. i. pl. 41. brasiliensis, Max.	S.E. Brazil.

434. GRYPUS, Spix, 1824.

Ramphodon, Less. 1831.

G. of B. i. p. 104, pl. 35. f. 2; Reich. S. A. t. 40. f. .

a. GRYPUS.

1544. neevius, Dumont; P. C. 120. 3; Gould, T. i. pl. 1. S.E. Brazil. squamosus, Licht.; ruficollis, Spix. maculatum, Less.

1545. Spixii, Gould, T. i. pl. 2. chrysurus, Reich.

Brazil.

435. b. EUTOXERES, Reich. 1849.

Myiaëtina, Bp. 1854. Reich. S. A. t. 40. f.

1546. aquila, Lodd.; G. R. Gr. & M. G. B. pl. 36; Gould, T. i. pl. 3.

New Granada.

1547. Salvini, Gould. aquila, p., Gould.

Veragua. Costa Rica.

1548. heterura, Gould.

C. Ecuador.

1549. Condaminei, Bourc.; Gould, T. i. pl. 4. Condaminii, Bp.

E. Ecuador.

Subfam. II. Polytominæ.

Lamporninæ et Trochilinæ, p., G. R. Gr. 1840. Lampornithinæ, Bp. 1849.

436. OREOTROCHILUS, Gould, 1847.

Oriotrochilus, Reich. 1849. Orotrochilus, Cab. & H. 1860.

G. of B. i. p. 104, pl. 35. f. 1; Reich. S. A. t. 40. f.

1550. Estella, Lafr.; D'Orb. Voy. Am. M. t. 61. 1; Gould, T. i. pl. 70.

Bolivia.

1551. leucopleurus, Gould, T. ii. pl. 71. Milleri, Lodd.

Ceciliæ, Less.; Estellæ, Gould.

Chilian Andes.

- e...

1552. pichincha, Bourc. & M.; Gould, T. ii. pl. 69. Jamesoni, Jard. Contr. Orn. 1850, pl. .

Pichinchæ, Bp.

Mts. Pichincha & Cotopaxi, in Ecuador.

1553. chimborazo, Bourc.; Gould, T. ii. pl. 68.

Chimborazo M.

1554. melanogaster, Gould, T. ii. pl. 72.

HighlandofPeru.

1555. Adela, Lafr.; D' Orb. Voy. A. M. t. 61. 2; Gould, T. ii. pl. 73. Bolivia. Adelæ, Gould.

437. POLYTMUS, Briss. 1760.

a. Campylopterus, Sw. 1827.

Kampylopterus, Spix.

G. of B. i. p. 107, pl. 35. f. 5; Reich. S. A. t. 39. f. .

1556. largipennis, Bodd.; P. E. 672. 2; Less. O. M. t. 34; Gould, T. ii. pl. 48. Cayenne, British **G**uiana. campylopterus et cinereus, Gm. Brazil.

latipennis, Lath.

1557. sequatorialis, Gould.

Quito. latipennis, p., Muls. & V.

1558. ensipennis, Sw. Zool. Ill. pl. 107; Less. O. M. t. 35; id. T. t. 46, 47; Gould, T. ii. pl. 46.

Isl. of Tobago. latipennis, Jard.; falcipennis, Burm.?

1559. hemileucurus, Licht.; Gould, T. ii. pl. 45. Mexico, Guatemala. Delattre, Less.; Delattrii, Bp.; Delattrei, Reich.

1560. obscurus, Gould, T. ii. pl. 49. Lower Amazon. latipennis, p., Muls. & V.

1561. splendens, Lawr.; Gould, T. ii. pl. 47, upper fig.

Rio Napo, Quito. villavicencio, p., Muls. & V.

1562. villavicencio, Bourc.; Gould, T. ii. pl. 47, lower fig. R. Napo. villavisencio, Bp.

1563. inornatus, Burm. La Plata.

438. b. Androdon, Gould, 1863.

1564. sequatorialis, Gould. Ecuador.

c. Platystylopterus, Reich. 1854.

Platystopterus, Bp. 1854.

1565. rufus, Less.; Gould, T. ii. pl. 50. Gustemala.

d. SEPIOPTERUS, Reich. 1854. Sepiopterus, Bp. 1854. Tæniopterus!, Gould.

1566. lazulus, V. Gal. des Ois. t. 179; Less. O. M. t. 36; Gould, Venezuela. T. ii. pl. 44.

falcatus, Sw. Zool. Ill. pl. 83. New Granada.

e. Loxopterus, Cab. & H. 1860. 441.

Platystylopterus, p., Reich. Campylopterus, p., Muls. & V.

1567. hyperythrus, Cab.; Gould, T. ii. pl. 51. Brit. Guiana. hypertrurus, Muls. & V.

f. Pampa, Reich. 1854. 442.

Sphenoproctus, Cab. & H. 1860.

1568. pampa, Less. O. M. suppl. t. 15; Gould, T. ii. pl. 43. Guatemala. campyloptera, Reich. Mexico. 1569. curvipennis, Licht. pampa, p., Cab. & H. g. APHANTOCHROA, Gould, 1853. Agapeta, Cab. & H. 1570. cirrochloris, V.; Gould, T. ii. pl. 54. Brazil. campylostylus, Licht. simplex, Less. O. M. t. 33, suppl. t. 6. cirrhochloris, Gould. Ecuador. 1571. hypostictus, Gould. 1572. gularis, Gould, T. ii. pl. 55. R. Napo. 444. A. PHEOCHROA, Gould, 1861. 1573. Cuvieri, Delatt. & Bourc.; Gould, T. ii. pl. 52. Venezuela, New Gran. Panama. 1574. Roberti, Salv.; Gould, T. ii. pl. 53. Guatemala. 445. i. EUPETOMENA, Gould, 1853. Prognornis, Reich. 1854. 1575. macrourus, Gm.; Briss. Orn. iii. t. 36. 9; Less. O. M. t. 25; C. suppl. t. 39; Gould, T. ii. pl. 42. Cayenne. hirundinacea, Less.; forcipatus, Lath. Brazil. j. Lampornis, Sw. 1827. Anthracothorax, Boie, 1831. Sericotes et Chalybura, p., Reich. Reich. S. A. t. 39, f. . 1576. mango, L.; P. E. 680. 2, 3; Less. C. t. 13, 13*, 14, 15; Gould, T. ii. pl. 74. N. of S. America. violicauda, Bodd.; alba et punctulatus, Gm. nitidus, Lath.; atricapillus, V.; fasciatus, Shaw; quadricolor et nigricollis, V. lazulus, Less. 1577. Prevostii, Less. C. t. 24; Gould, T. ii. pl. 75. Guatemala, Honduras. 1578. veraguensis, Gould, T. ii. pl. 76. Veragua, Costa Rica. 1579. viridis, Aud. & V. O. D. t. 15; Less. C. t. 11; Gould, T. ii. pl. 78. Porto Rico. aureoviridis, Shaw. 1580. iridescens, Gould. Guayaquil. mango, p., Muls. & V. 447. k. Hypophania, Reich. 1854. 1581. gramineus, L.; V. O. D. t. 9, 10, 44, 70; Gould, T. ii. Trinidad. pectoralis, Lath.; maculatus (P. E. 671. 1) et gularis, Gm.; Cayenne, Guiana.

marmoratus, V.? dominicus, G. R. Gr.

448. l. Margarocheysis, Reich. 1854.

1582. aurulentus, V. O. D. t. 12, 13, 16; Gould, T. ii. pl. 79. St. Domingo. margaritaceus, G. R. Gr.; dominicus, L.?

1583. virginalis, Gould, T. ii. pl. 80.

I. of St. Thomas.

449. m. CHALYBURA, Reich. 1854. Hypuroptila, Gould, 1853.

1584. Buffonii, Less. T. t. 5; Gould, T. ii. pl. 89.

Venezuela, New Granada. Costa Rica.

1585. melanorrhous, Salv. carnioli, Lawr.

1586. Isaures, Gould.

1587. urochryseus, Gould, T. ii. pl. 90.

New Granada.

1588. seneicauda, Lawr.

Venezuela.

450. n. Floresia, Reich. 1854.

Lampornis, p., Gosse.

1589. porphyurus, Shaw, Nat. Misc. pl. 333; Gould, T. ii. pl. 81. Jamaica. bromicolor, Less.; Floresii, Bourc. mango, Gosse.

451. o. GLAUCIS, Boie, 1831.

Reich. S. A. t. 39. f. .

1590. hirsutus, Gm.; V. O. D. t. 20. 68; Less. C. t. 21; Gould, T. i. pl. 5.

brasiliensis, Lath.; dominicus, Licht. ferrugineus, Max.; superciliosus Ω, Less. E. Brazil, Venez.

Trinidad.

1591. mazeppa, Less. T. t. 3; Gould, T. i. pl. 6.

Cayenne, Guiana, Trinidad. New Granada.

1592. affinis, Lawr.; Gould, T. i. pl. 7.

Veragua.

1593. Ruckeri, Bourc.; Gould, T. i. pl. 11.

Para,

1594. lanceolatus, Gould, T. i. pl. 8.

hirsutus, var., Muls. & V.

1595. melanura, Gould, T. i. pl. 9.

hirsutus, var., Muls. & V.

R. Napo & Negro.

1596. Dohrni, Bourc.; Gould, T. i. pl. 10.

S. Brazil.

1597. Fraseri, Gould, T. i. pl. 12.

Ecuador.

Ruckeri, p., Sclat.; Ruckeri, var., Muls. & V.

1598. seneus, Lawr.

Costa Rica.

p. THRENETES, Gould, 1853.

1599. lencurus, L.; Edw. B. pl. 256. 1; P. E. 600. 4; Less. Surinam, Brit. C. t. 22; Gould, T. i. pl. 13. Guiana.

1600. cervinicauda, Gould, T. i. pl. 14. leucurus, var., Muls. & V.

Ecuador.

1601. Antoniss, Bourc. & Muls.; Gould, T. i. pl. 15.

Cayenne, Guiana.

453. q. Sternoclyta, Gould, 1853.

1602. cyanopectus, Gould, T. ii. pl. 58. cyanipectus et cyaneipectus, Gould.

Venezuela.

454. r. Colibri, Spix, 1824.

Petasophora, G. R. Gr. 1840. Anais, Bp. 1854. Petasophorus, Muls. & V. 1865. Colibris, Sciat. 1856.

1603. serrirostris, V.; Less. O. M. t. 1; Gould, T. iv. pl. 223. Brazil. petasophorus, Max.; Vieillotii, Steph. crispus, Spix, A. B. t. 81. 1. Gouldi, Bp.

1604. anais, Less. O. M. suppl. t. 3; Gould, T. iv. pl. 224. New Granada. thalassinus, p., Jard.

1605. iolatus, Gould, T. iv. pl. 225. Ecuador, Peru. anais, Tsch.; rhodotis, Sauc. Bolivia.

1606. thalassimus, Sw.; Less. T. t. 55-57; O. M. t. 3; Gould, T. iv. pl. 227. anais, Sw.

Mexico. Guatemala.

1607. coruscans, Gould, T. iv. pl. 226.

----?

1608. cabanidis, Heine.

Costa Rica.

4.55. s. Praxilla, Reich. 1854. Colibri, Bp. 1849.

1609. cyanotus, Bourc.; Gould, T. iv. pl. 228. cyanotis, Bp.; anais, Less.?

New Granada. Venezuela.

456. t. Telesiella, Reich. 1854.
Delphinella, Bp. 1854. Telesilla, Cab. & H. 1860.

1610 The Indiana Less III de Zool + 64 · Gould T iv n

1610. Delphinse, Less. Ill. de Zool. t. 64; Gould, T. iv. pl. 229. N. of S. America. delphina, Bp.

457. u. Schistes, Gould, 1851.

1611. Geoffroyi, Bourc. & Muls.; Gould, T. iv. pl. 218.

Andes of New Granada.

1612. personatus, Gould, T. iv. pl. 219. Geoffroyi, p., Sclat. Ecuador.

1613. albigularis, Reich.; Gould, T. iv. pl. 220.

458. v. Leucochloris, Reich. 1854. Agyrtris, Cal. & H. 1860. 1614. albicollis, V.; P. C. 203. 2; Gould, T. v. pl. 291. Brazil. albigularis, Spix, A. B. t. 82. 1. vulgaris, Max. 1615. terpus, Cab. Bogota. w. Polytmus, Briss. 1760. Emeraudes, Less. 1832. Thaumatias, Bp. 1849. Agyrtria, Reich. 1854. 1616. fluviatilis, Gould. Rio Napo. 1617. candidus, Bourc. & M.; Gould, T. v. pl. 292. Guatem., S. Mex. 1618. chionopectus, Gould, T. v. pl. 293. N. of S. America. niveipectus, Cab. & H. Trinidad. 1619. leucogaster, Gm.; P. E. 672. 3; Gould, T. v. pl. 294. N. of S. America. albirostris, Less. O. M. t. 78; mellisugus, Burm. Bahia. 1620. viridiceps, Gould, T. v. pl. 295. Ecuador. 1621. Milleri, Lodd.; Gould, T. pl. v. 296. New Granada, Brazil. 1622. brevirostris, Less. O. M. t. 77; Gould, T. v. pl. 298, S.E. Brazil. versicolor, Licht. 1623. Linnæi, Bp. Tobago. tobacci, Gm.; tobagensis, Lath.; maculatus, Aud. § V. viridissima, Less.; ourissia, p., G. R. $G\tau$. ?N.of S.America. Brazil. viridipectus, Sauc.; thaumatias (L.), Bp. lactes Q et Maugei Q, Reich.; maculata, Cab. & H. 1624. Bartletti, Gould. Upper Ucayali. 1625. cupreiceps, Lawr. Costa Rica. 1626. leucoproctus, Gould. Peru. 1627. affinis, Gould, T. v. pl. 299. brevirostris, var., Muls. & V. New Granada. 1628. apicalis, Gould. 1629. maculicaudus, Gould. Brit. Guiana. Venezuela? 1630. nitidifrons, Gould, T. v. pl. 297. New Granada. 1631. czeruleiceps, Gould. 1632. tephrocephalus, V.; Gould, T. v. pl. 301. Brazil. albiventris, Less. O. M. t. 1633. ? mellisugus, L.; Edw. B. pl. 360. 1. Cayenne, Guiana.

Matogrosso.

Barcellos. Honduras.

concinna, Steph.; albirostris, p., Less. atala, p., Gould; bicolor, p., Cab. & H.

1634. ? medius, *Pelz*.1635. ? meliphilus, *Pelz*.

1636. Luciæ, Lawr.

460. x. ELVIRA, Muls. & Verr. 1865.
Agyrtria, p., Cab. & H. Thaumatias, p., Gould.

1637. chionurus, Gould, T. v. pl. 300. niveicauda, Lawr.

Costa Rica.

461. y. Smaragdites, Boie, 1831.

Polytmus, V. 1807, nec Briss. 1760. Chrysobronchus et Thaumantias, Bp. 1854.
"Chloristes, Reich.," Mull. & V. 1865. Smaragditis, Reich. 1854.

1638. viridissimus, Aud. & V. O. D. t. 42; Less. O. M. t. 75; Gould, T. iv. pl. 231.

Theresise, De Silva; viridis, Less. virescens, Max.; chrysurus, Burm.

R. Amazon. Rio Negro.

1639. virescens, Dumont; V. O. D. t. 41; Gould, T. iv. pl. 230. Thaumatias et viridescens, L. chrysobronchus, Shaw; viridis, V. chloroleucurus, Sauc.; albiventris, p., Bp.

Venezuela. New Granada? Brazil.

Trinidad.

1640. leucochlorus, Heine,

462. z. Leucippus, Bp. 1849.

Doleromyia, Bp. 1854. Dolerisca, Cab. & H. & Gould, 1860. Leucolia, Muls. & V. 1865.

1641. fallax, Bourc.; Gould, T. ii. pl. 56. fulviventris, Gould.

Venezuela.

1642. cervinus, Gould.

----?

463.

aa. — ?

Leucippus, Cab. & H. 1860. Leucippus, p., Bp. 1849. Leucolia, p., Muls & Verr. 1866.

1643. chionogaster, Tsch. F. P. t. 22. 2; Gould, T. v. pl. 290. Peru, Bolivia. leucogaster, Tsch.; Turneri, Bp. hypoleucus, Gould.

1644. chlorocercus, Gould.

Upper Ucayali,

464. bb. Urochroa, Gould, 1856.

1645. Bougueri, Bourc.; Gould, T. ii. pl. 57. Bouguieri, Reich.; Bougieri, Sclat. Bougheri, Muls. & V. Ecuador.

1646. ? —— ? leucura, *Lawr*.

465. cc. Cyanochloris, Reich. 1854.

Chalybura, p., Cab. & H.

1647. cæruleogaster, Gould, T. ii. pl. 91. cæruleoventris, Reich.

New Granada.

K .

466. dd. Eulampis, Boie, 1831.

Culampis, Less. 1832. Reich. S. A. t. 39, f.

1648. jugularis, L.; Edw. B. pl. 286. 1; Less. C. t. 10; Gould, T. ii. pl. 82.

auratus, cyanomelas, violaceus et venustissimus, Gm.; cyaneus, granatinus et Bancrofti, Lath.; prasinoptera, Sparrm.; auritus, V.

Martinique.

Isl. Nevis.

467. ee. Sericotes, Reich. 1854. Sericotis, Bp. 1854. Eulampis, p., Gould.

1649. holosericeus, L.; Edw. B. pl. 36. 1; V. O. D. t. 6; Gould, T. ii. pl. 83.

aurigaster, Shaw; atrigaster, Cab.

1650. chlorolaimus, Reich.; Gould, T. ii. pl. 84.

chlorolæmus, Gould; chlorolæmus, Cab. g. H. holosericeus, var., Muls & V.

nique.
St. Thomas.
St. Croix.

-- ?

I. Nevis, Marti-

1651. longirostris, Gould. holosericeus, var., Muls. & V.

468. ff. Thalurania, Gould, 1848.

Glaucopes, Less. 1822, nec Hüön. Mellisuga, Boie, 1831, nec Briss. Thaluronia, G. R. Gr. 1849. Thalucania, Bourc. 1856. Tholucania, Hartl. 1857.

1652. furcatus, Gm.; P. E. 599. 2; Less. O. M. suppl. t. 18; Gould, T. ii. pl. 101.
elegans, Shaw; gyrinno, Reich.

Cayenne, Guiana. Rio Negro.

1653. glaucopis, Gm.; Less. O. M. t. 58, 59; Gould, T. ii. pl. 99. S.E. Brazil. frontalis, Lath.

1654. Tschudii, Gould, T. ii. pl. 103. furcatus, Tsch.

E. Ecuador.

1655. furcatoides, Gould. forficata, p., Cab. & H.

Para.

1656. nigrofasciatus, Gould, T. ii. pl. 104. viridipectus, Gould.

Upper Amazon. Rio Izanna.

1657. venustus, Gould, T. ii. pl. 105. puells, Gould.

Costa Rica.

1658. columbicus, Bourc. & M.; Gould, T. ii. pl. 108.

New Granada.

1659. verticeps, Gould, T. ii. pl. 107; Contr. Orn. 1850, pl. Lydia, Reich.; Fanny, p., Cab. & H.

Ecuador.

1660. eriphile, Less. O. M. suppl. t. 25; Gould, T. ii. pl. 108. eryphila, Bp.; meriphile, Less. excisus, Licht.

E. Brazil.

1661. bicolor, Gm.; V. O. D. t. 36; Gould, T. ii. pl. 109.
Wagleri, Less.

Brazil.

1662. forficatus, Cab. of H. furcata, Reich.

1663. subfurcatus, Cab. & H.

1664. refulgens, Gould, T. ii. pl. 102.

1665. Fannise, Gould,

Fannyi, Bourc. & M.; Fanny, Reich.

1666. lusiæ, Lawr.

1667. iolemus, Natt.

1668. Watertoni, Lodd.; Gould, T. ii. pl. 100. Whatertoni, Reich.

469.

gg. —

Hemithylaca, Gould, 1861, nec Cab. & H. Ariana, p., Muls. & V. Hemithylaca, p., Cab. & H.

1669. cyanifrons, Bourc.; Gould, T. v. pl. 323.

bh. Saucerottia, Bp. 1849.

Hemithylaca, p., Cab. & H. Ariana, p., Muls. & V.

1670. Sophise, Bourc.; Gould, T. v. pl. 322. caligatus, Gould; Hoffmanni, Cab. & H. Sophia, Bp. Taffmanni!, Muls. of V.

1671. Warscewiczi, Cab. & H. viridigaster, var., Muls. & V. Warssewiczi, Gould.

1672. Saucerottii, Bourc. & Delattr.; Gould, T. v. pl. 321. typica, Bp.

471. ii. Emilia, Mula & V. 1865.

Hylocharis, Bp. 1854, nec Boie, 1831. Sapphironia, Gould, 1861. "Lepidopyga, Reich. 1855," Cab. ф Н. 1861.

Chlorolampis, p., Muls. & Verr.

1673. Goudoti, Bourc.; Gould, T. v. pl. 345.

1674. cæruleogularis, Gould, T. v. pl. 346. Duchassaingui, Bourc. Cælina, Bourc.; cærulescens, Reich,

1675. laminosus, Lawr.

New Granada.

472. jj. Amazilis, Less. 1832.

Amazilia, Reich. 1849. Amazilius, Bp. 1849. Amazillia, Sclat. § Salv. 1859. Pyrrhophsena, Cab. & H. 1860. Amizilis!,
G. R. Gr.

Reich. S. A. t. 39. f. .

1676. amazili, Less. Voy. Coqu. t. 31. 1; Gould, T. v. pl. 303. Peru. amazilia, Tsch.; latirostris, Bp. pristina, Gould.

Para?

Para, Guiana.

Venezuela?

Andes.

Tres Marias I.

Ypanema.

British Guiana.

New Granada.

Costa Rica. Veragua. New Granada.

R. Magdalena.

New Granada.

Costa Rica.

Panama.

1677. Dumerilii, Less. O. M. suppl. t. 36; Gould, T. v. pl. 305.	Ecuador.
1678. cinnamomeus, Less.; Gould, T. v. pl. 307. corallirostris, Bourc. & M.; rutila, Delattr.	C. America.
1679. cerviniventris, Gould, T. v. pl. 309.	Mexico.
1680. Riefferi, Bourc.; Gould, T. v. pl. 311. Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoïdes, Sauc.	S. Mexico. Guatemala. Andes.
1681. beryllinus, Licht.; Less. O. M. suppl. t. 28, 29; Gould, T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht.	S. Mexico.
1682. Devillei, Bourc.; Gould, T. v. pl. 313. Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp.	Guatemala.
1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiyentris, Reich.	New Granada.
1684. cyanurus, Gould, T. v. pl. 315.	W. of Nicaragua.
1685. alticolus, Gould, T. v. pl. 304.	C. Peru.
1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould.	Ecuador.
1687. leucophæus, Reich.; Gould, T. v. pl. 306.	S. Peru.
1688. suavis, Cab. & H.	Carthagena.
1689. Graysoni, Lawr.	Tres Marias I.
1690. yucatacensis, Cabot; Gould, T. v. pl. 308.	Yucatan.
1691. castaneiventris, Gould, T. v. pl, 310.	New Granada.
1692. iodurus, Sauc. Aglaix, Bourc.	,, ?
473. kk. Hemistilbon, Gould, 1861. Pyrrhophaens, p., Cab. & H.	
1693. Ocai, Gould, T. v. pl. 289.	Mexico, Xalapa.
1694. Norissii, Bourc. Norrisi, G. R. Gr.	C. Mexico. Guayaquil.
474. U. Кеттнеокота, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Вр.	
1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould.	Trinidad. Tobago, Venez.
1696. Feliciss, Less.; Gould, T. v. pl. 317.	Venezuela.
1697. Edward, Delatt. & B.; Gould, T. v. pl. 318. Edwardsii, G. R. Gr.; Edwardi, Gould.	Panama, C. Rica Veragua.

1698. niveiventris, Gould, T. v. pl. 319. niveoventer, Gould.	Panama. Veragua.
1699. elegans, Gould, T. v. pl. 320.	?
475. mm. EUFHERUSA, Gould, 1861. Epherusa, Muls. & V. 1865.	
1700. eximius, Delattr.; Gould, Troch. v. pl. 324.	Guatemala, Honduras?
1701. egregius, Sclat. & S.	Veragua.
1702. nigriventris, Lawr.	Costa Rica.
476. nn. Chrysuars, Less. 1832. Chrysuronia, Bp. 1849. Chrysurisca, Cab. & H. 1860. Hylocharis, Muls. & V. 1865.	
1703. Oenone, Less. O. M. suppl. t. 30; Gould, T. v. pl. 325.	Venezuela, New Granada.
1704. Josephines, Bourc. & M.; Gould, T. v. pl. 326.	R. Amazon.
1705. caruleicapillus, Gould.	Peruv. Amazons.
1706. Elicia, Bourc. & M.; Gould, T. v. pl. 328. Elicia, Bp.	Guat., C. Rica. Veragua.
1707. chrysurus, Less. O. M. suppl. t. 4; Gould, T. v. pl. 329.	Peru.
1708. neera, Less.	?
1709. Humboldtii, Bourc. & Muls.; Gould, T. v. pl 327. viridicaudus, Lawr.	Guat., Verag. Costa Rica.
477. oo. Cyanomyia, Bp. 1854. Uranomitra, Reich. 1854.	•
1710. quadricolor, V.; Gould, T. v. pl. 284. cyanocephala, Less. O. M. suppl. t. verticalis, Licht.	N. Mexico.
1711. violiceps, Gould, T. v. pl. 285.	W. Mexico.
1712. cyanocephalus, Less. O. M. suppl. t verticalis, G. R. Gr.; Faustine, Reich. Lessoni, Cab. & H.	S. Mexico.
1713. Francise, Bourc.; Gould, T. v. pl. 287.	New Granada.
1714. guatemalensis, Gould. cyanocephala, Salv. quadricolor, p., Muls. & V.	Guatemala.
1715. cyanocollis, Gould, T. v. pl. 288.	Peru.
478. pp. Opisthoprora, Cab. & H. 1860. Avocettinus, Bp. 1854 nec 1849. Avocettina, Muls. & V. 1865.	
1716. eurypterus, Lodd.; Gould, T. iii. pl. 200, Georginæ, Bourc.	New Granada.

479. ATHURUS, Cab. & H. 1860.

Polythmus, Less. 1832, nec Briss. 1760. Phætornis, Less. 1829, nec Sw. 1827. Trochilus, G. R. Gr. 1840, nec L. 1748. Polytmus, Muls. & V. 1865.

G. of B. i. p. 109, pl. 35. f. 6; Reich. S. A. t. 39. f. (Polytmus).

1717. polytmus, L.; Edw. B. pl. 34; Less. O. M. t. 17; Gould, T. iii. pl. 98.

cephalatra, Less.; stellatus, Gould. Maria, Hill; atricapilla, V.; viridans, Reich.

1718. fuliginosus, Hill.

480. TOPAZA, G. R. Gr. 1840.

Topazes, Less. 1832. Trochilus, L. 1758-66, nec 1748. Lampornis, Reich. 1849.
G. of B. i. p. 109, pl. 35. f. 7; Reich. S. A. t. 39. f. (Lampornis!).

a. TOPAZA.

1719. pella, L.; Edw. B. pl. 32. 2; Less. C. t. 2-5; Gould, T. ii. pl. 66.
surinamensis, Spal.; paradiseus, L.

1720. **pyra**, Gould, T. ii. pl. 67.

Rio Negro.
Upper Amazon.

Cavenne.

Jamaica.

481. b. Florisuga, Bp. 1849.

Orthorhynchus, Illig. 1811, nec Cuv. 1799-1800. Lampornis, Less. 1829, nec Sw. 1827.

1721. mellivora, L.; Edw. B. pl. 36. 1; P. E. 640. 2; Gould, T. ii. pl. 113.
surinamensis, Steph.; fimbriatus, L.

1722. flabellifera, Gould, T. ii. pl. 114.

Brazil, Trinidad. New Granada, Guatemala. I. Tobago.

E. Brazil.

1723. **fusca**, V.; Less. O. M. t. 38, 39; Gould, T. ii. pl. 115. atratus, Licht.; niger, Sw.; atra, Max. lugubris, Less. leucopygius, Spix, A. B. t. 81. 3.

482. c. MICROCHERA, Gould, 1861.

1724. albocoronata, Lawr.; Gould, T. ii. pl. 116.

New Granada.

1725. parvirostris, Lawr.

Costa Rica.

483. d. DELATTRIA, Bp. 1849.

Lamprolaima, Reich. 1854. Cœligena, p., Cab. & H.

1726. **Henrica**, *Less. & D.*; *Gould*, *T.* ii. pl. 62. Henrici, *Bp*.

1727. viridipallens, Bourc. & M.; Gould, T. ii. pl. 63.

Guatemala.

484. CALOTHORAX, G. R. Gr. 1840.

Lucifers, Less. 1832. Lucifer, Reich. 1854. Cyanopogon, Bp. 1854?

G. of B. i. p. 110; Reich. S. A. t. 39. f. (Lucifer)?

a. CALOTHORAX.

1728. Lucifer, Sw.; Less. O. M. t. 5, et C. suppl. t. 9, 10;

Gould, T. iii. pl. 143.

cyanopogon et simplex, Less. coruscans, Licht.

485.

b. Thaumastura, Bp. 1849.

Cora, Bp. 1854? Tamnastura, Casteln, 1853.

1729. Cora, Less. Voy. Coqu. t. 13. 4, id. O. M. t. 6, T. t. 39, 40; Gould, T. iii. pl. 153.

Peru.

486. c. Doricha, Reich. 1854.

Myrtis, Cab. of H. 1861. Amathusia, Muls. & V. 1865.

1730. enicurus, V. P. C. 66. 3; Less. T. t. 66; Gould, T. iii.

pl. 157.

heteropygia et Swainsoni, Less. henicura, Reich.

1731. Eliza, Gould, T. iii. pl. 155. Eliza, Less. & D.; elisa, Bp.

1732. Bryantse, Lawr.

Costa Rica.

S. Mexico.

Guatemala.

N. Mexico.

1733. Evelynæ, Boure.; Gould, T. iii. pl. 156.

evillina, Bp.; bahamensis, Bryant.

Bahama I.

487.

d. Manilia, 1865,

et Amathusia, p., Muls. & V. Calothorax, p., Gould.

1734. pulchra, Gould, T. iii. pl. 144.

8. Mexico.

488.

e. STELLULA, Gould, 1861.

Stellura, 1865, et Zephyritis, p., Muls. & V.

1735. calliope, Gould, T. iii. pl. 142.

N. Mexico, California.

f. Rhodopis, Reich. 1854.

Amathusia, p., Muls. & V.

1736. vesper, Less. O. M. t. 19; T. t. 9. 48; Gould, T. iii. pl. 154.

vespera, Reick.

Peru.

490.

g. Myrtis, Reich. 1854.

Elisa, Bp. 1854? Zephyritis, Muls. & Verr. 1865.

Myrtis, p., Cab. & H.

1737. Fanny, Less.; Gould, T. iii. pl. 151; Ann. Sc. Phys. Lyon, 1838, t.

labrador, Bourc.; Fanniæ, Gould.

Ecuador, Peru.

1738. Yarrellii, Bourc.; Gould, T. iii. pl. 152.

W. Peru.

491. A. LAYRESNAYA, Bp. 1849.

Calothorax, G. R. Gr. 1848 nec 1840. Entima, Cab. & H. 1860.
Euclosia, Muls. & V. 1865.
G. of B. i. pl. 35. f. 4.

1739. Lafresnayi, Boiss.; Gould, T. ii. pl. 85. flavicaudatus, Fras.

New Granada. N. Ecuador.

1740. Gayi, Bourc. & M.; Gould, T. ii. pl. 86.

Ecuador, Peru.

1741. Saulæ, Bourc.

---- ?

Saulii, G. R. Gr.; Gayi, p., Cab, & H.; Saul, Reich.

Popayan?

492. i. Ionolaina, Reich. 1854.

Strophiolemus, 1853, et Iolema, 1854, Gould. Ionolema, Bp. 1854.

1742. Schreibersii, Lodd.; Gould, T. ii. pl. 93.

Upp. Amazon, R. Napo. R. Napo.

1743. frontalis, Lawr.; Gould, T. ii. pl. 92.

493. TROCHILUS, L. 1748-56.

Troglodites, L. 1744. Cynanthus, Sw. 1827. Colubris, Reich. 1849? Ornismia, p., Muls. & V. Mellisuga, Briss. 1760.

G. of B. i. p. 111; Reich. S. A. t. 40. f.

a. TROCHILUS.

1744. colubris, L.; Edw. B. pl. 38; Wils. A. O. pl. 10. 3, 4; E. of N. Amer., Gould, T. iii. pl. 131.

Mexico, Cuba, Bermuds.

494. b. Archilochus, Reich. 1854. Ornismia, Muls. & V. 1865.

1745. Alexandri, Bourc. & M.; Gould, T. iii. pl. 132. Cassinii, Bp.

N. Mexico. California.

1746. aurigularis, Lawr.

--- ?

495. c. Docimastes, Gould, 1849.

Mellisuga, G. R. Gr. 1848, nec Briss. Docimaster, Bp. 1849. G. of B. i. p. 111, pl. 35. f. 10; Reich. S. A. t. 40. f.

1747. ensiferus, Boiss. Mag. de Zool. 1840, t. 15; Gould, T. iv. pl. 233.

Columbia.

Derbianus, Fras. 1748. Schliephackei, Cab.

Ecuador.

ensifera, p., Gould.

196. d. Eugenes, Gould, 1856.
Delattria, p., et Cœligena, p., Bp. Cyltolæma, p., Muls. & V.

1749. fulgens, Sw.; Less. O. M. t. 4; Gould, T. ii. pl. 59. Rivolii, Less. Mexico. Guatemala.

1750. spectabilis, Lawr.

Costa Rica.

fulgens \mathfrak{P} ?, Salv.

e. Eugenia, Gould, 1855.

1751. imperatrix, Gould, T. iv. pl. 234.

Ecuador.

498. f. Heliodoxa, Gould, 1849. Leadbeatera, p., Bp.

1752. jacula, Gould, T. ii. pl. 94.

New Granada.

1753. ? Henryi, Lawr. jacula, p. ?, Gould.

1754. Jamesoni, Bourc.; Gould, T. ii. pl. 95. Jamersoni!, Bourc.

Ecuador.

499. g. Leadbeatera, Bp. 1849.

1755. Leadbeateri, Bourc. Ann. Sc. Phys. Lyon, 1843, t. 5; Gould, T. ii. pl. 97.

New Granada.

Venezuela.

1756. splendens, Gould.

grata, Bp.

Leadbeateri, var., Muls. & V.

1757. otero, Tsch.; Gould, T. ii. pl. 96.

Peru, Bolivia,

sagitta, Reich.; Leadbeateri, var., Muls. & V.

500. h. ——

Heliomaster, p., 1849, et Heliomastes, Bp. 1854. Heliomaster, Reich. 1854.

1758. longirostris, V.; P. C. 299.1; Less. O. M. t. 2, C. suppl. t. 23, T. t. 34; Gould, T. iv. pl. 259. superbus, Shaw.

Trinid., Brazil.

1759. pallidiceps, Gould.

longirostris, p., Sclat.?

Mexico, Guatem.

1760. Stuarts, Lawr. longirostris, Sclat.

New Granada,

1761. Sclateri, Cab.

Costa Rica.

1762. Constanti, Delattr.; Gould, T. iv. pl. 260.

Guatema., Costa Rica.

1763. Leocadize, Bourc.; Gould, T. iv. pl. 261. pinicola, Gould.

Mexico.

501. i. Corinnes, Less. 1832.

Trochilus, Sw. 1837, nec L. Heliomastes et Ornithomyia, Bp. 1854. Lepidolarnyx, Reich. 1854. Heliomaster, p., Bp. Lepidolarynx et Lepidoria, Muls. & V. 1865. Diphlogæna, p., et Calliperidia, p., Muls. & V.

1764. mesoleucus, Tem. P. C. 203. 1; Gould, T. iv. pl. 262. Brazil. longirostris, Nat.; squamosus, Tem.

mystacinus, V.; Temminckii, Less. melanoleuca!, G. R. Gr.

502. j. Heliomaster, Bp. 1849.

Ornithomyia, p., Bp. 1854. Calliperidia, Reich. & Muls. & V.

Callopistria!, Bp. 1854. Calothorax, p., G. R. Gr.

1765. regis, Schreib. F. Bras. t. 1. 1; Gould, T. iv. pl. 263; Ill. de Zool. t. 49, 50.

angelæ, Less.; inornatus, Burm.

Buenos Ayres. Tucuman.

Costa Rica.

Veragua.

Costa Rica.

Costa Rica.

Volcans of Chiriqui.

503. k. Oreoptra, Gould, 1860.

Panterpe, Cab. & H. 1860.

1766. hemileucus, Salv.

1767. calolæmus, Salv.

venusta, Lawr.

1768. insignis, Cab.

1769. leucaspis, Gould, T. iv. pl. 264.

1770. cinereicaudus, Lawr.

504. l. Helianthea, Gould, 1848.

1771. heliantheus, Less.; Gould, T. iv. pl. 235. typica, Bp.

1772. Lutetise, Delattr. & B.; Gould, T. iv. pl. 238.

1773. violiferus, Gould, T. iv. pl. 239.

violifer, Gould.

New Granada.

Popayan, Ecuad.

Bolivia, Peru.

m. HYPOCHRYSIA, Reich. 1854. 505.

Helianthea, p., Gould.

1774. Bonapartei, Boiss. An. Sc. Phys. Lyon, 1842, t. 14; Gould, T. iv. pl. 236.

aurigaster, Lodd.

1775. eos, Gould, P. Z. S. 1848, pl. 1; id. T. iv. pl. 237.

New Granada.

Columbia (Merida).

n. DIPHLOGENA, Gould, 1854. Hypochrysia, p., Reich. Diphogena!, Gould.

1776. Iris, Gould, T. iv. pl. 247.

1777. aurora, Gould, T. iv. pl. 248.

Warszewizii, Reich.

1778. hesperus, Gould.

Andes of Bolivia.

Peru.

Cuenza, Ecuad.

507. o. PTEROPHANES, Gould, 1848.

1779. Temmincki, Boiss. Mag. de Zool. 1840, t. 14; Gould, T. iii. pl. 178.

cyanopterus, Lodd.

New Granada. Ecuador.

Granada.

Columbia.

Ecuador.

Bolivia.

Peru.

Ecuador.

Mexico.

Bolivia.

Pamplona, New Granada.

508. p. Bourcieria, Bp. 1849. Hamophania, Reich. 1854. Homophania, p., Cab. & H. 1780. Prunellei, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 1; Andes of New Gould, T. iv. pl. 257. 509.

q. ——? Bourcieria, Reick. 1854, et p. Bp. 1849. Homophania, p., Cab. & H.

1781. torquatus, Boiss.; Gould, T. iv. pl. 251.

1782. fuligidigula, Gould, T. iv. pl. 252.

1783. inca, Gould, T. iv. pl. 254.

1784. insectivorus, Tsch. F. P. t. 28, 1. torquatus, p., G. R. Gr.

510. r. Lampeopygia, Reich. 1854. Bourcieria, p., Bp. Lampropygia, p., Cab. & H.

1785. Wilsoni, Delattr. & B.; Gould, T. iv. pl. 258.

511. s. Conradinia, Reich. 1854.

Bourcieria, p., Bp. Helianthea, p., Cab. & H.

1786. Conradi, Bourc.; Gould, T. iv. pl. 253.

512. t. Colligena, Less. 1832. Delattria, p., Bp. 1849.

1787. Clemencise, Less. O. M. t. 80, C. suppl. t. 8; Gould, T. ii. pl. 60. typica, Bp.

513. u. — ?

Lampropygia, Cab. & H. 1860, nec Reich. Caeligena, 1849 (nec Less.), et Cœlegena, 1854, Bp. Urania, Fits. Reich. S. A. t. 40. f. .

1788. coeligena, Less. T. t. 53; Gould, T. iv. pl. 255. New Granada. typica, Bp.; Lessoni, Muls. & V.

1789. bolivianus, Gould.

Lessoni, var., Muls. & V.

1790. purpureus, Gould, T. iv. pl. 256. Popayan.

v. HELIANGELUS, Gould, 1848. Anactoria, Reich. 1854.

1791. Clarisse, De Long.; Gould, T. iv. pl. 242. New Granada. Clarisse, G. R. Gr.; Clarissa, Bp. Libussa, Reich

1792. strophianus, Gould, T. iv. pl. 243. Ecuador. 1793. amethysticollis, Lafr. D'Orb. Voy. Am. M. t. 60. 2; Gould, T. iv. pl. 245. 1794. Mavors, Gould, Pr. Z. S. 1848, pl. 11; Gould, T. iv. pl.

New Granada. 246.

515. w. Heliotrypha, Gould, 1853.

Parzudakia, Reich. 1854. Heliotrypha, Bp. 1854. Heliotryphon, Cab. & H. 1860.

1795. Parzudaki, De Long.; Gould, T. iv. pl. 240. exortis, Fras.; dispar, Reich. Ecuador.

1796. viola, Gould, T. iv. pl. 241.

516. x. Doryfera, Gould, 1847. Doryphera, Bp. 1849. Doryphora, Cab. & H. 1860. Hemistephania, Reich. 1854.

1797. Johannse, Bourc.; Gould, T. iv. pl. 87. New Granada. violifrons, Gould.

1798. Ludovicia, Bourc. & M.; Gould, T. iv. pl. 88.

1799. rectirostris, Gould.

New Granada. 1800. euphrosinge, Muls. & V.

Ecuador.

Ecuador.

New Granada.

y. CLYTOLENA, Gould, 1853. Heliodoxa, Reich. 1854, nec Gould, 1849. Clytolaema, Cab. & H. 1861.

1801. rubineus, Gm.; Briss. Orn. iii. t. 37. 4; P. E. 276. 4; E. Brazil. Gould, T. iv. pl. 249. obscurus, Gm.; ruficaudatus, V.

1802. aurescens, Gould, T. iv. pl. 250.

Rio Madeiro et R. Napo.

518. z. Phaiolaina, Reich. 1854. Phæolæma, Bp. 1854. Phæolæma, Cab. & H. 1860.

Phæolæma, Gould, 1861. 1803. rubinoides, Bourc. & M.; Gould, T. iv. pl. 268.

New Granads. granadensis, Cab. & H.

1804. sequatorialis, Gould, T. iv. pl. 269. rubinoïdes, Sclat.

aa. LAMPROLAIMA, Reich. 1854. Lamprolaema, Bp. 1854. Lamprolaema, Gould, 1861.

1805. Rhami, Less.; Gould, T. ii. pl. 61. Guatemala.

520. bb. AGLEACTIS, Gould, 1848. Aglaïactis, Cab. & H. 1860.

1806. cupripennis, Bourc. & M.; Gould, T. iii. pl. 179.

1807. sequatorialis, Cab. & H. Ecuador. curvipennis, var., Muls. & V.

1808. parnela, Lafr.; D'Orb. Voy. Am. M. t. 60. 1; Gould, T. iii. pl. 181.

Bolivia.

1809. parvula, Gould. cupripennis, var., Muls. & V.

Peru or Bolivia.

1810. caumatonotus, Gould. cupripennis, var., Muls. & V. olivaceocauda, Lawr.

E. Peru.

1811. Castelnaudii, Bourc. & M.; Gould, T. iii. pl. 180. Castelnaui, G. R. Gr. Castelnaui, Bp. Peru.

521. cc. Boissonneaua, Reich. 1854. Panoplites, Gould, 1854. Boissoneaua!, Cab. & H.

1812. flavescens, Lodd.; Gould, T. ii. pl. 111, paradisea, Boiss.

Ecuador. New Granada.

1813. Matthewsi, Lodd.; Gould, T. ii. pl. 112.

Ecuador.

1814. **Jardini**, *Bourc.*; *Gould*, *T.* ii. pl. 110. **Jardine**i, *Cab.* § *H*.

522. dd. Ramphomicron, Bp. 1849. Rhamphimicrus, Cab. & H. 1860.

1815. microrhynchus, Boiss. Mag. de Zool. 1840, t. 16; Gould, T. iii. pl. 189. brachyrhynchus, Fras.

Andes.

1816. olivaceus, Lawr.

Bolivia.

523. ee. Eurogonus, Muls. & V. 1865. Ramphimicron, p., Muls. & V.

Chalcostigma, p., Reich.

Ecuador.

524. ff. Lampropogon, Bp. 1854. Chalcostigma, Reich. 1854. Ramphimicron, Gould et p. Bp.

1817. Herrani, Delattr. & Bourc.; Gould, T. iii. pl. 187.

1818. heteropogon, Boiss. Mag. de Zool. 1840, t. 12; Gould, T. iii. pl. 184. coruscans, Fras.

New Granada.

En.

1819. Stanleyi, Bourc. & M.; Gould, T. iii. pl. 185.

Ecuador.

1820. Vulcani, Reich. Aufz. der Col. t. 12; Gould, T. iii. pl. 186. Bolivia. Stanleyi, var., Muls. & V.

1821. ruficeps, Gould, T. iii. pl. 188.

525. gg. Oxypogon, Gould, 1848.

1822. Guerinii, Boiss.; Gould, T. iii. pl. 182. parvirostris, Fras.

New Granada.

1823. Lindenti, Parz. Rev. Zool. 1849, t. 8; Gould, T. iii. pl. 183.

typica, Bp.

526. Ah. Ornonympha, Gould, 1869. 1824. nobilis, Gould. Tinta, Peru. 527. ii. Urosticte, Gould, 1853. Urosticta, Reich. 1825. Benjamini, Bourc.; Gould, T. iii. pl. 190. Ecuador. 1826. ruficrissus, Lawr. 528. jj. Admlontia, Bp. 1854. Adelisca, Cab. & H. 1860. 1827. melanogenys, Fras.; Gould, T. iii. pl. 198. New Granada, Ecuad., Peru. Sabinse, Bourc. & M. 1828. maculatus, Gould, T. iii. pl. 199. Ecuador. 1829. inornatus, Gould, T. iii. pl. 197. Bolivia. 529. kk. Phlogophilus, Gould, 1860. 1830. hemileucurus, Gould, T. v. pl. 360. R. Napo? 530. U. Anthocephala, Cab. & H. 1860. Adelomyia, p., Bp. 1831. ? castaneiventris, Gould, T. iii. pl. 203. Chiriqui. 1832. floriceps, Gould, T. iii. pl. 202. Columbia. 531. mm. UROLAMPRA, Cab. & H. 1860. Metallura, Bp. 1854, nec Gould, 1847. 1833. tyrianthinus, Lodd.; Ann. Sc. Phys. Lyon, 1840, t. 3, 4; Gould, T. iii. pl. 195. New Granada. Allardi, Bourc.; Pauline, Boiss. 1834. æneocaudus, Gould, T. iii. pl. 192. Bolivia. 1835. quitensis, Gould. Ecuador. 1836. smaragdinicollis, Lafr.; D'Orb. Voy. Am. M. t. 59. 2; Peru, Bolivia. Gould, T. iii. pl. 196. 1837. Williami, Bourc.; Gould, T. iii. pl. 193. Popayan. 1838. Primolina, Bourc.; Gould, T. iii. pl. 194. Peru. Primolii, Gould. ---? 1839. chloropogon, Cab. & H. 532. nn. Abrillia, Bp. 1849. Myiabeillia, Bp. 1854. Baucis, Reich. 1854. 1840. Abeillei, Delattr. & L.; Gould, T. iv. pl. 211.

Mexico.

Guatemala.

533. 00. Diotima, Reick. 1854.

Heliangelus, p., Gould.

1841. Spencei, Bourc.; Gould, T. iv. pl. 244.

New Granada.

534. pp. Metallura, Gould, 1848.

1842. cupreicaudus, Gould, T. iii. pl. 191. opaca, Tsch.; cupricauda, Gould.

Bolivia.

535. qq. Saphos, Less. 1832.

Cometes, Gould, 1847, nec Hodgs. 1841. Sappho, Reich. 1849. Sparganura, Cab. & H. 1860. Reich. S. A. t. 40. f.

1843. sparganurus, Shaw; Less. O. M. t. 27, 28, T. t. 49; Gould, T. iii. pl. 174.

chrysurus. Cuv.; radiosus, Tem. sappho, Less.; chrysochloris, V.

1844. Phaon, Gould, T. iii. pl. 175.

Peru.

1845. ? glyceria, Bp.; Gould, T. iii. pl. 176.
Mossai, Gould.

New Granada.

1846. ? Caroli, Bourc.; Gould, T. iii. pl. 177.

Peru.

536. *rr.* Cynanthus, Sw. 1827.

Lesbia, Cab. & H. 1860, nec Less.

1847. cyanurus, Steph.; Gould, T. iii. pl. 172. Kingii, Less.; forficatus, (L.?) Reich. Gorgo, Reich. New Granada.

1848. mocoa, Delattr. & B.; Gould, T. iii. pl. 173. smaragdinus et smaragdinicaudus, Gould. smaragdicaudus, Muls. & V.

Peru, Bolivia.

1849. coelestis, Gould.

Ecuador.

537. ss. Lesbia, Less. 1832.

Cynanthus, Sw. 1837, nec 1827. Discura, Reich. 1854. Agaclyta, Cab. & H. 1860. Cynanthus, Reich. 1854.

1850. Gouldii, Lodd.; Gould, T. iii. pl. 167. sylphia, Less.

New Granada.

1851. nuna, Less. O. M. suppl. t. 35; Gould, T. iii. pl. 169. bifurcata, Sw.?

1852. gracilis, Gould, T. iii. pl. 168.

Ecuador.

tt. Psalidoprymma, Cab. g H. 1860.
 Cynanthus, Bp. 1854. Lesbia, Gould, 1854.

1853. amaryllis, Bourc. & M. Mag. de Zool. 1846, t. 4; Gould, T. iii. pl. 170.

New Granada. Ecuador, Peru.

Victoriæ, Boure.

1854. eucharis, Bourc.; Gould, T. iii. pl. 171. bifurcata, Reich.

New Granada.

539.

uu. Discosura, Bp. 1849.

Platures et Platurus, Less. 1829, nec Latr. Ocreatus, p., Gould. Discura, Cab. & H. 1860.

1855. longicaudus, Gm.; V. O. D. t. 52; Gould, T. iii. pl. 126. Cayenne, Brazil. platurus, Lath.; ligonicauda, Gould. Demerara.

540. vv. Steganurus, Reich, 1849.

Spathura, 1850, et Ocreatus, p., Gould. Steganura, Reich. 1854.

Reich. S. A. t. 40. f.

1856. Adds, Bourc.; Gould, T. iii. pl. 165. rufocaligatus, Gould.

Bolivia.

1857. Underwoodi, Less. T. t. 37; Gould, T. iii. pl. 162, ventilabrum, Lath.; Kieneri, Less. spatuligera et remiga, Reich. Bogota, Venezuela.

1858. melanantherus, Jard.; Gould, T. iii. pl. 163.

Ecuador.

Peru.

1859. peruanus, Gould, T. iii. pl. 164.

541. ww. Uralia, Muls. & V. 1865.

Spathura, p., Gould.

1860. cissiurus, Gould, T. iii. pl. 166.

542. xx. Loddigesia, Gould, 1850.

Loddigiornis, 1850, et Loddiggiornis, 1854, Bp. Mulsantia, Reich. 1854.

1861. mirabilis, Lodd.; G. R. Gr. & M. G. B. pl. 37; Gould, T. iii. pl. 161.

543. yy. Selasphorus, Sw. 1831.

Rubis, Less, 1832. Mellisuga, p., G. R. Gr. 1841. Selosphorus, Bp. 1849. Selosphorus, Reich. 1854.

1862. **rufus**, Gm.; Lath. Syn. i. pl. 35; Less. O. M. t. 66, 67, suppl. t. 11-13, T. t. 43; Gould, T. iii. pl. 137.

collaris, Lath.; sitkensis, Rath. sasin, Less.; rubra, Steph.

Mexico, Calif. Nootka S., Sitka.

1863. platycercus, Sw.; Less. O. M. suppl. t. 14; Gould, T. iii. pl. 140.

tricolor et montana, Less.

1864. scintilla, Gould, T. iii. pl. 138.

Costa Rica.

C. America.

1865. Floresii, Lodd.; Gould, T. iii. pl. 139.

C. Mexico.

1866. flammula, Salv.

Costa Rica.

544. zz. Calypte, Gould, 1856.

Atthis, p., Cab. & H. Zephyrites et Calypte, Muls. & V. 1865.

124 1867. Anna, Less. O. M. t. 74; Gould, T. iii. pl. 135. icterocephala, Nutt.; lamprocephalus, Licht.

Mexico, Calif.

1868. Costs, Bourc.; Voy. Venus, t. 2; Gould, T. iii. pl. 136.

1869. Helenæ, Lemb.; Gould, T. iii. pl. 136. Boothi, Gundl.; Elvira, p., Muls. & V.

Cuba.

545.

aaa. ATTHIS, Reich. 1854.

Tryphæna, p., Bp.

1870. Helcisa, Less. & D.; Gould, T. iii. pl. 141. Heloisse, Gould.

C. America. S. Mexico.

546.

bbb. Acestrura, Gould, 1861.

Polymnia, Muls. & V. 1865. Ornismia, p., Muls. & V.

1871. Mulsanti, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 20; Gould, T. iii. pl. 145.

Andes.

1872. Heliodore, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 15, 16; Gould, T. iii. pl. 147.

Andes, New Granada.

1873. decoratus, Gould, T. iii. pl. 146.

- ?, New Granada? Peru or Bolivia.

1874. micrurus, Gould, T. iii. pl. 148.

ccc. Charocercus, G. R. Gr. 1853.

Calothorax, Reich. 1854, nec Gr. Callothorax, Bp. 1854. Osalia, Muls. & V. 1865.

1875. Rosse, Bourc. & M.; Gould, T. iii. pl. 149. ross, Bp.

Venezuela.

1876. Jourdani, Bourc. Ann. S. P. de Lyon, 1840, t. 5, 6; Gould, T. iii. pl. 150.

Trinidad.

548.

ddd. Heliactin, Boie, 1831.

Heliactinia, Reich. 1849. Queues étroites, Less. 1832. Heliactinus, Burm. 1856.

Reich. S. A. t. 40. f

1877. cornutus, Max.; P. C. 18. 3; Less. O. M. t. 7, 8, suppl. t. 32; Gould, T. iv. pl. 212. dilophus, V.; bilophus, Tem. chrysolopha, Less.

Brazil.

eec. Gouldia, Bp. 1849.

Gouldomyia, Bp. 1854. Prymnacanthus, Cab. & H. 1860. Mellisuga, Muls. & V.

1878. Langsdorffii, V.; P. C. 66. 1; Less. O. M. t. 26, suppl. 16; T. t. 35, 60; Gould, T. iii. pl. 128. hirundinaceus, Spix.

T.

1879. melanosternon, Gould.

Peru.

1880. Conversii, Bourc. & M. Rev. de Zool. 1846, t. 3; Gould, T. iii. pl. 129.

Bogota, Ecuador.

1881. Letitise, Bourc.; Gould, T. iii. pl. 130.

Bolivia.

550. fff. Popelairia, Reich. 1854.

Pyrmnacanthus, p., Cab. & H. Prymnacantha, Muls. & V.

1882. Popelairii, Dubus, Esq. O. t. 6; Gould, T. iii. pl. 127. New Granada. tricholopha, Reich.

551. ggg. Tryphaena, Gould, 1850.

Tilmatura, Reich. 1854. Thaumatura, p., Bp. 1854.

1883. Duponti, Less. C. t. 1; Gould, T. iii. pl. 158. zemes et celestis, Less.; lepida, Reich.

Guatemala.

552. hhh. Calliphlox, Boie, 1831.

Tryphaena, p., Bp. 1849.

1884. amethystinus, Gm.; P. E. 672. 1; Gould, T. iii. pl. 159. N. of S. Amer. orthura, Less. T. t. 28, 29?

Campestris, Max.; brevicaudus, Spix.

1885. amethystoides, Less. T. t. 25-27, 30.

Brazil.

553. iii. Philodice, Muls. & V. 1865. Calliphlox, p., Muls. & V.

1886. Mitchellii, Bourc.; Gould, T. iii. pl. 160.

S. N. Granada.

554. jjj. Smaragdochrysis, Gould, 1861.

1887. iridescens, Gould, T. v. pl. 359.

Inter. of Brazil.

555. kkk. LOPHORNIS, Less. 1829.
Bellatrix, Boie, 1831. Lophorinus, Bp. 1854.
Reich. S. A. t. 40. f.

1888. **crnatus**, Bodd.; P. E. 640. 3; Gould, T. iii. pl. 117. auratus, Gm.

N. Brazil. Trinidad.

1889. Gouldi, Less. T. t. 36; Gould, T. iii. pl. 118.

N. Brazil.

1890. lophotes, Gould.

Peru.

556. III. PAPHOSIA, Muls. & V. 1865. Lophornis, p., Gould.

1891. Helense, Delattr.; Gould, T. iii. pl. 123.

Guatemala, S. Mexico.

557. mmm. Telanon, Muls. & V. 1865. Lophofnis, p., Less.

1892. Delattrei, Less.; Gould, T. iii. pl. 121.

New Granada.

- 4

1893. Regins, Gould; Schreib. F. Bras. t. 1, 2; Gould, T. iii. pl. 122.

New Granada.

1894. regulus, Gould, T. iii. pl. 120.

Bolivia.

558.

nnn. ——?

Bellatrix, Boie; Reich. 1854. Reich. S. A. t. 40. f.

1895. magnificus, V.; P. C. 299. 2; Gould, T. iii. pl. 119. S.E. Brazil. decorus, Licht.; strumaria, Less. helios, Spix.

559. 000. Polemistria, Cab. & H. 1860.

Bellatrix, Bp. 1854.

1896. chalybeus, V.; P. C. 66. 2; Gould, T. iii. pl. 124. Brazil. festivus, Licht.; Vieillotii, Less. Audenetii, Less. O. M. suppl. t. 2. mystax, Spix.

1897. Verreauxi, Bourc.; Gould, T. iii. pl. 125.

Peru.

560. ppp. Sephanoides, Less. 1832.

Eustephanus, Reich. 1849. Thaumaste, Reich. 1854. Stokesiella, Bp. 1854. Reich. S. A. t. 40. f.

1898. galeritus, Mol.; Voy. Coqu. t. 31. 2; Gould, T. iv. pl. 265. Chili.
Kingii, Vig.; stephanoides, Less.; forficatus, Gould.
Juan Fernandez.
flammifrons, Lyell.

1899. fernandensis, King; Mag. de Zool. 1835, t. 43; Gould, T. iv. pl. 267.

cinnamomes, Gerv.; Robinson, Less. Stokesi, King; Less. T. t. 50; Gould, T. iv. pl 266. Q of fernandensis, Landb.

561. qqq. Chrysolampis, Boie, 1831. Reich. S. A. t. 40. f.

1900. mosquitus, L.; Briss. Orn. iii. t. 37.1; P. E. 227.2; Gould, T. iv. pl. 204.
moschitus, pegasus (Briss. Orn. iii. t. 36. 4.), gujanensis, carbunculus et elatus, Gm.; Edw. B. pl. 344; P. E. 640.1; hypophsus, Shaw.
Reichenbachi, Cab. & H.

N. of S. America.

Trin., Tobago.

562. rrr. Orthorhynchus, Cuv. 1799-1800.

Bellona, Muls. & V. 1865. Lepidolopha, Reich. 1854?

1901. cristatus, L.; Edw. B. pl. 37; P. E. 227.1; Gould, T. iv. pl. 205.

Barbadoes.
St. Vincent.

melanolophus, V.? 1902. exilis, Gm.; Less. T. t. 4; Gould, T. iv. pl. 207.

West Indies.

cristatellus, Lath.; chlorolophus, Bp.

pileatus, Lath.; puniceus, Gm.

ь 2

1903. ornatus, Gould; Less. O. M. t. 31, 32?; Gould, T. iv. pl. 206. Windward Isl. Hectoris, Muls. 4 V.

563. 888. CEPHALLEPIS, *Lodd.* 1831.

Huppes, Less. 1832. Smaragditis, Reich. 1849. Cephalepis, Bp. 1849. Cephalolepis, Cab. & H. 1860. Reich. S. A. t. 40. f.

- 1904. Delalandii, V.; P. C. 18. 1, 2; Gould, T. iv. pl. 208. S. Brazil. versicolor, V.; Lalandii, Bp.
- 1905. Loddigesi, Gould; Less. T. t. 51; Gould, T. iv. pl. 209. E. Brazil. opisthotomus, Licht.
- 1906. Beskii, Pelz. Loddigesii, juv.?, Reich.

Brazil.

564. HYLOCHARIS, Boie, 1831.

Saphirs, Less. 1832. Sapphironia, Bp. 1854. G. of B. i. p. 114.

a. HYLOCHARIS.

1907. sapphirina, Gm.; Less. O. M. t. 55, 57, T. t. 15; Gould, T. v. pl. 342.

latirostris, Max. fulvifrons, Lath.?

1908. lactea, Less. O. M. t. 56; Gould, T. v. pl. 343. sapphirina, p., Less. E. & N. Brazil.

565. b. Eucephala, Reich. 1854.

Augasma, Gould, MS. Chlorestes, Cab. & H. 1860, et p. Reich.

1909. Grayi, Delattr. & B.; Gould, T. v. pl. 330.

New Granada.

1910. cserulea, V. O. D. t. 40; Gould, T. v. pl. 335. Audeberti, Less.; mentalis, Cab.

E. & N. Brazil.

1911. cyanogenys, Max.; Edw. B. pl. 360. 1. Wiedii, Less. O. M. suppl. t. 26.

Brazil.

1912. smaragdo-cærulea, Gould, T. v. pl. 331.

smaragdineum, Gould.

1913. chlorocephala, Bourc.; Gould, T. v. pl. 332.

1914. cæruleo-lavata, Gould, T. v. pl. 333.

Ecuador, S.E. Brazil,

1915. scapulata, Gould.

Cayenne?

1916. hypocyanea, Gould, T. v. pl. 334.

Brazil?

1917. ? flavifrons, Gm. & Pelz.

566. c. Panychlora, Cab. & H. 1860.

Chlorostilbon, Bp. 1854. Panichlora, Muls. & V.

MAND-MIST OF BIRDS,	
1918. Portmanni , <i>Bourc</i> .; <i>Gould</i> , <i>T.</i> v. pl. 358. Esmeralda, <i>Reich</i> .	New Granada.
1919. euchloris, Reich. Trock. t. 694. f. 4544.	,, ?
1920. stenura, Cab. & H. acuticauda, Gould.	39
567. d. ——? Smaragdites, <i>Muls. & V.</i> 1865.	
Chlorostilbon, p., Muls. & V. Panychlora, p., Gould.	
1921. Alicie, Bourc.; Gould, T. v. pl. 357. Alicie, Reich.; aurata, Cab. & H. maculicollis, Reich.	Venezuela. New Granada.
568. e. Prasitis, Cab. & H. 1860. Prasites, G. R. Gr.	
1922. prasina, Less. O. M. t. 65. alata, Less.	Trinidad. Venezuela.
1923. Daphne, Bourc.	Peru.
1924. brevicaudata, Gould.	Cayenne.
1925. peruana, Gould.	Peru.
1926. napensia, Gould.	Rio Napo.
1927. insularis, Lawr.	Tres Marias I.
569. f. Chlorolampis, Cab. & H. 1860.	
1928. chrysogaster, Bourc. melanorhynchus, Gould? smaragdina, Cab. & H.; alata, Sclat.	New Granada. Ecuador.
1929. assimilis, Lawr.	Panama.
1930. nitens, Lawr.	Venezuela.
570. g. ——? Chlorolampis, <i>Gould</i> , 1861. Chlorolampis, p., <i>Cab.</i> & H. 1860.	
 Canivetii, Less. O. M. suppl. t. 37, 38; Gould, T. v. pl. 351. Caniveti, Bp. 	S. Mexico.
1932. Salvini, Cab. & H. Canivetii, Sclat. & S.	Costa Rica.
1933. Osberti, Gould, T. v. pl. 352.	
1934. auriceps, Gould, T. v. pl. 350. Canivetii, Delattr. & Less.	Mexico.
571. A. Chlorostilbon, Gould, 1853. Chlorestes, Reich. 1854. Chlorolampis, p., Cab. & H. 1860.	

1935. phæthon, Bourc. & Muls.; Gould, T. v. pl. 354. phæton, G. R. Gr.; phæton et similis, Bp.; simila, Bourc. flavifrons et metallicus, Gould.

Bolivia. S. Brazil.

1936. angustipennis, Fras.; Gould, T. v. pl. 353.

Panama, New Granada.

1937. **Haeberlini**, Reich. Troch. t. 755. 4734-35. chrysogaster, Cab. & H.; Herberlini, Muls. & V.

Carthagena.

1938. Pucherani, Bourc. & Muls.; Gould, T. v. pl. 355. prasina, Burm.; nitidissimus, Reich.

1939. ignes, Gould.

Para?

1940. aureiventris, D' Orb. & Lafr.

Bolivia, Peru.

572. i. Mellisuga, Klein, 1759.

Trochilus, V. 1807, nec L. Ornismya, 1828. Ornithomya et Trochilus, 1832, Less. Myiornis, Agass. Lampornis, p., Less. 1829. Zephyritis, p., et Dyrinia, Muls. & V. 1865.

1941. minima, L.; Edw. B. pl. 105. low. fig.; Less. O. M. t. 79; Gould, T. iii. pl. 133.

Jamaica. St. Domingo.

minutulus, V.; Vieilloti, Shaw; humilis, Gosse. Catharinæ, Sallé; niger, Gm.; pygmæus, Sw.

573. j.

j. Sporadinus, Bp. 1854.

Riccordia, Reich. 1854. Sporadicus, Cab. & H. 1860.

1942. **Ricordi**, De La Sag. Mag. de Zool. 1835, t. 41, 42; Gould, T. v. pl. 348.

Cubs.

Parzudhaki, Less.; Raimondi, Reich.

1943. elegans, V. O. D. t. 37, 38; Less. O. M. t. 70; Gould, T. v. t. 347.
 Swainsoni, Less.

St. Domingo.

1944. Maugsea, V. O. D. t. 37, 38; Less. O. M. t. 68, 69; Gould, T. v. pl. 349.

Porto Rico.

Maugæi, Gould; Maugeana, Shaw; ourissia, L.?

574. k. Patagona, G. R. Gr. 1840.

Cynanthus, Less. 1829, noc Sw. 1827. Patagons, Less. 1832. Hylocharis, G. R. Gr. 1848, nec Boie. Hypermetra, Cab. & H. 1860. Roich. S. A. t. 40. f.

1945. gigas, V.; Gal. des Ois. t. 180; Less. O. M. t. 3; Gould, T. iv. pl. 232.

tristis, Less.; gigantea, D'Orb. & Lafr.

Ecuador, Peru. Bolivia, Chili.

575. l. Danophila, Reich. 1854.

1946. amabilis, Gould, T. v. pl. 341.

New Granada, Ecuador.

576. m. Juliamyia, Bp. 1854. Damophila, p., Reich. 1854. Juliamya, Gould, 1859.

1947. Julie, Bourc. Ann. Sc. Phys. Lyon, 1843, t. 21; Gould, T. v. pl. 337.

New Granada.

Julia, G. R. Gr.; typica, Bp. Feliciana, p., Muls. & V.

1948. Feliciana, Less.

Ecuador.

577.

n. Basilinna, Boie, 1831. Bleuets, Less. 1832. Basilina, Reich, 1849.

Heliopaedica, Gould, 1858. Heliopedica, Sclat. & S. 1859.

Reich. S. A. t. 39. f. ?

1949. leucotis, V.; Less. O. M. t. 9, suppl. t. 27; Gould, T. ii. pl. 64.

Guatemala. Mexico.

melanotis, Sw.; Arsenni, Less. leucocrotaphus et lucidus, Shaw?

cuculliger, Licht.

1950. Zantusii, Lawr.; Gould, T. ii. pl. 65; Elliot, B. N. A. pl. S. California. castaneocauda, Lawr.

578. o. Avocettula, Reich. 1849.

Avocettes, Less. 1832. Avocetta, Agass. nec Briss. Avocettinus, Bp. 1849. Campylopterus, Sw. 1837, nec 1827. Streblorhamphus, Cab. & H. 1860. Reich. S. A. t. 39, f.

1951. recurvirostris, Sw. Zool. Ill. pl. 105; Less. O. M. t. 37, suppl. t. 34; Gould, T. iii. pl. 201. avocetta, Less. C. t. 24, T. t. 23; Lessoni, Bp.

Guiana.

p. Augastes, Gould, 1850.

Trochilus, Sw. 1827, nec L. Auguste, Muls. & V.

1952. superba, V.; P. C. 299. 3; Less. O. M. t. 16; Gould, T. iv. pl. 221. scutatus, Natt.; Nattereri, Less.

Ecuador. Brazil.

q. Lampeurus, Reich. 1854. **580.**

Lumachellus, Bp. 1854.

1953. lumachella, Less.; Gould, T. iv. pl. 222.

C. & N. Brazil.

581. r. Cyanophaia, Reich. 1854.

1954. cyanea, V.; Less. O. M. t. 71, suppl. t. 23; Gould, T. v. pl. 344. E. Brazil. azureus, Licht.?; bicolor, Less.

smaragdo-sapphirinus, Shaw.

s. CIRCE, Gould, 1861.

1955. latirostris, Sw.; Gould, T. v. pl. 338. Mexico.

circe, Bourc.; Lessoni, Delattr.

lazula, Reich.; Doubledayi, Cab. & H.

1956. Doubledayi, Bourc.; Gould, T. v. pl. 339.

t. Phemoptila, Gould, 1861. 583.

1957. sordida, Gould, T. v. pl. 340.

Mexico.

1958. zonura, Gould. sordida Q, Muls. & V.

u. Klais, Reich, 1854.

Guimetia, 1854, et Myiabeillia, Bp. Myiabellia, Schit. Adelomya, Muls. & V.

1959. Guimeti, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 2; Gould, T. iv. pl. 210.

Merrittii, Lawr.

Venezuela. Andes of New Granada.

585. v. Phumonou, Reich. 1854. Luciania, Bp. 1854. Luciana, G. R. Gr. 1855.

1960. cupreiventris, Fras.; Gould, T. iv. pl. 270, 271.

vestita Q, Long.; maniculata, Less.? simplex, Gould.

1961. Luciana, Boure.; Gould, T. iv. pl. 273.

Ecuador. 1962. Isaacsoni, Parz.; Gould, T. iv. pl. 272. New Granada.

1963. D'Orbignyi, Bourc.; Gould, T. iv. pl. 278. Orbignyi, Bp.

1964. Godini, Boure.; Gould, T. iv. pl. 277.

w. ERIOCNEMIS, Reich. 1849.

Eriopus, Gould, 1847, nec Treits. 1825. Vestipes, Less.

1965. vestita, Long.; Gould, T. iv. pl. 275. uropygialis, Fras.; glomata, Less.

1966. nigrivestis, Bourc.; Gould, T. iv. pl. 276.

1967. Aurelia, Bourc.; Gould, T. iv. pl. 283.

1968. smaragdinipectus, Gould.

Andes of New Granada. Ecuador.

Ecuador.

New Granada,

Ecuador. Ecuador.

587. x. THREPTRIA, Reich. 1854.

Mosqueria, Bp. 1854.

1969. Mosquera, Bourc. & D.; Gould, T. iv. pl. 274.

New Granada.

1970. lugens, Gould, T. iv. pl. 282. Ecuador.

1971. squamata, Gould, T. iv. pl. 281.

588. y. Engyete, Reich. 1854.

Aline, Bp. 1854.

G. of B. i. pl. 35. f. 9; Reich. S. A. t. 40. f. .

1972. Aline, Bourc.; Ann. Sc. Phys. Lyon, 1842, t. 19; Gould, T. iv. pl. 280.

Alinæ, Bourc.

New Granada.

589. z. Derbyomyta, Bp. 1854.

Derbyomyia, G. R. Gr. 1855. Erebenna, Muls. & V. 1866.

1973. **Derbyi**, *Delatt.* § B.; Gould, T. iv. pl. 279. Derbyanus, Bp.; Derbiana, Gould.

New Granada.

590. HELIOTHRYX, Boie, 1831.

Jacobines, Less. 1832. Heliothrys!, G. R. Gr. 1840. Heliothrix, Strickl. 1841.

G. of B. i. p. 115, pl. 35. f. 8; Reich. S. A. t. 39. f.

1974. auritus, Gm.; Briss. Orn. iii. t. 37. 3; V. O. D. t. 25; Gould, T. iv. pl. 213. leucocrotaphus, V.

N. Brazil.

S.E. Brazil.

Rio Negro.

1975. auriculatus, Licht.; Erman, Voy. t. 2. 1, 2; Gould, T. iv. pl. 214.

Pouchettii, Less.; auritus, juv., Burm.

Ecuador.

1977. phainoleuca, Hartl.; Gould, T. iv. pl. 215.

phoenolæma, Cab. & H.; phainolæma, Gould.

1978. Barroti, Bourc. Ann. S. P. de Lyon, 1843, t. 4; Gould, T. Guatemala, iv. pl. 216.

iv. pl. 216. purpureiceps, Gould; Gabriel, Delattr.

1979. violifrons, Gould, T. iv. pl. 217. Barroti, Gould.

1976. longirostris, Gould.

Carthagena or Veragua.

FAM. V. MELIPHAGIDÆ, Vig. 1825.

Subfam. I. Myzomelinæ, G. R. Gr. 1840.

591. MYZOMELA, Vig. & H. 1826.

Meliphaga, 4 div., V. & H. 1826. Phylidonyris, Less. 1837, nec 1831. G. of B. i. p. 117.

a. Myzomela.

6 9 7 9 • 1980. sanguinolenta, Lath.; Gould, B. A. iv. pl. 63. dibapha et erythropygia, Lath. australasis, Leach. cardinalis, Vig. & H.

New S. Wales. N. Australia. New Caledonia?

1981. erythrocephala, Gould, B. A. iv. pl. 64.

N. Austral., Aru.

100 € • 1982. obscura, Gould, B. A. iv. pl. 67.

N. Australia.

1983. major, Bp.

Caroline I.

1984. jugularis, Peale, U. S. Expl. Exp. pl. 12.2; Finsch & H. F. Centralpol. t. 7. 1, 2.
solitaria, Jacq. & Pucher. Voy. Pôle Sud, t. 22. 6.

Samean I. Feejee I.

1985. cardinalis, Forst.; Lath. Syn. pl. 71, 2. New Hebrides. sanguinea, Less.; melanogastra, Bp. 1986. vulnerata, Müll. Verk. Zool. t. 10. 3, 4. Timor. 1987. simplex, G. R. Gr. Batchian I. New Guin., Aru. 1988. nigrita, G. R. Gr. 1989. chermesina, G, R. Gr. & M. G. B. pl. 38. New Guinea? 1990. pectoralis, Gould, B. A. iv. pl. 65. N. Australia. 46; • 1991. rubratra, Less.; Kittl. Kupf. Vög. t. 8. 1. Marian I. Pelew I. sanguinolenta, p., G. R. Gr. ¶ 1992. nigriventris, Peale, U. S. Expl. Exp. pl. 12. 1; Finsch & H. F. Centralpol. t. 8. 3, 4. Samoan I. rubrater, Hartl.; Arnouxi, Verr. 1993. Lafargei, Homb. & J. Voy. Pôle Sud, t. 22. 5. Solomon I. de la Farge, Reich. 1994. Boiei, Müll. Verk. Zool. t. 10. 1, 2. Banda. ---- ? 1995. ? pusilla, G. R. Gr.; V. O. D. t. 58. cardinalis, V.; p., Hartl. 592. b. Cissomelas, Bp. 1854. Myzomela, p., Gould. G. of B. i. pl. 38. f. 1; Reich. S. A. t. 35. f. . 734/ 1996. nigra, Gould, B. A. iv. pl. 66. W. Australia. 593. ENTOMOPHILA, Gould, 1837, nec Leach. G. of B. i. p. 118, pl. 38. f. 4; Reich. S. A. t. 35. f. . a. ENTOMOPHILA. 1997. picta, Gould, B. A. iv. pl. 50. New S. Wales. 594. b. Conoporhila, Reich. 1852. Entomophila, p., Gould. 1998. albogularis, Gould, B. A. iv. pl. 51. N. Austra., New Guinea, Aru. 1999. rufogularis, Gould, B. A. iv. pl. 52. N. Australia. rufigularis, Reich. 2000. ? spilodera, G. R. Gr. New Guines. c. CERTHIONYX, Less. 1831. Melicophila, Gould, 1844. Melitophila, Cab. 1851, nec Latr. Lichnotentha, Cab. 1851. Entomophila, p., G. R. Gr. Reich. S. A. t. 35. f. (6). 2001. leucomelas, Cuv.; Gould, B. A. iv. pl. 49. S.&W.Australia.

variegatus, Less.; picata, Gould.

,111

2026

596. GLICIPHILA, Sw. 1837.

Glyciphila, G. R. Gr. 1840. Glycyphila, Cab. 1851. G. of B. i. p. 118, pl. 38. f. 2; Reich. S. A. t. 35. f. .

a. GLICIPHILA.

- ⁴ 2002. fulvifrons, Lewin, B. N. H. pl. 22; Gould, B. A. iv. pl. 28. Australia. 1380 melanops, Lath.; mellivora, Shaw. rubrifrons, Less.; albiventris, Steph.
- 2003. albifrons, Gould, B. A. iv. pl. 29.

2004. pectoralis, G. R. Gr.; Gould, B. A. iv. pl. 30. fasciata, Gould.

N. Australia.

2005. caledonica, G. R. Gr. modesta, G. R. Gr.

New Caledonia.

2006. modesta, G. R. Gr.

Goold's I., Aru.

2007. subfasciata, Rams.

Queensland. New Caledonia.

2008. chlorophæa, Forst.

2009. incana, Lath.

2010. fasciata, Forst. undulata, Sparrm. M. C. t. 34?; fusca, V. O. D. t. 65?

b. STIGMATOPS, Gould, 1865. Stomiopera, p., Reich. Lichmera, p., Cab.

• 2011. ocularis, Gould, B. A. iv. pl. 31. indistincts, Vig. & H.? Var.

100/2 Australia.

New Guin., Aru, Timor.

2012. subocularis, Gould, B. A. iv. pl. 32.

N. & N.W.Austr. Loyalty I.

2013. poliotis, G. R. Gr.

598. ACANTHORHYNCHUS, Gould, 1837.

Leptoglossus, Sw. 1837, neo Guér. 1830. Meliphaga, 5 div., Vig. & H. 1826. G. of B. i. p. 119, pl. 38. f. 3; Reich. S. A. t. 35. f. .

• 2014. tenuirostris, Lath.; V. O. D. t. 60; Gould, B. A. iv. cucullatus, Sw.; dubius, Gould.

2015. superciliosus, Gould, B. A. iv. pl. 62.

New S. Wales. 2 1. Tasmania.

W. Australia.

Subfam. II. Meliphaginæ, G. R. Gr. 1840.

599. MELIPHAGA, Lewin, 1808.

Melliphaga, Less. 1828. Zanthomyza, Sw. 1837. Xanthomyza, Strickl. 1841. Philedon, 3 div. 1817, et 2 div. 1829, Cuv. G. of B. i. p. 121.

a. MELIPHAGA.

72 70 2016. phrygia, Lath.; Lewin, B. N. H. pl. 14; Gould, B. A. New S. Wales, iv. pl. 48. S. Australia.

600. b. PTILOTIS, Sw. 1837.

Meliphaga, 2 div., Vig. & H. Meliphaga, G. R. Gr. 1840.

2017. Lewinii, Sw.; Gould, B. A. iv. pl. 32. chrysotis, Lew.; xanthotis, Shaw.

New S. Wales.

2018. vittata, Cuv.; Gould, B. A. iv. pl. 33. sonorus, Gould; virescens, V.?

S. Australia. N. Australia.

2019. versicolor, Gould, B. A. iv. pl. 34.

I. off co. Austral.

7001 2020. fasciogularis, Gould, B. A. suppl. pl. .

Tasmania.

2021. flavicollis, V.; Gould, B. A. iv. pl. 35. flavigula, Gould.

9131. * 2022. leucotis, Lath.; P. C. 435; Gould, B. A. iv. pl. 36.

New S. Wales, S. & W. Austr. New S. Wales.

12 72 8 4 • 2023. auricomis, Lath.; V. O. D. t. 85; Gould, B. A. iv. pl. 37. mystacea et novæ hollandiæ, Lath. auriculata, Shaw; erythrotis, V. melanops et australis, Lath. chrysotis, Don.

2024. ornata, Gould, B. A. iv. pl. 39.

S. Australia.

2025. flavescens, Gould, B. A. iv. pl. 41.

N. Australia.

7000 • 2026. flava, Gould, B. A. iv. pl. 42.

2027. penicillata, Gould, B. A. iv. pl. 43.

S. Australia, New S. Wales. New S. Wales.

~ 2028. fusca, Gould, B. A. iv. pl. 44. chrysotis, Lath.?

gilvicapallus, V.; trivirgata, Verr.

S. Australia.

2030. cassidix, Jard.; Gould, B. A. suppl. pl. Leadbeateri, M. Coy.

2029. chrysops, Lath.; Jard. & S. I. O. pl. 35.1; Gould, B. A.

Victoria, Austr.

2031. notata, Gould.

N.E. Australia.

2032. similis, Homb. & Jacq. Voy. P. S. t. 17. 2. analoga, Reich.

New Guin., Aru.

Var.

Waigiou, Mysol.

2033. megarhynchus, G. R. Gr.

New Guin., Aru.

2034. rostrata, Wall. megarhynchus, var., G. R. Gr. Waigiou, Mysol.

2035. polygramma, G. R. Gr.

-- 14.

2036. maculata, Müll.; Tem. P. C. 29. 1. Timor. 2037. reticulata, Müll.; Tem. P. C. 29. 2. 2038. Cockerellii, Gould. N. Australia. 2039. plumula, Gould, B. A. iv. pl. 40. W. Australia. 2040. gracilis, Gould. Cape York. 2041. sonoroides, G. R. Gr. Waigiou, Mysol. 2042. fumata, Müll. New Guinea. concolor, Tem. 2043. striolata, Müll. 2044. auriculata, Müll. 2045. limbata, Müll. Timor. 2046. virescens, Wall. Lombock. 2047. ? olivaces, Shaw; V. O. D. Prom. t. 5. I. of S. Seas. 601. c. STOMIOPERA, Reich. 1852. Stomioptera, G. R. Gr. 1855. 2048. unicolor, Gould, B. A. iv. pl. 46. Port Essington. d. LICHEMOSTOMUS, Cab. 1851. 602. Ptilotis, p., Gould. 74 + 3 * 2049. cratitia, Gould, B. A. iv. pl. 38. S. Australia. W. Australia. 2050, occidentalis, Cab. cratitia, p.?, Gould. . 608. e. Foulehaio!, Reich. 1852. Creadion, p., V. Sarcogenys, G. R. Gr. 1855. G. of B. i. pl. 39. f. 1. 5 7 • 2051. carunculata, Forst.; V. O. D. t. 69, 70; Finsch & H. F. Tonga I. Centralpol. t. 5. 2. musicus, V.; chrysotis, Cuv. Samoan I. tabuensis, Steph. 5 t • 2052. procerior, Finsch & H. Fauna Centralpol. t. 5. 3. Feejee I. · provocator 128/3 f. Phylidonyris, Less. 1831. Lichmera, Cab. 1851. Melisympotes, Reich. 1852. 2053. australasiana, Shaw; V. O. D. t. 55; Gould, B. A. iv. New S. Wales. inornata, Gould; pyrrhoptera, Lath. S. Australia, melanoleucus, V. Tasmania. g. Meliornis, G. R. Gr. 1840. Meliphaga, Vig. & H. 1826.

23. • 2054. noves-hollandiss, Lath.; White, Voy. pl. p. 186; Gould, N. B. A. iv. pl. 23. balgonera, Steph.; barbata, Sw.

New S. Wales, S. Australia. Tasmania.

2055. longirostris, Gould, B. A. iv. pl. 24.

W. Australia.

4) • 2056. sericea, Gould; White, Voy. pl. p. 297; Gould, B. A. iv. pl. 25. sericeola, Gould.

New S. Wales.

2057. mystacalis, Gould, B. A. iv. pl. 26.

W. Australia.

606. PROSTHEMADERA, G. R. Gr. 1840.

Philedon, 4 div. 1817, et 3 div. 1829, Cuv. Philemon, p., V. 1825, Reich. 1849, nec V. 1816. G. of B. i. p. 122, pl. 39. f. 3; Reich. S. A. t. 35. f.

/ ? > 2058. novæ seelandiæ, Gm.; Brown, IU. pl. 9; Lev. O. A. t. 92; V. Gal. des Ois. t. 183. concinnatus, Lath.; crispicollis, Daud.

New Zealand.

607. ANTHORNIS, G. R. Gr. 1840.

Anthomyza, 1837, nec 1833, Sw.
Melliphaga, Less. 1831.
G. of B. i. p. 123, pl. 39. f. 5; Reich. S. A. t. 35. f.

102 ; c 2059. melanura, Sparrm. M. C. t. 5; V. O. D. t. 64; Voy. Coqu. t. 21. 2.

sannio, Gm.; Dumerili, Less. cæruleocephala, Sw.

2060. melanocephala, G. R. Gr. Voy. Ereb. & Terr. B. pl. 2. Chatham Isl.

2061. auriocula, Buller.

circinata!, Reich.

2062. ruficeps, Pelz.

1

New Zealand.

608. ANTHOCHÆRA, Vig. & H. 1826.

Philedon, 2 div. 1817, 1 div. 1829, Cuv.
Philedon, Sundev. 1835. Creadion, Less. 1837, nec V. 1816.
Meliphaga, Des Murs, 1853. Mimus, p., Bull.
G. of B. i. p. 122; Reich. S. A. t. 35. f.

a. Anthochæra.

• 2063. carunculata, Lath.; White, Voy. pl. p. 144; Gould, B. A. iv. pl. 55.

Australia.

paradoxus, Lath.; novæ hollandiæ, Steph. Lewinii, Vig. & H. Bulleri, Finsch.

New Zealand?

2064. inauris, Gould, B. A. iv. pl. 54. carunculata, Vig. & H.; goruck, Shaw?

Tasmania.

609. b. Anellobia, Cab. 1851.

Melichæra, Reich. 1852. Creadion, Des Murs, 1853. G. of B. pl. 39. f. 2; Reich. S. A. t. 35. f.

Timor, Celebes.

Solomon I.

7:44 2065. mellivora, Lath.; V. O. D. t. 88; Gould, B. A. iv. pl. 56. New S. Wales. S. & N. Austra. chrysopterus, Lath. '0/4' __ 2066. lunulata, Gould, B. A. iv. pl. 57. W. Australia. c. CHATOPTILA, Sciat. 1868. 610. Anthochera?, p., Hartl. 2067. angustipluma, Peale, U. S. Expl. Exped. pl. 11. 1. Society Islands. atriceps, Less.? 611. d. LEPTORNIS, Homb. & J. 1845. Philedon, Reich. 1852. 2068. samoënsis, Homb. & J. Voy. Pôle Sud, t. 17. 1. Samoan Ial. olivacea, Peale; sylvestris, Jacq. & Puch. leptornis, Reich. 2069. Aubryanus, Verr. & M. New Caledonia. e. Xanthotis, Reich. 1852. 612. Myzantha, Less. 1831, nec Vig. & H. 1826. 2070. chrysotis, Less. Voy. Coqu. t. 21*. New Guinea. flaviventris, Less.; filigera, G. R. Gr. Wai., Mys. (var.). 2071. filigera, Gould, Pr. Z. S. 1850, pl. 34; Gould, B. A. Cape York. suppl. pl. f. Acanthagenys, Gould, 1837. Acanthogenys, G. R. Gr. 1840. Reich, S. A. t. 35, f. . 74 ... 2072. rufogularis, Gould, B. A. iv. pl. 53. Australia. **614. POGONORNIS,** G. R. Gr. 1846. G. of B. i. p. 123, pl. 39. f. 4; Reich. S. A. t. 35. f. . 2073. cincta, Dubus, Bull. Ac. S. Brux. 1839, t. New Zealand. auritus, Lafr. Mag. de Zool. 1840, t. 11. **615. PHILEMON.** V. 1816. Philedon, 1817, Cuv. Strigiceps, Less. 1840?, nec Bp. 1838. Philedon et Philemon, Reich. 1852. a. PHILEMON. 2074. moluccensis, Gm.; Voy. Astrol. t. 8. 2. Bouru. cinereus, V.; bouroensis, Quoy & G.; buruensis, Less. Celebes. 2075. fuscicapillus, Wall. Morty, Gilo., & Batchian I. 2076. subcornutus, Tem.; Voy. Pôle Sud, t. 16. 1. Ceram, Worou. subcorniculatus, Homb. & J.

2077. inornatus, G. R. Gr. & M. G. B. pl. 39; Voy. Pôle Sud,

cineraceus, Mill.; vulturinus, Homb, & J.

t. 18. 1.

4 . •	2078. citreogularis, Gould, B. A. iv. pl. 60.	New S. Wales.
	2079. senex, G. R. Gr.	Batch. & Gilo. I.
	2080. Lessonii, G. R. Gr.; Arch. du Mus. vii. t. 21. diemenensis!, Less.; corniculatus, p. ?, Bp.	New Caledonia. Tasmania (?).
	2081. plumigenia, G. R. Gr.	Ké Island.
	2082. sordidus, Gould.	N. Australia.
	2083. ? collaris, Reick. Meropina, t. 503. 3515.	Celebes.
	616. b. Tropidorhynchus, Vig. & Horsf. 1828. Gymnops, p., Cuv. 1829.	
2) ·	2084. corniculatus, Lath.; Lev. O. Amer. t. 24; Gould, B. A. iv. pl. monachus, Lath.	New S. Wales.
	2085. argenticeps, Gould, B. A. iv. pl. 59.	N. Australia.
	2086. novæ guineæ, Müll. § S.	New Guines.
	2087. marginatus, G. R. Gr.	Waigiou.
	2088. timoriensis, Müll.	Timor.
301.00	2089. buceroides, Sw. Cl. of B. 5 pt. f. 68; Gould, B. A. suppl. pl. mitratus, p. ?, G. R. Gr.; monachus, Vig. & H.	Cape York.
	2090. mitratus, Mill. corniculatus, Mill.	New Guines.
	2091. gilolensis, Tem.	I. of Gilolo.
	617. c. Entomira, Sw. 1837.	
	Meliphaga, Tem. 1820. Entomyzon, Sw. 1825. Philedon, Reich. 1849. Sw. C. of B. f. 288 b; Reich. S. A. t. 35. f.	
;* •	2092. cyanotis, Lath.; Lewin, B. N. H. pl. 4; Gould, B. A. iv. pl. 68. cyanops, Lewin; cyaneus et cyanops, Lath.	New S. Wales.
	2093. albipennis, Gould, B. A. iv. pl. 69.	N. Australia.
	618. MANORINA, 1818, et Manorhina, 1825, V. Philanthus, Less. 1831, nec Fab. 1793. Manorrhina, Reich. 1852. G. of B. i. p. 127.	
<i>L</i> , :	2094. melanophrys, Lath.; Gal. des Ois. t. 149; Gould, B. A. iv. pl. 80. viridis, V.; flavirostris, Vig. & H.	New S. Wales.
,	619. b. Myzantha, Vig. & H. 1828. G. of B. pl. 38, f. 7; Reich. S. A. t. 35, f.	
2,1 3	2095. garrula, Lath.; Gould, B. A. iv. pl. 76. melanocephala, Lath.	New S. Wales, S. Aus., Tasm.

2096. lutea, Gould, B. A. iv. pl. 78.

2097. obscura, Gould, B. A. iv. pl. 77.

2098. flavigula, Gould, B. A. iv. pl. 79.

W. Australia.

New S. Wales.

Subfam. III. Melithrepting, G. R. Gr. 1841.

Manorhinæ et Sylvicolinæ, p., G. R. Gr. 1840.

620. MELITHREPTUS, V. 1816.

Philedon, 3 div. 1817, et 2 div. 1829, Cuv. Meliphaga, 3 div., Vig. & H. Hæmatops, Gould, 1836. Gymnophrys et Eidopsaris, Sw. 1837. ymnophrys et Hæmatops, G. R. Gr. 1846. Idopearis, Agass. Sw. C. of B. f. 287; G. of B. i. p. 128, pl. 38. f. 5; Reich. S. A. t. 35. f. .

a. MELITHREPTUS.

2099. lunulatus, Shaw; V. O. D. t. 61; Gould, B. A. iv. pl. 72. atricapilla, Tem.; torquata, Sw. albicollis, V.

S. Australia.

2100. brevirostris, Vig. & H.

New S. Wales.

2101. validirostris, Gould, B. A. iv. pl. 70; Voy. Pôle Sud, t. 17. 3. bicinctus, Sw.; virescens, Wagl.

Tasmania.

2102. gularis, Gould, B. A. iv. pl. 71; G. R. Gr. & M. G. B. pl. 40.

E. & S. Australia.

2103. albogularis, Gould, B. A. iv. pl. 74.

New S. Wales, N. Aus., N. Guin. Tasmania.

2104. melanocephalus, Gould. B. A. iv. pl. 75. atricapilla, Jard. & S. I. O. pl. 134. 1. agilis, Lath. ?; affinis, Less. ?

W. Australia.

2105. chloropsis, Gould, B. A. iv. pl. 73.

621. b. Plectoramphus, G. R. Gr. 1840.

Plectorhynchus, Gould, 1837, nec Lacép. 1800.
Entomiza, Selby, 1840. Plectrorhamphus, Strickl. 1841.
Plectrorhyncha, Wiegm. 1838.

30 2106. lanceolatus, Gould, B. A. iv. pl. 47.

622. ZOSTEROPS, Vig. & H. 1825.

Zosteropisylvia, Würt. 1857. Sw. C. of B. f. 131 a; G. of B. i. p. 197.

a. ZOSTEROPS.

2107. carulescens, Lath.; Sw. Zool. Illustr. pl. 16; Gould, B. A. iv. pl. 81.

10222 New S. Wales.

-- 4 44 ...

lateralia, $Lath$.; diluta, $Shaw$; cæruleus, Cuv . annulosa, var. β , Sw .; dorsalis, Vig . & H .	Tasmania. New Zealand.
2108. strenua, Gould, B. A. suppl. pl.	Lord Howe's I.
2109. tephropleura, Gould, B. A. suppl. pl.	,,
2110. tenuirostris, Gould, B. A. suppl. pl.	Moreton Bay.
2111. albogularis, Gould, B. A. suppl. pl.	New S. Wales.
2112. griseotincta, G. R. Gr.	Louisiade arch.
2113. grisecnota, G. R. Gr.	New Caledonia.
2114. manthochroa, G. R. Gr.	19
2115. melanops, G. R. Gr.	Loyalty Isl.
2116. flavifrons, Gm. heteroclita, Forst.	New Hebrides.
2117. chloris, Müll.	Ternate, Bouru, Banda.
2118. intermedia, Wall	Celeb., Ternate. Lombock.
2119. flava, Horsf.; Voy. Pôle Sud, t. 19. 4. maderaspatana, Vig.; parvulus, Homb. & J.	Java, Sumatra. Borneo.
2120. siamensis, Bl.	Tenasserim.
2121. atrifrons, Wall.	Celebos.
2122. palpebrosa, Tem. P. C. 292. 3.	India, Ceylon.
2123. Meyeni, Bp.; Kittl. Kupf. Vög. t. 19. 2. flava, Kittl.	Luzon.
2124. japonica, Tem. & Sch. F. J. t. 22.	Japan.
2125. aurifrons, Tem. aureifrons, Wall.	Timor, Flores.
2126. senegalensis, Bp.; Sw. B. W. Afr. ii. pl. 3. flava, Sw.; citrina, Hartl.	W. Africa.
2127. ficedulina, Harti.	Prince's Island.
2128. hessitata, Hartl.; Poll. & V. D. F. de Madag. t. 19. 3.	I. Bourbon.
2129. virens, Sundev.	Upper Caffraria, Natal.
2130. abyssinica, Guér.; Verr. & Gal. Voy. en Abyss. t. 9. 2. lateralis, p., Layard?	Abyssinia.
2131. capensis, Sundev.; Lev. O. A. t. 9, 2. Levaillantii, Reich.; madagascariensis, p., Aliq.	S. Africa.
2132. Sundevallii, Hartl. lateralis, Sundev.	Upper Caffraria.
2133. madagascariensis, L.; Briss. Orn. iii. t. 27. 2; Poll. & V. D. F. de Madag. t. 19. 1. annulosa et flavigula, Sw. leucops, V.; maderaspatana, p., Vig. & H.	Madagascar.

HAND-LIST OF BIRDS.	100
2134. Gouldi, Bp.; Gould, B. A. iv. pl. 82. chloronotus, Gould.	W. Australia.
2135. luten, Gould, B. A. iv. pl. 83.	N. Australia.
2136. westernensis, Quoy & G. Voy. Astrol. t. 11. 2.	W. Australia.
2137. Grayi, Wall. citrinella, p., G. R. Gr.	Ké.
2138. albiventer, Homb. & J.	Warriors' I.
2139. fusca, Bernst.	Waigiou.
2140. cinerca, Kittl. Mém. Ac. Pétersa. 1835, t. 5.	Caroline I.
2141. conspicillata, Kittl. Mém. Ac. Pétersb. 1835, t. 4.	Ladrone I.
2142. flaviceps, Peale, U. S. Expl. Exped. pl. 10. 4; Finsch & H. Fauna Centralpol. t. 6. 2143. obscura, Homb. & J. Voy. Pôle Sud, 20. 6.	Fiji I.
111 - 2144. Semperi, Hartl.	Pelew I.
2145. atriceps, G. R. Gr.	Batchian I.
2146. citrinella, Mill.	Timor.
2147. nigrifrons, Müll. atrifrons, Wall.	**
2148. chlorates, Müll.	Morty I.
2149. nicobarica, Bl.	Nicobar I.
2150. lateralis, Tem.	Java.
2151. simplex, Swink. japonica, Swink.	China. I. of Formosa.
2152. erythropleurs, Swink. chloronotus, v. Schrenck.	N. China.
2153. olivacea, Gm.; Briss. Orn. iii. t. 33. 1.	Madagascar.
2154. mayottensis, Poll. & V. D. F. de Madag. t. 19. 2. flavifrons, Poll.	Mayotta
2155. pallida, Sw.	S. Africa.
2156. poliogastra, Heugl. euryophthalma, Heugl.	N.E. Africa.
2157. tenella, <i>Hartl</i> . aurifrons, <i>Heugl</i> .	Bongo.
2158. Heuglinii, <i>Hartl</i> . pallescens, <i>Heugl</i> .	N.E. Africa.
2159. modesta, E. Newt.	Seychelles.
2160. semiflava, E. Newt.	17
2161. icterovirens, Würt.	N.E. Africa. n 2
Mayon	

2162. mauritanica, Gm.; Poll. & V. D. F. de Madag. t. 19. 4. Maur., I. of Bour.

2163. rufilata, Hartl. Africa.

2164. melanura, Tem.

2165. ? curvirostris, Bl. Mauritius.

2166. ? ambigua, Sw.

"Cayenne?"

Timor

623. b. Malacirops, Bp. 1854.

Sw. C. of B. f. 131, b.

2167. borbonica, Bodd.; P. E. 705. 2; Guér. Icon. t. 23*. 6; Madagascar. Poll. & V. D. F. de Madag. t. 19. 5, 6. cinerea, Sw.?

c. Cyclopterops, Bp. 1854. G. of B. pl. 53. f. 2; Reich. S. A. t. 61. f. .

2168. chloronota, V.; P. C. 681. 2; V. O. D. t. 28. borbonics, Gm.?; curvirostris, Sw.

625. d. Spirors aut Sprinors, Reich. 1851.

2169. melanocephala, G. R. Gr. Camer., W. Afr.

2170. lugubris, Hartl. Abh. d. Nat. Ver. in Hamb. ii. t. 2. I. of St. Thomas.

626. e. Orosterops, Bp. 1854.

2171. javanica, Horaf. Java

2172. montana, Müll. Sumatra.

627. f. Tephras, Hartl, 1868.

2173. Finschii, Hartl. Pr. Z. S. 1868, pl. 3. Pelew I.

g. HELAIA, Hartl. 1865.

Hylophila, Müll. 1835. Helia, Newt.

2174. frontalis, Müll.

Mulleri, Hartl.

2175. frigida, Müll.

Sumatra.

FAM. VI. ANABATIDÆ, Bp. 1849.

Uppucerthidæ, D' Orb. Dendrocolaptidæ, Selys, 1842. Certhiadæ, p., Vig. 1825. Paridæ, p., Boie, 1826.

Subfam. I. Furnariinæ, G. R. Gr. 1840. Certhianse, p., Sw. 1837.

629. FURNARIUS, V. 1816.

Opetiorhynchus, Tem. 1820. Opethyorhynchus, Boie, 1816. Figulus, Spir, 1824. Sec. C. of B. f. 280 f, g; G. of B. i. p. 131, pl. 41. f. 6; Reich. S. A. t. 37. f.

HAND-LIST OF BIRDS.

2176. rufus, Gm.; Spix, A. B. t. 78; V. Gal. des Ois. 182. badius, Licht.; albigularis, Spix. ruficaudus, Max.; Commersoni, Pelz.

Brazil. Rio Javarri.

2177. figulus, Licht.; P. E. 739. rufus, V.; melanotis, Sw.

Brazil.

2178. leucopus, Sw. C. of B. 5th pt. f. 67 a.

Guiana.

2179. cinnamomeus, Less.; Akad. der Wissensch. 1856, t. 2. 2. longirostris, Pelz.; griseiceps, Cab.

Ecuador. Peru.

2180. rectirostris, Max.

Brazil.

2181. torridus, Sclat. & S. Exot. Orn. pl. 4.

Upper Ucayali.

2182. minor, Pelz.

Nauta.

2183. tenuirostris, Pelz.

2184. assimilis, Cab. leucopus, p.?

Brazil.

2185. ? longipennis, Sw. Cl. of B. 5th pt. f. 67 b.

Peru.

2186. ? fasciatus, Sw.

630. CINCLODES, G. R. Gr. 1840.

Opetiorhynchus, Kittl. 1830. Oppetiorhynchus, Lafr. 1837. Cillurus, Cab. 1844.

G. of B, i. p. 132, pl. 41. f. 5; Reich. S. A. i. t. 37. f.

a. Cinclodes.

2187. patagonicus, Gm.; Less. Tr. d'Orn. t. 75.4; Mém. de Pétersb. i. t. 8. gracula, Forst.; Lessonii, Dum.

Terra del Fuego, Patag., Chili, Chiloe, Bolivia.

2188. fuscus, V.; D'Orb. Voy. A. M. t. 57. 1. vulgaris, Lafr.

chilensis, Less.; rupestris, Lafr.

Terra del Fuego. Falkland Island. Mend., Parana. Falkland Island.

2189. antarcticus, Gm. fuliginosus, Less.

2190. nigrofumosus, Lafr.; Voy. Beagle, pl. 20; D'Orb. Voy. A. M. t. 57. 2. lanceolatus, Gould; inornatus, Less.

Bolivia. Chili.

2191. bifasciatus, Sclat.; Reise durch d. Urieste Atac. t. 3, atacamensis, Phil.

Bolivia. Chili.

2192. albidiventris, Sclat.

Chimborazo.

2193. minor, Cab.

Chili, Port Famine.

2194. palliatus, Tsch. F. P. t. 16. 2.

Peru.

2195. albiventris, Phil. & Landb.

Chili.

hypoleuca, Reich.?

6 31. b. Upucerthia, I. Geoffr. 1832.

Uppucerthia, Lafr. 1837.

Upupicerthia. Agass. Coprotretis, Cab. 1859. Reich. S. A. t. 37. f.

2196. dumetorius, I. Geoffr.; Voy. Beagle, pl. 19.

dumetorum, Lafr.

2197. n. sp.?

Patagonia, Chili. Rio Negro.

Bolivia.

632. c. Ochstorhynchus, Meyen, 1834.

Reich. S. A. t. 37. f.

2198. ruficaudus, Meyen, Nov. Act. Bon. xvi. suppl. t. 11.

montana, Lafr. D'Orb.

2199. andsecola, Lafr.; D' Orb. Voy. t. 56. 2.

2200. excelsior, Sclat.

2201. luscinia, Burm.

2202. validirostris, Burm.

andicola, Burm.

Peru.
Bolivia.

Pichincha, Chim.

Argentine Rep.

Mendoza.

633. LOCHMIAS, Sw. 1827.

Picerthia, I. Geoffr. 1832. Lochmia, Sw. 1837.

G. of B. i. p. 133, pl. 41. f. 2; Reich. S. A. t. 37. f. .

2203. nematura, Licht.; Sw. B. of Braz. pl. 33.

St. Hilarii, Less.; squamulata, Sw.

Brazil.

Parana.

634. ENICORNIS, G. R. Gr. 1840.

Eremobius, Gould, 1838. Henicornis, Agass.

Ericornis, Cass. 1855.

G. of B. i. p. 133, pl. 41. f. 4; Reich. S. A. t. 37. f.

2204. phœnicura, Gould, Voy. Beagle, pl. 21.

Gouldii, Cab.

Chili.

2205. melanura, G. R. Gr. & M. G. B. pl. 41.

Gouldii, p., Cab.

635. LIMNORNIS, Gould, 1839.

G. of B. i. p. 133, pl. 41. f. 1; Reich. S. A. t. 37. f. .

2206. rectirostris, Gould, Voy. Beagle, pl. 26.

2207. curvirostris, Gould, Voy. Beagle, pl. 25.

____, ..., ...,,,,

2208. Darwinii, ap. n.?

Maldonado.

Maldonado, Con-

chitas.

Maldonado.

636. GEOSITTA, Sw. 1837.

Euthonyx, Reich. 1850. Geocitta, Schat.

Sw. C. of B. f. 283; G. of B. i. p. 134, pl. 41. f. 7; Reich. S. A.

t. 37. f .

a. GEOSITTA.

2209. cunicularia, V.; D'Orb. Voy. A. M. t. 43. 1. anthoides, Sw.; fissirostra, Kittl.? nigrofasciata, Lafr.?

Chili.

2210. maritima, D'Orb. Voy. A. M. t. 44. 1. fasciata, Phil. & L.?

Bolivia. Chili.

2211. tenuirostris, Lafr. D'Orb. Voy. A. M. t. 43. 2.

Bolivia.

2212. crassirostris, Sclat.

Lima.

2213. Frobeni, Phil. & Landb.

Chili.

2214. isabellina, Phil. & Landb.

Peru.

2215. peruviana, Lafr.

reru.

637. b. Geobamon, Cab. 1860.

Parana.

2216. rufipennis, Burm.

638.

c. Geobates, Sw. 1837.

Sw. C. of B. f. 280 d, e.

2217. posciloptera, Max.; Pr. Z. S. 1866, pl. 21.

Brazil.

brevicauda, Sw.; fuscus, Burm.

· Subfam. II. Sclerurinæ, Sclat. 1862.

Furnarinæ, p., G. R. Gr. 1840. Certhianæ, p., Sw. 1837.

639. SCLERURUS, Sw. 1827.

Tinactor, Max. 1831. Oxypyga, Ménétr. 1834. Oxypiga, Less. 1839. Sw. C. of B. f. 76; G. of B. i. p. 210, pl. 55. f. 5.

2218. caudacutus, V. brunneus, Sclat.

Guiana.

2219. mexicanus, Sclat. Cat. of A. B. pl. 12. ruficollis, Sw. B. Braz. pl. 79?

Cordova, Coban.

2220. umbretta, Licht.; Sw. B. Braz. pl. 78; Mag. de Zool. 1833, t. 10.

Brazil.

fuscus, Max.; scansor, Ménétr. albigularis, Sw.; longirostris, Cuv.

2221. guatemalensis, Hartl. caudacutus, Lawr.

C. America.

Subfam. III. Synallaxinæ, G. R. Gr. 1846.

Anabatinæ, Sw. 1837.

640. SYNALLAXIS, V. 1818.

Synalaxis, Bois, 1826. Parulus, Spix, 1824. Synalaxis, Lafr. 1839.

Sw. C. of B. f. 282 b; G. of B. i. p. 135, pl. 42. f. 2; Reich. S. A. t. 36. f. .

a. SYNALLAXIS.

2222. ruficapilla, V. Gal. des Ois. t. 174. ruficeps, Licht.; cinereus, Max. olivascens, Eyton.

2223. Spixii, Sclat.; Spix, A. B. t. 86. 1. albescens, Burm.; ruficeps, p., Spix. ruficapilla, Reick.

2224. elegantior, Sclat. elegans, Sciat.

2225. albescens, Tem. P. C. 227. 2. ruficeps, Spix, A. B. t. 86. 2.

2226. pudica, Sclat. brunneicaudalis, Lawr.

2227. fuliginosa, Lafr.

2228. erythrothorax, Sciat. Pr. Z. S. 1855, pl. 86.

2229. terrestris, Jard.

2230. rutilans, Tem. P. C. 227. 1.

2231. castanea, Sciat. Cat. of A. B. pl. 13.

2232. anthoides, King.

2233. rufigularis, Gould, Voy. Beagle, pl. 23.

2234. stictothorax, Sclat.

2235. scutata, Sciat.

2236. phryganophila, V.; P. C. 311. 1. tessellata, Tem.

2237. erythrops, Sclat.

2238. Azares, Lafr.

2239. terricolor, Sclat. & S.

2240. vulpecula, Sciat. & S.

2241. inornata, Pelz.

2242. cinerascens, Tem. P. C. 227. 3.

Brazil.

Buenos Ayres.

New Granada. N. Ecuador.

Trinidad.

N. Brazil.

New Granada.

S. Mexico.

Tobago.

N. Brazil.

Venezuela.

Chili.

Santa Cruz, Valpar., Patag.

Ecuador.

Brazil.

Paraguay, Boliv. Argent. Rep.

Ecuador.

Bolivia.

R. Ucayali.

N. Brazil.

Brazil.

2243. albigularis, Sclat.

2244. brunneicaudis, Sclat. brunneicaudalis, Sclat.

2245. gularis, Lafr.

2246. lamosticta, Sclat. cinnamomea, Lafr.

2247. mosta, Sclat.

2248. Kollari, Pelz. Akad. der Wissensch. 1856, t. 1. 3.

2249. striolata, Pels.

2250. propinqua, Pelz.

2251. alospecias, Pelz.

2252. hyposticta, Pels.

2253. frontalis, *Pels*.
ruficeps, Q, *Spix*, *A. B.* t. 86. 2.

2254. fitis, Pelz. obsoleta, Reich.?

2255. albilora, Pelz.

2256. vulpina, Pelz.

2257. caniceps, Sclat.

2258. unirufa, Lafr.

2259. multostriata, Sciat.

2260. Candei, Lafr.

2261. troglodytoides, Lafr.

2262. ruticilla, Cab.

2263. striata, Ph. & Landb.

2264. brachyura, Lafr.

2265. antisiensis, Sclat.

2266. nigrofumosa, Later.

2267. poliophrys, Cab.

2268. sulphurifera, Burm.

2269. masafueræ, Phil. & Landb.

641. b. Anabates, Tem. 1820.

Synallaxis, p., Cab.

2270. guianensis, Gm.; P. E. 686. 2. ruficaudus, Tem.; cinnamomea, Less.

642. c. Sylviorthornynchus, Des Murs, 1847.

Schizura, Cab. 1848.

Reich. S. A. t. 57. f. .

E. Ecuador, Ucayali. E. Ecuador.

New Granada, Ecuador. New Granada.

N. Brazil. S.E. Brazil. N. Brazil.

S.E. Brazil.

Argentine Rep.,
Bolivia.

S.E. Brazil.

Int. of Brazil,
Bolivia.
Int. of Brazil.
Brazil.
Columbia.

New Granada. Columbia.

Patagonia.

Peru.

New Granada.

Ecuador.
Nicaragua.
Cayenne.

Buenos Ayres.

Chili.

Guiana.

2271. DesMurii, Gay; Des Murs, I. O. t. 45. maluroides, Des Murs; Des Mursii, Reich.

Chili.

643. d. Leptasthenura, Roich. 1853.

2272. segithaloides, Kittl. Mém. Ac. Pétersb. 1830, t. 7. Thelotii, Less.

Chili, Patagonia.

Bolivia.

2273. humicola, Kittl. Mém. Ac. Pétersb. 1830, t. 6.

Chili, Bolivia.

2274. flammulata, Jard. Contr. Orn. 1850, pl. 56.

Ecuador.

2275: platensis, Reich.

2276. maluroides, Lafr.; D'Orb. Voy. A. M. t. 14. 3, 4.

Arg. R., Parag., Conchitas.

2277. leucocephala, Lafr.

Patagonia.

644. e. Bathmicercus, Fitz. 1864.

Bathmidura, Reich. 1853, nec Cab. 1847. Leptasthenura, p., Cab.

2278. striaticeps, Lafr.; D'Orb. Voy. A. M. t. 16. 1.

Argentine Rep., Bolivia.

Bolivia.

2279. D'Orbignyli, Reich.; D'Orb. Voy. A. M. t. 17. 2. humicola, Lafr.

2280. setaria, Tom. P. C. 311, 3.

Brazil.

2281. fuliginiceps, Lafr.; D'Orb. Voy. A. M. t. 17. 1.

Bolivia.

ruficapilla, Burm.; paranensis, Sclat.

Argentine Rep.

2282. ? patagonica, Lafr.

Patagonia.

645. f. Oxyurus, Sw. 1827, nec Rafinq. 1810.

2283. spinicauda, Gm.; Lath. Syn. pl. 52; Voy. Coqu. t. 29. 1. Terra del Fuego. seticauda, Forst.; ornatus et australis, Sw.

tupinieri, Less.

646. g. Cranioleuca, Reich. 1853.

2284. albiceps, Lafr.; D'Orb. Voy. A. M. t. 16.2.

Bolivia.

6.17. h. Phleocryptes, Cab. 1859.

2285. melanops, V.; D'Orb. Voy. A. M. t. 14. 1, 2.

Chili, Argent. R.

dorsomaculatus, Lafr.

2286. schænobænus, Cab.

Peru.

648. i. Asthenes, Reich. 1853.

2287. scrdida, Less.; Voy. Beagle, pl. 24. flavigularis, Gould.

Patagonia.

2288. brunnea, Gould.

2289. modesta, Eyton.

Bolivia.

Bahia, Bolivia.

Trinidad.

649. j. MELANOPAREIA, Reich. 1853. 2290. Maximilliani, D' Orb. Voy. A. M. t. 15. 1. Paraguay, Boliv. torquata, Lafr. 2291. torquata, Max.; D' Orb. Voy. A. M. t. 15. 2. Brazil, Bolivia. bitorquata, Lafr. k. CERTHIAXIS, Less. 1847. 650. Leptoxyura, Reich. 1853. 2292. cinnamomea, Gm.; V. O. D. t. 62; Spix, A. B. t. 85.2; Gal. des Ois. t. 173. Cayenne, Brazil. russeola, V.; ruficauda, Spix. mentalis, Licht.; inundatus, Tem. Argentine Rep. caudacutus, Max.; cinnamominus, Sw. Brazil. 2293. pallida, Max. leucophrys, Lafr. 2294. ruficauda, V. 2295. mentalis, Licht. 2296. semicinerea, Reich. S.E. Brazil. 2297. obsolets, Brandt. Brazil. 651. l. Coryphistera, Burm. 1860. La Plata. 2298. alaudina, Burm. **652. ANUMBIUS, 1838,** et Annumbius, 1841, Lafr. Sphenopyga, Cab. 1847. G. of B. i. p. 136, pl. 42. f. 5; Reich. S. A. t. 36. f. a. Anumbius. 2299. acuticaudatus, Less.; Voy. Beagle, pl. 22. Brazil. annumbi, V.; anthoides, Lafr. major, Gould. Argentine Rep. 2300. ruber, V. Brazil, Bolivia, Argentine R. 2301. rufopectus, n. sp.? Brazil. 2302. striaticeps, Lafr. Bolivia. 653. b. Anabacerthia, D' Orb. 1841. 2303. striaticollis, D'Orb. Buenos Ayres. 654. c. Malacurus, Reich. 1850. Phacellodomus, Reich. 1853. Synallaxis, Sw. 1837. Reich. S. A. t. 58. f. .

2304. rufifrons, Spix, A. B. t. 85. 1; Sw. Zool. Ill. pl. 138.

frontalis, Licht.; garrulus, Sw.

655. PHILYDOR, Spix, 1824.

Xenops, 3 div., Less. 1837. Anabates, Boie, 1826, nec Tem. 1820. G. of B. i. p. 137 (Anabates).

a. PHILYDOR.

2305. superciliaris, Licht.; Spix, A. B. t. 73. 1; Guér. Iconog. t. 23. atricapillus, Max.; Canneveti et melanocephalus, Less.	Brazil.
2306. striaticollis, Solat.	New Granada.
2307. amaurotis, Tem. P. C. 238. 2.	Brazil.
2308. erythrocercus, Pelz.	Cayenne.
2309. pyrrhodes, Cab.	Rio Napo,
2310. fuscipennis, Salv.	Guiana. Veragua.
2311. subfulvus, Sclat.	Gualaquiza.
2312. ruficaudatus, <i>Lafr</i> . ruficaudus, <i>Sclat</i> .	New Granada. Ecuador.
2313. semirufus, Sclat.	Bogota.
2314. columbianus, Cab. & H.	Porto Cabello.
2315. panerythrus, Sclat.	New Granada.
2316. rufobrunneus, Lawr.	Costa Rica.
2317. virgatus, Lawr.	**
au. vigatus, auv.	**
S56. b. Antomolus, Reich, 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich, 1853.	,
656. b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859.	S.E. Brazil.
656. b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max.	
 b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pels. 	S.E. Brazil.
 b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pelx. infuscatus, Selat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. 	S.E. Brazil. E. Peru.
b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pels. infuscatus, Sclat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. leucophrys, Jard. & S.	S.E. Brazil. E. Peru. S.E. Brazil.
 B56. b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1863. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pelz. infuscatus, Sclat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. leucophrys, Jard. & S. 2321. cervinigularis, Sclat. 	S.E. Brazil. E. Peru. S.E. Brazil. Mex., Veragua.
 b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pelz. infuscatus, Sclat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. leucophrys, Jard. & S. 2321. cervinigularis, Sclat. 2322. erythropterus, Sclat. 	S.E. Brazil. E. Peru. S.E. Brazil. Mex., Veragua. Bogota.
 b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pels. infuscatus, Sclat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. leucophrys, Jard. & S. 2321. cervinigularis, Sclat. 2322. erythropterus, Sclat. 2323. rubiginosus, Sclat. 	S.E. Brazil. E. Peru. S.E. Brazil. Mex., Veragua. Bogota. Mexico.
 B56. b. Antonolus, Reich. 1853. Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853. 2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich. 2319. Sclateri, Pelz. infuscatus, Sclat.; amazonus, Lafr. 2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. leucophrys, Jard. & S. 2321. cervinigularis, Sclat. 2322. erythropterus, Sclat. 2323. rubiginosus, Sclat. 2324. turdinus, Natt. & Pelz. 	S.E. Brazil. E. Peru. S.E. Brazil. Mex., Veragua. Bogota. Mexico. Brazil.

- A.

2328. pallidigularis, <i>Lawr</i> . ochrolæmus?, <i>Lawr</i> .	Panama.
2329. variegaticeps, Sclat.	
2330. concolor, Natt. & Pelz.	Brazil.
2331. dendrocolaptoides, Natt. & Pelz.	"
2332. echinatus, Tem.	Bahia.
2333. infuscatus, Tem. puncticollis, Natt.	Brazil.
2334. dimidiatus, <i>Pele</i> . rufus, <i>Natt</i> .	,
2335. rufipileatus, Pelz.	,,
2336. obscurus, Pelz.	,,
2337. contaminatus, Licht.	21
2338. ferrugineigula, Pelz.	Cape Horn.
2339. rufescens, Lawr.	Costa Rica.
657. c. Eusphenura, Fits. 1864. Sphenura, Spix, 1824, nec Licht. 1823. Sphænura, D'Orb. 1844.	
2340. subulatus, Spix, A. B. t. 83. 1; F. P. t. 21. 1. melanorhynchus, Tsch.	Brazil, Peru.
658. d. Dendroma, Sw. 1837.	
Dendrodromus, <i>Agass.</i> Anabates, <i>Sundev.</i> 1835.	
2341. rufus, V.; Spix, A. B. t. 75. poliocephala, Licht.; ruficollis, Spix. caniceps, Sw.; rufifrons, Less.	Brazil.
2342. Lichtensteini, Cab. & H. poliocephala, juv., Licht.	11
659. e. Thripophaga, Cab. 1847. Sphenura, Sundev. 1835, nec Licht. 1823.	
2343. striolatus, Licht.; Spix, A. B. t. 83. 2. striatus, Spix; macrourus, Max. ruficollaris, Less.	"
2344. erythrophthalmus, Mas.; Des Murs, I. O. t. 44. aradoïdes, Lafr.	,,
2345. guttuligera, Sclat.	New Granada.
660. f. PSEUDOCOLAPTES, Reich. 1853. Oripne, Cab. 1859.	•
2346. Boissoneautii, Lafr. auritus, Licht.; semicinnamomeus, Reich.	New Granada. Ecuador, Peru.

g. Homorua, Reich. 1853. 661. Anabates, Cuv. 1829. Sw. C. of B. f. 282 a?; G. of B. pl. 42. f. 3. Brazil. 2347. cristatus, Spix, A. B. t. 84. 2348. lophotes, Bp.; Sw. B. of Bras. pl. 81. subcristata, Sw. cristatus, p.?, Lafr.; unirufus, p., Burm. Bolivia. 2349. unirufus, Lafr.; D'Orb. Voy. Am. t. 55. 1. cristatus, p., Cab. 662. A. THRIPADECTES, Sclat. 1861. 2350. flammulatus, Eyton. Bogota. 663. i. Ancistrops, Sciat. 1861. 2351. lineaticeps, Sclat. E. Peru. 664. j. Pseudoseisura, Reich. 1853. 2352. gutturalis, Lafr.; D'Orb. Voy. A. M. t. 55. 3. Patagonia. **665. XENOPS, I**W. 1811. Neops, V. 1816. Sw. C. of B. f. 74; G. of B. iii. app. p. 7, suppl. pl. 186. f. 4; Reich. S. A. t. 36. f. a. XENOPS. 2353. rutilus, Licht.; P. C. 72. 2; Sw. Zool. Ill. pl. 100. S.E. Brazil. Bolivia. rutilans, Tem.; genibarbis et affinis, Sw. 2354. heterurus, Sclat. Bogota. rutilans, p., Sclat. 2355. genibarbis, Ill.; P. C. 150. 1; V. Gal. des Ois. t. 170; Lev. Prom. t. 31. 2? Brazil. ruficauda, V.; Hoffmanseggii, Cuv.? 2356. mexicanus, Sclat. Oaxaca. 2357. approximans, Pelz. Braz., Ucayali, Nauta. Esmeralda. 2358. littoralis, Sclat. genibarbis, Sclat. 2359. niger, Natt. & Pels. Brazil. 2360. tenuirostris, Pels. 2361. dentirostris, Sw. 666. b. Sphenops et Sphenopsis, Sciat. 1861. 2362. ignobilis, Sclat. S. America. 667. c. Anabasitta, 1838, et Anabazenops, 1841, Lafr.

Syndactyla et Cichlocolaptes, p., Reich. 1853. Zenops, 2 div., Less. 1837. Xenicopsis, Cab. 1859. 2363. variegaticeps, Sclat.

2364. subalaris, Sclat. Cat. of A. B. pl. 14.

2365. temporalis, Sclat.

2366. rufosuperciliata, Lafr. M. de Z. 1832, t. 7. ochroblepharus et adspersus, Reich.

2367. guttulatus, Sclat. Pr. Z. S. 1857, pl. 130.

2368. lineatus, Lawr.

668.

d. Anabatoides, Des Murs, 1853.

2369. fuscus, V.; P. C. 150. 2.

albicollis, Licht.; anabatoides, Tem.

669. e. Heliobletus, Reich. 1853.

2370. superciliosus, Licht.

pyrrhophæus, V.; xenops, Tem. MS. contaminatus, Licht.

Brazil.

Mexico.

Pallatanga.

Venezuela. Costa Rica.

S.E. Brazil.

Brazil, Bolivia.

Argentine Rep.

Subfam. IV. Oxyrhamphinæ, Sw. 1831.

Anabatinæ, p., G. R. Gr. 1840.

670. OXYRHAMPHUS, Strickl. 1841.

Oxyrhynchus, Tem. 1820, nec Gesn. 1604. Oxyruncus, Tem. olim.

Sw. C. of B. f. 79; G. of B. i. p. 138, pl. 42, f. 4; Reich. S. A. t. 36, f.

2371. flammiceps, Tem. P. C. 125; Sw. Zool. Ill. pl. 49; Delic. Fl. et Foun. Bras. t. . . cristatus, Sw.; serratus, Mikan.

2372. frater, Sciat. & S. Exot. Orn. pl. 66.

Veragua.

Subfam. V. Dendrocolaptinæ, G. R. Gr. 1840.

Certhianæ, p., Bp. 1831.

671. DENDROCOLAPTES, Herm. 1804.

Dendrocopus, V. 1816, nec Koch, 1816. Orthocolaptes, Less. 1840. Dendrocops, Sw. 1837. Premnocopus, Cab. 1847.
Sw. C. of B. f. 281 a; G. of B. i. p. 139, pl. 43. f. 4; Reich. S. A. t. 36. f.

a. DENDROCOLAPTES.

2373. giganteus, Müll.; P. E. 621; Lev. Prom. t. 26. certhia, Bodd.; cayennensis, Gm.; scandens, Lath. major, Herm.; communis, Less, undulatus, Cab.

2374. Sancti Thomse, Lafr.

Cayenne. Upp. Amazon. Bolivia.

Hond., Panama, C. Rica, Guat. 2375. picumnus, Licht.; Spix, A. B. t. 89. cayanensis, p., Licht.; platyrostris, Spix. melanops, Less.; platyrhynchus, Reich. fortirostris, Such?

2376. validus, Tsch. F. P. t. 21. 2.

2377. radiolatus, Sclat.

2378. puncticollis, Sclat. & S. Pr. Z. S. 1868, pl. 5. multistrigatus, Sclat. & S.

2379. multostrigatus, Eyton. crassirostris, Such?; validus, p., Sclat. § S.

2380. concolor, Pelz.

2381. pallescens, Pelz.

2382. ? olivaceus, Eyton.

2383. ? simpliciceps, Pucher. & Lafr.

672. b. Xiphocolaptes, Less. 1840.

Dendrocopus, Reich. 1853. Dendrocolaptes, Bp. 1854. Dryocolaptes, Fitz. G. of B. pl. 43. f. 4.

2384. albicollis, V.; Abh. Ak. Berl. t. 1. 1. decumanus, Licht.; guttatus, Max. cyanotis, Licht.?

2385. procerus, Cab. & H.

2386. promeropirhynchus, Less. melanops, Less.

2387. lineatocephalus, G. R. Gr. & M. G. B. pl. 43. promeropirhynchus, p., Sclat.

2388. major, V.; *Mag. de Zool*. 1833, t. 16. rubiginosus, *Lafr*.

2389. emigrans, Sclat. albicollis, Sclat.

2390. Perrotii, Lafr. Mag. de Zool. 1844, t. 54.

2391. fortis, Heine.

673. c. Dendrexetastes, Eyton, 1851.

Cladoscopus, Reich. 1853.

2392. Temminckii, Lafr. Mag. de Zool. 1841, t. 4. capitoides, Eyton.

2393. Devillii, Des Murs; Casteln. Voy. t. 13. 1.

674. d. Nasica, Less. 1831.

Dendrocolaptes, 3 div., Cuv. 1829.

Brazil.

Peru.

E. Peru.

Guatemala.

Vera Paz, Nicara.

Amazonia.

Brazil.

Columbia.

Brazil, Bolivia. Argent. Repub.

Venezuela.

Bogota.

Bolivia.

Guatemala.

Cayenne.

Amazon.

Peru.

HAND-LIST OF BIRDS.

2394. longirostris, Licht.; Lev. Prom. t. 24. Brazil. nasalis et albicollis, Less. R. Negro. 2395. gracilirostris, Burm. Rio Quinto. 675. e. Dendroplex, Sw. 1827. Dendrocolaptes, 2 div., Cuv. Dendrocopus, Sundev. 1835. 2396. picus, Gm.; P. E. 605; Lev. Prom. t. 27. Reazil minor, Herm.; rectirostris, V. Amaz., Bolivia. guttatus, Less.; picoides, Shaw; chrysolophus, Sw. altirostris et nigrirostris, Lafr. 2397. picirostris, Lafr.; Des Murs, I. O. t. 51. N. Gran., Boliv. 2398. intermedius, Bp. 2399. similis, Natt. Brazil. 676. f. Dendrornis, Eyton, 1852. Premnocopus, Reich. 1853. Dendroplex, Sw. 1837? 2400. susurrans, Jard. Tobago. albisquamata, Lafr. Trinidad. 2401. rostripallens, Des Murs; Casteln. Voy. t. 12. 2. R. Napo, Ega. pallidirostris, Sclat. 2402. multiguttatus, Lafr.; Casteln. Voy. t. 12. 1. Cayenne. 2403. eburneirostris, Less.; Des Murs, I. O. t. 52. Guatemala. flavigaster, Sw.; flavigastra, Sclat. Mexico. albirostris, Lafr. 2404. triangularis, Lafr. Mag. de Zool. 1843, t. 32. Bogota, Ecuador, Venezuela. 2405. erythropygius, Sclat. Jalapa. triangularis, Sclat. 2406. pardalotus, V.; Lev. Prom. t. 30. Cavenne. flammeus, Licht.; guttatus, p., Lafr. Bogota, Bolivia. 2407. palliatus, Des Murs; Casteln. Voy. t. 15. 1. Gualaquiza. 2408. nanus, Lawr. Panama. 2409. elegans, Pelz. Brazil. 2410. Beauperthuysii, Lafr. susurrans, Sclat.? 2411. guttatus, Licht. 2412. guttatoides, Lafr. Cayenne. 2413. mentalis, Lawr. W. Mexico. 2414. Eytoni, Sclat. P. Z. S. 1853, pl. 52. Lower Amazon, Brazil. 2415. Kieneri, Lafr.; Casteln. Voy. t. 14. 1. Ega.

2416. D'Orbignyanus, Pucher.

2417. ocellatus, Tach.	Peru.
2418. obsoletus, Ill.	Brazil.
2419. chunchotambo, Tsch. F. P. t. 22. 1.	Peru.
2420. lacrymosus, Lawr.	Brazil.
677. XIPHORHYNCHUS, Sw. 1827. Dendrocolaptes, 3 div., Tem. 1830, et 4 div., Cuv. 1829. Ziphorhynchus, Sw. 1837. Sw. C. of B. f. 281 b; G. of B. i. p. 140, pl. 43. f. 1; Reich. S. A. t. 36. f.	
a. XIPHORHYNCHUS.	
2421. procurvus, Tem. P. C. 28; V. Gal. des Ois. t. 175. falcularius, V.; trochilirostris, Lafr.	Brazil, Bolivia.
2422. Lafresnayanus, D'Orb. Voy. A. M. t. 53, 2. procurvus, Lafr.	Bolivia.
2423. venezuelensis, Lafr.	Venezuela.
2424. granadensis, Lafr.	New Granada.
2425. thoracicus, Sclat.	Ecuador.
2426. procuroides, Lafr.	Cayenne.
2427. trochilirostris, Licht. Abh. Ak. Berl. 1818, t. 3. procurvus, Lafr.; Wiedi, Hartl.	Brazil.
2428. brevirostris, Lafr.	"
2429. isabella, Verr.	"
2430. pusillus, Sclat.	Bogota.
678. b. Drymornis, Eyton, 1852.	
2431. Pucherani, Lafr.; Des Murs, I. O. t. 68.	11
2432. Brydgesii, Eyton, Contr. Orn. 1849, pl	Bolivia.
679. PICOLAPTES, Less. 1831. Thripobrosus, Cab. 1847. G. of B. i. p. 140.	
a. Picolaptes.	
2433. tenuirostris, Licht.; Spix, A. B. t. 91. 2. fuscus, V.; Spixii, Less.; guttata, Less. Cent. Zool. t. 32.	Brazil.
2434. angustirostris, V. bivittatus, p., Lafr.	Paraguay. Bolivia.
2435. bivittatus, Licht. Abh. Ak. Berl. 1820, t. 2. 2. angustirostris, p., G. R. Gr.	Brazil, Bolivia. Argentine Rep.
2436. ministus, <i>Ill.</i> rubricaudatus, <i>V</i> .	Paraguay.

2437. falcinellus, <i>Licht</i> . squamatus, <i>Lafr</i> .	Buenos Ayres.
2438. ocellatus, Spix, A. B. t. 91. 1. guttatus, Spix.	Brazil.
2439. compressus, Cab.	Costa Rica.
680. b. Lepidocolaptes, Reich. 1853.	
2440. squamatus, Licht.; Spix, A. B. t 90. 2. Wagleri, Spix; maculiventris, Less.	Trinidad. Brazil.
2441. leucogaster, Sw. Wagleri, p., G. R. Gr.	Mexico.
2442. Souleyetii, Lafr.; Des Murs, I. O. t. 69.	Ecuador.
2443. lineaticeps, Lafr.	Mexico.
2444. Lafresnayi, Cab. & H.	Venezu., Bolivia.
2445. Warsciwiczi, Cab. & H.	Peru.
2446. atripes, Eyton.	Bolivia.
2447. validirostris, Eyton.	
681. c. Dacryophorus, Bp. 1854.	
2448. lacrymiger, Lafr.; Des Murs, I. O. t. 70.	Ecuador, Bogota.
2449. affinis, <i>Lafr.</i> angustirostris, <i>Bp.</i>	Jalapa.
2450. albilineatus, Lafr.	Mexico, Columb
2451. fuscicapillus, Pelz.	Brazil.
682. DENDROCINCLA, G. R. Gr. 1840. Dryocopus, Max. 1831, nec Boie, 1826.	

a. DENDROCINCLA.

G. of B. i. p. 141, pl. 43. f. 5; Reich. S. A. t. 36. f. .

2452. turdina, Licht. Abh. Ak. Berl. 1820, t. 2. 1, turdinea, Burm.

2453. atrirostris, Lafr.; D'Orb. Voy. t. 54. 1 olivaces et fumigata, Lawr.? turdinus, var., Lafr.

2454. fumigata, Licht.; Lev. Prom. t. 28. fuliginosus, V.

2455. ? Delattrii, Bp.2456. minor, Pelz.

2457. tyrannina, Lafr.

2458. longicauda, Natt.

Bolivia, Ecuad.

Brazil.

Nicaragua.

Brazil.
Bogota.

Rio Negro.

N 2

683. b. DENDROMANES, Sclat. 1859.

2459. anabatina, Sclat. Pr. Z. S. 1859, pl. 150.

Mexico, VeraPaz, Oaxaca.

2460. homochroa, Sclat.

Oaxaca.

2461. merula, Licht.

Guiana, Amaz.

2462. meruloides, Lafr. melulina, Cab. & H. Venezuela.

2463. ruficeps, Sclat. & Salv.

Panama.

684. SITTASOMUS, Sw. 1827.

Synallaxis, 2 div., Cuv. 1829. Dendrocolaptes, 4 div., Tem. 1820. Sittosomus, Cab. & H. 1859.

Sw. C. of B. f. 281 d; G. of B. i. p. 141, pl. 43. f. 3; Reich. S. A. t. 36. f.

a. SITTASOMUS.

2464. erythacus, Licht. Abh. Ak. Berl. 1820, t. 1. 2, 3; P. C.

S. Brazil. Bolivia.

sylviellus, Tem.; Temminckii, Less.

Ecuador.

2465. amazonus, Lafr. & Dev.; Casteln. Voy. t. 15. 3. erythacus, Sclat.

Rio Negro.

Mexico.

2466. sylvioides, Lafr. pectinicauda, Cab. & H.

2467. griseus, Jard.

Tobago.

2468. pallescens, Lafr.

2469. ? Orbignyanus, Lafr.

2470. olivaceus, Max.

S. Brazil.

2471. stictolæmus, Pelz.

Borba, Brazil.

685. b. MARGARORNIS, Reich. 1853.

2472. squarniger, Lafr.; D'Orb. Voy. t. 542. perlatus, Less.

Bolivia Ecuador. New Granada.

2473. gutturalis, Lafr.

Bolivia.

2474. certhioides, Lafr.

Argentine Rep.

2475. rubiginosus, Lawr.

Costa Rica.

2476. brunnescens, Sclat. Pr. Z. S. 1857, pl. 116.

Bogota, Veragua.

Ecuador.

2477. guttatus, Lawr.

c. Siptornis, Reich. 1853. 686.

2478. flammulatus, Less.

Brazil.

687. GLYPHORHYNCHUS

et Sphenorhynchus, Max. 1831. Sittacilla, Less. 1837. Zenophasia, Sw. 1837. Xenophasia, Strickl. 1841. Neops, Bp. 1854, nec V.

G. of B. i. p. 141, pl. 43. f. 2; Reich. S. A. t. 36. f.

2479. cuneatus, Licht. Abh. Ak. Berl. 1818, t. 3. 1. ruficaudus, Max.; platyrhyncha, Sw.

Brazil.

2480. Castelnaudii, Des Murs; Casteln. Voy. t. 15. 2. cuneatus, p., Sclat. Bogota. Pallatanga.

2481. major, Sclat.

Vera Paz.

cuneatus, Lawr.; pectoralis, Sclat. & Salv.

688. PYGARRHICHUS, Licht. 1837.

Dendrodromus, Gould, 1839.
Dromodendron, G. R. Gr. 1840.
Dromodendrum, Agass.
Pigarrhicus, Des Murs, 1853.
Pygarhicus, Hartl.
Pygarrhicus, Bp. 1850.
G. of B. i. p. 149, pl. 45. f. 4; Reich. S. A. t. 36. f.

2482. albogularis, King, Voy. Beagle, pl. 27. leucosternus, Gould; sitellus, Licht.

S. Chili.

Subfam. VI. Sittinæ, Bp. 1831.

689. SITTA, L. 1735.

Sitella, Rafing. 1815.

Sw. C. of B. f. 72; G. of B. i. p. 147, pl. 45. f. 1; Reich. S. A. t. 36. f.

a. SITTA.

2483. europesa, L.; P. E. 623. 1; Naum. Vög. t. 139; Gould, B. E. pl. 236.

N. Europe.

uralensis, Licht.; sericea, Tem. asiatica, Gould; roseilia, Tem.

Japan.

2484. cæsia, Wolf & Mey.; Gould, B. E. pl. 234.

C. S. Europe.

europea, Flem.; Krueperi, Tristr.? europea, var., Blas.; affinis, Bl.

2485. syriaca, Ehr.; Gould, B. E. pl. 235. Neumayer, Mich.; rupestris, Tem. saxatilis, Schinz. S.E. Europe. Candahar. N. Africa.

2486. himalayensis, Jard. & S. I. O. pl. 146; Gould, B. As. pl.

Himalayas. Sikkim.

vitticauda, James; indica, Burt. nipalensis, Hodgs.

nipalensis, Hodgs.

S. & C. India.

2487. castaneoventris, Frankl.; Jard. & S. I. O. pl. 145; Gould, B. As. pl.

castanea, Less.; ferrugineoventris, Gould.

2488. cinnamomeoventris, Bl.; Gould, B. As. pl. nipalensis, Bp.; castaneoventris, Hodgs.

Himalayas. Sikkim.

2489. leucopsis, Gould, B. As. pl. castanilia, Bp.

Simla. N.W.Himalayas.

2490. carolinensis, Lath.; V. Gal. des Ois. t. 171; Baird, B. N. A. pl. 33, 4. melanocephala, V.

E. N. America.

2491. canadensis, Lath.; P. E. 623.3; Wils. A. O. pl. 2.4., N. America. stulta, V.; varia, Wils.

2492. pusilla, Lath.; Wils. A. O. pl. 15. 2.

S. Atlantic States.

2493. pygmæa, Vig. Beechey's Voy. pl. 4. 2.

N.W. America.

2494. aculeata, Cass.; Baird, B. of N. A. pl. 33. 3.

E. of Rocky Mts.

2495. Krueperi, Pelz. Ibis, 1865, pl. 7.

Asia Minor.

2496, villosa, Verr. N. Arch. du Mus. i. t. 5. 1.

N. China.

690.

b. Callisitta, Bp. 1850.

2497. formosa, Bl.; Gould, B. As. pl.

Sikkim.

c. Dendrophila, Sw. 1837. Orthorhynchus, Horsf. 182 ?, nec Cuv. 1829.

2498. frontalis, Horsf.; P. C. 72. 3. velata, Tem.

Java, Sumatra. Borneo, Burmah.

2499. corallina, Hodgs. frontalis, Bl.

Nepal. Ceylon, Pegu.

2500. azurea, Less.; G. R. Gr. & M. G. B. pl. 45. flavipes, Sw.; gymnophrys, Kuhl; Schl. de Dierg. fig. p. 159. gymnopsis, Schl. C. Asia.

692. d. HYPHERPES, Newt. 1863. Sitta, p., Schl. & Poll.

2501. corallirostris, Newt. Pr. Z. S. 1863, pl. 13.

Madagascar.

693. SITTELLA, Sw. 1837, nec Rafing. 1815. G. of B. i. p. 148, pl. 45. f. 2; Reich. S. A. t. 36. f.

4933. 2502. chrysoptera, Lath. Syn. suppl. pl. 127; Gould, B. A. iv. pl. 101.

New S. Wales.

7376 g. 2503. leucocephala, Gould, B. A. iv. pl. 102.

N.S. W., N. Aus. N. Australia.

2504. leucoptera, Gould, B. A. iv. pl. 103.

S.&W.Australia.

10// • 2505. pileata, Gould, B. A. iv. pl. 104. melanocephala, Gould.

S. Australia.

2506. tenuirostris, Gould.

694. ACANTHISITTA, Lafr. 1843.

Acanthidositta, Agass. G. of B. i. p. 148, pl. 45, f. 3; Reich. S. A. t. 36, f. .

a. ACANTHISITTA.

3734. 2507. chloris, Sparrm. M. C. t. 33; Mag. de Zool. 1842, t. 27. New Zealand. tenuirostris, Lafr. ♀, citrina, Gm. citrinella, Forst juv., punctata, Quoy & G. Voy. Astrol. t. 18. 1.

b. XENICUS, G. R. Gr. 1853.

2508. longipes, Gm. Voy. Ereb. & Terr. pl. 3. 1.

3773 2509. Stokesi, G. R. Gr. longipes Q, G. R. Gr.?

2510. gilviventris, Pelz.

2511. Haasti, Buller.

S. Island, New Zealand.

FAM. VII. CERTHIIDÆ, Viq. 1825.

Subfam. I. Certhiinse, Bp.

696. CERTHIA, L. 1735, 1744, 1758, 1766.

Ispida, p., L. 1748, 1756. Falcatores, Klein, 1759. Sw. C. of B. f. 280 a, b; G. of B. i. p. 143, pl. 44. f. 5; Reich.

2512. familiaris, L.; P. E. 681; Naum. Vög. t. 140; Gould, B. E. pl. 237.

Nattereri, Bp.; Costæ, Bailly. scandulosa, Pall.; brachydactyla, Natt.

2513. americana, Bp.; Wils. A. O. pl. 8. 1.

familiaris, Wils.; albifrons, Bl.?

2514. mexicana, Reich.; Baird, B. N. A. pl. 83. 2. americana, p., Baird.

2515. himalayana, Vig.; Gould, B. As. pl. asiatica, Sw.

2516. nepalensis, Hodgs.; Gould, B. As. pl. himalayana, Bl.

2517. discolor, Bl.; Gould, B. As. pl.

Himalaya Mts.

Nepal.

Europe.

America.

Mexico.

Sikkim.

697. CAULODROMUS, G. R. Gr. 1847.

Rimator, Bl. 1847. Merva, Hodgs. 1847. G. of B. i. p. 143, pl. 44. f. 4; Reich. S. A. t. 38. f. . 2518. Gracei, G. R. Gr. & M. G. B. pl. 44.2; Calc. Journ. N. H. 1847, p. 32. malacoptilus, Bl.; Jerdonii, Hodgs.

Darjeeling.

698. SALPORNIS, G. R. Gr. 1847.

G. of B. i. p. 144, pl. 44. f. 3; Reich. S. A. t. 38. f.

2519. spilonota, Frankl.; G. R. Gr. & M. G. B. pl. 44. 1; Gould, B. As. pl.

Behar.

Subfam. II. **Tichodrominæ**, Bp. 1849.

Certhianse, p., G. R. Gr. 1840. Climacterinse, Cab. 1860.

699. TICHODROMA, *Ill.* 1811.

Petrodroma, V. 1816. Jetrodroma, Boie, 1826. G. of B. i. p. 144, pl. 44. f. 1; Reich. S. A. t. 38. f.

2520. muraria, L.; P. E. 372; Lev. Prom. t. 20, 21; Naum. Vog. t. 141; Gould, B. E. pl. 239.

phœnicoptera, Tem. subhimalayana, Hodgs.; nipalensis, Bp. muraria, p., Hodgs.

Europe. Egypt, Abyssin. Nepal.

700. CLIMACTERIS, Tem. 1820.

Sw. C. of B. f. 73; G. of B. i. p. 145, pl. 44. f. 2; Reich. S. A. t. 38. f. .

a. CLIMACTERIS.

4 2521. leucophæa, Lath.; P. C. 281. 1; Gould, B. A. iv. pl. 98. N. S. W., S. Aus. picumnus, Tem.; leucoptera, Lath. Bailloni, V. Gal. des Ois. t. 172?

Celebes, Timor.

2522. pyrrhonota, Gould. leucophæa, p., Gould.

Australia.

5 6 7 2523. scandens, Tem. P. C. 281, 2; Gould, B. A. iv. pl. 93; New S. Wales, S. Kittl. Kupf. Vog. t. 6, 1.

Austr., Nor. I.

2524. melanura, Gould, B. A. iv. pl. 97.

N. Australia.

2525. rufa, Gould, B. A. iv. pl. 94.

W. Australia.

2526. erythrops, Gould, B. A. iv. pl. 95.

New S. Wales.

2527. melanota, Gould, B. A. iv. pl. 96. melanonota, Gould.

N. Australia.

701. b. RHABDORNIS, Reich, 1854.

2528. mystacalis, Tem. P. C. 335; Kittl. Kupf. Vog. t. 6. 2. Luzon.

FAM. VIII. MENURIDÆ, Bp. 1849.

Cracidæ, p., Vig. 1825. Penelopidæ, p., Bp. 1831. Megapodidæ, p., Sw. 1837. Eriodoridæ, p., 1847, et Pteroptochidæ, 1859, Cab.

Subfam. I. Menurinæ, G. R. Gr. 1847.

Megapodinæ, p., 1840, et Troglodytinæ, p., G. R. Gr. 1841.

702. MENURA, Davies, 1800.

Parkinsonius, Bechst. Megapodius, Wagl. 1827. Mænura, Cuv. 1829. Megnura, Less. 1828.

Sw. C. of B. f. 302; G. of. B. i. p. 153, pl. 47. f. 9; Reich. S. A.

2529. superba, Davies, Linn. Trans. vii. pl. 22; V. Gal. des Ois. t. 192; Gould, B. A. iii. pl. 14.

menura, Wagl.; lyra, Shaw; novæ hollandiæ, Lath. mirabilis, Bechst.; vulgaris, Flem.; paradisia, Sw. lyrata, Less.

/5550 2530. Alberti, Gould, B. A. suppl. pl.

Richmond River.

New S. Wales.

2531. Victoriæ, Gould.

Port Phillip.

Subfam. II. Orthonycinæ, G. R. Gr. 1840.

703. ORTHONYX, Tem. 1820.

Sw. C. of B. f. 77; G of B. i. p. 151, pl. 44. f. 6; Reich. S. A. t. 38. f.

a. ORTHONYX.

1512 2532. spinicauda, Tem. P. C. 428, 429; Gould, B. A. iv. pl. 99. New S. Wales. maculatus, Steph.; Temminckii, Vig.

2533. Spaldingi, Rams.

Rocking. Bay, Queensland.

704.

b. Моноча, Less. 1837.

Clitonyx, Reich. 1853.

/3//. 2234. ochrocephala, Gm. Voy. Astrol. t. 17. 1; G. R. Gr. & M. G. B. pl. 46.

> chloris, Forst.; icterocephala, Lafr. heteroclita, Quoy & G.; hua, Less.

New Zealand. South Islds.

2535. albicilla, Less.; Voy. Ereb. & Terr. pl. 5. 2. senilis, Dubus.

New Zealand. South Islds.

FAM. IX. PTEROPTOCHIDÆ, Sclat. 1858.

Certhiadæ, p., G. R. Gr. 1840. Merulidæ, p., Sw. 1837. Eriodoridæ, p., Cab. 1847.

Subfam. I. Pteroptochinæ, Cab. 1859.

Crateropodinæ, p., Sw. 1837. Troglodytinæ, p., G. R. Gr. 1840. Myjotherinæ, p., Cab. 1847.

705. HYLACTES, King, 1830.

Megalonyx, Less. 1831. Hylaetes, D'Orb. 1844. G. of B. i. p. 154, pl. 47. f. 4; Reich. S. A. t. 57. f.

2536. Tarnii, King; D'Orb. Voy. A. M. t. 8. 1. ruficeps, Lafr.

Isld. of Chiloe. Conception.

2537. castaneus, Phil. & Landb.; Sclat. & Salv. E. O. pl. 29. Chili.

2538. megapodius, Kittl. Mém. Acad. Pétersb. 1831, t. 4; Sw. Z. I. pl. 117.
rufus, Less.; macropus, Sw.

706. PTEROPTOCHOS, Kittl. 1830.

Leptonyx, Sw. 1832. Pteroptochus, Wiegm. 1836. Platyurus, p., Sw.
G. of B. i. p. 155, pl. 47. f. 3; Reich. S. A. t. 57. f

a. PTEROPTOCHOS.

2539. rubecula, Kittl. Mém. Acad. Pétersb. 1831, t. 2; D'Orb. Voy. A. M. t. 7. 2. rufogularis, D'Orb.

Chili.

I. of Chiloe.

2540. albicollis, Kittl. Mém. Acad. Pétersb. 1831, t. 3; D'Orb. Voy. A. M. t. 8. 2. medius, Less. Ill. de Zool. t. 60.

Chili.

Mountain, 2000: 211, 00 2001. 11 00.

b. Acropternis, Cab. 1859.
 Ommatornis, Sclat. MS.

2541. orthonyx, Lafr. Mag. de Zool. 1844, t. 53.

New Granada.

708.

c. Liosceles, Sclat. 1864.

2542. thoracicus, Sclat. Pr. Z. S. 1864, pl. 38.

Costa Rica, R.

709.

d. TRIPTORHINUS, Cab. 1847.

Platyurus, p., Sw. Reich. S. A. t. 57. f.

2543. paradoxus, Kittl. Mém. Acad. Pétersb. 1831, t. 5. chilensis, Ménétr.; lepturus, Sw.

Chili.

I. of Chiloc.

710. c. Agathopus, Sclat. 1858.

2544. micropterus, Sclat.

Rio Napo.

711. f. Scytalopus, Gould, 1836. Sylviaxis, Less. 1840.

Reich. S. A. t. 57. f.

2545. magellanicus, Gm.; Jard. Contr. Orn. pl. 77. fuscus, Gould; niger, Sw.; æthiops, Hartl. obscura, King; speluneæ, Ménétr. fuliginosum, Less.; albifrons, Landb.

Str. of Magellan. Chili, Patagonia. Falkland Isld. Terra del Fuego, I. of Chiloe. Brazil.

2546. indigoticus, Licht.; Jard. Contr. Orn. pl. 76. 2, & pl. 78. albiventris, Ménétr.; albigularis, Gould.

2547. polygramma, n. sp.?

Guatemala.

2548. ? fuscoides, *Lafr*. fuscus, var.?

Chili.

2549. undulatus, Jard. & S. Ill. O. pl. 19; Contr. Orn. 1851, pl. 76. 1.

---- ?

2550. nanus, Lafr.

I. of Chiloe.

712. g. Merulaxis, Less. 1830.

Platyurus, Sw. 1837. Malacorhynchus, Ménétr. 1834, nec Sw. Sarochalinus, Cab. 1847. Merularis, D'Orb. Reich. S. A. t. 57. f.

2551. rhinolophus, Max.; Cent. Zool. t. 30; Sw. B. Braz. pl. 55, 56.

Brazil.

ater, Less.; cristatellus, Ménétr. corniculatus, Sw.

2552. analis, Lafr.

Paraguay, Chili.

2553. ? senilis, Lafr.

Bogota.

2554. ? squamiger, Lafr.

I. of Chiloe.

713. RHINOCRYPTA, G. R. Gr. 1841.

Rhinomya, I. Geoffr. 1832, nec Rob. 1830. Megalonyx, Less. 1837. Rhinomyia, Agass. G. of B. i. p. 154 a, pl. 47. f. 10; Reich. S. A. t. 57. f.

2555. lanceolata, I. Geoffr.; D'Orb. Voy. A. M. t. 7. 1; Mag. de Zool. 1832, t. 3.

Patagonia.

FAM. X. TROGLODYTIDÆ, Sclat. 1862.

Liotrichidæ, p., Cab. 1847.

Subfam. I. **Troglodytinæ**, G. R. Gr. 1840, & Cab. 1847.

Troglodytænæ, Sw. 1831.

714. TESIA, 1837,

et Oligura, 1844, Hodgs. G. of B. i. p. 156.

a. TESIA.

2556. castaneocoronata, Burt.; G.R. Gr. & M. G.B. pl. 47.1. E. Himalaya. flaviventris, Hodgs.

2557. cyaniventris, Hodgs.; Gould, B. As. pl. auriceps, Hodgs.; olivacea, M'Clell.

S.E. Himalaya.

715.

b. Anura, 1841,

et Pnoëpyga, 1844, et Propyga, et Proepygia, 1846, Hodgs. Microura, Gould, 1837. Microura, Strickl. 1841. Aipunemia, Sw. 1831? Æpynemia, Strickl. 1840. G. of B. pl. 47. f. 5; Reich. S. A. t. 57. f.

2558. squamata, Gould, I. A. pl.

Himalayas.

albiventer, rufiventer, unicolor et concolor, Hodgs.

2559. pusilla, Hodgs.

Darjeeling.

2560. caudata, Bl.

Nepal.

2561. longicaudata, Moore.

N.W. Himalaya.

716. TROGLODYTES, *V.* 1807.

Troglodites, Cuv. 1817, nec L. 1744. Anorthura, Renn. 1831 Sylvia (Troglodytæ), Meyer, 1815. Sw. C. of B. f. 71; G. of B. i. p. 157, pl. 47. f. 1; Reich. S. A.

a. TROGLODYTES.

2562. parvulus, Koch; P. E. 651. 2; Naum. Vög. t. 83. 4; Gould, B. E. pl. 130.

Europe.

troglodytes, L.; europæus, Cuv. regulus, Meyer.

2563. nipalensis, Hodgs.; Gould, B. As. pl. subhimalayanus, Hodgs.

Nepal.

2564. fumigatus, Tem.

Japan.

2565. punctatus, B/.

Darjeeling.

2566. hyemalis, V.; Wils. A. O. pl. 8. 6. troglodytes, Wils. hyemalis, var. pacificus, Baird.

E. United States. Cordova? Pacific co., U.S.

717.

b. Thriothorus,

et Thryothorus, V. 1816. Thryotorus, Reich. 1850. Telmatodytes, Cab. 1850. Thriotherus, Aliq. Thryophilus, Baird.

Reich. S. A. t. 57. f.

2567. ludovicianus, Lath.; P. E. 730. 1; Wils. A. O. pl. 12. 5. caroliniana, Wils.; arundinaceus et littoralis, V.; louisianæ,

Mexico.

2568. longirostris, V. Gal. des Ois. t. 168.

Brazil.

2569. nigricapillus, Sclat.

Ecuador.

United States.

2570. pleurostictus, Sclat. Cat. of A. B. pl. 4.

Vera Paz.

2571. Berlandieri, Couch; Baird, B. N. A. pl. 83. 1.

N.E. Mexico.

2572. petenicus, Salv. albinucha, Cabot.

Guatemala.

2573. leucotis, Lafr.

Mex., L. Amaz., Panama, Cay.

2574. Eidouxi, Bp.

Brazil.

2575. polyglottus, V. omnivorus, Licht.

2576. brunneus, Lawr.

Nicaragua.

2577. minor, Pelz.

Brazil.

2578. mexicanus, Licht.

Mexico.

guttulatus, Hartl.; murarius, Licht.

2579. erythrophthalmus, Licht.

2580. deflexus, Licht.

,,

Chili.

2581. rosaceus, Less.

718. c. Pheugopedius, Cab. 1850. Thryothorus, Sundev. 1835.

2582. coraya, Gm.; P. E. 701. 1.

2583. melanos, V.; Spix, A. B. t. 73. 2. genibarbis, Sw.; coraya, Licht.

2584. mysticalis, Sclat.

2585. fasciatoventris, Lafr. albogularis, Sclat.

2586. rutilus, V.; Sw. B. Braz. pl. 15. rutilans, Sw.; gularis, Cuv.

2587. maculipectus, Lafr.

Cayenne.

Brazil. Bolivia.

Ecuador.

Bogota. Panama.

Brazil, Trinidad.

Tobago.

S. Mex. to Guat.

	190 HAND-LIST OF BIRDS.	
	2588. euophrys, Sciat.	Quito.
	2589. ? albicollis, Cuv.	Brazil.
	2590. atrogularis, Salv.	Costa Rica.
	2591. thoracicus, Salv.	**
	2592. felix, Sclat.	Mexico.
	719. d. Thryophilus, Baird, 1864.	
	2593. rufalbus, <i>Lafr</i> . venezuelanus, <i>Cab.</i> ; longirostris, <i>Lawr</i> . cumanensis, <i>Licht</i> .	New Granada. Ecuador,Guiana Panama, Trin.
	2594. modestus, Cab. leucotis, Lawr.	Costa Rica. Guatemala.
	2595. Galbraithi , <i>Lawr</i> . leucotis, p.	Panama.
	2596. castaneus, <i>Lawr</i> . nigricapillus, <i>Lawr</i> .	,, Veragua.
	2597. albipectus, Cab.	New Granada.
	2598. sinalos, Baird.	N.W. America.
-	2599. poliopleurus, <i>Baird</i> . rufalbus, var. poliopleurus, <i>Baird</i> .	Guatemala.
	2600. Schottii, <i>Baird</i> . nigricapillus, <i>Cass</i> .	Mexico. Isth. of Darien.
	2601. striolatus, Max.; Spix, A. B. t. 79. 2.	Brazil.
	720. e. Theyomanes, Sciat. 1861. Telmatodytes, p., Cab.	
T_{ij}^{r}	2802. Bewickii, Aud. B. A. ii. pl. 118. leucogastra, Gould. spilurus, Vig. Beechey's Voy. pl. 4. 1.	N. America. Mexico. California.
	721. f. Cistothorus, Cab. 1850.	
	2603. stellaris, Naum.; Aud. B. A. ii. pl. 124. brevirostris, Nutt.; Aud. B. A. ii. pl. 175.	United States. Mexico.
	2604. interscapularis, Licht.	Brazil.
	2605. elegans, Sclat. & S.	C. America.
	2606. polyglottus, V.	Brazil.
	722. g. Telmatodytes, Cab. 1850.	
	2607. arundinaceus, V.; Wils. A. O. ii. pl. 12. 4. palustris, Wils. var. paludicols, Baird.	N. America. Greenland, Mex Pacific co., U.S.

Greenland, Mex. Pacific co., U.S.

723.	i.	HYLEMOTHROUS,	Max.	1831.
------	----	---------------	------	-------

2608. platensis, Gm.; P. E. 730. 2.

Brazil, N. Patag., Bahia, Blanca, Falkland I.

2609. furvus, Gm.; Brown, Ill. pl. 18; V. Gal. des Ois. t. 167.

2610. hornensis, Less. fasciolatus, Burm.

Chili.

2611. aedon, V.; Wils. A. O. pl. 8. domestics, Wils.; fulvus, Nutt. furvus, p., Naum.

E. of U.S.

2612. musculus, Licht. æquinoctialis, Sw. B. Braz. pl. 13. Brazil.

2613. brunneicollis, Sclat. & S. E. O. pl. 23. 2.

Mexico.

2614. americanus, Aud. B. A. ii. pl. 119.

N.E. of U.S. Oaxaca.

2615. intermedius, Cab. hypaedon et aedon, Sclat.

Guatemala.

Peru, Veragua.

2616. tessellatus, Lafr. tecellata, D' Orb.

2617. inquietus, Baird. hypaedon, Lawr.

Panama.

2618. magellanious, Gould.

Str. of Magellan.

Martinique.

2619. martinicensis, Sclat.

Bogota.

2620. striatulus, Lafr.

Peru.

2621. audax, Tsch.

Pinipi, Matos.

2823. Parkmanni, *Aud. B. Am.* ii. pl. 122. sylvestris, *Gamb*.

2622. solstitialis, Sclat. & S. Ex. Orn. pl. 23. 1.

W. of U. States. California.

2624. murinus, Less. 2625. chilensis, Less.

Peru.

quereza, Cuv.

Chili.

2626. pallidus, Lafr.

Patagonia.

2627. guarayanus, Lafr.

Bolivia.

2628. rufulus, Cab.

Guiana.

724. DONACOBIUS, Sw. 1831.

Cichla, p., Wagl. 1827.

G. of B. i. p. 223, pl. 57. f. 6; Reich. S. A. t. 57. f.

a. Donacobius.

2629. cyaneus, Müll.; P. E. 392; Sw. Zool. Ill. pl. 27. atricapillus, L.; braziliensis et japacani, Gm.; longirostris, Pall. Brazil.

Paraguay.

vociferans, Sw.; vociferus!, Sclat. pratensis, V.

2630. albolineatus, Lafr.; D'Orb. Voy. A. M. t. 12. 1.

Bolivia.

b. Heleodytes, Cab. 1850.

Furnarius, Sw. 1837. Buglodytes, Bp. 1853.

2631. griseus, Sw. albicilius, Bp.

Santa Martha.

2632. albobrunneus, Lawr.

Panama.

2633. minor, Cab.

Chili.

726. CAMPYLORHYNCHUS

et Kampylorhynchus, Spix, 1824. Cichla, Wagl. 1827, nec Bl. 1851.

G. of B. i. p. 158, pl. 47. f. 7; Reich. S. A. t. 57. f. .

2634. variegatus, Gm.; Spix, A. B. t. 79. 1.

Bahia.

scolopaceus, Licht.

2635. brunneicapillus, Lafr. Mag. de Zool. 1835, t. 47; Cass. B. Texas, pl. 25.

N. Mexico.

2636. zonatus, Less. Cent. Zool. t. 70.

Guatemala, Mex.

Bogota.

2637. zonatoides, Lafr.

2638. brevirostris, Lafr.

2639. megalopterus, Lafr.; Des Murs, I. O. pl. 54.

S. Mexico.

2640. pallescens, Lafr. megalopterus, Sclat.

Ecuador.

2641. capistratus, Less.; Des Murs, I. O. t. 63.

C. America.

2642. pardus, Verr. & Bp.

New Granada.

2643. hypostictus, Gould.

Peru.

Bolivia.

2644. unicolor, Lafr. scolopaceus, Lafr.

2645. rufinucha, Lafr. capistratus, p., Sclat.

V. Cruz, Xalapa.

2646. nuchalis, Cab.

Trinidad.

2647. unicoloroides, Lafr.

Bolivia.

S. Mexico.

2648. jocosus, Sclat. Cat. of A. B. pl. 3.

Mexico.

2649. guttatus, Gould. 2650. cinnamomeus, Lafr.

Guayaquil.

2651. striaticollis, Sclat.

Bogota.

2652, affinis, Xantus; Elliot, B. N. Am. pl.

Lower Calif.

2653. gularis, Sclat.

Mexico.

2654. nigriceps, Sclat.

2655. balteatus, Baird. pallescens, Sclat.

2656. brevipennis, Lawr.

2657. humilis, Sclat.

Mexico.

Guayaquil.

Venezuela.

Mazatlan,

727. CYPHORHINUS, Cab. 1844.

Leucolepis, Reich. 1850. Cyphorinus, Sclat. 1862.

G. of B. i. p. 155, pl. 47. f. 6; Reich. S. A. t. 57. f. .

a. Cyphorninus.

· 2658. modulator, Lafr.; Casteln. Vog. t. 17. 2. thoracicus, Tsch.; rufigularis, Des Murs. affinis, Sw. B. of Braz. pl. 57.

2659. musicus, Bodd.; P. E. 706. 2; Sw. B. Braz. pl. 14.

cantans, Gm.; arada, Lath. rubecula et carinatus, Sw.

2660. Lawrencei, Lawr.; Sclat. & S. Exot. Orn. pl. 21.

cantans, Lawr.

2661. phæocephalus, Sclat. & S. Exot. Orn. pl. 22.

Ecuador.

Peru.

Cayenne. Bolivia.

Panama.

b. MICROCERCULUS, Sclat. 1861.

Cyphorinus, b, Sclat. 1862.

2662. bambla, Bodd.; P. E. 703. 2.

troglodytes, Less.

2663. philomela, Salv.

bambla, Lawr.

2664. marginatus, Sclat.; Casteln. Voy. t. 16. 3.

bicolor, Des Murs.

2665. albigularis, Sclat. Pr. Z. S. 1855, pl. 88.

2666. luscinia, Salv.

philomela, Lawr.; philomela, p., Baird.

2667. cinctus, Natt. & Pelz.

Vera Paz.

Cayenne.

Bogota. E. Peru.

Panama.

Panama.

Sta Fé, Veragua.

Brazil.

729. c. Henicorhina, Sclat. & S. 1868.

Heterorhina, Baird, 1864, nec Microcerculus, p., Sclat. 1862.

2668. prostheleucus, Sclat.

2669. griseicollis, Lafr.

2670. pusillus, Sclat.

2671. leucostictus, Cab. prostheleuca, Baird.

Cordova, Guat.

Bogota.

Oaxaca.

Guiana, Mexico. Ecuad., Panama, Veragua.

2672. leucophrys, Tsch. guttatus, Hartl.

Peru. Costa Rica.

730. d. Salpinctes, Cab. 1847.

Reich. S. A. t. 57. f. .

2673. obsoletus, Say; Bp. A. O. i. pl. 1, 2. latifasciatus, Licht.?

W. America.

731. e. Catherpes, Baird, 1858. Salpinctes, p., Cab.

2674. mexicanus, Sw. Zool. Ill. pl. 9. guttulatus, Lafr.; albifrons, Giraud.

R. Grande. Mexico.

732. f. Odontorhynchus, Pelz. 186.

2675. cinereus, Natt. & Pelz.

Brazil.

733. g. Cinnicerthia, Less. 1844. Presbys, Cab. 1851. Thelydrias, Reich. 1853.

2676. unirufus, Lafr. cinnamomea et unicolor, Less.

Rogota.

2677. canifrons, Lafr.

unirufa, p., Sclat.

Ecuador.

2678. unibrunneus, Lafr.

Subfam. II. Tatarinæ, G. R. Gr.

734. TATARE, Less. 1881.

Tatarea, Reich. 1849.

G. of B. iii. app. p. 8, pl. suppl. 186. f. 1; Reich. S. A. t. 37. f.

a. TATARE.

7 4/5 2079. longirostris, Gm.; Voy. Coqu. t. 23. 2. caffra, Sparrm. M. C. t. otaitiensis, otatare et fuscus, Less. musse, Forst.

Society I. Tonga I. Marquesas I.

2680. ? æquinoctialis, Lath.

Christmas I.

735. b. Hybristes, Reich. 1850.

Reich. S. A. t. 57. f. .

281. luscinius, Quoy & G. Voy. l'Astrol. t. 5. 2.

Ladrone I.

Tribe III. DENTIROSTRES, Cuv.

FAM. I. LUSCINIDÆ, G. R. Gr. 1841.

Meliphagidæ, Pipridæ et Sylviadæ, Vig. 1825. Motacillidæ et Paridæ, Boie, 1826. Rhacnemididæ, Sylvicollidæ et Sylviadæ, Cab. 1847.

> Subfam. I. Malurina, G. R. Gr. 1840. Sylvianæ, p., et Motacillinæ, p., Vig. 1825.

736. ORTHOTOMUS, Horsf. 1820.

Edela, Less. 1831. Sutoria, Nichols. 1851. Sw. C. of B. f. 135; G. of B. i. p. 161, pl. 48. f. 1; Reich. S. A.

2682. sepium, Horsf.; P. C. 599. 1; Mag. de Zool. 1836, t. 51. Java, Sumatra.

2683. edela, Tem. P. C. 599. 3. sepium, Raffl.; Less. (Cent.).

2684. cucullatus, Tem. P. C. 599, 2.

2685. ruficeps, Less. (Tr.). sericeus, Tem.

2686. flavoviridis, Moore. edela, Bl.

2687. longicaudus, Gm.; Mag. de Zool. 1836, t. 52, 53. sutoria, Gm.; guzuratta, Lath. Bennettii et lingoo, Sykes. ruficapilla, Hutt.; sphenurus, Sw. patia, Hodgs.; agilis, Nichols.

2688. coronatus, Jerd. & Bl.

2689. phyllorrhapheus, Swinh. phyllorapheus, Jerd.

2690. Derbyanus, Moore, Pr. Z. S. 1854, pl. 76.

2691. atrogularis, Tem.

2692. cineraceus, Bl. sepium, Lafr.

2693. longirostris, Sw.

2694. maculicollis, Moore.

2695. Hugelii, Pelz.

12793 Jan 737. PRINIA, Horsf. 1820.

Dasyocharis, Cab. 1850.

G. of B. i. p. 162, pl. 48. f. 2; Reich. S. A. t. 58. f. .

Sumatra. Malayan peninsuls. Java, Sumatra.

Malacca.

India, Ceylon. Burmah.

Sikkim.

S. China.

Philippine Isl. Borneo, Malac.

Malacca.

N.S.Wales(Sw.),Malacca? Malacca.

New Holland (?).

a. Prinia.

2696. familiaris, Horsf. Zool. Res. pl.; Sw. Zool. Ill. pl. 97. olivaces, Raff.; prinia, Tem.	Java, Sumatra.
2697. socialis, Sykes; Fras. Zool. Typ. pl.	S. India, Nepal.
2698. Hodgsoni, Bl. gracilis, Jerd.	Himalaya M.
2699. gracilis, Frankl. lingoo, Sykes.	India.
2700. cinereccapilla, Hodgs.	Nepal.
2701. scnitans, Swinh.	I. of Formosa.
2702. flaviventris, Deless. 2703. Stewartii, Bl.	Ind., Ass., Syl., Bur., Malaya. C. India.
2704. Beavani, Wald.	Tenasserim.
2705. rufescens, Bl.	Burmah.
2706. Adamsi, Jerd.	Poonah.
2100. Adams, oera.	1 oonan,
738. b. Franklinia, Bl. 1855.	
2707. Buchanani, Bl. rufifrons, Frankl.; brunnifrons, Hodgs.	India, Scinde.
2708. Cleghorniæ, Jerd.	Delhi.
739. c. Horeites, Hodgs. 1844. Nivicola, Hodgs. 1844.	
2709. brunneifrons, Hodgs.	Nepal.
2710. schistilata, <i>Hodgs</i> . brunneifrons, p., <i>Jerd</i> .	"
2711. pollicaria, Hodgs. brunneifrons, p., Bl.	,,
2712. major, Hodgs.	"
2713. robustipes, Swinh.	I. of Formosa.
740. d. Drymotpus, Bp. 1854.	
2714. polychroa, Tem. P. C. 486. 2. Blythii, Bp.	Java.
2715. neglecta, Jerd. sylvatica, Bl.	Upper India.
2716. sylvatica, Jerd.	S. India.
2717. longicauda, Tick. nipalensis, Hodgs.; macroura, Jerd.	Nepal.

HAND-LIST OF BIRDS.	197
2718. inornata, Sykes; Fras. Zool. Typ. pl. macroura, Frankl.; Franklinii, Bl.	India.
2719. valida, Bl. robustus, Bl.	Ceylon.
2720. extensicauda, Swinh.	S. China.
2721. striolata, Pelz.	Kashmir.
2722. flavirostris, Swinh.	I. of Formosa.
2723. pekinensis, Swinh.	N.E. Amoy.
2724. ? leucophrys, Boie.	Java.
2725. ? phragmitoides, Kuhl.	"
741. e. Suya, 1837, et Decurus, 1841, et Decurus, 1844, Hodgs.	
2726. crinigera, Hodgs.	Nepal, Bootan.
2727. fuliginosa, Hodgs. atrogularis, p.?, Bl.	Nepal.
2728. atrogularis, Moore.	Darjeeling.
2729. striata, Swinh.	I. of Formosa.
2730. gangetica, Jerd.	Upper Ganges.
742. DRYMOICA, Sw. 1827.	
Drymosca, Agass. et Cab. 1850. G. of B. i. p. 163, pl. 48. f. 3; Reich. S. A. t. 58. f.	
a. Drymoica.	
2731. maculosa, Bodd.; P. E. 752. 2; Smith I. S. A. Z. pl. 76. 1; Lev. O. A. t. 129, 130.	S. Africa.
macroura, Lath.; capensis, Steph. & Smith.	
2732. ocularia, Smith, I. S. A. Z. pl. 75. 1.	" G Afr. Tatakan
2733. pectoralis, Smith, I. S. A. Z. pl. 75. 2.	S. Afr., Latakoo.
2734. substriata, Smith, I. S. A. Z. pl. 72. 1.	S. Africa, Olifant's R.
2735. pallida, Smith, I. S. A. Z. pl. 72. 2.	S. & W. Africa, Namaqualand. Natal.
melanorhyncha, Jard.	
2736. Smithii, Bp.; Smith, I. S. A. Z. pl. 73. 1. ruffcapilla, Smith.	S. Afr., Cape Col.
2737. Levaillantii, Smith, I. S. A. Z. pl. 73. 2; Gould, B. A. iii. pl. 41. tinniens, Licht.; magna et campestris, Gould.	Cape Town, Orange River
2738. terrestris, Smith, I. S. A. Z. pl. 74. 2.	S. Afr., Latakoo,
2739. subruficapilla, Smith, I. S. A. Z. pl. 76. 2.	et Kurrichain. S. Afr., Cape Col.

2740. affinis, Smith, I. S. A. Z. pl. 77. 1.	S. Africa.
2741. cherina, Smith, I. S. A. Z. pl. 77. 2.	S. Africa, Port
2742. aberrans, Smith, I. S. A. Z. pl. 78.	Natal.
2743. chiniana, Smith, I. S. A. Z. pl. 79. procerula, Sundev.	S. Africa. N. of Kurrichain.
2744. natalensis, Smith, I. S. A. Z. pl. 80.	S. Africa.
2745. subcinnamomea, Smith, I. S. A. Z. pl. 111. 1.	S. Africa, Little
2746. fasciolata, Smith, I. S. A. Z. pl. 111. 2. fasciiventris, Sundev.	Namaqualand. S. Africa, N.E. of Latakoo.
2747. curvirostris, Sundev.	Caffraria, Natal.
2748. Morelii, Poll. •	Madagascar.
2749. madagascariensis, Hartl.	"
2750. clamans, Rüpp. Z. Atl. t. 2 a; P. C. 466. 2.	Nubia,Kordofan.
2751. inquieta, Rüpp. Z. Atl. t. 36 b. famula, Hempr. & E.	Arabia.
2752. lugubris, Rüpp. S. U. V. t. 11. bizonura, Heugl.	E. Africa, Abyss.
2753. ruficapilla, Fras. nigrirostris, Fras.	W. Africa.
2754. lateralis, Fras.	**
2755. Strangeri , Fras. Strangei, Hartl.	,,
2756. uropygialis, Fras. Zool. Typ. pl 2.	"
2757. fortirostris, Jard.	y
2758. rufa, Fras. Zool. Typ. pl 3.	>>
2759. ?subflava, Gm.; P. E. 584. 2, var. 3.	Senegal.
2760. ? fuscata, Gm.; P. E. 584. 1.	n
2761. ? flavicans, V.; Lev. O. A. t. 127. limonella, Licht.; subflava, p., G. R. Gr.	S. Africa. Namaqualand.
2762. undata, <i>Lath.</i> ; <i>P. E.</i> 582. 2. rufigastra, <i>V</i> .	Senegal.
2763. scotoptera, Sundev.	Caffraria, E.
2764. fulvescens, Sundev.	Sennaar. Caffraria.
2765. chloris, Sundev.	,,
2766. flavogularis, Sundev.	**
2767. flavicans, Strickl.	S.W. Africa.

HAND-LIST OF BIRDS.

2768. obscurs, Sundev.	Natal, Caffraria.
2769. bivittata, Peters.	Mossambique.
2770. fulvifrons, Sundev.	Natal.
2771. rodericana, Newt. Pr. Z. S. 1865, pl. 1, 3.	Rodriguez.
2772. Antinorii, Salvad.	N.E. Africa.
2773. pachyrhyncha, Heugl. validus, Heugl.	Djour.
2774. iodoptera, Heugl. Ibis, 1869, pl. 1. 2.	,,
2775. robusta, Rüpp. S. U. &c. t. 13.	Abyssinia.
2776. mystacea, Rüpp. S. U. t. 10. "affinis, Smith?," Heugl.; superciliosa, p.?, Heugl.	Gondar, Abyss., W. Africa.
2777. rufifrons, Rüpp. F. A. t. 41. 2.	Abyss., W. Afr.
2778. pulchella, Rüpp. Z. Atl. t. 35 a. sylvietta, Heugl.	Kordofan.
2779. ruficeps, Rüpp. Z. Atl. t. 36 a.	Abyss., W. Afr.
2780. erythrogenis, Rüpp. S. U. &c. t. 12. bizonura, Heugl.	Abyssinia.
2781. marginalis, Heugl. erythrogenys, p., Finsch.	N.E. Africa.
2782. striaticeps, Tristr. saharæ, Loche.	Sahara.
	Sahara. Palestine.
saharæ, Loche.	
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl.	Palestine. Sennaar.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl.	Palestine. Sennaar. Keren.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11.	Palestine. Sennaar. Keren. Gambia.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1.	Palestine. Sennaar. Keren. Gambia. E. Africa.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl. 2789. murina, Heugl. 2790. cantans, Heugl.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa. , , , Abyssinia.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl. 2789. murina, Heugl. lugubris?, Heugl.; subruficapilla, p., Finsch.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa. " Abyssinia. N.E. Afr., Abyss.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl. 2789. murina, Heugl. lugubris?, Heugl.; subruficapilla, p., Finsch. 2791. concolor, Heugl. Ibis, 1869, pl. 2. 1.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa. " Abyssinia. N.E. Afr., Abyss. N.E. Africa.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. f. Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl. 2789. murina, Heugl. lugubris?, Heugl.; subruficapilla, p., Finsch. 2791. concolor, Heugl. Ibis, 1869, pl. 2. 1. 2792. flaveola, Heugl. Ibis, 1869, pl. 2. 2.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa. , , , Abyssinia. N.E. Afr., Abyss. N.E. Africa. Abyssinia.
saharæ, Loche. 2783. eremita, Tristr. 2784. cinerascens, Heugl. semitorques, p., Heugl. 2785. superciliosa, Sw. B. of W. Afr. pl. 11. mystacea, p., Guér. & Lafr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2. 1. 2786. nævia, Hartl. 2787. erythroptera, Jard. Contr. Orn. 1849, pl. 2788. erythrops, Hartl. 2789. murina, Heugl. lugubris?, Heugl.; subruficapilla, p., Finsch. 2791. concolor, Heugl. Ibis, 1869, pl. 2. 1. 2792. flaveola, Heugl. Ibis, 1869, pl. 2. 2.	Palestine. Sennaar. Keren. Gambia. E. Africa. W. Africa. "Abyssinia. N.E. Afr., Abyss. N.E. Africa. Abyssinia. N.E. Africa.

7000-

2796. simplex, Heugl.	N.E. Africa.
2797. virgata, Heugl.	**
2798. Anchietæ, Bocage.	W. Africa.
2799. elegans, Hartl.	Africa.
2800. lais, Hartl.	Natal.
2801. rufilata, Hartl.	Damaraland.
2802. ? valida, Peters.	E. Africa.
2803. Ortleppi, Tristr.	Colesberg.
2804. marginata, Heugl. Ibis, 1869, pl. 1. 1.	N. E. Africa.
743. b. Cisticola, Kaup, 1829. Schemicola, Blas. 1862. Drymoica, p., Sw. Reich. S. A. t. 58. f.	
2805. schoenicola, Bp.; P. C. 6. 3. cisticola, Tem.	S.W. Europe. Egypt,N.Arabia.
2806. cursitans, Frankl.; Jerd. Ill. Ind. Orn. pl. 6.	India.
schenicols, p., <i>Jerd.</i> subhimalayana, <i>Hodgs.</i> brunniceps, <i>Tem. & Sch. F. J.</i> t. 20 c. brunneicephala, <i>Bl.</i>	Nepal. Japan.
tintinnabulans, Swinh.	China, Formosa.
2807. exilis, Lath.; Gould, B. A. iii. pl. 42.	New S. Wales,
2808. lineacapilla, Gould, B. A. iii. pl. 43.	S. Australia. N. Australia.
2809. ruficeps, Gould, B. A. iii. pl. 45.	New S. Wales, Lombock, Flo- res, Timor.
2810. ? fuscicapilla, Wall.	Timor, Flores.
2811. Ayresli, Hartl. Ibis, 1863, pl. 8. 2.	Natal.
2812. omalura, Bl.	Ceylon.
2813. Tytleri, Bl.	Dacca.
2814. erythrocephala, Jerd.	Malabar.
2815. volitans, Swinh.	I. of Formosa.
2816. isura, Gould, B. A. iii. pl. 45.	N. S. W., Lomb., Flores, Timor.
2817. rustica, Wall.	Bouru.
2818. oryziola, Mill.	Timor, Java.
2819. isodactyla, Peters.	Mossambique.
2820. procera, Peters.	Tette, Mossamb.
2821. madagascariensis, A. Newt. cursitans, p.?, Hartl. & F.	Madagascar.

2822. ferrugines, Heugl. Ibis, 1869, t. 3. 2. C. Africa. troglodytes, Antin.; uropygialis, p., Finsch. 2823. semitorques, Heugl. N.E. Africa. 2824. eximia, Heugl. Ibis, 1869, pl. 3. 1. U. Gazelle River. 2825. hætomacephala, Cab.; Decken, Reisen, t. 2. 2. E. Africa. stulta, Hartl. & F. 744. c. GRAMINICOLA, Jerd. 1863. 2826. bengalensis, Jerd. Ganges, Cachar. 745. d. Hemipteryx, Sw. 1837. 2827. tetrix, V.; Lev. O. A. t. 131; Smith, I. S. A. Z. pl. 74. 1. S. Africa. 2828. immaculata, Hartl. oligura, p., Heugl. 2829. oligura, Heugl.; Ibis, 1869, pl. 3. 3. N.E. Africa. brunnescens, Heugl. 2830. iodopyga, Heugl. N.E. Afr., Teuta. 2831. habessinica, Heugl. N.E. Africa. 746. e. Burnesia, Bl. 1855. 2832. gracilis, Rüpp. Atl. t. 2. 6; P. C. 466. 1. Egypt, W. Afr. lepida, Bl.; Gould, B. As. pl. Tiberias? tetrix, Aud. Bengal, Sindh. f. CATRISCUS, Cab. 1850. 747. 2833. apicalis, Licht. S. Africa. brevirostris, Sundev. Natal. C. Africa. alexinæ, Heugl. g. Melocichla, Hartl. 1857. 748. W. Africa. 2834. Bairdi, Cass. 2835. mentalis, Fras.; Jard. Contr. Orn. 1849, pl. h. Eupeinodes, Cass. 1859. 749. Drymoterpe, Heine, 1859. Fernando Po. 2836. rufigularis, Fras. Zool. Typ. pl. 42. 1. 2837. olivacea, Strickl. Stricklandi, Bp. rufigularis, juv. ?, Cass.

i. STIPHEORNIS, Tem.; Hartl. 1855.

2838. schistaces, Cass.

2839. erythrothorax, Tem.

W. Afr., Camma.

W. Africa, Da-

bocrom.

751.

j. Hylia, Cass. 1859.

2840. superciliaris, (Tem.) Hartl. prasina, Cass.

W. Africa. Ashanti, Gaboon.

752.

k. BEOSCELIS, Heine, 1860.

2841. badiceps, Fras.

Fern. Po, Camma, C. Lopez.

753.

l. APALIS

et Apales, Sw. 1837. Hapalus, Agass.

2842. thoracica, Shaw; Lev. O. A. t. 123. 1. gutturalis, Boie.

S. Africa.

754.

m. EROESSA, Hartl. 1866.

Damia, Poll. MS.

2843. tenella, Hartl. Pr. Z. S. 1866, p. 219, fig. head; Poll. & V. D. F. de Madag. t. 18. 2. pusilla, Poll. MS.

Madagascar.

755.

n. BEOCERCA, Heine, 1829.

2844. virens, Cass. microura, Cass.

W. Africa.

756.

o. Ellisia, Hartl. 1861.

Drymoica, p., Schl.

2845. typica, Hartl.; Poll. & V. D. F. de Madag. t. 28. 2. Ellisii, Schl. & Poll.

Madagascar.

2846. Lantzi, Grandid.

2847. chloropetoides, Grandid.

2848. ? madagascariensis, Lath.; Briss. Orn. iii. t. 22. 1.

757.

. p. Eremonela, Sundev. 1850.

2849. flaviventris, Burch. icteropygialis, Lafr.?

S. Africa.

2850. pusilla, Hartl.

W. Afr., Senegal.

2851. brachyura, V.; Lev. O. A. t. 125.

S. Africa, Natal. Damaraland.

chloris, Boie.

2852. icteropygialis, Lafr.

icteropyga, Cab.

2853. usticollis, Sundev.

S. Africa.

2854. scotops, Sundev.

2855. viridiflava, Hartl.

W. Afr., Seneg.

W. Africa.

2856. lutescens, Less.

2.00. 120000:10, 200

,

2857. elegans, Heugl. canescens, Antin.

C. Africa.

2858. griseoflava, Heugl.

Bogosland.

758. q. DRYODROMAS, Hartl. & Finsch, 1869.

2859. fulvicapilla, V.; Lev. O. A. t. 124. 1, 2. natalensis, Hartl. Ibis, 1863, pl. 8. 1.

S. Africa. Natal.

2860. albigularis, Hartl. & F.

2861. damarensis, Wahlb.

Damaraland.

2862. flavida, Strickl.

2863. caniceps, Cass.

W. Afr., Camma.

759. r. Camaroptera, Sundev. 1850. Syncopta, Cab. 1853. Sincopta, Heugl.

Syncopta, Cao. 1833. Sincopta, Heugi.

2864. brevicaudata, Rüpp. Atl. t. 35. 6. clamans, Heugl.; griscoviridis, Müll. olivacea, Sundev.

N.E. Africa. S.& W. Afr., Nat. Damaraland.

2865. tincta, Cass.

olivacea, p., Heugl.; brevicaudata, p., Hartl. & F.

W. Africa. Gaboon, Mudi R.

2866. concolor, Hartl. olivacea, Tem.

Guinea.

2867. icterica, Strickl. superciliaris, Fras.

Fernando Po. Camma, Ashanti.

2868. Salvadoræ, Würt.

N.E. Africa.

760. SYLVIETTA, Lafr. 1839.

Trochlotides et Oligura, Rüpp. 1845. Oligocercus, Cab. 1853. Sylviella, Sundev. Reich. S. A. t. . f. .

2869. microura, Rüpp. F. A. t. 41. 1; Lefebv. Voy. Abyss. t. 6. N.E. Africa. brachyura, Lafr.; rufescens, p., Sundev. W. Africa. brevicauda, Lefebv. Voy. Abyss. t. 6; brachyptera, Bp.

2870. rufescens, V.; Lev. O. A. t. 135.

S. Africa.

crombec, Lafr. meridionalis, Bp.; brachyura, Strickl. microura, Bocage.

761. CALAMANTHUS, Gould, 1837.

Praticola, Sw. 1837, nec Kaup, 1829. G. of B. i. p. 164; Reich. S. A. t. 58. f. .

a. CALAMANTHUS.

2871. campestris, Gould, B. A. iii, pl. 71.

S. & W. Austr.

2872. fuliginosus, Vig. & Horef.; Gould, B. A. iii. pl. 70. anthoides, Sw.

Tasmania.

1

b. HYLACOLA, Gould, 1842. G. of B. i. pl. 48. f. 5; Reich. S. A. t. 58. f.

2873. pyrrhopygius, Vig. & Horef.; Gould, B. A. iii. pl. 39. New S. Wales, S. Australia. S. Australia. 2874. cantus, Gould, B. A. iii. pl. 40.

763. c. CHTHONICOLA, Gould, 1847.

Reich. S. A. t. 58. f. .

/38 2875. sagittatus, Lath.; Gould, B. A. iii. pl. 72. New S. Wales. S. Australia. minimus, Vig. & Horsf.

764. MALURUS, V. 1816.

G. of B. i. p. 165, pl. 48. f. 7; Reich. S. A. t. 58. f. .

3/ 12876. cyaneus, Lath. Syn. pl. 53; V. Gal. des Ois. t. 163; Gould, New S. Wales. B. A. iii. pl. 18. S. Australia. superba, Shaw.

2877. longicaudus, Gould, B. A. iii. pl. 19.

2878. melanotis, Gould, B. A. iii. pl. 20.

2879. splendens, Quoy & G. Voy. Astrol. t. 10. 1. pectoralis, Gould, B. A. iii. pl. 21.

1) 40 2880. elegans, Gould, B. A. iii. pl. 22.

2881. pulcherrimus, Gould, B. A. iii. pl. 23.

3/4 • 2882. Lambertii, Vig. & H.; Lewin, B. N. H. pl. 15; Gould, B. A. iii. pl. 24.

2883. caruleicapillus, Gould.

2884. amabilis, Gould, B. A. iii. pl. 25.

2885. coronatus, Gould, B. A. suppl. pl.

2886. leucopterus, Quoy. & G. Voy. Astrol. t. 23. 3; Gould,

B. A. iii. pl. 25.

2887. dorsalis, Lewin, B. N. H. pl. 14; Gould, B. A. iii. pl. 26. melanocephalus, Vig. & Horsf. Brownii, Jard.

> 2888. Brownii, Vig. & Horef.; Gould, B. A. iii. pl. 27. cruentatus, Gould.

2889. hypoleucus, Gould.

2890. leuconotus, Gould, B. A. suppl. pl.

2891. callainus, Gould, B. A. suppl. pl.

765. STIPITURUS, Less. 1831.

Malurus, Boie, 1826.

G. of B. i. p. 165, pl. 48. f. 8; Reich. S. A. t. 58. f. .

1941 • 2892. malachurus, Shaw, Lev. O. A. t. 130. 2; Gould, B. A. iii. pl. 31. palustris, V.; gularis, Griff.

Tasmania.

S. Australia.

W. Australia.

New S. Wales.

N.S.& N.E. Aus., Nicholson R.

Cape York. N.W. Australia

Australia.

New S. Wales.

N. Australia.

Cape York.

Int. of Australia.

Australia. Tasmania. **766.** AMYTIS, Less. 1831 nec Sav. 1826.

G. of B. i. p. 166, pl. 48. f. 12; Reich. S. A. t. 58. f. .

2893. textilis, Quoy & G. Voy. Uranie, t. 23. 1; Gould, B. A. iii. New S. Wales, S. & N. E. Aus. pl. 28.

2804. striatus, Gould, B. A. iii. pl. 29; Less. Tr. d'Orn. t. 67. 2. New S. Wales. textilis, Less.

2895. macrourus, Gould, B. A. iii. pl. 30.

W. Australia.

767. ATRICHIA, Gould, 1844, nec Schrank, 1803.

G. of B. i. p. 166, pl. 48. f. 4; Reich. S. A. t. 57. f. .

2896. rufescens, Ramsay.

Richmond Riv., E. Australia. W. Australia.

2897. clamosa, Gould, B. A. iii. pl. 34.

768. SPHENURA, Licht. 1823.

Dasyornis, Vig. & H. 1826. Malurus, 2 div., Tem. 1820. Timalia, p., Sw. G. of B. i. p. 167, pl. 48. f. 11; Reich. S. A. t. 58. f. .

a. SPHENURA.

2898. brachyptera, Lath.; Jard. & S. I. O. pl. 73; Gould, B. A. iii. pl. 32. pectoralis, Steph.; australis, Vig. & H.

New S. Wales.

2899. longirostris, Gould, B. A. iii. pl. 33.

W. Australia.

2900. Broadbenti, M'Coy; Gould, B. A. suppl. pl.

Portland Bay, Australia.

b. Pycnoptilus, Gould, 1850.

2901. floccosa, Gould, B. A. suppl. pl.

Int. of N. S. W.

770. CHÆTORNIS, G. R. Gr. 1848.

Dasyornis, p., et Sphenura, Bl. G. of B. i. p. 167, pl. 48. f. 9; Reich. S. A. t. 58. f. .

2902. striata, Jerd. locustelloïdes et collurioceps, Bl. India.

771. CINCLORAMPHUS, Gould, 1837.

Cinclorhamphus, Strickl. 1841. Cintorhamphus, Wiegm. Ptenœdus, Cab. 1850. Megalurus, p., Sw.

Sw. C. of B. f. 212; G. of B. i. p. 168, pl. 48. f. 3; Reich, S. A. t. 58. f.

2903. cruralis, Vig. & H.; Gould, B. A. iii. pl. 74.

New S. Wales.

- ورر

73/5 2904. cantillans, Gould, B. A. iii. pl. 75.

Australia.

cantatoris, Gould.

772. MEGALURUS, Horsf. 1820.

G. of B. i. p. 168, pl. 48. f. 10; Reich. S. A. t. 58. f. .

a. MEGALURUS.

2905. palustris, Horsf.; P. C. 65.2. marginalis, Reinw.

Java.

2906. citrinus, G. R. Gr. & M. G. B. pl. 48. palustris, juv?, G. R. Gr.

2907. timorensis, Wall.

Timor.

773. / b. Sphengeacus, Strickl. 1841

Malurus, Tem. 1820. Dasyornis, Vig. & H. 1826. Timalia,
 p., Sw. Sphenseacus, Bp. 1850. Sphenura, Reich. 1850.
 Reich. S. A. t. 58. f.

2908. africanus, Gm.; Lev. O. A. t. 112. 2. afra, Gm.; tibicen, Licht. dubia, Forst.; cantor, Less.

S. Africa.

76 7 2909. galactotes, Tem. P. C. 65; Gould, B. A. iii. pl. 36. galactodes, Aliq.

New S. Wales. N. Australia.

2910. punctatus, Quoy & G. Voy. Astrol. t. 18. 3.

New Zealand.

2911. fulvus, G. R. Gr. punctatus, p.?, Buller.

2912. pycnopygius, Strickl.

Damaraland.

2913. rufescens, Buller.

Rocky isle near Chatham Isl.

774. c. Poodytes, Cab. 1850. Sphenœacus, p., Gould.

2914. gramineus, Gould, B. A. iii. pl. 36.

Australia.

775.

d. ---?

Ptenædus, p., Cab. Ptenædus, Gould.

1313 - 2915. rufescens, Vig. & H.; Gould, B. A. iii. pl. 76.

776.

e. LATICILLA, 1845,

et Sphenæacus, 1849, Bl. Eurycercus, Bl. 1844 (nec Baird, 1843).

2916. Burnesii, Bl.

Sindh.

Subfam. II. Calamodytinæ, G. R. Gr.

Sylviana, Vig. 1825. Philomelinæ, Sw. 1831. Luscininæ, G. R. Gr. 1841. Sylvianæ, Platyrhynchinæ, p., Calamoherpinæ, Bp. 1838. Todinæ, p., et Parinæ, p., Cab. 1847.

777. CALAMODYTA, Meyer, 1815.

Acrocephalus, Naum. 1819. Calamoherpe, Bois, 1822. Hydrocopsichus, Kaup, 1829. Muscipeta, Reid & H. 1835. Agrobates, Jerd. 1839, nec 1837. Acrobates, Bp. 1850. Arundinaceus, Less. 1831. Phragmaticola, Bl. 1844. Malacocercus, Hodgs. 1844. Phragmaticola, G. R. Gr. 1849. Junco, Reich. 1850?, nec Wagl. 1831. G. of B. i. p. 171; Reich. S. A. t. 61. f.

a. CALAMODYTA.

2917. arundinacea, L.; P. E. 513; Naum. Võg. t. 81. 1; Gould, B. E. pl. 106. C. & S. Europe. turdoides, Meyer; junco, Pall. lacustris, Naum.; turdina, Glog. Arab., S. &. WAf. India. 2918. brunnescens, Jerd. abrornis, Hodgs.; arundinaceus, p., Bl. Japan, China. 2919. orientalis, Schl. F. J. t. 21 B. Moluccas. magnirostris, Swinh. W. Australia. 2920. longirostris, Gould, B. A. iii. pl. 38. 2921. agricola, Jerd. India. 2922. palustris, Bechst.; Gould, B. E. pl. 109. C. & S. Europe. pratensis, Jaub. Egypt. 2923. dumetorum, Bl. India. montana, Sykes; arundinaces, Hodgs. Batchian I. 2924. fasciolata, G. R. Gr. fasciatus, Bl. Gilolo, Morty I. 2925. insularis, Wall. 2926. cantans, Tem. & Schl. F. J. t. 19. Japan. 2927. gracilirostris, Hartl. Nat., Cape Town. 2928. brevipennis, Dohrn. Cape Verd Isl. 2929. rufescens, Blas. S. Africa. 2930. stentoria, Ehr.; Ibis, 1864, pl. 1. Damietta. macrorhyncha, Müll. 2931. cantillans, Tem. & Schl. F. J. t. 20. Japan, China. 2932. languida, Ehr. E. Africa. 2933. canturians, Swink. Chi., I. of Formo. 2934. minuta, Swinh. I. of For., S. Chi. 2935. aralensis, Eversm. Aral M. 2936. Newtoni, Hartl.; Poll. & V. D. F. de Madag. t. 28. 1. Madagascar. 2937. fumigata, Swinh. Amoy.

2938. obscura, Heugl. pallida, (Ehr.) Heugl.

778. b. Arundinax, Bl. 1845. Phragmaticola, Bl. 2939. aedon, Pall. India, Malacca. olivacea, Bl. S. China, E. Asia, Andaman I. 779. c. CALAMOHERPE, Boie, 1826, nec 1822. Salicaria, Selby, 1833. 2940. arundinacea, Gm.; P. E. 581. 2; Naum. Vög. t. 81. 2; Gould, B. E. pl. 108. Europe. palustris, Crep.; strepera, V. S. Africa, Natal. salicaria, Gm. 2841. beaticula, V.; Lev. O. A. t. 121. 1. S. Africa. loquax, Boie. 2942. horticola, Naum. Vög. t. 370. 1. C. & S. Europe. obscurocapilla, Dubois; nigrifrons, Bechst.? arundinaces, β , Blas. New S. Wales. 2943. australis, Gould; Lewin, B. N. H. pl. 18; Gould, B. A. iii. pl. 37. S. Australia. arundinaceus, Lewin. Bouru. 2944. fruticola, Naum. Vög. t. 370. 2. Europe. 2945. bistrigiceps, Swinh. Amur R. Maackii, Schrenck. 2946. sorghophila, Swinh. S. China. 2947. brunneipectus, Bl. Himalayas. 780. d. EPARNETES, Reich. 1850. Calamoherpe, p., Bl. & Hartl. Reich, S. A. t. 57. f. . 1: \(\lambda_{\text{low}}\) 2948. syrinx, Kittl. Mém. Ac. Pétersb. ii. t. 8; Voy. Péle Sud, t. 20.5. Carol. I., Ualau. . 781. e. PSAMATHIA, Hartl. 1868. 48% v 2949. Annæ, Hartl. Pr. Z. S. 1868, pl. 2. Pelew I. f. Dumeticola, Bl. 1845. Horornis, p., Hodgs. 2950. affinis, Hodgs. Nepal. thoracica, Bl. 2951. flaviventris, Hodgs. 2952. fortipes, Hodgs. g. Pseudoluscinia, 1838, et Lusciniopsis, 1841, Bp. 2953. luscinicides, Savi; Naum. Vög. t. 370. 3, 4; Gould, B. E. pl. 104. S. Europe. Savii, Bp. England.

784.

h. CETTIA, Bp. 1838.

Bradyptetus, p., Cab.

2954. sericea, Natt.; P. E. 655. 2; Gould, B. E. pl. 114, 115. S. Europe. cetti, Marm.; platina et fulvescens, V.; altisonans, Rüpp.

2955. besticata, V.; Lev. O. A. t. 121. 2. Isabella, Boie; besticula, G. R. Gr.

S. Africa.

2956. orientalis, Tristr.

Palestine.

2957. africana, Bp.

S. Africa.

79

2958. brevirostris, Sundev.

785. i. Bradyptetus, Sw. 1827.

Bradypterus, G. R. Gr. 1840.

Abyssinia.

2959. cinnamomea, Rüpp. F. A. t. 42. 1.2960. brachyptera, V.; Lev. O. A. t. 122.

S. Africa.

platyurus, Sw.; saltator, Boie.

S. Af., Kuruman.

2961. sylvatica, Sundev.

786. j. Phlexis, Hartl. 1866.

2962. Victorini, Sundev.

S. Afr., Knysna.

2963. Layardi, Hartl. Ibis, 1866, pl. 6.

Natal, George, S. Africa.

787. k. CALAMODUS, Kaup, 1829.

Calamodytes, p., Meyer. Muscipeta, Kock, 1815. Caricicola, Brehm, 1855.

Muscipeta, Koca, 1815. Caricicola, Bream, 1805.

2984. schoenobænus, L.; Naum. Vög. t. 82. 1; Gould, B. E.

pl. 110.

phragmitis, Beckst.

Europe. Egypt, Palestine.

2965. aquatica, Lath.; Descr. de l'Egypte, t. 13. 4; Naum. Vög. t. 82. 4, 5; Gould, B. E. pl. 111. 1. salicaria, Bechst.; paludicola, V.

C. & S. Europe.

2966. ? salicaria, Koch; Naum. Vög. t. 82. 2, 3.

Europe.

cariceti, Naum.; aquatica, p., Blas. striata, Brehm.

788. l. Iduna, Keys. & B. 1841.

2967. caligata, Licht.; Naum. Vög. t. 375. 2. salacaria, Pall. nec L.; scita, Eversm. "rama, Sykes," Bl.

C. & S.E.Europe. Bussia, Siberia.

2968. fumigata, Swinh. caligata, Licht.?

Amoy.

789. m. LUBGINIOLA, G. R. Gr. 1841.

2969. melanopogon, Tem.; Naum. Vög. t. 370. 3; Gould, B. E. pl. 111. 2.

Bonellii, Naum.; fuscescens, V.?

2970. lanceolata, Tem.

790. *. POTAMODUS

et Pottamodus, Kaup, 1829. Calamoherpe, Brehm, 1828, nec Boie.

Cettia, Bp. 1838. Bradypterus, Cab. 1850. Tiltria, Reick. 1850. Lusciniopsis, p., Blas. Calamodyta, G. R. Gr. 1848. Curruca, p., Sw.

2971. fluviatilis, Mey. & W.; Descr. de l'Egypte, t. 13.3; Gould, B. E. pl. 102. stagnalis, Naum.

S.E. Europe.

S. Europe.

791. o. Locustella, Kaup, 1829.

Sibillatrix, Macgill. 1839, nec Kaup, 1829. Psithyrœdus, Glog. 1842. Parnopia, Blas. 1862. Motacilla (Corydalis), Pall. 1831.

G. of B. i. pl. 49. f. 5; Reich. S. A. t. 49. f. .

2972. locustella, Penn.; P. E. 581. 3; Naum. Vög. t. 83. 2, 3; Gould, B. E. pl. 103.

Rayi, Gould; næviæ, Bechst. fluviatilis, Naum.

2973. ochotensis, Middend. Sibir. Reise, t. 16. 7, 8. japonica, Cass.

Siberia, Japan. S. China.

C. & S. Europe.

2974. certhiols, Pall.; Wern. Ic. Tem. M. t. ; Gould, B. E. pl. 105.

N. Asia, Heligol.

Rayii, Bl. 2975. rubescens, Bl.

Ind., L. Bengal.

2976. Hendersonii, Cass.

S. China.

macropus, Swinh.; certhiola?, Bl.

p. TRIBURA, Hodgs. 1844. 792.

Locustella, p., Bl.

2977. luteoventris, Hodgs.

affinis, G. R. Gr. & M. G. B. pl. 49. 1.

Nepal. Canton.

2978. squamiceps, Swinh.

793. AEDON, Bois, 1826.

Erythropygia, Smith, 1835. Agrobates, Sw. 1837. Aëdon, Strickl. 1841.

G. of B. i. p. 173, pl. 49. f. 2; Reich. S. A. t. 59. f.

2979. galactodes, Tem. P. C. 251. 1; Naum. Vög. t. 367. 1, 3; Gould, B. E. pl. 112.

rubiginosus, Meyer.

Europe, Spain. Palestine.

HAND-LIST OF BIRDS.

2980. familiaris, Ménétr.; Naum. Vög. t. 367. 2? Athens, Persia. galactodes. var. β , Blas. N. Africa. minor, Cab. Abyssinia. 2981. leucophrys, V.; Lev. O. A. t. 118. S. Africa. pipiens, Steph. pectoralis, Smith, Ill. S. A. Z. pl. 49. 2982. paena, Smith, IU. S. A. Z. pl. 50. S. Af., Kuruman, Damaraland. 2983. signata, Sundev. S. Africa. 2984. leucoptera, Rüpp. S. U. t. 15. Shoa. 2985. sperata, Gm.; Lev. O. A. t. 183. S. Africa. familiaris, Stepk. 2086. Galtoni, Strickl. Damaraland. sperata, var., Sundev. 2987. sinuata, Sunder. Cape of G. Ho. 794. THAMNOBIA, Sw. 1831. Saxicoloïdes, Less. 1837. G. of B. i. p. 185, pl. 50. f. 6; Reich. S. A. t. 60. f. . a. THAMNOBIA. 2988. fulicata, Lath.; P. E. 185. 1; Lev. O. A. t. 188. 2. S. Africa. ptygmatura, V.; leucopterus, Less.? 2989. cambaiensis, Lath. S. Asia. erythrurus, Less.; fulicata, Tick. India, Nepal. 2990. coryphaus, V.; Lev. O. A. t. 120. S. Afr., C. Town. 2991. atrata, Sw. Africa? 795. b. Pentholma, Cab. 1850. 2992. frontalis, Sw.; Rüpp. S. U. &c. t. 17. W. Africa. albifrons, Rüpp. Shoa. 796. Cercotrichas, Cab. 1850, et p. Boie, 1831. Mimus, 2 div., Boie, 1828. Sphenura, p., Bp. 1850. 2993. podobe, Müll.; P. E. 354. Nubia, Abyssin. erythropterus, Gm. W. Africa. 2994. luctuosa, Lafr. N.E. Africa. melanoptera, Ehrenb. 797. d. Thamnolma, Cab. 1850. 2995. albiscapulata, Rüpp. F. A. t. 28. 1. Abyssinia. humeralis, Rüpp.

cinnamomeiventris, p., Bp.

albiscapulata, p., Layard.

2996. cinnamomeiventris, Lafr. Mag. de Zool. 1836, t. 56.

S. Africa.

2997. casiogastra, Bp.

2000 01:

Abyssinia.

2998. Schimperi, Verr.

798. . .

e. Poeoptera, Bp. 1853.

2999. lugubris, Müll.

Gaboon.

799.

f. PARINIA, Hartl. 1857.

3000. leucophæa, Hartl.

Subfam. III. Sylvianæ, Cab. 1847.

Luscininæ, p., et Sylvinæ, p., G. R. Gr. Philomelinæ, p., Sw. 1837.

800. SYLVIA (Lath. 1790) auct.

a. Thannodus, Kaup, 1829.

Psoridus, Rafing. 1815? Sylvia, 1838, et Pyrophthalma, 1841, Bp. Melizophilus, p., Cab. G. of B. i. p. 173.

3001. melanocephala, Gm. P. C. 245. 3; Gould, B. E. pl. 129.

ruscicola, V.; ochrogenion, Linderm.

S. Europe. Egypt.

3002. Bowmani, Tristr.

Palestine.

SO1. b. Melizophilus, Leach, 1816.

Thamnodus, p., Kaup.

3003. undata, Bodd.; P. E. 655. 1; Gould, B. E. pl. 129.

S.W. Europe.

provincialis, Gm.; dartfordiensis, Lath. ferrugines, V.

3004. sarda, Marm.; P. C. 245; Gould, B. E. pl. 127.

Sardinia.

3005. nigricapilla, Cab.

N.E. Africa.

802. c. Alsorous, Kaup, 1829.

Alsoeus, G. R. Gr. 1848.

3006. subalpina, Bon.; P. C. 6. 2, et 251. 2, 3; Gould, B. E.

pl. 124.

S. Europe.

leucopogon, Meyer; passerina, Tem. P. C. 24. 1. mystacea, Ménétr.

Egypt, Tangier.

3007. conspicillata, Marm.; P. C. 6.1; Gould, B. E. pl. 126.

icterops, Ménétr.

S. Europe. Tangier, Palest.

3008. delicatula, *Hartl. Ibis*, 1859, pl. 10. 1. deserti, *Loche*; Doriæ, *De Fil.*

N. Africa. Persia.

3009. deserticols, Tristr.

Sahara.

3010. nana, Hempr. & Eh.

N.E. Africa.

803. d. ERYTHROLEUCA, Kaup, 1829. Stoparola, Bp.

3011. ? passerina, Gm.

804. e. STERPAROLA, Bp. 1841.

Staparola, G. R. Gr. 1848. Sylvia, V. 1816, nec Lath. Silvia, Audouin. Philacantha, p., Glog.

G. of B. i. pl. 49. f. 4; Reich. S. A. t. 61. f.

3012. cinerea, Bp.; P. E. 579. 3 et 581. 1; Naum. Vög. t. 78. 1, 2; Gould, B. E. pl. 125. 1. sylvia, L.; cineraria et fruticeti, Bechst.

Europe, Egypt. Nubia, Palestine.

3013. curruca, Lath.; P. E. 380.3; Naum. Vög. t. 77.1; Gould, B. E. pl. 125. 2. sylvia, Pall.; garrula, Retz.

Europe, Egypt. Palestine.

3014. affinis, Bl. cinerea, Jerd.

India.

3015. ? lugens, Rüpp. F. A. t. 42. 2.

Abyssinia.

805. f. Sibilatrix, Kaup, 1829.

Ficedula, Koch, 1816. Curruca, Flem. 1828? Sylvicola, Eyton, 183?, nec Sw. 1837. Phyllopneuste, p., *Boie*, 1828. Phyllopseuste, p., *Meyer*, 1815. Phyllopseustes, *Glog*. 1834.

3016. sylvicola, Lath.; P. C. 245. 3; Naum. Vog. t. 80. 2; Gould, B. E. pl. 131. 3. sibilatrix, Bechst.

C. & S. Europe. Palestine.

806. g. Monachus, Kaup, 1829.

Ficedula, Briss. 1760, nec Moehr. 1752. Sylvia (Curruca, p.), Meyer, 1815. Curruca, Koch, 1816, nec Bechst. 1802. Philomela, Sw. 1837. Epilais, p., Cab. 1851. Philacantha, p., Glog. 1834.

3017. atricapilla, L.; P. E. 580. 1, 2; Naum. Vög. t. 77. 2, 3; Gould, B. E. pl. 120. moschata, Gm.

C. & S. Europe. W. & N. Africa, Palestine. Madeira.

3018. Heinekeni, Jard. & S. I. O. pl. 94. 1. atricapilla, var.

3019. Rüppellii, Tem. P. C. 245. 1; Gould, B. E. pl. 122. capistrata, Rüpp. Atl. t. 19.

S.E.Eur., Greece. N. Africa.

3020. ruficapilla, Naum. Vog. t. 368.

Europe.

rubricapilla, Landb.; Naumani, Müll.

807. h. Adophoneus, Kaup, 1829. Curruca, Brehm, 1828. Philacantha, p., Glog. 3021. orpheus, Tem. P. E. 579. 1; Naum. Vog. t. 76. 3, 4; Gould, B. E. pl. 119.

grises, V.; curruca, Brehm.

S.W. Europe. Arabia, Egypt, Palestine. India.

3022. **Jerdoni**, Bl.; P. Z. S. 1851, pl. 42. orphes, Jerd.; cucullatus, Nichols.

3023. crassirostris, Rüpp.

Syria.

808. i. Philacantha, Glog. 1834. Nisoria, Bp. 1838. Adophoneus, p., Kaup.

Adyphonus, Blas. 1862.

3024. nisoria, Bechst.; Naum. Vog. t. 76. 1, 2; Gould, B. E. pl. 128. undata, Bp.

C. Europe. Palestine.

809. j. EPILAIS, Kaup, 1829.

Adornis, G. R. Gr. 1841. Curruca, Sw. 1837. Philomela, p., Pall. Philacantha, p., Glog.

3025. hortensis, Gm.; P. E. 579. 2; Naum. Vog. t. 78. 3; Gould, B. E. pl. 121.

Europe.

aedonia, V.; borin!, Bodd. salicaria, L.?

810. k. CHLOROPETA, A. Smith, 1847.

Ficedula (Chloropeta), Blasius, 1862.

3026. natalensis, Smith, Ill. S. A. Z. pl. 112. 2.

P. Natal.

3027. olivetorum, Strickl.; Schl. Bijdr. Dierk. Amst. 1848, t. 3; Gould, B. E. pl. 107; Des Murs, I. O. t. 58. 2.

S. Europe.

3028. elmica, Iind.; Schl. Bijdr. Dierk. Amst. 1848, t. Des Murs, I. O. t. 58. 1. ambigua, Schl.; Preglii, Fr.

Greece.

3029. obscura, Smith, I. S. A. Z. pl. 112. 2.

Natal, Latakoo.

3030. moesta, Harth.

Gaboon.

3031. cinerascons, Selys. arigonis, Brehm.

S.W. Europe.

l. Asilus, Moehr. 1752, nec L. 1748.

Sylvia, 1822. Phylloscopus, 1826, et Phyllopneuste, Boie, 1828. Sylvia (Phyllopseustæ, p.), Meyer, 1815.

3032. trochilus, L.; P. E. 651. 1; Naum. Vög. t. 80. 3; Schl. Bijdr. Dierk. Amst. 1848, t. . 7; Gould, B. E. pl. 131. 1. flaviventris, V.; fitis, Koch. icterina, Tem.

Europe. Egypt, Nubia. W. India.

3033. Bonelli, V.; P. C. 124. 3; Naum. Vog. t. 369. 4; Schl. Bijdr. Dierk. Amst. 1848, t. . 6; Gould, B. E. pl. 134. Nattereri, Tem.; prasinopyga, Licht. montana, Brehm.

C. & S. Europe. W. & N. Africa. Palestine.

India, Tenass.

3034. rufa, Lath.; Naum. Vög. t. 80. 4, t. 369. 2, 3; Schl. Bijdr. Dierk. Amst. 1848, t 8; Gould, B. E. pl. 131. 2. abietina, Nils.; hypolais, Penn.	Europe. Egypt, Palest.
3035. Eversmanni, Bp. trochilus, var. β, Blas.; icterina, Eversm.	C. & E. Europe. Egypt.
3036. opaca, Rüpp.	Abyssinia.
3037. sylvestris, Brehm; Naum. Vög. t. 369. 1.	
3038. brevirostris, Strickl. tristis, p., Jard.	Asia Minor.
3039. viridula, Hempr. & Ehr.	N. Africa.
3040. umbrivirens, Rüpp. umbrinovirens!, G. R. Gr.	Abyssinia. W. Africa.
3041. Schwarzi, Radde.	E. Siberia.
Asilus, Bechst. 1802. Muscipeta, p., Kock, 1816. Curruca, Boie, 1822. Hippolais, Brehm, 1828. Hypolais, Cab. 1850. Salicaria, De Fil. Sylvia, Sw. 1837. Phyllopneustes, Bp. 1838. Ficedula, Schl. 1848.	
3042. hypolais, L.; P. E. 581. 2; Naum. Vög. t. 80. 1; Schl. Bijdr. Dierk. Amst. 1848, t 1; Gould, B. E. pl. 133. salicaria, Retz.; ambigua, Duraz. italica, De Fil.; icterina, Gerbe.	Europe.
3043. polyglotta, V.; Schl. Bijdr. Dierk. Amst. 1848, t 2; Des Murs, I. O. pl. 57. 1. hypolais, Gerbe.	S. Europe.
3044. pallida, Gerbe. cinerascens, Selys.	Algeria.
3045. icterina, V.; Gould, B. E. pl. 132; Des Murs, I. O. t. 57. 2. polyglotta, Selys.	S. Europe.
3046. Upcheri, Tristr.	Palestine.
3047. flavescens, G. R. Gr.	Batchian I.
3048. tristis, Bl. trochilus, Jerd.; brevirostris, Strickl.	India.
3049. lugubris, Bl. hippolais, Jerd.; flaveolus, G. R. Gr. xanthogaster, Hodgs.?	Sikkim.
3050. nitida, Lath. hippolais, p., Jerd.; Swainsoni, Hodgs.	S. India.
3051. fuscata, Bl. sibirica, Midd.; brunneus, Bl. "fulviventer, Hodgs." apud Bl.	Siberia, China. India.

3052. affinis, Tick.

3053. indica, Jerd. griseola, Bl.	C. India.
3054. sylvicultrix , Swinh. javanica, Blas.	China.
3055. coronata, Tem. & Schl. F. J. t. 18.	Japan.
3056. magnirostris, Bl. indisus et javanicus, Bl.; trochilus, Hodgs.	India.
3057. brunnea, Bl. fuscatus, juv., Jerd.	"
3058. montana, Bl.	,,
3059. tenellipes, Swinh.	China.
3060. xanthodryas, Swinh.	,,
3061. plumbeitarsa, Swinh. rufa, Schrenck; borealis?, Blas.	"
3062. presbytis, Müll.	Timor.
S13. n. Acanthopreuste, Blas. 1862. 3063. borealis, Blas.; Middend. Reise, ii. t. 16. 1, 2, 3; Naum. Vög. t. 375. 1. Eversmanni, Midd. 3064. validirostris, Jerd. borealis, Blas.?	N.E. Asia. Heligoland. Madras.
S14. o. Reguloides, Bl. 1847. Phyllobasileus, Cab. 1850.	
3065. proregulus, Pall. chloronotus, Hodgs.	Dauria. Himala., Burm.
3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl.	India, Himala.
3067. supercilicsa, Gm.; Naum. Vog. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Neum.	N. Asia, Engl. Heligo., Germ. China.
3068. calendula, L.; Edw. B. pl. 254. 2; Wils. A. O. pl. 5. 3. rubineus, V.	N. Amer., R. Mt. California.
3069. viridipennis, Bl.	Tenas., Sikkim.
3070. Cuvieri, Aud. B. A. pl.	Pennsylvania.
815. p. Tickellia, Jerd. & Bl. 1861.	
3071. Hodgsoni, Moore.	Sikkim.
S16. q. ABRORNIS, Hodgs. 1844. Habrornis, Agass.	

HAND-LIST OF BIRDS.

3072. erochroa, Hodgs. pulchra, Hodgs.	Nepal, Sikkim. Darjeeling.
3073. flaveola, Bl. lugubris, p., Moore.	India.
3074. viridana, Bl. rufa et affinis, Bl.; tenuiceps, Hodgs.	S. India.
3075. xanthoschistos , <i>Hodgs</i> . schisticeps, <i>Bl</i> .	Nepal.
3076. schisticeps, $Hodgs$. flavogularis, Bl .; melanops, $Jerd$.	"
3077. albogularis, Hodgs. albiventris, Jerd. & Bl.	,,
3078. griseofrons, Hodgs.	11
3079. xanthogaster , <i>Hodgs</i> . lugubris, p., <i>Jerd</i> .	"
3080. trochiloides, Sundev.	Himalayas.
nitidus, <i>Hodgs</i> . ?; reguloides, <i>Bl</i> .	Calcutta.
3081. magnirostris, Bl. trochilus ?, Hodgs.	India.
3082. poliogenys, Bl.	Nepal.
3083. castaneiceps, Hodgs.; G. R. Gr. & M. G. B. pl. 49. 2.	,,
3084. affinis, Hodgs.	,,
3085. occipitalis, Jerd.	Nellare.
3086. cantator, Tick.	Assam.
3087. trivirgata, Tem. Contr. Orn. 1849, pl.	Java, Sumatra.
3088. maculipennis, Bl.	Nepal or Sikkim.
3089. albosuperciliaris, Bl.	Cashmere.
3090. superciliaris, Tick. & Bl.	Sikkim.
3091. flaviventris, Jerd. albigularis, Jerd. & Bl.; superciliaris, p., Bl.	Sikkim, Darjeel.
3092. viridipennis, Bl.	Tenas.,Bor.,Dar.
3093. Armandi, M. Edw. N. Arch. du Mus. i. t. 2. 1.	N. China.
817. r. Neornis, Hodgs. 1844.	
3094. flavolivacea, Hodgs. cacharensis, Hodgs.	Nepal.
3095. montana, Horsf.	Java.
3096. assimilis, Hodgs. brevicaudata, Bl.	Nepal.

s. Horornis, Hodgs. 1844.

3097. fuliginiventris, Hodgs. Nepal. 819. t. CRYPTOLOPHA et Scicercus, Sw. 1837. Calicipeta, Bl. 1844. 3098. Burkii, Burt. India, Nepal. auricapilla, Sw.; bilineata, Less. strigiceps, Hodgs.; arrogans, Sundev. 820. u. PINDALUS, Hartl. 1862. 3099. ruficapilla, Sundev.; Ibis, 1862, pl. 5. Caffraria. **821. REGULUS, Cuv.** 1799-1800. Sylvia phyllopseustæ, p., Meyer, 1815. G. of B. i. p. 171, pl. 49. f. 1; Reich. S. A. t. 62. f. . 3100. cristatus, Koch; Naum. Vog. t. 93. 1, 2; Gould, B. E. pl. 148. 1. C. & S. Europe. flavicapilla, Naum.; regulus, L. vulgaris, Steph.; crococephalus, Brehm. 3101. ignicapillus, Tem.; P. E. 652; Naum. Vog. t. 93. 4, 5, 6; Gould, B. E. pl. 148. 2. pyrocephalus, Brehm; mystaceus, V. 3102. himalayensis, Gould. Himalayas. cristatus, Bl. Madeira. 3103. maderensis, V. Harc. 3104. satrapa, Licht.; Bp. A. O. pl. 2. 4. N. Amer., Rocky Mt., Vancou. I. cristatus, V.; tricolor, Nutt. 3105. surinamensis, Gould. Surinam. 822. SERICORNIS, Gould, 1837. G. of B. i. p. 188, pl. 51. f. 3; Reich. S. A. t. 59. f. 4142 3106. frontalis, Vig. & H.; Gould, B. A. iii. pl. 49. New S. Wales. parvulus, Gould. S. Australia. 3107. maculata, Gould, B. A. iii. pl. 51. Australia. 3108. magnirostris, Gould, B. A. iii. pl. 52. New S. Wales. magnirostra, Gould. 3109. osculans, Gould, B. A. iii. pl. 48. S. Australia.

New S. Wales.

N. Australia.

Tasmania.

3110. citreogularis, Gould, B. A. iii. pl. 46.

3111. lævigaster, Gould, B. A. iii. pl. 50.

3112. humilis, Gould, B. A. iii. pl. 47.

barbata, Lath.?

823. ACANTHIZA, Vig. & H. 1825, nec Fisch. 1807. G. of B. i. p. 189.

a. Acanthiza.

10 • 3113. nana, Vig. & H.; Gould, B. A. iii. pl. 60.

N. S. W., S. Aus.

3114. lineata, Gould, B. A. iii. pl. 61.

3115. pusilla, Lath.; White's Journ. pl. p. 257; Gould, B. A. iii, pl. 53.

New S. Wales.

3116. diemenensis, Gould, B. A. iii. pl. 54.

Tasmania.

Ewingii, Gould, B. A. iii. pl. 55; diemensis, Bp. 3117. inornata, Gould, B. A. iii. pl. 59.

W.&S.Australia.

3118. magna, Gould, B. A. suppl. pl.

Tasmania.

3119. flavolateralis, G. R. Gr.

New Caledonia.

3120. macularia, Quoy & G. Voy. de l'Astrol. t. 10. 3.

2121. Buchanani, Vig. & H.

Australia.

3122. uropygialis, Gould, B. A. iii. pl. 56.

New S. Wales. W. Australia.

3123. apicalis, Gould, B. A. iii. pl. 57.

Australia.

3124. pyrrhopygia, Gould, B. A. iii. pl. 58.

824. b. Geobasileus, Cab. 1850.

3125. chryscrrhcea, Quoy & G. Voy. Astrol. t. 10. 2; Gould; B. A. iii. pl. 63.

Austr., Tasman.

3126. reguloides, Vig. & H.; Gould, B. A. iii. pl. 62.

N. S. W., S. Aus.

S25. c. Gerygone, Gould, 184?

Psilopus, Gould, 1837, nec Poli, 1795. G. of B. i. pl. 51. f. 4; Reich. S. A. t. 59. f.

7:43 3127. albogularis, Gould, B. A. ii. pl. 97. olivaceus, Gould?

New S. Wales. W. Australia.

3128. personata, Gould, B. A. suppl. pl.

Cape York.

3129. flaviventris, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 1.

0120. 220 4.4 Casas 220, 0. 11. 07. 7 0y. 13 00. g 1077. pt. 4. 1.

New Zealand.

3130. albofrontata, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 2.

3131. chrysogaster, G. R. Gr.

Aru, Mys., Waig.

3132. inornata, Wall.

Timor.

3133. superciliosa, Wall.

3134. fusca, Gould, B. A. ii. pl. 98.

New S. Wales.

3135. culicivora, Gould, B. A. ii. pl. 99.

W. Australia.

10/0 3136. magnirostris, Gould, B. A. ii. pl. 100.

N. Australia.

3137. lævignster, Gould, B. A. ii. pl. 101.

1206. 3138. chloronotus, Gould, B. A. ii. pl. 102.

,,

3139. modesta, Pelz.

3140. aucklandica, Pelz.

3141. igata, Quoy & G. Voy. Astrol. t. 11. 2.

3142. assimilis, Buller.

3143. palpebrosa, Wall.

3144. neglecta, Wall.

3145. Grayi, Wall. citrinella, G. R. Gr.

3146. sulphures, Wall.

3147. --- ? modesta, Cab.

3148. ? longirostris, Quoy & G. Voy. Astrol. t. 10. 4.

3149. brevirostris, Gould.

Solor I., Flores, Borneo. Luzon.

Waigiou, Mysol.

Norfolk I.

Aru I.

Ké.

New Zealand.

Australia. New S. Wales.

826. d. Pyrrholænus, Gould, 1840.

Pyrrholæmus, G. R. Gr. 1848. Pyrrholaimus, Reich. 1849. Reich. S. A. t. 59. f. .

3150. brunnea, Gould, B. A. iii. pl. 68.

S. &W. Australia.

Subfam. IV. Luscining.

827. LUSCINIA, L. 1735.

Motacilla, p., L., 1758-66. Sylvia, Scop. 1760. Ficedula, Klein, 1759. Fauvette, Cuv. 1797-98. Sylvia (Curruca), Meyer, 1815. Curruca, Bechet. 1802. Oitrus et Philomela, Rafinq. 1815. Daulias, Boie, 1831. Philomela, Selby, 1833. Lusciola, Keys. & Bl. 1840. Erithacus (Philomela), Degl. 1849. G. of B. i. p. 172, pl. 49. f. 3; Reich. S. A. t. 61. f. .

3151. vera, Sunder.; P. E. 615.2; Naum. Vög. t. 74.2; Gould, B. E. pl. 116.

luscinia, L.; philomela, Bp.; aedon, Pall.

3152. philomela, Bechst.; Naum. Vog. t. 74. 1; Gould, B. E. pl. 117.

major, Br.; turdoides, Bl.

Europe, Egypt. W. Asia, E. Afr.

S. E. Europe. W. Africa, Asia.

828. RUTICILLA, Brehm, 1828.

Ficedula, Boie, 1826, nec Mochr. 1752. Phœnicura, Sw. 1831. Sylvia, Flem. 1822. Sylvia (Vermivoræ), p., Meyer, 1815. G. of B. i. p. 180, pl. 50. f. 10; Reich. S. A. t. 60. f. .

a. RUTICILLA.

G. ISOTICIDIA.	
3153. phosnicurus , L.; P. E. 351. 1, 2; Naum. Vög. t. 79. 1, 2; Gould, B. E. pl. 95. ruticilla et muraria, Sw. tithys, Hutt.	Europe, India. N. & W. Africa.
3154. tithys, Scop.; Edw. B. pl. 29; Naum. Vög. t. 79. 3, 4; Gould, B. E. pl. 96. erythaca, L.; gibraltariensis et atrata, Gm. Cairii, Degl.	C. & S. Europe. W. & N. Africa.
315b. semirufa, Hempr. & Ehr.	Palestine.
3156. erythroprocta, Gould, B. As. pl.	Erzeroom.
3157. mesoleuca, Ehr. marginella, Bp.; Bonapartei, V. Müll.	Seneg., Abyssin.
3158. Moussieri, Olph Gall.; Ibis, 1860, pl. 11.	Algeria.
3159. aurorea, Pall. Zoogr. t. 27; Schl. F. J. t. 21. Reevesi, Gr.	China, Japan, Assam, Him. M.
3160. leucoptera, Bl.	Jav.,Malac.,Tim
3161. rufiventris, V.; Lev. O. A. t. 188. 1. leucoptera, Sw. atrata, Jard. & S. I. O. pl. 86. 3. indica, Bl.; nipalensis, Hodgs.	India.
3162. frontalis, Vig.; Gould, C. B. pl. 26. 1. tricolor, Hodgs.; melanura, Less.	N. India.
3163. cæruleccephala, Vig.; Gould, C. B. pl. 25. 2.	,,
3164. schisticeps, Hodgs.	Nepal.
3165. Hodgsomi , <i>Moore</i> , <i>Pr. Z. S.</i> 1854, pl. 58. ruticilla, <i>Hodgs.</i> ; Reevesi et erythrogastra, <i>Bl.</i>	
3166. fuliginosa, Vig. plumbes, Gould; rubricauda et lineoventris, Hodgs.; simplex, Less.	N. India.
3167. erythronota, Eversm.; Pall. Zoogr. App. t	Asia, Russia.
3168. pectoralis, Heugl.	Bahr el Abiad.
3169. rufogularis, Moore, Pr. Z. S. 1854, pl. 59.	N. India.
3170. Vigorsi, Moore, Pr. Z. S. 1854, pl. 60. erythrogastra Q, Jerd.	,,
3171. nigrogularis, Moore, Pr. Z. S. 1854, pl. 61.	Nepal.
3172. phœnicuroïdes, <i>Moore</i> , <i>Pr. Z. S.</i> 1854, pl. 57.	N. India.
3173. arborea, <i>Bp</i> .	India.
829. b. Chaimarrornis, Hodgs. 1844. Chæmorrhous, Bp. Chæmarrhornis, Agass.	
3174. leucocephala, Vig.; Gould, C. B. pl. 26. 2.	Himalaya M.

830.

c. ADELURA, Bp. 1853.

Chamorrhous, Bp. 1856.

3175. erythrogastra, Güld. Nov. Comm. Petro. xix. t. 16, 17; Gould, B. As. pl.

tricolor et grandis, Gould. aurorea, var. ceraunia, Pall.

831. d. LARVIVORA, Hodgs. 1837.

3176. cyanea, Hodgs.

brunnea, Hodgs.; superciliaris, Jerd.

3177. gracilis, Swinkoe.

3178. sibilans, Swinh.

832. e. CALLENE, 1847,

et Cinclidium, 1842, Bl. Jerdonia, Bl. 1855.

3179. frontalis, Bl. I. A. S. B. xii. pl. .

3180. rufiventris, Bl.

major, Jerd.

3181. albiventris, Fairb. Pr. Z. S. 1867, pl. 39; Gould, B. As. pl. Pulney Hills. S. India.

833. NOTODELA, Less. 1831.

Muscisylvia, 1844, et Myiomela, 1846, Hodgs. G. of B. i. p. 178, pl. 50. f. 8; Reich. S. A. t. 60. f. .

3183. diana, Less. Bélang. Voy. t. 3.

3184. montium, Swink.

3182. leucura, Hodgs.

834. NEMURA, Hodgs. 1844.

Nematura, Agass. Ianthia, Bl. 1847.

G. of B. i. p. 180, pl. 50. f. 7; Reich. S. A. t. 60. f. .

a. Nemura.

3185. cyanura, Pall.; F. J. t. 21.

rufilata, Swink.

3186. rufilata, Hodgs.; Jard. Contr. Orn. 1850, pl. cyanura Q, Hodgs.; Tytleri, James.

3187. hyperythra, Bl.; Jard. Contr. Orn. 1849, pl.

3188. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62.

b. Tarsiger, Hodgs. 1844.

3189. chrysma, Hodgs.; Jard. Contr. Orn. 1850, pl.

Nepal, Sikkim.

3190. superciliaris, Hodgs.; Jard. Contr. Orn. 1849, pl. chryseus, p., Hodgs.; flavolivacea, Hodgs.

Nepal, Madras.

E. & S.E. Eur.

Cevlon.

China, Malacca.

Macao.

Nepal, Sikkim.

Neilgherries.

Himalayas.

Pegu.

I. of Formosa.

Japan.

Himalaya M.

Darjeeling.

Nepal.

?___.

836. c. Pogonocichla, Cab. 1847.

Tarsiger, p., Bl.

3191. stellata, V.; Lev. O. A. t. 157.

S. Africa.

margaritata, Sundev. "cucullatus, Gould," Bl.

837. HODGSONIUS, Bp. 1850.

Bradibates, 1846 (nec Tack. 1838), et Bradypetes, 1844 (nec

G. R. Gr. 1840), Hodgs.
Sylvania, Bl. 1847, nec Nutt. 1832.

G. of B. i. p. 181, pl. 50. f. 11; Reich. S. A. t. 60. f. .

3192. phosnicuroides, Hodgs.

Nepal.

838. ERYTHACUS, Cuv. 1799, 1800.

Dandalus, Boie, 1826. Sylvia (Vermivoræ), Meyer, 1815.

Sylvia (Humicolæ), Naum

Rubeoula, *Brekm*, 1828. Ficedula, *Boie*, 1822. Sialia, *Se!by*, 1831, *nec Sw*. 1827. Erythaca, *Sw*. 1831.

Daudalus!, G. R. Gr. 1846.

Erythacus (Rubecula), Degl. 1849.

G. of B. i. p. 181, pl. 50. f. 13; Reich. S. A. t. 60. f. .

3193. rubecula, L.; P. E. 360. 1; Naum. Vog. t. 75. 1, 2; Gould, B. E. pl. 98.

familiaris, Bl.

Europe. N.E. Africa.

3194. akahige, Tom. P. C. 571; Schl. F. J. t. 21 B.

Japan.

3195. komadori, Tem. P. C. 570; Schl. F. J. t. 21 c.

839. CYANECULA, Brehm, 1828.

Pandicilla, Bl. 1833.

Erithacus (Cyanecula), Degl. 1849.

G. of B. i. p. 182, pl. 50. f. 14; Reich. S. A. t. 60. f. .

a. CYANECULA.

3196. suecica, L.; P. E. 361. 2, et 610; Naum. Vög. t. 75. 3, 4, 5, & t. 366. 1-4; Gould, B. E. pl. 97.

cyanecula, Meyer. N. Africa.

3197. ? leucocyana, Brehm; Naum. Vög. t. 364. 1, 2, & t. 365.

S. Europe. Egypt.

C. Europe.

suecica, p., Altum; cyanecula, p., Wolf & Mey.

3198. cerulecula, Pall.; Kittl. Kupf. Vög. t. 17. 2.

India.

suecica, β , Blas.; suecica, p., Bl. suecicoides, Hodgs.; indica, Bl. cyane, Eversm.?; fastuosa, Less.

3199. major, Bp.

Abyssinia.

3200. ? Wolfii, Brehm; Naum. Vög. t. 364. 3, 4, & t. 365. 3, 4. succica, p., Bp.

S. Europe.

3201. dichrosterns, Cab.

N.E. Africa.

b. Calliofe, Gould, 1836, nec Ogil. 1836. 840.

Accentor, Boie, 1826. Melodes, Keys. & Bl. 1840. Erithacus (Calliope), Degl. 1849.

Reich, S. A. t. 60. f.

3202. camtschatkensis, Gm.; Lath. Syn. suppl. pl.; Gould, B. E. pl. 114.

calliope, Pall.; Lathami, Gould.

3203. pectoralis, Gould, I. A. pl.

N. Asia, France. India, Nepal, Philippine I. Himalayas.

841. GRANDALA, Hodgs. 1843.

G. of B. i. p. 184, pl. 50. f. 3; Reich. S. A. t. 60. f.

3204. cmlicolor, Hodga; G. R. Gr. & M. G. B. pl. 50; Gould, B. As. pl. schistacea, Hodgs.

Nepal.

Subfam. V. Saxicolinæ, Sw. 1831.

Saxicolina, Vig. 1825. Luscininæ et Erythacinæ, p., G. R. Gr.

842. SAXICOLA, Bechst. 1802.

Vitiflora, Leach, 1816. CEnanthe, V. 1816. Lucotos, Würt. G. of B. i. p. 178, pl. 50. f. 9; Reich. S. A. t. 60. f. .

a. SAXICOLA.

3205. cenanthe, L.; P. E. 554; Naum. Vog. t. 89. 1, 2; Gould, B. E. pl. 90.

vitiflora, Pall.; cinerea, V.; rostrata, Ehr.?

Europe. Palestine?

3206. albicollis, V.; P. C. 275. 1; Naum. Vög. t. 376; Gould, B. E. pl. 92.

rufescens, Blas.; aurita, Tem. xanthomelæna, Ehr.?

3207. stapazina, L.; Edw. B. pl. 31.2; Naum. Vög. t. 90. 1, 2; Gould, B. E. pl. 91.

S. Europe.

3208. leucomela, Pall. Zoogr. t. 28; Gould, B. E. pl. 89. longirostris, pleschanka et melanoleuca, Gm.

S.E. Europe.

S.W. Europe.

3209. capistrata, Gould, B. As. pl. leucomela, Jerd.

Hindostan.

3210. lugens, Licht.; P. C. 257. 3. leucomela, Tem., et var. β, Blas. S.E. Europe. Africa.

3211. atrogularis, Bl.; Gould, B. As. pl. deserti, Jerd.

India, Sindh. Punjab.

3212. deserti, Rüpp.; P. C. 359. 2.

Egypt, Nubia.

3213. pallida, Rüpp. Atl. t. 34. 1; P. C. 472. 1.

Nubia.

Isabellina, Tem.

HAND-MOI OF BIADS,	220
3214. Stricklandii, Bp. albicans, Walkb.	Damaraland.
3215. lugubris, Rüpp. F. A. t. 28. 1.	Abyssinis.
.3216. Isabellina, Rüpp. Atl. t. 34, 2. saltatris, Mentir. squalida, Eversm.; saltator, Bp.; cenanthe, β, Blas.	Nubia, Abyss.
3217. philothamna, Tristr. Ibis, 1859, pl. 9.	Sahara.
3218. eurymelæna, Hempr. & Ehr. deserti, p., Hartl. & F.	S. Palestine.
3219. amphileuca, Hempr. & Ehr.	>>
3220. libanotica, Hempr. & Ehr. saltator, p. ?, Bp.	"
3221. rufocinerea, Rüpp. F. A. t. 27.	Abyssinia.
3222. cenanthoides, Vig. cenanthe, p., Baird.	N.W. America. Canada.
3223. gutturalis, Licht.; Bull. Sc. Mosc. 1850, t. 8. 2. salina, Eversm.	Russ., Afr., Asia.
3224. montana, Gould, B. As. pl. isabellina Q, Harti.	Afghanistan.
3225. sordida, Rüpp. F. A. t. 26. 2.	Abyssinia.
3226. halophila, Tristr.	Sahara.
3227. homochros, Tristr.	79
3228. moesta, Licht.	Egypt.
3229. castor, Hartl. cinerea, var., Tristr.	S. Africa.
3230. pollux, Hartl.	,,
3231. leucorrhoa, Gm.; P. E. 583. 2.	Senegal.
3232. rostrata, Hempr. & Ehr.	S. Palestine.
3233. leucuroides, Lafr. & Guér.; Ferr. & Gal. Voy. en Abyss. t.	Abyssinia.
3234. Arnotti, <i>Tristr. Ibis</i> , 1869, pl. 6. 3235. Atmorii, <i>Tristr</i> .	S. Afr., Adam Kok's N. Land. Damaraland.
3236. ? Sohlegelii, Wahlb.	
3237. modesta, Tristr.	,,
	"
843. b. Campidola, Sw. 1827.	G 46:
3238. pileata, Gm.; Lev. O. A. t. 181, 182. imitatrix, V.; hottentotta, Gm. mimus, Forst.	S. Africa.
3239. Livingstonii, Tristr.	S. Africa, Tette.

3240. bifasciata, Tem. P. C. 472. 2; Pr. Z. S. 1865, pl. 23. S. Africa. spectabilis, Hartl. 3241. Bottee, Bp. Africa. 844. c. CERCOMELA, Bp. 1856. 3242. melanura, Rüpp.; P. C. 257. 2. Abvasinia. asthenia, Bp. Coast of Red Sea. N.W. India. 3243. fusca, Bl. Palestine. 3244. lypura, Ehr. 3245. erythræa, Ehr. 3246. frenata, Heugl. N.E. Africa. albigularis, Rüpp. MS.; isabellina, juv., Rüpp. 3247. Heuglini, Hartl. & F. leucorrhoïdes, Heugl. 845. d. DROMOLARA, Cab. 1850. Vitiflora, Boie, 1826, nec Leach, 1816. 3248. monticola, V.; Lev. O. A. t. 185. 8. Africa. rupicola, Boie; capensis, Sw.; leucomelana, Burch.? 3249. cinerea, V.; Lev. O. A. t. 184. 2. Levaillantii, Smith; tractrac, Bois. 3250. leucura, Gm.; Descr. de l'Egypte, t. 5. 1; Gould, B. E. pl. 88. S. Europe. cachinnans, Tem. N. & W. Africa. 3251. picata, Bl.; Gould, B. As. pl. Sindh. 3252. monacha, Rüpp.; P. C. 359. 1. Nubia. gracilis, Licht. 3253. leucopygia, Brehm. Palestine. 3254. leucocephala, Brehm. Sahara. leucura, Loche; cursoria, V.? 3255. opistholeuca, Strickl.; Jard. Contr. Orn. 1849, pl.; Gould, India. B. As. pl. leucura, Bl.; leucuroides, Jerd. 3256. æquatorialis, Hartl. W. Africa. 3257. chrysopygia, Defil. Damavend. 3258. albipileata, Bocage. Dombe, Angola. 2359. incompta, Licht. S. Africa. 3260. — - ? monacha, Loche. N.E. Africa.

S. Africa.

3261. cursoria, V.; Lev. O. A. t. 190.

q 2

__ ?

846. e. AGRICOLA, Verr. 1853. 3262. infuscata, Smith, I. S. A. Z. pl. 28. S. Africa. f. MYRMECOCICHLA, Cab. 1850. 3263. formicivora, V.; Lev. O. A. t. 186, 187. leucoptera, Sw. 3264. sethiops, Licht. Senegal. 3265. Quartini, Bp. Abyssinia. 3266. melas, Licht.; Rüpp. Wirbl. t. 28. 2. melæna, Rüpp. Shos. 3267. nigra, V.; Lev. O. A. t. 189. S. Africa. 848. g. Oreicola, Bp. 1853. Oreicoca!, Bp. 3268. pyrrhonota, V. Timor. caprata ♀, Pucher. 3269. melanoleuca, V. 3270. luctuosa, Müll. 3271. ? gutturalis, V. 3272. ? merula, Quoy & G. New Ireland. 849. A. RHODOPHILA, Jerd. 1867. Oreicola, p. 3273. Jerdoni, Bl.; Gould, B. As. pl. Burmah. melanoleuca, Jerd. 850. PRATINCOLA, Koch, 1816. Praticola, Kaup, 1819. Curruca, Leach, 1816. Fruticicola, Macgill. 1839. Saxicola, Boie, 1822. Rubetra, G. R. Gr. 1840. Motacilla (Œnanthe), Pall. 1831. G. of B. i. p. 179, pl. 50. f. 12; Reich. S. A. t. 60. f. . 3274. rubicola, L.; P. E. 678. 1; Naum. Vög. t. 90. 3, 4, 5; Gould, B. E. pl. 94. C. S. Europe. maura, Pall.; muscipeta, Scop. W. & N. Africa. 3275. rubetra, L.; P. E. 678. 2; Naum. Vög. t. 89. 3, 4; Gould, Europe, N. & W. B. E. pl. 93. Africa. S. Africa. 3276. torquata, L.; Lev. O. 4. t. 180. pastor, Cuv.; rubicola, var. capensis, V. sybilla, Cab. albofasciata, Rüpp. U. S. t. 16; borbonica, Bory de St. Vin. 3277. ? sybilla, Gm. Madagascar. torquata, p., Hartl. & F.; maura, p., Tem. 3278. ? Hemprichii, Ehrenb. N.E. Africa. torquata, p., Hartl. & F.

3279 salax, Verr. olax, Strickl.	W. Africa.
3280. arborea, Poll.	Madagascar.
3281. atrata, Kelaart.	Ceylon.
3282. caprata, L.; P. E. 235. 1, 2. fruticola, Horsf.; bicolor st crythropygia, Sykes. atrata, Bl.; melanoleuca, Hodgs. sylvatica, Tick.	India. Timor, Celebes.
3283. indica, Bl.; Gould, B. As. pl. saturatior, Hodgs.; rubicola, Sykes.	India.
3284. insignis, Hodgs.	Nepal.
3285. leucura, Bl.; Gould, B. As. pl.	Sindh.
3286. ferrea, Hodgs.	Himal., Bootan.
3287. fervida, Gm.; P. E. 583. 1.	Senegal.
3288. senegalensis, L.	. 39
Petroeca, Cab. 1850. G. of B. i. p. 182, pl. 50. f. 15; Reich. S. A. t. 60. f.	
a. Petroica.	
2206 3289. multicolor, Vig. & H.; Lath. Syn. pl. 100; Lewin, B. N. H. pl. 17; Gould, B. A. iii. pl. 3.	Australia, Van Diemen's Land.
36/4 • 3290. Goodenovii, Vig. & H.; Jard. & S. I. O. pl. 8.2; Gould, B. A. iii. pl. 5.	Australia.
(19) 1 3291. phoenicea, Gould, B. A. iii. pl. 6.	N. S. W., S. Aus.,
3292. erythrogastra, Gm.; Gould, B. A. iii. pl. 4. modesta et pulchella, Gould; multicolor, Gm.	Van Diemen's L. Norfolk I.
3293. hypoleuca, G. R. Gr.	N. Guin., Mysol, Waigiou.
1693 4 3294. pusilla, Peale, U. S. Erpl. Erp. pl. 9. 4.	Samoan I.
3295. similis, G. R. Gr.	New Hebrides.
3296. Fosteri, G. R. Gr. minutus, Forst.	Botany Island.
852. b. ERYTHEODRYAS, Gould, 1842. • Reich. S. A. t. 60. f.	
3297. rhodinogastra, Drap.; Zool. Journ. i. pl. 13; Gould, B. A. iii. pl. 1. Lethami, Vig.; rhodogastra, Lath.	Van Diemen's L. S. Australia.
3298. rosea, Gould, B. A. iii. pl. 2.	New S. Wales.
3299. ? coccinigastra, Lath. Syn. suppl. pl. 134.	"

North America. Texas.

853. c. MELANODRYAS, Gould, 1863. • 3300. cucullata, Lath.; Sw. Zool. Ill. pl. 43; Gould, B. A. iii. New S. Wales. bicolor, Sw. S. & W. Austr. 3301. picata, Gould. N.W. Australia. d. AMAURODRYAS, Gould, 1863. 3302. vittata, Quoy & G. Voy. Astrol. t. 3. 2; Gould, B. A. iii. pl. 8. Van Diemen's L. fusca, Gould. 855. e. POECILODRYAN, Gould, 1863. 3303. cerviniventris, Gould, B. A. suppl, pl. N.W. Australia. >49 3304. superciliosa, Gould, B. A. iii. pl. 9. N. Australia. 856. f. Mylomotra, Reich. 1850. Reich. S. A. t. 67. f. . 3305. toitoi, Garn. Voy. Coqu. t. 15. 3. New Zealand. 3306. Dieffenbachii, G. R. Gr. Voy. Ereb. & Terr. pl. 6. 1. Chatham Isld. '02/1 3307. macrocephala, Gm.; Lath. Syn. pl. 55. New Zealand. minutus, Forst.; australis, Steph. Forsterorum, G. R. Gr. Var. Auckland I. 857. g. Miro, Less. 1831. Myioscopus, Reich. 1850. Reich, S. A. t. 67. f. . 12 4 - 3308. albifrons, Gm.; Voy. Ereb. & Terr. pl. 6. 2. New Zealand, South Island. ochrotarsus, Forst.; saxicolina, Licht. New Zealand, 3309. longipes, Garn. Voy. Coqu. t. 19. 1. North Island. novæ zealandiæ, Less. australis, Sparrm. M. C. t. 69? 858. DRYMODES, 1840, et Hylodes, 1841, Gould. G. of B. i. p. 183, pl. 50. f. 2; Reich. S. A. t. 60. f. . 3310. brunneopygia, Gould, B. A. iii. pl. 10. S. & W. Austr. 3311. superciliaris, Gould, B. A. suppl. pl. Cape York. 859. SIALIA, Sw. 1827. Sialis, Lafr. G. of B. i. p. 184, pl. 50. f. 5; Reich. S. A. t. 60. f. .

3312. Wilsonii, Sw.; P. E. 396; Wils. A. O. pl. 3. 5.

azurea, V.; Lev. O. A. t. 158.

sialis, L.

7) / / 3313. mexicana, Sw.; Aud. B. A. ii. pl. 135. occidentalis, Towns. czeruleicollis, Vig. Voy. Beechey, pl. 3.

W. of N. Amer. Rio Grande. Califor., Mexico.

3314. arctica, Rick. & Sw. F. B. A. pl. 39; And. B. A. ii. pl. 136. Rocky Mts. macroptera, Baird.

Mexico, Califor.

860. ORIGMA, Gould, 1837.

Orygma, Des Murs, 1853.

G. of B. i. p. 185, pl. 50. f. 4; Reich. S. A. t. 60. f. .

3315. rubricata, Lath.; Lewis, B. N. H. pl. 16; Gould, B. A. iii. pl. 69. solitaria, Lewin.

New S. Wales.

Subfam. VI. Accentoring, G. R. Gr. 1840.

Sylvianse, p., Sw. 1827. Parinse, p., Sw. 1837. Saxicoline, p., Cab. 1847.

861. ACCENTOR, Bechst. 1802.

Prunella, V. 1816 (suppressed in 1818). Laiscopus, Glog. 1842.

G. of B. i. p. 187, pl. 51. f. 1; Reich. S. A. t. 59. f. .

a. ACCENTOR.

3316. alpinus, Gm.; P. E. 668. 2; Naum. Vög. t.92. 1, t. 378. 1; Gould, B. E. pl. 99.

S. Europe.

montanus, Gm.; collaris, Scop. mauritanicus, Lath.

3317. immaculatus, Hodgs.; Gould, B. As. pl. mollis, BL

Nepal.

3318. nipalensis, Hodgs.; Gould, B. As. pl. cacharensis, Hodgs.

3319. altaicus, Brandt; Gould, B. As. pl. himalayanus et variegata, Bl.

Siberia, India.

alpinus, V. 3320. atrogularis, Brandt; Gould, B. As. pl.

Siberia.

3321. Huttoni, Moore.

Simla.

atrogularis, Hutt.

862. b. Spermolegus, Kaup, 1829.

3322. montanellus, Pall.; Naum. Vög. t. 92. 2.

N. Asia, Amur-land, Vienna. W. Siberia.

3323. Temminckii, Brandt; Gould, B. E. pl. 101. montanellus, Tem.

c. Tharrhalbus, Kaup, 1829. 863. Sylvia (Vermivorse, p.), Meyer, 1815.

3324. modularis, L.; P. E. 615. 1; Naum. Vög. t. 92. 3, 4; Gould, B. E. pl. 100.

Europe.

3225. strophiatus, Hodgs.; G. R. Gr. & M. G. B. pl. 51; Gould, B. As. pl.

Himalaya Mts.

3326. rubidus, Tem. & Schl. F. J. t. 32.

Japan.

3327. rubiculoides, Hodgs.

Nepal.

FAM. II. PARIDÆ, Boie, 1826. Ampelidæ, p., Jerd. 1863. Sylvidæ, p.

Subfam. I. Parinæ, Bp. 1838. Parianæ, Sw. 1831.

864. PARUS, L. 1735.

Sw. C. of B. f. 214, h, k; G. of B. i. p. 191.

a. PARUS.

3328. major, L.; P. E. 3. 1; Naum. Vög. t. 94. 1; Gould, B. E. pl. 150. fringillago, Pall.

Europe.

3329. ater, L.; Naum. Vög. t. 94.2; Gould, B. E. pl. 155. 1. carbonarius, Pall.

3330. Ledouci, Malh.

Algeria, N. Afr.

3331. after, Gm.; Lev. O. A. t. 138. cinerascens, V.

3332. varius, Tem. & Schl. F. J. t. 35.

W. Africa. Japan.

3333. minor, Tem. & Schl. F. J. t. 33.

3334. cinnamomeiventris, Gould.

I. of Formosa.

3335. cinereus, V.; P. C. 287. 2; Lev. O. A. t. 139. 1; Gould, B. As. pl. atriceps, Horsf.; cæsius, Tick. nipalensis et schistinotus, Hodgs.

Himal., Ceylon. Java, Flores.

3336. nuchalis, Jerd. Ill. Ind. Orn. pl. 46.

E. Ghats.

3337. monticolus, Vig.; Gould, C. B. pl. 29. 2; id. B. As. pl. Himalayas.

3338. elegans, Less. quadrivittatus, Lafr. 3339. semilarvatus, Salvad. India.

3340. fuscus, V.; Lev. O. A. t. 139. 2.

Himalayas. ----?

Amoy.

3342. - ?; Gould, B. As. pl. minor, Gould.

----?

Sikkim.

3343. Atkinsoni, Jerd.

3341. commixus, Swinh.

3344. Griffithii, <i>Bl.</i>	Assam.
3345. insperatus, Swinh.	I. of Formosa.
3346. viridescens, Swinh.	,,
3347. bokharensis, Jaub.	Bokhara.
B65. b. PCECILE, Kaup, 1829. PCECILE, G. R. Gr. 1847. Paecila, Bp. 1850. Poikilis, Blas. 1863. G. of B. i. pl. 52, f. 2; Reich, S. A. t. 62, f.	
3348. palustris, L.; Naum. Vög. t. 94. 4, t. 379. 4; Gould, B. E. pl. 155. 2. fructiceti, Wallengr. ?; stricapillus, Gm.	Europe. Siberia.
3349. borealis, Selys; Naum. Vög. t. 379. 2. palustris, β , Blas.	N. Nurope.
3350. ? alpestris, Baill.; Naum. Vög. t. 379. 3. palustris, γ, Blas.	C. S. Europe.
3351. lugubris, Natt.; Naum. Vög. t. 379. 1; Gould, B. E. pl. 151. 1.	S.E. Eur., Dal- mat., Hungary.
3352. cinctus, Bodd.; P. E. 708. 3; Gould, B. E. pl. 151. 2. aibiricus, Gm.; japonicus, Steph.; lugubris, Zetterst.	N.E. Europe.
3353. septentrionalis, Harr.; Case. Ill. 1852, pl. 14.	Missouri to
3354. atricapillus, L.; Wils. A. O. pl. 8. 4. palustris, Nutt.	Rocky Mts. E. of N. Amer.
3355. occidentalis, Baird.	N. Pacific coast
3356. meridionalis, Sclat.	of U. S. E. Mexico.
3357. montanus, Gamb. Journ. Ac. Phil. 1847, pl. 8. 1.	Pacific coast of
3358. rufescens, Towns.; Aud. B. Am. ii. pl. 129. sitchensis, Kittl.	U. S.
3359. hudsonicus, Forst.; Aud. B. Am. ii. pl. 128.	N.E. of N. Amer.
3360. ferrugineus, Lund; N. S. Fn. & Fl. Fenn. 1848, t. 1. 1.	N. Europe.
3361. lapponicus, v. Wright; N. S. Fn. & Fl. Fenn. 1848, t. 1. 2. sibiricus, Nils.	1)
3362. kamschatkensis, Bp.	Kamschatka.
3363. carolinensis, Aud. B. A. ii. pl. 127.	S. Atl. States.
3364. frigoris, Selys.	N. Europe.
866. c. Cyanistes, Kaup, 1829. Cyanistis, Bp. 1853.	
3365. cyaneus, Pall.; Mus. Carls. t. 25; Naum. Vög. t. 95.3; Gould, B. E. pl. 153. saebyensis, Sparrm.; kujaeck, Gm.	Siberia, E. C. Europe.
3366. caruleus, L.; P. E. 3. 2; Naum. Vög. t. 95. 1, 2; Gould, B. E. pl. 154.	Europe, Asia Minor.

3367. ultramarinus, Bp.; G. R. Gr. & M. G. B. pl. 52. N. Africa. cæruleus, \(\beta \), \(Blas. \); cærulesnus, \(Malh \). numidicus et violaceus, Lev. teneriffæ, Less.?

867. d. Machlolophus, Cab. 1850.

3368. spilonotus, Bl.; Jard. Contr. Orn. 1852, pl. 1; Gould, Darjeeling, Sik-B. As. pl. xanthogenys, Bl.

3369. xanthogenys, Vig.; Gould, C. B. pl. 29. 1; id. B. As. pl. N.W. Himal. aplonotus, Bl.

3370. Jerdoni, Bl.; Gould, B. As. pl. Neilgherries. xanthogenys, Jerd.

3371. melanolophus, Vig.; Gould, C. B. pl. 30, 2; id. B. As. pl. N.W. Himalays. Moulmein. 3372. subviridis, Tick.

868. e. Lophophanes, Kaup, 1829. Parus, L. 1758.

Reich, S. A. t. 62, f.

3373. cristatus, L.; P. E. 502. 2; Naum. Vog. t. 94. 3; Gould,

B. E. pl. 156. Europe.

3374. dichrous, Hodgs.; Gould, B. As. pl.

3375. rufonuchalis, Bl.; Gould, B. As. pl. Simla.

3376. Beavani, Bl.

Sikkim.

3377. rubidiventris, Bl.; Jard. Contr. Orn. 1852, pl. . Nepal. melanolophus, Hodgs.

3378. semodius, Hodgs.

869. f. Baeolophus, Cab. 1850. Parus, L. 1766. Bacolophus, Bp. 1853. Lophophanes, p., Cass.

3379. bicolor, L.; Wils. A. O. pl. 8. 5. indicus, Sparrm.

3380. atricristatus, Cass. Ill. B. Calif. pl. 3; Journ. Ac. Phil. Calif., S. Rocky Mountains. 1847, pl. 8.

3381. inornatus, Gamb. Journ. Ac. Phil. 1847, pl. 8; Elliott,

B. N. A. pl. 3. Calif., Rocky M.

3382. Wollweberi, Westerm.; Baird, B. N. A. pl. 53. 1. S. Rocky M. annexus, Cass. Pr. Ac. Phil. 1850, pl. 1. Texas. galeatus, Cab.

g. MELANIPARUS, Bp. 1850. Penthestes, Reich. 1850. Pentheres, Cab. 1850. Melanoparus, Verr. 1855.

3383. niger, V.; Lev. O. A. t. 137. 1. luctuosus, Licht.

S. Africa.

Nepal.

E. N. America.

3384. leuconotus, Guér.; Rüpp. S. U. t. 18; Ferr. & Gal. Voy. Shos. en Abyss. t. 9. 1. dorsatus, Rüpp. 3385. leucopterus, Sw. W. Africa. melanoleucus, Würt. Gaboon. 3386. funerous, Verr. 3387. leucomelas, Rüpp. F. Abyss. t. 37. 2. Abyssinia. leucopterus, p., Hartl. h. Melanochlora, Less. 1839. 871. Crataionyx, Eyton, 1839. Crataeonyx, Agass. Ptilobaphus, Reich. 1850. 3388. sultaneus, Hodgs.; Gould, B. As. pl. Nepal. 3389. flavocristatus, Lafr. Mag. de Zool. 1837, t. 80. Sumatra. Malacca. sumatranus, Less.; atra et flava, Eyton; sultanea, p., Jerd. 872. i. PSALTRIA, Tem. 1832. 3390. exilis, Tem. P. C. 600. 4; Gould, B. As. pl. Java. j. PSALTRIPARUS, Bp. 1851. 873. 3391. melanotis, Hartl.; Baird, B. N. A. pl. 53. 3. E. Mexico. personatus, Bp.; melanotus, Sandb. Guatemala. 3392. minimus, Towns.; Aud. B. Am. ii. pl. 130. Pac. coast of U.S. 3393. plumbeus, Baird, B. A. pl. 33. 2. S. Rocky M. 874. k. Auriparus, Baird, 1864. 3394. flavifrons, Sundev.; Baird, B. N. A. pl. 63. 2. Rio Grande. ornatum, Lawr. l. ORITES, Mochr. 1752. Mecistura, Leach, 1816. Acredula, Koch, 1816. Paroides, Brehm, 1828. Megistura!, G. R. Gr. 1840. Ægithalus, Glog. 1842, nec Boie, 1822. Reich. S. A. t. 62. f. . 3395. caudatus, L.; P. E. 502. 3; Naum. Vog. t. 95. 4, 5, 6; N. Eur., Amur, Gould, B. E. pl. 157. Siber., N. Brit. France, Lombar...

3396. roseus. Bl. Tuscany, on vagans, Leach; longicaudata, Macgill. Bosphorus. On Bosphorus.

3397. tephronotus, Günth. Ibis, 1865, pl. 4.

3398. trivirgatus, Tem. & Sohl. F. J. t. 34. Japan. 3399. glaucogularis, Gould, B. As. pl. China. 3400. Swinhoii, Pels. Reise Novara, t. S. 1. Shangai.

876. SUTHORA, 1838,

et Temnoris, 1841, et Hemirynchus, 1843, Hodgs. Paradoxornis, p., G. R. Gr. 1841. Sutora, Des Murs, 1853. G. of B. i. p. 192, pl. 52. f. 1; Reich. S. A. t. 62. f.

a. SUTHORA.

3401. nipalensis, Hodgs.; Gould, B. As. pl. upp. fig. Nepal. atrifrons, Hodgs.

3402. fulvifrons, Hodgs.; Gould, B. As. pl. nipalensis, p., Hodgs.

3403. poliotis, Bl.; Gould, B. As. pl. 2. low. fig. nipelensis, p., Gould; pictifrons, Hodgs.

3404. Webbiana, G. R. Gr. Pr. Z. S. 1852, pl. 49; Gould, B. As. pl.

3405. bulomachus, Swink. Ibis, 1866, pl. 9.

I. of Formosa.

China.

877. b. Chlenasicus, *Bl.* 1845.

Suthora, p., Bl. 1849.

3406. ruficeps, Bl.

Sikkim, Darjeel.

878. CERTHIPARUS, Lafr. 1842.

Certhioparus, Agass.

G. of B. i. p. 193, pl. 52. f. 6; Reich. S. A. t. 62. f. .

2-10. 3407. nove zealandis, Gm.; Voy. Ereb. & Terr. pl. 5. 1. New Zealand. urostigma, Forst.

3408. maculicaudus, G. R. Gr. Voy. Astrol. t. 11. 3. zealandicus, Quoy & G.

879. SPHENOSTOMA, Gould, 1837.

a. SPHENOSTOMA.

G. of B. i. p. 194, pl. 52. f. 5; Reich. S. A. t. 62. f. .

3409. cristatum, Gould, B. A. iii. pl. 17.

E. & S.Australia.

880. b. Xerophila, Gould, 1840.

3410. leucopsis, Gould, B. A. iii. pl. 67.

S. Australia.

881. PARISOMA, Sw. 1831.

Parosoma, Agass.

Sw. C. of B. f. 214, e, i; G. of B. i. p. 194, pl. 52, f. 3; Reich. S. A. t. 62, f.

a. PARISOMA.

3411. subceruleum, V.; Lev. O. A. t. 126. erythropygis, Licht.; rufiventris, Sw.

S. Africa.

3412. Galinieri, Guér. & Lafr.; Ferr. & Gal. Voy. en Abyss. t. 13. E. Africa. frontale, Rüpp. S. U. t. 22. Abyssinia.

3413. Layardi, Hartl.

S. Africa.

3414. melanurum, Cass.

CammaR., W.Af.

882

b. ÆGITHALOPSIS, Heine, 1859.

3415. olivascens, Cass.

W. Africa.

Subfam. II. Ægithalinæ, Reich. 1850.

883. ÆGITHALUS, Boie, 1822, et Vig. 1825.

Pendulinus, Brehm, 1828, nec V. 1816.

Paroides, Brehm, 1828 (Isis).

Sw. C. of B. f. 214, g; G. of B. i. p. 198, pl. 52. f. 4; Reich. S. A. t. 62. f.

a. ÆGITHALUS.

3416. pendulinus, L.; P. E. 618. 3, et 708. 1; Naum. Vög. t. 97; Gould, B. E. pl. 159. narbonensis, Gm.

S.E. Europe.

884.

b. Anthoscopus, Cab. 1850.

3417. minutus, Shaw; Lev. O. A. t. 134. Smithii, Jard.; anthophilus, Boie. pensilis, Hartl. S. Africa.

3418. capensis, Gm.; Sonn. Voy. t. 112.

3419. pensilis, Licht.

3420. punctifrons, Sundev.

Sennaar.

3421. parvulus, Würt. & Heugl. punctatus, Sundev.?

Djour.

3422. flavifrons, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Gaboon.

SS5. c. ÆGITHALISCUS, Cab. 1850.

Oritiscus, Bp. 1854. Bites, Sundev. 1857.

3423. erythrocephalus, Vig.; Gould, C. B. pl. 30. 1.

Himalaya M.

3424. leucogenys, Moore; Gould, B. As. pl.

Afghanistan.

3425. anophrys, Swink.

Amoy.

· 3428. concinnus, Gould, B. As. pl.

China.

886. d. Cephaloptrus, Bp. 1853.

3427. flammiceps, Burt.; Jard. Contr. Orn. 1850, pl. 66. 2. sanguinifrons, Hay.

C. Asia. N.W. Himalaya.

887. c. Panurus, Koch, 1816.

Calamophilus, Leach, 1816. Mystacinus, 1822, et Ægythalus, 1826, Boie. Callimophilus, Selby, 1840. Hypenitos, Glog. 1842.

Reich. S. A. t. 62. f. .

3428. biarmicus, L.; P. E. 618. 1, 2; Naum. Vög. t. 96; Gould, B. E. pl. 158.

barbatus, Blas.; russicus, Gm.

C. S. Europe.

3429. sibiricus, Bp.

Kamtschatka.

888.

f. Sylviparus, Burt. 1835.

3430. modestus, Burt.

sericophrys, Hodgs.; minutus, Jerd.

Himalaya.

N. Ghats.

889.

g. Acanthiparus, Gould, 1855.

3431. niveogularis, Gould, B. As. pl.

3432. jouchistos, Hodgs.; Gould, B. As. pl.

N. India. Nepal, Darjeel.

Subfam. III. Polioptilinæ, Sclat. 1862.

890. POLIOPTILA, Sciat. 1854.

Culicivora, Sw. 1837, nec 1827, et p. G. R. Gr. 1848. Reich. S. A. t. 62. f. .

3433. cerulea, L.; Edw. B. pl. 302; Wils. A. O. pl. 18. 5. cana, Gm.; leucogastra, Sclat.

Guiana. N. Gran., Guat.

3434. leucogastra, Max.; P. E. 704. 1; Sw. Z. S. pl. 57. atricapilla, Sw.

Brazil.

dumicola, Bp.

3435. boliviana, Sclat. Pr. Z. S. 1852, pl. 47.

Bolivia.

3436. superciliaris, Lawr.

Panama.

3437. Buffoni, Sclat.; P. E. 704. 1.

Cayenne. Bogota.

cerules, var., Gm. 3438. dumicola, V.

Bolivia.

bivittata, Lafr.

3439. mexicana, Bp. cærulea, p. ?, Baird. Mexico.

3440. albiloris, Sclat. & S.

Guatemala.

3441. Lembeyei, Gundl.

Cuba.

cærules, p.?

3442. plumbea, Baird, B. N. A. pl. 33. 1.

Colorado.

3443. nigriceps, Baird.

Mazatlan.

3441. ? bilineata, Licht.

Carthag., Eamer. Bahahoyo.

R.Grande & Gila.

3445. melanura, Lawr.; Cass. Ill. pl. 27.

atricapilla, Lawr.; mexicana, Cass.

FAM. III. CHAMÆADÆ, Baird, 1864.

Subfam. I. Chammann, G. R. Gr.

891. CHAMÆA, Gamb. 1847.

3446. fasciata, Gamb. Journ. Ac. Phil. 1849, pl. 8. 3.

California.

FAM. IV. MNIOTILTIDÆ, Sclat. 1862.

Tanagridæ, p., Bp. Sylvicolidæ, Baird, 1864.

Subfam, I. Mniotilting, G. R. Gr. 1848. Sylvicoline, Bp. 1838.

892. MNIOTILTA, V. 1816.

Oxyglossus, Sw. 1827. Certhia, V. 1806. Sw. C. of B. f. 132, a, 213, f, l; G. of B. i. p. 195, pl. 53. f. 1; Reich, S. A. t. 61. f.

a. MNIOTILTA.

3447. varia, L.; Wils. A. O. pl. 19. 3; V. Gal. des Ois. t. 169. maculata, Wils.; borealis, Nutt.

var. longirostris, Baird.

E. of U. States. Guatemala. West Indies.

893. b. Compsothlypis, Cab. 1850.

Sylvicola, Sw. 1827, nec Humph. 1797. Chloris, Boie, 1826, nec Moehr. 1752. Parula, Bp. 1838. Ficedula, Des Murs, 1853. Sw. C. of B. f. 213, m, 214, a, f.

3448. americana, L.; P. E. 731. 1, & 709. 1?; Wils. A. O. pl. 28. 3; Aud. B. A. ii. pl. 91.

eques, Bodd.; ludoviciana, Gm. torquata, V.; pusilla, Wils.

3449. pitiayumi, V.; P. C. 293. 1; Sw. Zool. Ill., pl. 139. brasiliana, Licht.; venusta, Tem.

3450. superciliosa, Hartl. mexicana, Licht.

plumbea, Sw.

3451. inornata, Baird. brasiliana, Sclat. & S.

3452. gutturalis, Cab.

3453. mexicana, Bp. superciliosa, p., Baird. E. of U. States, West Indies. Guatemala.

Brazil.

Paragu., Trinid.

Guatemala.

Costa Rica.

Mexico.

894. c. Protonotaria, Baird, 1858.

3454. citrea, Bodd.; P. E. 704. 2; Wils. A. O. pl. 24. 3; Aud. S. Atlantic & B. A. ii. pl. 106. Gulf States.

protonotarius, Gm. auricollis, Gm.; Briss. Orn. iii. t. 26. 1.

W. Indies.

895. d. Helminthophaga, Cab. 1850. Sw. C. of B. f. 132, b, 213, h, i.

3455. pinus, L.; Edw. B. pl. 277. 1; Wils. A. O. pl. 15. 4; Aud.

B. A. ii. pl. 111. solitaria, Wils.

3456. ruficapilla, Wils. A. O. pl. 27. 3; Fauna B. Am. pl. 42. 1. rubricapilla, Wils.; leucogastra, Shaw.

Greenland.

E. of N. Amer.

3457. celata, Say; Bp. A. O. pl. 5. 2; Aud. B. A. ii. pl. 112.

Mississippi to Pacif., N.Mex.

3458. peregrina, Wils. A. O. pl. 25. 2; Fauna B. Am. pl. 42. 2; Aud. B. A. ii. pl. 110.

tennessaei, V.; missuriensis, Max.?

nashvillei, V.; mexicana, Holb.

E. of U. States.

3459. chrysoptera, L.; Edw. B. pl. 299; Wils. A. O. pl. 15.5; Bp. A. O. pl. 1.3; Aud. B. A. ii. pl. 107. flavifrons, Gm.

E. of N. Amer., Bogota, Cuba.C. America.

3460. Bachmani, Aud. B. A. ii. pl. 108.

S.Atl.Stat., Cuba.

3461. virginiæ, Baird, B. N. A. pl. 79. 1.

S. Rocky M.

3462. Lucise, Coop.; Elliot, B. A. pl. 5.

Colorado R.

896. e. Helmitheros, Rafinq. 1819.

Hylophilus, Boie, 1826, nec Tem. 1823. Vermivors, Sw. 1827. Dacnis, Bp. 1828. Helinais, Aud. 1839. Hemitheros, Aliq. Helmitherus, Baird, 1864. Sw. C. of B. f. 213, g.

3463. vermivora, Gm.; Edw. B. pl. 305; Wils. A. O. pl. 24. 4; E. of U. States, Aud. B. A. ii. pl. 105.

S.E. Mexico.

pennsylvanica, Sw.; migratorius, Rafinq. fulvicapilla, Sw.

S.E. Mexico. Guatemala. Cuba, Florida.

3464. Swainsonii, Aud. B. A. ii. pl. 104.

S. Carolina, Georgia, Cuba.

S97. f. Perissoglossus, Baird, 1864.

3465. tigrina, Gm.; Wils. A. O. pl. 54. 3; Aud. B. A. ii. pl. 85. E. of U. States. maritima, Wils. Cubs.

398. g. Dendroica, G. R. Gr. 1842.

Ficedula, Cuv. 1799, 1800, nec Mochr. 1752. Sylvicols, G. R. Gr. 1841, nec Sw. 1827.

Dendroeca, Agass.

Rhimamphus, Rafinq. 1815? Rhimamphus, G. R. Gr. 1848.

Reich. S. A. t. 61. f. .

3466. coronata, L.; Wils. A. O. pl. 17. 4, & 45. 3; Aud. B. A. ii. pl. 76.	
virginianus et canadensis, L .; umbra, cincta et pinguis, Gm . xanthopygia et xanthoroa, V .	E. of N. Amer. Puget's Sound.
3467. Audubonii, Towns.; Aud. B. A. ii. pl. 77.	W. of U. States.
3468. occidentalis, Towns.; Aud. B. A. ii. pl. 93. chrysopareis, Sclat.; niveiventris, Salv.	Calif., Guatem.
3469. Townsendii, Nutt.; Aud. B. A. ii. pl. 92.	N.W. America, Mex., Guatem.
3470. nigrescens, Towns.; Aud. B. A. ii. pl. 94. Halseii, Giraud?	W. America. N. Mexico.
3471. canadensis, L.; Wils. A. O. pl. 15.7; Aud. B. A. ii. pl. 95; Sagra, Cuba, t. 9. 1, 2.	E. of U. States.
cærulescens, Gm.; pusilla et leucoptera, Wils. palustris, Steph.; macropus, V. sphagnosa, Bp.; pannosa, Gosse, Ill. pl. 37.	S. to W. Indies.
3472. Blackburniss, Gm.; Wils. A. O. pl. 23.3, & 44.3; Aud. B. A. ii. pl. 87. parus, Wils.; lateralis, Steph.	E. of U. States. Guat., West In-
chrysocephala et incana, Gm.?; melanorhoa, V.	dies, Bahamas. Bogota.
3473. cestulea, Wils. A. O. pl. 17. 5, & 27. 2; Aud. B. A. ii. pl. 86. rara, Wils.; azurea, Steph.; bifasciata, Say. populorum, V.	E. of U. States.
3474. striata, Forst.; V. O. A. S. t. 75, 76; Wils. A. O. pl. 30.3; Aud. B. A. ii. pl. 78.	Cuba, Greenl.
3475. astiva, Gm.; V. O. A. S. t. 95; Wils. A. O. pl. 15. 5; Aud. B. A. ii. pl. 89. carolinensis, Lath.; flava, V.; citrinella, Wils. Childreni et Rathbonia, Aud.; rubiginosa, Pall. citrinus, Rafinq.? chryseolus, Bp.	U. States. Guatemala.
3476. maculosa, Gm.; V. O. A. S. t. 93; Wils. A. O. pl. 23.3; Aud. B. A. ii. pl. 96. magnolia, Wils.	E. of U. States. Cubs.
3477. palmarum, Gm.; V. O.A. S. t. 73; Wils. A. O. pl. 28. 4; Aud. B. A. ii. pl. 90: petechia, Wils.; ruficapilla, Bp.	E. of U. States. West Indies.
3478. dominica, L.; P. E. 686. 1; V. O. A. S. t. 72; Wils. A. O. pl. 12. 6. superciliose, Bodd.; flavicollis et pensilis, Gm.	E. of U. States. Mex., W. Indies.
3479. olivacea, Giraud, B. Tex. pl. 7.2; Cass. B. Tex. pl. 47. tæniata, Dubus.	Mexico.
3480. coa, Gosse, Ill. B. of Jam. pl. 34.	Jamaica.
3481. Vicilloti, Cass.	Panama, Mexico.
erythachorides, Baird; ruficeps, Cab.?	New Granada, Costa Rica.
3482. virens, Gm.; V. O. A. S. t. 93; Wils. A. O. pl. 27. 3; Aud. B. A. ii. pl. 84.	N.Am., Cub., Heligol., Greenl., Guat., Mexico.

3483. castanea, <i>Wils. A. O.</i> pl. 14. 4, & pl. 23. 4; <i>Aud. B. A.</i> ii. pl. 80. sutunnalis, <i>Wils.</i>	E. of U. States. Guatemala.
3484. pinus, Wils. A. O. pl. 19. 4; Aud. B. A. ii. pl. 82, id. O. B. pl. 3. Vigorsii, Aud.	E. of U. States.
3485. pennsylvanica , <i>L</i> .; <i>Wils. A. O.</i> pl. 14. 5; <i>Aud. B. A.</i> ii. pl. 81. icterocephala, <i>Lath</i> .	E.of U.S., Pana- ma, Guatema. Bahamas.
 3486. discolor, V. O. A. S. t. 98; Wils. A. O. pl. 25. 4; Aud. B. A. ii. pl. 97. minuta, Wils. 3487. pharetra, Gosse, I. B. Jam. pl. 38. 	Atlantic States. Cuba, St. Croix, Bahamas. Jamaica.
3488. aureola, Gould, Voy. Beagle, pl. 28.	
	Galapagos.
3489. Gracise, Coues; Elliot, B. N. A. pl. 6.	Arizona.
3490. montana, Wils. A. O. pl. 44. 2; Aud. B. A. ii. pl. 98. tigrina, V. O. A. S. t. 94.	Virginia. St. Domingo.
3491. ? atricapilla, Landb.	Chili.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47.	N. Ohio, Baham.
3493. carbonata, Aud. B. A. ii. pl. 109.	Kentucky.
3494. chrysopareia, Sclat. & S.	Guatemala.
3495. Gundlachi, Baird.	Cuba.
albicollis (Briss. Orn. iii. t. 26. 5) et chloroleuca (Briss. Orn. iii. t. 26. 2), Gm. ??	St. Domingo.
3496. petechia, L.; Edw. B. pl. 256. 2. zestiva, Gosse.	Jamaica.
3497. ——?, Baird.	Martinique.
ruficapillus, Gm.; Briss. Orn. iii. t. 22.4; crithachorides, Rafinq.?; æstiva, Newt.?; petechia, Cass.?	St.Croix, St.Tho.
3498. rufigula, Baird. ruficapilla, V.?	W. Indies. Martinique,
3499. pityophila, Gundl.	Cuba.
3500. Adelaidæ, Basrd.	Porto Rico.
•	

^{* 899.} Thaumasioptera, Schiff. 1854. (Type unknown).

Subfam. II. Trichadinæ, G. R. Gr.

Geothlypine, Baird, 1864.

900. OPORORNIS, Baird, 1858.

3501. formosa, Wils. A. O. pl. 25. 3; Aud. B. A. ii. pl. 74. æquinoctialis, V. O. A. S. t. 81?

E. of U. States. Guat., Isthmus Panam., Cub.

3502. agilis, Wils. A. O. pl. 39. 4; Baird, B. N. A. pl. 79. 2; Aud. B. A. ii. pl. 99. tephrocotis, Nutt.?

E. of U. States.

901. TRICHAS, Sw. 1827, nec Glog. 1827.

Geothlypis, Cab. 1847.

G. of B. i. p. 197, pl. 53. f. 3; Reich. S. A. t. 61. f. .

7/36 3503. marilandica, Wils.; P. E. 709. 2; Wils. A. O. pl. 6. 1; Aud. B. A. ii. pl. 102.

trichas, L.; mystaceus, Steph.

personatus, Sw.; Roscoe, Aud. O. B. pl. 24. brachydactylus, Sw.

N. America. California.

3504. velata, V. O. A. S. t. 74; Aud. B. A. ii. pl. 103. cucullata, Lath.; caniicapilla, Max. Delafieldii, Aud.; caniicephala, Less.

W. Indies. S. America.

3505. Macgillivrayi, Aud. B. A. ii. pl. 100; Baird, B. N. A. Pacific coast of pl. 79. 4.

Tolmicei, Towns.; philadelphia, Aud.

N. America.

Tolmiaei, Nutt.; vegata, Licht.

3506. semiflava, Sclat.

3507. poliocephala, Baird. equinoctialis, Sclat. & S.? Ecuador.

W. co. of Mex. Guatemala.

3508. melanops, Baird.

E. Mexico.

3509. philadelphia, Wils. A. O. pl. 14; Baird, B. N. A. pl. 79. 3; E. of U. States, C. Aud. B. A. ii. pl. 101,

America.

3510. speciosa, Sclat.

E. Mexico.

3511. sequinoctialis, Gm.; P. E. 685. 1; V. O. A. S. t. 81.

N.E of S. Amer., Cayen., Trin.

3512. formosa, Sclat.

Mexico. Bahamas.

3513. rostrata, Bryant, Bost, Soc. N. H. 1866, fig. p. 67.

Subfam. III. Setophaginæ, Baird, 1864.

902. SETOPHAGA, Sw. 1827.

Cetophaga, Less. 1828. Erythrosoma, Sw. 182 ? Sylvania, Nutt. 1832.

Sw. C. of B. f. 133, h, e, 213, a, b; G. of B. i. p. 264, pl. 63. f. 4; Reich. S. A. t. 64. f. .

Penna.

HAND-LIST OF BIRDS.

4. SETOPHAGA.

3514. ruticilla, L .;	V. O. A. S. t. 35, 36; Wils. A. O. pl. 6. 6.	N. America.
flavicauda, Gm.	•	

3515. picta, Sw. Zool. Ill. pl. 3; Baird, B. N. A. pl. 77. 2; Giraud, Texas B. pl. 6. 1.

leucomus, Giraud; tricolor, Licht.

Mexico.

3516. multicolor, Bp. '

3517. ? russeicauda, V. O. A. S. t. 71.

3518. ? tricolor, Müll.; P. E. 391. 2. nigra, Bodd.; multicolor, Gm.

903. b. Myioborus, Baird, 1865.

3519. verticalis, Lafr.; D'Orb. Voy. A. M. t. 35. 1. Bogota, Peru.

3520. flammea, Kaup. Guatemala. intermedia, Hartl. Costa Rica.

3521. melanocephala, Tack. F. P. t. 12. Peru, Bolivia.

3522. ruficoronata, Kaup. Bogota, Quito.

3523. crnata, Boiss. Bogota. flaveola, Lafr.; citreola, Licht.

3524. miniata, Sw.; Giraud, B. Tex. pl. 3.2; Baird, B. N. A. pl. 58. 1. Mexico.

vulnerata, Wagl.; castanea, Less.; Derhami, Giraud. larvata, Licht.

3525. aurantiaca, Baird. Costa Rica.

3526. torquata, Baird.

3527. ——?, Baird. Ecuador. ruficoronata, Sclat.

3528. brunneiceps, Lafr.; D'Orb. Voy. A. M. t. 29. 3. Bolivia. virescens, Burm.

3529. castaneocapilla, *Cab*. Guiana. brunneiceps, p.

3530. leucomphomma, Kaup. Bógota. ornata, p. ?, Baird.

904. c. CARDELLINA, Dubus, 1850.

3531. amicta, Dubus.
rubrifrons, Giraud; crythropis, Licht.

905. d. Ergatious, Baird, 1865.
Cardellina, p., Baird.
R 2

3532. rubra, Sw.; Mag. de Zool. 1836, t. 54; Giraud, B. Tex. N. Mexico. pl. 4. 2. miniata, Lafr.; leucotis, Giraud. argyrotis, Licht. 3533. versicolor, Salv. Pr. Z. S. 1863, pl. 24. 1. Guatemala. 906. e. Wilsonia, Bp. 1838. Myiodioctes, Aud. 1839. Myioctonus, Cab. 1850. Cardellina, Dubus, 1850. Sw. C. of B. f. 133, d. 3534. mitrata, Gm.; V. O. A. S. t. 77; Wils. A. O. pl. 28. 3; Aud. B. A. ii. pl. 71. U. States. cucullata, Wils.; Selbyi, Aud. O. B. pl. 9. Guatem., Cuba. 7/) 3535. puzilla, Wils. A. O. pl. 28. 4; Aud. B. A. ii. pl. 75. U. States, Russ. Amer., Mexic., Wilsonii, Bp.; petasodes, Licht.? pileolata, Pall. Costa Rica. 3536. canadensis, L.; Wils. A. O. pl. 26.2; Aud. B. A. ii. U. States. pl. 72. pardalina, Bp.; nigricineta, Lafr. E. Mexico. 3537. minuta, Wils. A. O. pl. 1. 5; Aud. B. A. ii. pl. 67. E. of U. States. pumilia, Nutt. 3538. Bonapartei, Aud. B. A. ii. pl. 73; Faun. B. Am. pl. 47. N. of N. Amer. canadensis, p. ?, Sw. & Baird. 907. f. EUTHLYPIS, Cab. 1850. Phyllopneustes, p., Boie, 1828. Myiodioctes, p., Aud. Mexico, Guat. 3539. lachrymosa, Licht. 908. g. Basileuterus, Cab. 1847. Myiothlypis, Cab. 1850? N. of S. Amer. 3540. vermivora, V. Trinidad, Braz. auricapilla, Sw. 3541. leucoblepharum, V.; D'Orb. Voy. A. M. t. 12. 2. S. Braz., Parag. superciliosus, Sw.? Ecuador, Peru. 3542. bivittata, Lafr. tristriatus, Tsch.?; vermivorus, p. Peru, Ecuador. 3543. coronata, Tsch. F. P. t. 14. 1. 3544. culicivora, Bp.; Giraud, B. Tex. pl. 6. 2. Mexico, Guat. Costa Rica. Brasieri, Giraud. Braz. ?, Panama. 3545. uropygialis, Sclat. Pr. Z. S. 1865, pl. 10. 2. semicervinus, Laur. Ecuador. 3546. semicervina, Sclat. Pr. Z. S. 1865, pl. 10. 1. Brazil. 3547. stragulata, Licht. rivularis, Max.?

HAND-LIST OF BIRDS.

3548. chrysogastra, Tack. Peru, Ecuador. 3549. hypoleuca, Cab. Brazil. bivittatus, p.?, Baird. New Granada. 3550. cinereicollis, Sclat. Pr. Z. S. 1865, pl. 9. 2. 3551. mesoleuca, Sclat. Pr. Z. S. 1865, pl. 9. 1. Demerara. 3552. viridicata, V. Bolivia.

elegans, Lafr.

3553. leucophrys, Natt. & Pelz.

909. A. IDIOTES, Baird, 1865.

Basileuterus, p., Bp.

3554. rufifrons, Sw. aurigula, Licht.

3555. Delattrii, Bp. brunneiceps, Bp.

3556. Belii, Giraud, B. Tex. pl. 4. 1. chrysophrys, Sclat.

3557. melanogenys, Baird. 3558. mesochrysa, Sclat. Delattrii, Sclat.

3559. grisciceps, Sclat. & S.

i. Myiothlypis, Cab. 1850. 910.

Basileuterus, p., Sclat. 3560. flaveola, Baird,

luteoviridis, Bp. ?; nigrioristatus Q, Sclat.

3561. nigrocristata, Lafr. nigricapillus, Sclat.

Paraguay.

Chiquiros.

Brazil.

Mexico.

Mexico.

Bogota.

Guatemala?

Guatemala.

Costa Rica.

Costa Rica? Venezuela.

Quito, Bolivia.

FAM. V. MOTACILLIDÆ, Boie, 1826.

Subfam. I. Motacillinæ, Sw. 1831.

Motacillina, Vig. 1825.

911. MOTACILLA, L. 1735.

Pallenura, Pall. Motacilla (Ripariæ), Glog. 1834. G. of B. i. p. 203, pl. 54. f. 1; Reich. S. A. t. 59. f.

a. MOTACILLA.

3562. alba, L.; P. E. 652. 1, 674. 1; Naum. Vög. t. 86; Gould, E. Eu., As. Min., B. E. pl. 143. N. Afr., Caffr., Green , Pales.

W. Afr., Gamb. 3563. ? gularis, Sw. alba, p., Hartl. & F. 3564. Yarrelli, Gould, B. E. pl. 141; Yarr. Br. B. ii. fig. p. 403; C. & N.W. Eur. Naum. Vög. t. 377. 1. alba, var. β, Blas. lugubris, V. 3565. lugubris, Pall.; Gould, B. E. pl. 142. N. Asia. alba, var. γ, Blas.; Yarrellii, p., Bp.; leucoptera, Vig. Persia. albeola, var. lugens, Pall. Japan. 3566. japonica, Swinkoe. E. Asia. lugens, Schl. F. J. t. 25. 3567. luzoniensis, Scop.; Sonn. Voy. 29. Ind., Ass., Phil.I. Burmah, China. alboides, Hodgs.; leucopsis, Gould. alba, var. paradoxa, Schrenck. 3568. Hodgsoni, G. R. Gr. Nepal. 3569. maderaspatana, Gm.; Lath. Hist. vi. pl. 54; Gould, India, Ceylon. B. As. pl. Himalayas. maderas, Steph.; variegata, Steph. picata, Frankl. 3570. dukhunensis, Sykes; Gould, B. As. pl. S. & W. Indies, N.W. Prov. alba, p., Hartl. & F. Ceylon. 3571. personata, Gould, B. As. pl. Bengal?, Persia. dukhunensis, Jerd. 3572. Vaillantii, Cab.; Lev. O. A. t. 178; Kittl. Kupf. Vög. S. & W. Africa. t. 21. 2. vidua, var. major, Sundev.; capensis, p., Licht. Aguimp, p., et Levaillantii!, Layard. 3573. capensis, L.; P. E. 28. 2; Lev. O. A. t. 177. S. Africa. Damaraland. afra, Gm. 3574. longicauda, Rüpp. F. A. t. 29. 2. Abyss., Nubia. vidua, Sundev.; capensis, Licht.; Lichstensteini, Cab. Natal. 3575. flaviventris, Verr. Madagascar. 3576. ocularis, Swinhoe; Kittl. Kupf. Vog. t. 21. 1. , E. Siberia. alba, var. lugens, Schrenck. China, Formosa. albeola, var. kamtschatica, Pall. Amoor, Kamta. New S. Wales? 3577. ? cerulescens, Lath. australis, Steph.; boarula, var. B, Lath. 912. b. Budytes, Cuv. 1817. Berdytes!, Flem. 1822. Budites!, Boie, 1822. Bodytes!, Costa, 1854. Motacilla dolichonyches, Glog. 1834. Reich. S. A. t. 59. f.

3578. flava, I.; P. E. 674. 2; Edw. B. pl. 258; Naum. Vög. t. 88; Gould. B. E. pl. 146.

boarula, L.; chrysogastra, Bechst.

Eur., N. & S. Afr.

F

? .._

Italy.

India.

Moluccas.

Dalmatia.

neglecta, Gould; flava, var. 2. vulgaris, Sundev. fasciata, Brehm; Lindermayeri, C. Brehm,

3579. melanocephala, Licht.; Naum. Vög. t. 374; Rüpp. Atl. S.E. Europe, t. 33. N.E. Africa. Asia Minor. flava, var. a, Schl.; flava, var. 5. africana, Sundev.

3580. cinereocapilla, Savi; Naum. Vög. t. 373; Bp. F. It. t. 31. 2. borealis, var. β, Blas.; flava, var., Schl.

Feldeggi, Mich.; dalmatica, Bruch. flava, var. 4. dalmatica, Sundev.

3581. campestris, Pall.; Naum. Vög. t. 372. E. Europe. flaveola, var. β, Blas.; flava, p., Hartl. & F.

3582. Rayi, Bp.; Gould, B. E. pl. 145. Europe. W. Africa. flaveola, Tem.; flava, p., Hartl. & F.

3583. citreola, Pall.; Gould, B. E. pl. 144; Naum. Vög. t. 377. E. Europe. 2, 3, 4. sheltobrischa, Lepech. citrinella, Pall.; aureicapilla, Less.

3584. citreoloides, Hodgs. citreola, Jerd.; "aureocapilla, V.," Bl.

Nepal. Andamans. calcaratus, Hodgs.

3585. viridis, Scop. beema et melanocephala, Sykes.

neglecta et flava, Jerd. dubius, fuliventris et schisticeps, Hodgs. 3586. flavescens, Shaw.

flava, Horsf.; flava, var. B, Lath. Cel., Tim., Java. 3587. ? nigricapilla, Bp. Fauna Pontica, t.2; Bull. S. Imp. Mosc. **Dalmatia** 1850, t. 8. 3. Sweden, Lapl.

melanocephala, Savi; flava, var. 4. borealis, Sundev. atricapilla, Brehm.

E. & S.E. Eur. 3588. Kaleniczeneki, Andr. Bull. des Sc. de Mosc. 1842, t. 20. melanocephala, var. β , Blas.

3589. borealis, Sundev. N. Europe. flava, var. b, Blas.

C. & W. Europe. 3590. flaveola, Gould. flava, var. c, Blas.; flava, p., Hartl. & F.

3591. ophthalmica, Fl. Prev. & Des Murs; Lefebr. Voy. Abyss. t. 7 Abyssinia. (lunulata, on plate).

c. Calobates, Kaup, 1829. Motacilla, Pallenura, Pall. 1831.

3592. boarula, Penn.; P. E. 28. 1; Edw. B. pl. 259; Naum. Vög. t. 87; Gould, B. E. pl. 147. C. & S. Europe. N.E. Africa. sulphurea, Beckst.; grisea, Müll. melanope, Pall.

3593. bistrigata, Raffl.

sulphurea, Horsf.; javensis, Bp. boarula, p., Tem. & Schl.; viridis, p., Bp.

flava, Vig.

Sumatra, Java.

Australia?

914. d. Limonidromus, Gould, 1862.

Nemoricols, Bl. 1847, nec Hodgs. 1837.

Nemorivaga, Fitz. 1864.

3594. indica, Gm.; Lev. O. A. t. 179; Gould, B. As. pl.

variegata, V.; thoracica, Müll.

affinis, Tick.

India.

Malacca, Born.

915. GRALLINA, V. 1816.

Tanypus, Oppel, 1811, nec Meig. 1803.

G. of B. i. p. 204, pl. 54. f. 5; Reich. S. A. t. 59. f. .

2196 * 3595. picata, Lath.; V. Gal. des Ois. t. 150; Gould, B. A. ii. pl. 54.

4651 cyanoleucus, Lath.; australis, Oppel. melanoleuca, V.

Australia.

916. ENICURUS, Tem. 182 ?

Enicura, Less. 1839. Henicurus, Agass. Allocoturus, Van der Hoev. 1856.

Sw. C. of B. f. 128; G. of B. i. p. 203, pl. 54. f. 6; Reich. S. A.

t. 59. f. .

speciosa, Horsf.; Gal. des Ois. t. 145; coronatus, Tem.

3596. Leschenaultii, V.; P. C. 113.

3597. velatus, Tem. P. C. 160.

3598. maculatus, Vig.; Gould, C. B. pl. 27, et B. As. pl.

Himalaya M. Him. M., Sikk.

Java, Sumatra.

3599. guttatus, Gould, B. As. pl.

3600. immaculatus, Hodgs.

Nepal. ,,

Java.

3601. schistaceus, Hodgs.

China.

3602. chinensis, Gould, B. As. pl.

Himalaya M.

3603. Scouleri, Vig.; Gould, B. As. pl. heterurus, Hodgs.

Sikkim.

nigrifrons, Hodgs. 3604. ruficapillus, Tem. P. C. 534.

Java, Sumatra.

3605. diadematus, Boie.

Sumatra.

3606. frontalis, Bl.

Malayan penin.

917. EPHTHIANURA,

et Epthianura, Gould, 1837.

Cinura, Brehm, 1844. Cynura, Cab. 1847. Hephthænura, Reich 1850.

G. of B. i. p. 205, pl. 54. f. 2; Reich. S. A. t. 60. f. .

252. 3607. albifrons, Jard. & S. Ill. Orn. pl. 56; Gould, B. A. iii. pl. 64. torquata, Brehm.

New S. Wales. S. & W. Aus.

3608. aurifrons, Gould, B. A. iii. pl. 65.

New S. Wales, S. Australia. New S. Wales.

369. tricolor, Gould, B. A. iii. pl. 66.

Subfam. II. Enicocichlina, Sclat. 1862.

(Henicocichlinæ.)

918. ENICOCICHLA, G. R. Gr. 1840.

Sciurus, Sw. 1827. Siurus, Strickl. 1841. Senurus, Reich. 1849. Henicocichla, Agass. Exochocichla, Van der Hoev. 1856.

G. of B. i. p. 188, pl. 51. f. 2; Reich. S. A. t. 58, f.

3610. noveboracensis, Gm.; P. E. 752. 1; Wils. A. O. pl.

aquaticus, Wils.; tenuirostris, Sw. anthoides, V.; fuscescens, Gm. l'Herminieri, Less.

East of U.S. Guatemala.

sulfurascens, D' Orb. Sagra's Cuba, t. 6. 3611. Gossii, Bp.; IU. B. of Jam. pl. 28.

Cuba. Jamaica.

noveboracensis, Gosse & p. Baird. 3612. aurocapilla, L.; Edw. B. pl. 252; Wils. A. O. pl. 14. 2. E. of U. States.

3613. ludoviciana, Aud. B. A. pl. 19; Baird, B. N. A. pl. 80. 2. motacilla, V. O. A. S. t. 65?; major, Cab.

E. of U. States. S. Mexico, Cuba. Jamaica.

C. Amer., Jam.

Subfam. III. Anthinæ, Sclat. 1862.

919. ANTHUS, Bechst. 1802.

coronatus, V.

Alauda, 1 div., 211. 1811. G. of B. i. p. 205; Reich. S. A. t. 58. f. , a-d.

a. Anthus.

3614. spinoletta, L.; P. E. 661. 2; Naum. Vög. t. 85. 2, 3, 4. C. & S. Europe. aquaticus, Beckst.; montanus, Kock.

N.E. Africa. England.

3615. obscurus, Gm.; Naum. Vog. t. 371. 1, 2; Gould, B. E.

N. Eur., Eng.

rupestris, Nils.; campestris, Bew.; petrosa, Mont. montanus, Koch.

aquaticus, Selby; immutabilis, Degl.; aquaticus, β , Blas.

3616. Raalteni, Tem.

Coutellii, Aud.

S. Africa.

3617. brachyurus, Sundev.

200 112.0	-MBI OF BIRDS.	
3618. leucophrys, V. Gal. des O	is. t. 262.	S. Africa.
3619. ludovicianus, Gm.; Wils. pl. 140. rubra, Gm.; rufa, Wils.; ruber pipiens, Aud.; pennsylvanica, spinoletta, Bp. Reinhardtii, Holb.	ns, Merr.	N. America. Heligoland. Greenland. Rocky M., B.Col.
3620. chii, V.; Spix, A. B. t. 76. 5 turdinus, Merr.	2.	Brazil, Parag.
3621. correndera, V. variegata, p. ?, Lafr.		Paraguay. Falkland I.
3622. furcatus, Lafr.		Patag., Bolivia.
3623. scapularis, Licht.		S. Africa.
3624. caffer, Sundev.		27
3625. obtusipennis, Sundev. lineiventris, Sundev.		**
3626. ? fuliginosus, Less.		Cape.
3627. Calthropse, Layard.		S. Africa.
3628. fuscus, <i>V</i> .		Parag., Brazil.
3629. poscilopterus, Max.		Brazil.
3630. paytensis, Less.		Brazil, Peru.
3631. breviunguis, <i>Spix</i> , <i>A. B.</i> t. 76 furcatus, p., <i>G. R. Gr</i> .	3. 1.	Brazil. Trinidad.
920. b. Pediocorys,	Baird, 1864.	
3632. bogotensis, Solat. Proc. Z. rufescens, Lafr.	S. 1855, pl. 101.	Bogota. Ecuador.
921. c. Notiocorys,	Baird, 1864.	
3633. niger, Bodd.; P. E. 738. 1. rufa, Gm. (sp. 28); parvus, La	aur.	Brazil, B. Ayres. Panama, Peru.
variegatus, V.; chii, p., Aliq. sordidus, Less.		Chili.
922. d. Neocorys, &	Sclat. 1857.	
3634. Spraguei, Aud. B. Amer. vii. Sprangera, Bp.	pl. 486.	Missouri. Saskatchewan.
923. e. Agrodeoma,	Sw. 1837.	
3635. campestris, Beckst.; P. E. Gould, B. E. pl. 137. rufescens, Tem.; rufus, V. grandior, Pall.? mosellana, obscura, lusitana, Gmet.?		C. & S. Europe. N. & W. Africa.

3636. cinnamomeus, Rüpp.; Jerd. mariquensis, Smith; similis, Jerd.

3637. sordidus, Rüpp. F. A. t. 39. 1. Gouldii, Fras.; similis, p. Jerd.

3638. Gustavi, Swink.

Amoy.

Europe.

Nepal.

Abyssinia.

S. Africa, Natal.

Abyssinia.

924. f. Cincedium, Sundev. 1850.

3639. chloris, Licht.

925. g. Pipastes

et Pippastes, Kaup, 1829. Dendronanthus, Bl. 1847. Dendranthus, Agass.

3640. plumatus, Müll.; P. E. 660. 1; Naum. Vög. t. 84. 2; Gould, B. E. pl. 139.

trivialis, Gm.; arborea, Bechst. spipola, Pall.; turdina, Scop. minor, Lath.

3641. agilis, Sykes; Gould, B. As. pl. maculatus, Bl.; arboreus, Hodgs.

3642. batchianensis, n. sp.? arborea, var., G. R. Gr.

3643. montanus, Bl. rufescens, Jerd.

3644. Blackistoni, Swinh.

"aquaticus, Schrenck," Swinh.

Batchian I.

Japan. N.W. Provinces.

India, S. China.

Amoor, Japan.

Neilgherries.

China. Kamtschatka.

926. A. Spipola, Leach, 1816.

Megistina, V. 1816. Leimoniptera, Kaup, 1829. Limonoptera, Agass. Anthus, Bl. 1848.

3645. pratensis, L.; P. E. 660. 2; Naum. Vög. t. 84. 3; Gould, B. E. pl. 136. trivialis, Mont.; sepiarius, V. Berthelotii, Bolle; Stromei, Lath. ignotus, Gm.; tristis, Baill.

3646. cervinus, Pall.; Descr. de l'Egypte, t. 5, 6; Gould, B. E. pl. 140.
pratensis, Eversm.; rufigularis, Brehm.
Cecilii, Audouin; pratensis rufigularis, Schl.

3647. rosaccus, Hodgs.
cervinus, Hodgs.; aquaticus, Bl.
axillaris, Gould; pratensis, hortulanus et pelopus, Hodgs.;
rufosuperciliaris, Bl.

3648. ? japonicus, Schl.; Tem. & Schl. F. J. t. 24. pratensis japonicus, Tem. & Schl. cervinus, p., Swinh.

Europe. Greenland. Madeira.

N.E. Europe. Asia, N. Africa.

Himalaya M. S. China, Bur.

Andamans, I. of Formosa. Japan. N. China. Amoor.

i. Corydalla, Vig. 1825. Corydilla, Sw. Cichlops, Hodgs. 1844. Reich. S. A. t. 58. f. . 3649. Richardi, V.; P. C. 101; Naum. Vog. t. 371. 3, 4; Gould, S. Eur., Africa. B. E. pl. 135. India, England. Him., Malayana, macronyx, Glog.; longipes, Holb. rupestris, Ménétr. Ceylon. China. 3650. ? chinensis, Bp. infuscatus, Bl.; Richardi, p., Swink. Amoy. 3651. rufulus, V. Gal. des Ois. t. 161. India, Assam. agilis, Jerd.; pallescens, Sundev. ubiquitarius, Hodgs. Burmah. 3652. striolatus, Bl. thermophilus et rufescens, Hodgs. India. Malacca. 3653. malayensis, Eyton. rufula, p., Jord. Timor, Lombock. 3654. medius, Wall. 3655. Hasseltii, Tem. Borneo. 3656. australis, V.; Gould, B. A. iii. pl. 73. Australia. pallescens, Vig. & H. Van Diemen's L. 3657. aucklandicus, G. R. Gr. Auckland I. novæ zealandiæ, p., G. R. Gr. /37% . 3658. novæ zealandiæ, Gm. New Zealand. littorea, Forst. Java, Sumatra. 3659. ? euonyx, Cab. pratensis, Raffl.; malayensis, Bl. rufulus, p., Bl. New Zealand. 3660. Grayi, Bp.; Portl. Voy. pl. 37. novæ zealandiæ, var. β, Lath. j. MACRONYX, Sw. 1827. Macronix, Bp. 1831. 3661. capensis, L.; P. E. 504. 2; Lev. O. A. t. 198. S. Africa. flavicollis, V. 3662. croceus, V.; Jard. & S. I. O. pl. 22; Lev. O. A. t. 196. flavigastra, Sw.; flaviventris, Bp. flavicollis, Bianc. 3663. flavicollis, Rüpp. F. A. t. 38. 1. Abyssinia. 3664. Amelia, Tarr.; G. R. Gr. & M. G. B. pl. 54. Natal. 3665. striolatus, Heugl. N.E. Africa. 929. k. -Heterura, Hodgs. 1841, nec Sieb. 1837. Cynchlorhamphus, Jard.

3666. sylvanus, Hodgs.; Jard. Contr. Orn. 1848, pl.

Himalaya M.

FAM. VI. TURDIDÆ, G. R. Gr. 1840.

Merulidæ, Boie, 1826.

Subfam. I. Turdinæ, Bp. 1831.

Merulina et Cossyphina, Vig. 1825.

930. TURDUS, *L.* 1735.

Ixocossyphus, Kaup, 1829. Turdula, Webb et Berth. 1836-46. G. of B. i. p. 218, pl. 56. f. 5; Reich. S. A. t. 53. f.

a. TURDUS.

3667. viscivorus, L.; P. E. 489; Naum. Vog. t. 66.1; Gould, B. E. pl. 77.

N. & C. Europe.

3668. Hodgsoni, Lafr. viscivorus, Hodgs.

Nepal, Kumaon. N.W. Him.

931. b. Psophocichla, Heraug. 1860.

3669. strepitans, Smith, I. S. A. Z. pl. 37. letsitsirupa, Smith; crassirostris, Licht.

S. Africa.

3670. guttatus, Vig.; Smith, I. S. A. Z. pl. 39.

3671. simensis, Rüpp. F. A. t. 29. 1. strepitans, p., Bp.

N.E. Africa.

...

3672. Gurneyi, Hartl. Ibis, 1864, pl. 9.

Natal.

932. c. Arceuthornis, Kaup, 1829.

3673. pilaris, L.; P. E. 490; Naum. Vög. t. 67. 2; Gould, B. E. calandrotte, Müll.; musicus, Pall.

N. & C. Europe.

3674. Naumanni, Tem.; Naum. Vög. t. 68. 1, et t. 358; Ibis, 1862, pl. 10.

dubius, Bp.; ruficollis, var., Pall.

Japan, China, Amoor. Eur., Sib., Him-

Eur., Dal., Italy,

3675. fuscatus, Pall.; P. C. 514; Naum. Vög. t. 68, 2, et t. 359. obscurus, Gm.; eunomus, Tem. Naumanni, Tem. & Schl. Playfairi, Bl.

Japan.

3676. Davidianus, M.-Edw.

N. China.

933. d. Hylocichla, Baird, 1864.

Turdus, Kaup, 1829. Merula, p., Sw.

3677. musicus, L.; P. E. 406; Naum. Vög. t. 66. 2; Gould, B. E. pl. 78. 1.

Eur., N.E. Afr.

	3678. iliacus, L.; P. E. 51; Naum. Vög. t. 67. 1; Gould, B. E. pl. 78. 2. mauris, Müll. var. a, illuminus, Naum. Vög. t. 356.	N. Europe. N.W. Himalaya. Greenland.
,	3679. mustelinus, Gm.; Wils. A. O. pl. 11. melodus, Wils.; densus, Bp.	E. of U. States. Cubs, Honduras.
	3680. nanus, Aud. B. A. iii. pl. 147.	W. of N. Amer.
	3681. fuscescens, Steph.; Wils. A. O. pl. 43. mustelinus, Wils.; Wilsoni, Bp.; minor, Gm.?	E. of N. Amer. Cuba, Panama.
	3682. Swainsoni, Cab.; Wils. A. O. pl. 43. 2. solitarius, Wils. (fig.); Wilsoni, Sw. olivaceus, Giraud; obsoletus, Lawr. minutus, Lafr. carolinus, Mill. ?; P. E. 556. 2?; brunneus, Bodd.?	E. of N. Amer. Mexico, Peru. Greenland. Belgium, Italy Bogota.
	3683. ustulatus, Nutt.; Baird, B. N. A. pl. 81, 1. cestulatus!, Nutt.	Oregon. Columbia R.
	3684. Pallasii, Cab.; Aud. B. A. iii. pl. 146. soltarius, Wils.; minor, Bp.	E.of N.Am., Ger.
	guttatus, Cab.; minimus, Seligm.	
	3685. Auduboni, Baird. silens, Sw.	S. Mex., Roc. M.
	3686. Alicies, Baird, B. N. A. pl. 81. 2.	Mississippi, Missou., Labr.
	934. e. Orbogingla, Gould, 1857. Turdulus, Hodgs. 1844. Reich. S. A. t. 53. f.	
	3687. varius, Pall.; Naum. Vög. t. 354; Gould, B. E. pl. 81. aurea, Holl.; squamatus, Brehm. Whitei, Eyton; lunulatus, Blas.	Germ., Heligol. England, France, Japan.
	3688. malayanus, Sundev.; Horef. Zool. Res. pl. varius, Horef.; Horefieldii, Bp.	Java.
7275 🕶	3689. lunulatus, Lath.; Gould, B. A. iv. pl. 7. varius, Vig. & H.; novæ hollandiæ et macrorhynchus, Gould.	New S. Wales. Van Diemen's L.
	3690. mollissimus, Bl.; Naum. Vög. t. 353. rostratus et oreocincloides, Hodgs. Hodgsoni, Homey. et p. Bp.	Himalaya M.
	3691. dauma, Lath. parvirostris, Gould; varius, Jerd.	India.
	3692. nilgiriensis, Bl. varius, Jerd.; "imbricata, Layard," Bl.	Neilgherries.
	3693. spilopterus, Bl.	Ceylon.
	3694. inframarginatus, Bl.	Andaman I.
	3695. Hancii, Swink.	I. of Formosa.

935. f. Anthocincla, Bl. 1862. 3696. Phayrei, Bl. Tounghoo. g. Merula, Leach, 1816, nec Mochr. 1752. Turdus, L. 1744. Sw. C. of B. f. 122; Reich. S. A. t. 53. f. . 3697. merula, L.; P. E. 2 et 555; Naum. Vög. t. 71; Gould, B. E. pl. 72. Europe. Egypt.
Palestine. vulgaris, Ray. var. syriaca, Tristr. 3698. simillimis, Jord. Neilgherries. 3699. unicolor, Gould, B. As. pl. Cashmere. 3700. boulboul, Lath.; Gould, C. B. pl. 14, et B. As. pl. Himalaya M. pœcilopterus, Vig. India. 3701. nigropileus, Lafr. brachypus, Bl.; simillimis, p.?, Bp. 3702. castaneus, Gould; G. R. Gr. & M. G. B. pl. 56; Gould, B. As. pl. rubrocanus, Hodgs. 3703, sinensis, Cuv. China. mandarina, Bp. 3704. albocinctus, Royle, Ill. Him. Bot. pl. 8.3; Gould, B.As. pl. Himalaya M. collaris, Sorel.; niveicollis, Hodgs. albicollis, Royle. 3705. javanicus, Horef. Java, Sumatra. concolor, Tem. Borneo, Timor. fumidus, Müll.; Schlegelii, Sclat. Java. 3706. hypopyrrhus, Hartl. nigricrissus, Schiff. Borneo. 3707. badius, Lath.; White's Voy. pl. p. 157. Australia. 3708. poliocephalus, Lath.; Jard. & S. I. O. pl. 37. Norfolk Island. nestor, Gould. 3709. xanthopus, Forst. New Caledonia. # ≥ 18 • 3710. vanikorensis, Quoy & G. Voy. Astrol. t. 7. 2. I, of Vanikoro, Samoan I. 3711. vinitinctus, Gould. Lord Howe's I. 3712. candianus, Bl. Ceylon. 3713. ulietensis. Gm. Society I. badius, Forst. 3714. dactylopterus, Bp. Syria. 937. A. CICHLOSELYS, Bp. 1853. 3715. cardis, Tem.; P. C. 518; Schl. F. J. t. 29, 30. Japan.

dissimilis, Bl.

1974 buolow

3716. Wardii, Jerd. I. Ind. Orn. pl. 8. India. melanoleuca, Hartl. micropus et picaoides, Hodgs. 3717. Kinnisii, Kelaart. Ceylon. 3718. sibiricus, Gm.; Naum. Vög. t. 363; Schl. F. J. t. 31. N. Asia. leucocilla, Pall.; atrocyaneus, Homey. Germany. auroreus Q, Pall. 3719. mutabilis, Tem. Java. leucocilla, Hartl.; sibiricus, p., Tem. i. THORACOCINCLA, Reich. 1850. Copsichus, Kaup, 1829, nec Wagl. 1827. Reich. S. A. t. 53. f. . 3720. torquatus, L.; P. E. 171, 172; Naum. Vög. t. 70 & t. 361. 3; Gould, B. E. pl. 73. Europe. europæus, Müll. 939. j. Cichloides, Kaup, 1829. 3721. atrogularis, Tom.; Naum. Vög. t. 69, et 361. 1, 2; Gould, B. E. pl. 75. N. Asia. dubius, Bechst.; Bechsteinii, Naum. Germany, Him. leucogaster, Bl. 3722. ruficollis, Pall.; Naum. Vög. t. 360; Gould, B. As. pl. N. Asia, Heligol. erythrura, Hodgs. Himalayas. 3723. pallidus, Gm.; P. C. 515; Schl. F. J. t. 26. N. Asia, Italy. daulias, Tem. I. of Formosa. 3724. chrysolaus, Tem. P. C. 537; Schl. F. J. t. 28. Japan, China, 1. of Formosa. 3725. olivaceus, L.; Lev. O. A. t. 98, 99, 100. Africa, Abyes. ochrogaster, Sparrm. Lombardy. 3726. pelios, Bp. C. Asia? icterorhynchus, Württ. 3727. libonyanus, Smith, I. S. A. Z. pl. 38. S. Africa. 3728. rufulus, Drap. Malacca. modestus, Eyton; javanicus, Bl. 3729. dissimilis, Bl. Bengal. hyperythrus, Bl. 3730. protomomelas, Cab. Himalayas. 3731. olivacinus, Bp. S. Africa. 3732. olivaceofuscus, Hartl. Abh. d. Nat. ver. in Hamb. ii. t. 3. I. of St. Thomas. 3733. Smithii, Bp.; Smith, I. S. A. Z. pl. 36. S. Africa. obscura, Smith. 3734. hortulorum, Sclat. S. China.

a

3735. Cabanisi, Bp. Caffraria. 3736. Deckeni, Cab.; Decken, Reisen, iii. t. 1. E. Africa. 3737. Goudoti, Verr. N. Arch. du Mus. i. t. 5. 2. Madagascar. 940. k. Hodoiporus, Reich. 1850. Planesticus, Bp. 1853. Turdus, b, Sclat. Reich, S. A. t. 53. f. 3738. phæopygus, Cab.; Pr. Z. S. 1867, pl. 29; Sclat. & S. Exot. Orn. pl. 75. Cayenne, Brazil. jamaicensis, Jard.; Poiteauii, p., Less. 3739. jamaicensis, Gm.; Gosse, Ill. B. Jam. pl. 24. Jamaica. capucinus, Hartl.; leucophthalma, Hill. Lereboulleti, Bp. 3740. gymnophthalmus, Cab.; Sclat. & S. Exot. Orn. pl. 76. Venezuela. nudigenis, Lafr.; gymnopsis, Tem. 3741. Grayi, Bp. Mexico. tristis, Sw. ?; helvolus, Licht. Guatemala. luridus, Bp. Costa Rica. 3742. leucomelas, V.; Sclat. & S. Exot. Orn. pl. 72. Paraguay. amaurochalinus, Cab.; Poiteaui, p., Less. albiventer Q, Spix, A. B. t. 69. 2. crotopezus, Burm.; ignobilis, Sclat.; olivaceus, Lafr.; rufi-Brazil. ventris Q, D'Orb. 3743. albiventer, Spix, A. B. t. 63. f. 1; Sclat. & S. Exot. Orn. Cayenne, Brazil. ephippialis et albiventris, Sclat.; humilis, Licht. Ecuador. 3744. cæsius, Bp. Panama. Grayii, p., Sclat. 3745. rufiventris, V.; Spix, A. B. t. 68. S.E. Brazil. chochi, V.; rufiventer, Spix. Falkland I. 3746. falklandicus, Quoy & G. magellanious, King; maluinarum, Licht. Chili, Hermit I. 7/1/2 3747. migratorius, L.; P. E. 556.1; Wils. A. O. pl. 2; Naum. Vög. t. 362. U. States. canadensis, Müll. Mex., Germany, 3748. flavirostris, Sw. W. Mexico. rufopalliatus, Lafr.; palliatus, Bp.? 3749. leucauchen, Sclat. Guatemala. Brazil. 3750. albicollis, V.; Sclat. & S. Exot. Orn. pl. 71. 3751. assimilis, Cab. Mexico, Guatem. tristis, Cab. 3752. crotopezus, V.; Spix, A. B. t. 70; Sclat. & S. Exot. Orn. Brazil. pl. 73. albicollis, Spix. 3753. fulviventris, Sclat. New Granada.

Costa Rica. 3754. plebejus, Cab. W. Peru. 3755. serranus, Tach. 3756. confinis, Baird. CapeJuan Lucas. E. Brazil. 3757. fumigatus, Licht. ferrugineus, Max. I. HESPEROCICHLA, Baird, 1864. 7707 3758. nasvius, Gm.; V. O. A. S. t. 66; Faun. B. Amer. pl. 38. N. & N.W.Amer. meruloides, Rich. & Sw.; atricollis, V. m. RHODINOCICHLA, Hartl. 1853. Cichlalopia, Bp. 1853. Cichalopia, Sclat. 1854. Cichlolopia, G. R. Gr. 1855. 3759. rosens, Less. Ill. de Zool. t. 5; Pr. Z. S. 1850, pl. 32. Venezuela. vulpinus, Hartl. 943. n. Semimerula, Sciat. 1861. Hodoiporus, p., Reich. Turdus, c, Sclat. 3760. gigas, Fras.; Sclat. & S. Ex. Orn. pl. 70. N. Gran., Ecuad. 3761. fuscater, Lafr.; D' Orb. Voy. A. M. t. 9. 1. Bolivia, Peru. 3762. chiguanco, Lafr.; D'Orb. Voy. A. M. t. 9. 2. Peru, Ecuador. 3763. nigrescens, Cab. Costa Rica. 3764. subcinereus, Sclat. Chiliana. 944. 0. ---- ? Merula, Sciat. 1862. Turdus, d, Sciat. Semimerula, p., Baird. Cichlopsis, G. R. Gr. nec Cab. 3765. aurantius, Gm.; Gosse, Ill. B. Jam. pl. 23. Jamaica. leucogenys, Lath.; saltator, Hill. 3766. rufitorques, Hartl.; Dubus, E. O. t. 19, 20. Guatemala. 3767. xanthoscelus, Jard. Contr. Orn. 1847, pl. 1. Tobago. 3768. atrosericeus, Lafr. Venes., Ecuador. 3769. infuscatus, Lafr. Jalapa, Guatem. 3770. olivater, Lafr. 3771. pinicola, Sclat. Cat. of A. B. pl. 1. Jalapa. pœcilopterus, Licht. 3772. obsoletus, Lawr. N. Gran., Verag. p. Mylocichla, Schiff. 1853. 945. 3773. flavipes, V.; Spix, A. B. t. 67. 2. S.E. Brazil. carbonarius, Licht.; ardosiacus, Cuv. 946. q. Melanoptila, Sclat. 1857.

3774. glabrirostris, Sclat. Pr. Z. S. 1857, p. 275 (caput).

Honduras.

947. r. Catharus, *Bp.* 1850. Anepsia, p. !, *Reich*.

3775. melpomene, Cab. aurantiirostris, Sclat.

3776. occidentalis, Sclat.

3777. griseiceps, Salv.

3778. aurantiirostris, *Hartl.*; *Jard. Contr. Orn.* pl. 72. immaculatus, *Bp*.

3779. Frantzii, Cab.

3780. gracilirostris, Salv.

948. s. Malacocichia, Gould, 1854. Catharus, b. Sclat.

PO1 4---- 0 11

3781. dryas, Gould, Pr. Z. S. 1854, pl. 75.

3782. fuscater, Lafr.

3783. maculatus, Sclat.

3784. mexicanus, Bp.

949. t. Margarops, Sclat. 1859.

Cichlalopia, Bp. 1857 nec 1853. Colluricincla, p., Gould.

3785. fuscatus, V. O. A. S. t. 57 bis. fusca, Gould,

3786. densirostris, V.

3787. montanus, Lafr.

cinereus, V.; squamatus, Cuv.

950. u. Cichlherminia, Bp. 1853.

3788. l'Herminierii, Lafr. Bonapartei, Sclat.

951. v. Nesocichla, Gould, 1855.

3789. eremita, Gould.

952. w. Geocichia, Kuhl, 182?

952. w. Geo Merula, p., Sw.

3790. citrinus, Lath.
Macei, V.; lividus, Tick.; rubecula, M^{*}Clell.
albonotatus, Cuv.; turdoides, Hodgs.

3791. rubecula, Gould. citrinus, Tom. P. C. 445.

3792. cyanotus, Jard. & S. Ill. Orn. pl. 46. citrinus, p., G. R. Gr.

S. Mexico, Guat. Costa Rica.

W. Mexico.

Veragua.

Venezuela.

Costa Rica, Guat.

Costa Rica.

Guatemala.

N. Gran., Ecaud.

Rio Napo, Ecuad.

Mex., Costa Rica, Guatemala.

St. Domingo. St. Croix.

Guadeloupe.

I. of Guadeloupe.

Trist. d'Acunha.

India.

Java, Sumatra.

India.

82

manillensis, Gm.

cyaneus, var. d, Bl.

3793. Peronii, V.; Arch. du Mus. vii. t. 19. Sunda Islands. rubiginosa, Müll.; novæ hollandiæ, Less. 3794. interpres, Kuhl; P. C. 458. Java, Sumatra. "avensis, Gr.," Bl. 3795. erythronotus, Sclat. Celebes. 3796. unicolor, Tick. Himalayas. homochros, Hodgs. 3797. albiceps, Swinhoe, Ibis, 1866, pl. 5. I. of Formosa. 3798. innotatus, Bl. Nicobar I. albogularis, Bl.? Malacca. 953. x. CHAMETYLAS, Heine, 1859. Geocichla, p., Cass. 3799. compsonotus, Cass. W. Africa. y. Monticola, 1822, et 954. Petrocossyphus, 1826, Boie. Reich. S. A. t. 53. f. . 3800. saxatilis, L.; P. E. 562; Naum. Vög. t. 73; Gould, B. E. pl. 86. C&.S.E. Europe. infaustus, Gm.; montana, Koch. N. & W. Africa. 3801. rupestris, V.; Lev. O. A. t. 101, 102. S. Africa. rupicola, Licht.; rocar, Steph. montana, Sw. 3802. explorator, V.; Lev. O. A. t. 103. perspicax, Shaw; brevipes, Waterh. Damaraland. 3803. erythropterus, G. R. Gr. Ternate, Gilolo. affinis, p., Bl. 3804. philippensis, Müll.; P. E. 339. Philippine I. eremita, Gm. 955. Petrocossyphus, *Boie*, 1828. Petrocincla, *Sykes*. 3805. cyanus, L.; P. E. 250; Naum. Vog. t. 72; Gould, B. E. pl. 87. S. Europe. solitarius, Lath.; azureus, Lebr. N. Africa. 3806. pandoo, Sykes. maal, Sykes; longirostris et affinis, Bl. India. cyaneus, p. 3807. solitarius, Müll.; P. E. 636 et 564. 2. Philippine I. manilla et olivaceus, Bodd. Celebes, Java.

China.

aa. Petrophila, Sw. 1837. Orocetes, G. R. Gr. 1840. Orocetes, Agass.

Reich. S. A. t. 53. f.

3808. cinclorhynchus, Vig.; Gould, C. B. pl. 19. cyanocephala, Sw.; aurantiventer, Less.

Himalayas. melanotus, Dubus.

3809. erythrogaster, Vig.; Gould, C. B. pl. 13. rufiventris, Jard. & S.; ferrugineoventris, Less.

3810. gularis, Swinh. Ibis, 1863, pl. 3. Pekin.

957. ZOOTHERA, Vig. 1831. G. of B. i. p. 217, pl. 58. f. 4; Reich. S. A. t. 57. f.

a. ZOOTHERA.

3811. monticola, Vig.; Gould, C. B. pl. 22. Himalaya M. rostratus, Hodgs.

3812. marginata, Bl. Aracan. marmorata!, G. R. Gr. Khasia Hills.

958. b. Andromedon, Tem. 1838. Myiophaga, p., Less. 1831.

3813. andromedon, Tem. P. C. 392. Java, Lombock, Timor.

c. Cichlopasser, Bp. 1853.

I. of Bonin. 3814. terrestris, Kittl. Mém. Ac. St. Pétersb. 1831, t. 18.

960. MIMUS, Boie, 1826.

Orpheus, Sw. 1827. Mimetes, Glog. 1842. Calandria, Des Murs. Orphæus, Stein. 1839. Leucomimus, Bryant, 1866. G. of B. i. p. 220, pl. 56. f. 1; Reich. S. A. t. 53. f. .

a. MIMUS.

3815. polyglottus, L.; Wils. A. O. pl. 10. 1.

leucopterus, Vig. var. portoricensis, Bryant. var. bahamensis, Bryant.

3816. orpheus, L.; Edw. B. pl. 78.; V. O. A. S. t. 68.

3817. gilvus, V. O. A. S. t. 68 bis.

3818. triurus, V.

3819. calandria, Lafr.; D'Orb. Voy. A. M. t. 10. 2.

orpheus, Gould; saturninus, Max. 3820. ? modulator, Gould.

calandria, p., G. R. Gr.

tricaudatus, Lafr.

3821. megalopterus, Lawr. columbianus, Cab.; gilvus, Jard.

N. Amer., Jama. Mexico. Porto Rico. Inagria, Baha.

Jamaica.

British Guiana.

Paraguay.

S. Brazil.

New Granada.

·	_
australis, Less. 3824. dorsalis, Lafr.; D'Orb. Voy. A. M. t. 11. f. 1. Bolivis 3825. patagonicus, Lafr.; D'Orb. Voy. A. M. t. 11. f. 2. Patago 3826. dominicus, L. P. E. 558. 1. St. Dor	onia. oningo. Charles I.
3825. patagonicus, <i>Lafr.</i> ; <i>D'Orb. Voy. A. M.</i> t. 11. f. 2. Patago 3826. dominicus, <i>L. P. E.</i> 558. 1. St. Dor	onia. oningo. Charles I.
3826. dominicus, L. P. E. 558. 1. St. Doi	mingo.
·	Charles I.
merle, Müll.; orpheus, p., Baird.	
3827. trifasciatus, Gould, Voy. Beagle, pl. 16. Gala.,	e Chat I
3828. melanotis, Gould, Voy. Beagle, pl. 18. Galaps	my Cimer 2.
3829. parvulus, Gould, Voy. Beagle, pl. 17. Galaps melanotis, p. ?, Bp.	a., Albe. I.
\$830. Hillii, March. Jamaid orpheus, Hill.	08.
3831. lividus, <i>Licht.</i> ; <i>Spix</i> , <i>A. B.</i> t. 71. 2. S.E. E orpheus, <i>Spix</i> .	Brazil.
4 b 9 / 3832. longicandatus, Took. F. P. t. 15. 2. E. Per	ru.
3833. thilius, Mol. Chili.	
3834. Gundlachii, Cab. Cuba.	•
	, Hond., ta Rica.
961. b. Sootionimus, Bryant, 1866.	
3836. bahamensis, Bryant. Bahan	na I.
962. c. Oroscoptes, Baird, 1858.	
3837. montanus, Towns.; Aud. B. A. ii. pl. 139. Rocky	М., Мех.
963. d. Melanotis, Bp. 1850.	
3838. carulescens, Sw.; P. C. 498. melanotis, Tem. erythrophthalmus, Licht.?	xico.
3839. hypoleucus, Hartl. Guater albiventris, Lafr.	mala.
lividus, Wils.; felivox, V. Panan	N. Amer. ma, Cuba, rmany.

965. f. Mimocichla, Sclat. 1861.

3841. rubripes, Tem. P. C. 409; Voy. Cuba, t. 4.

3842. schistacea, Baird.

Cuba. ••

966. g. MIMORITTA, Bryant, 1864.

Mimocitta, Newt. Galeoscoptes, b, Sclat.

3843. plumbeus, L. 1758; P. E. 560. 1; V. O. A. M. t. 58. Bahama.

3844. ardosiacea, V. plumbeus, L. 1766.

var. portoricensis, Bryant.

St. Domingo.

Porto Rico.

A. HARPORHYNCHUS, Cab. 1847.

Toxostoma, Wagl. 1831, nec Rafing. 1815.

Harpes, Gamb. 1847, nec Goldf. 1839.

Mimus, Reich. 1850.

Reich. S. A. t. 53. f.

3845. curvirostris, Sw.; P. C. 441; Baird, B. N. A. pl. 51. vetula, Wagl.; turdinus, Tem.

Mexico, Texas.

3846. redivivus, Gamb.; Pér. Voy. Atl t. 37; Cass. B. Calif. pl. 42.

California.

3847. Lecontei, Lawr.; Baird, B. N. A. pl. 50.

3848. crissalis, Henry; Baird, B. N. A. pl. 82.

S. Rocky M.

3849. ocellatus, Sciat. Pr. Z. S. 1862, pl. 3.

S. Mexico.

3850. cinereus, Xantus; Elliot, B. of N. A. pl.

Low. California.

i. METHRIOPTERUS, Reich. 1850. 968.

Mimus, Boie, 1828. Toxostoma, Cab. 1847.

Reich. S. A. t. 55. f.

E. of N. Amer., 3851. rufus, L.; P. E. 645; Wils. A. O. pl. 14. 1; Naum. Vög. Heligoland. t. 384. 2.

3852. longirostris, Lafr. Mag. de Zool. 1839, t. 1; Baird, B. N. A. pl. 52.

E. Mexico.

969. CINCLOCERTHIA, G. R. Gr. 1840.

Stenorhynchus, Gould, 1835, nec Meig. 1823. L'Herminierus, Less. 1843?

G. of B. i. p. 134, pl. 41. f. 3; Reich. S. A. t. 37. f.

a. Cinclocerthia.

3853. ruficauda, Gould; Sclat. & Salv. Exot. Orn. pl. 10.

tremulus. Lafr.

guadeloupensis et infaustus, Lers.?

Nevis, Guade.

3854. gutturalis, Lafr.; Sclat. & S. Ex. Orn. pl. 12.

Martinique.

3855. macrorhyncha, Sclat. & S. Ex. Orn. pl. 11. malacorhyncha!, Hartl.

St. Lucia.

970. b. Ramphocinclus, Lafr. 1843.

Legriccinclus, Less. 1847. Cinclops, Bp. 1854.

3856. brachyurus, V. cinclops et melanoleucus, Bp.

St. Lucia, Mart. Guadeloupe.

971. MYIOPHONEUS, Tem. 182 ?

Myiophonus, Bp. 1850. Myophonus, Vig. 1825. G. of B. i. p. 214, pl. 55. f. 8; Reich. S. A. t. 53. f.

3857. flavirostris, Horsf.; P. C. 170. metallicus, Tem.

Java, Sumatra.

3858. Temminckii, Vig.; Gould, C. B. pl. 21.

Himalaya M.

3859. caruleus, Scop.

nitidus, Gr.; brevirostris, Lafr.

China.

3860. insularis, Gould, B. As. pl. .

I. of Formosa.

972. ARRENGA

et Myiophaga, Less. 1831. Myiophoneus, Bois, 1826.

3861. cyaneus, Horsf.; P. C. 194. glaucina, Tem.

Java.

8. & W. India.

973. CHÆTOPS, Sw. 1831.

Argya, p., Less. Argya, Des Murs. G. of B. p. 217, pl. 56. f. 3; Reich. S. A. t. 55. f.

3862. Horsfieldii, Vig.; Gould, C. B. pl. 20.

3863. frenatus, Tem. P. C. 385. Burchellii, Sw. S. Africa. Caledon.

3864. aurantius, Layard.

S. Afr., Graaff R.

3865. Grayii, Sharps, Pr. Z. S. 1869, pl. .

Damaraland.

974. BESSONORNIS, Smith, 184 ?

Cossypha, Vig. 1825. Dessonornis, Smith, 1836. Gossypha, Less. 1828. Cassypha, Agass. Bessornis, Cab. 1850. Dessornis, Sundev. Irania, De Fil. 1863 or 1864. G. of B. i. p 220, pl. 56, f. 2; Reich, S. A. t. 53, f.

3866. bicolor, Sparrm.; Lev. O. A. t. 104; Sw. I. Z. pl. 179. reclamator, V.; vociferans, Sw.

dichroa, Gm.; revocator, Tem.; melanotis, Less.

S. Africa.

3867. ? natalensis, Smith, I. S. A. Z. pl. 60. vociferans, p., Gurn.

S. Africa, Natal.

3868. caffra, V.; Lev. O. A. t. 111.

phonicurus, Gm.; superciliosa, Sparrm. (?) pectoralis, Shaw; superciliaris, Licht.

00 P. S. S. S. C. D. C.

S. Africa.

3869. Isabella, G. R. Gr.

Cameroons.

3870. albicapilla, V. albiceps, Cuv.; leucoceps, Sw.

3871. verticalis, Hartl.; B. of W. Afr. pl. 32. albicapilla, Sw.; Swainsoni, Bp. monachus, Heugl.

3872. pyrrhopygia, Hartl.

3873. poensis, Strickl.; Fras. Zool. Typ. pl.

3874. gutturalis, Guér.; Ferr. & Gal. Voy. en Abyss. t. 5. albigularis, v. Pelz.; Ibis, 1867, pl. 1. Filoti, De Fil. Q; Finota, Aliq.

3875. semirufa, Rüpp. Wirb. t. 21. nigrocapilla, Guér.

3876. humeralis, Smith, I. S. A. Z. pl. 48.

3877. cyanocampter, Cab.

3878. diademata, Cab.

3879. intermedia, Cab.; Decken, Reisen, t. 12.

3880. Heuglinii, Heugl. Orn. N. O. Afr. t. 13.

3881. Bocagei, Hartl. & F.

3882. ? auraticollis, V.; Lov. O. A. t. 119. aurigularis, Voigt.

3883. ? melanictera, V.; Lev. O. A. t. 117. australasiæ, Shaw.

975. COPSYCHUS, Wagl. 1827.

Gryllivora, Sw. 1831. Lalage, Boie, 1828 nec 1826. Dahila, 1836, et Polypeira, 1841, Hodgs. G. of B. i. p. 177, pl. 50. f. 1; Reich. S. A. t. 60. f.

a. Copsychus.

3884. saularis, L.; Edw. B. pl. 181; Gould, B. As. pl. intermedia, Jerd.; docilis, Hodgs.; melanoleuca, Less. magnirostra, Sw. Two Cent. & a quart. f. 46, a?

3885. amcenus, Horsf.; Sw. Two Cent. & a quart. f. 46, c?. brevirostris, Sw.?; saularis, p., G. R. Gr. pluto, Tem.; Schl. Handl. Dierk. t. 2. 19. chalybeus et leucopterus, Cuv.

3886. mindanensis, Gm.; P. E. 627. 1; Gould, B. As. pl.; Sw. Two Cent. & a quart. f. 46, b.

saularis, p. musicus, Raffl.; intermedia et rosea, Sw.

3887. luzoniensis, Kittl. Kupf. Vög. t. 11. 2.

3888. pica, v. Pele.; Poll. & V. D. F. de Madag. t. 29.

W. Africa.

,,

Palestine.

Abyssinia.

S. Africa.

W. Africa.

E. Africa.

Keren.

Bogosland.

India. Tenasserim.

Java.

Borneo, Labuan.

Philippine I., Malacca. Siam. Sumatra.

Philippine I.

Madagascar.

3889. ceylonensis, Sclat. brevirostris, Bl.

Ceylon.

3890. imerina, Hartl. melanura, Lafr.

Madagascar.

3891. ?? suratensis, Gm.

3892. ?? pectoralis, Steph.; Lev. O. A. t. 110.

976.

b. CERCOTRICHAS, Boie, 1831.

Kittacinela, Gould, 1836. Cittacinela, Agass.

3893. macrourus, Gm.; Lath. Syn. pl. 39; Lev. O. A. t. 114. India, Ceylon. longicauda, Sw.; tricolor, V.

3894. suavis, Sclat.; Gould, B. As. pl.

S. Borneo.

3895. auricularis, Swinh. Ibis, 1866, pl. 4.

I. of Formosa.

3896. Stricklandii, Dillw. N. H. Labuan, pl.

Labuan.

977.

c. GERVAISIA, Bp. 1853.

3897. albispecularis, Eyd. & Gerv. Mag. de Zool. 1836, t. 64, 65. Madagascar.

3898. sechellarum, A. Newt. Ibis, 1865, pl. 8.

Seychelles.

FAM. VII. HYDROBATIDÆ, G. R. Gr.

Cinclidæ, Bp. 1850.

Subfam. I. Hydrobatinæ, G. R. Gr.

Cinclinæ, Cab. 1847.

928. HYDROBATA, V. 1816.

Cinclus, Bechst. 1802, nec Mochr. 1752.

Aquatilis, Mont. 1813.

G. of B. i. p. 215, pl. 55. f. 1; Reich. S. A. t. 52. f.

3899. cinclus, Gm.; P. E. 940; Gould, B. E. pl. 83. aquaticus, Bechst.; europæus, Steph.

C. & S. Europe.

gularis, Lath.

3900. albicollis, V.

Switz., Lebanon.

bicolor, V.; aquaticus, Tristr. aquaticus, var. rufiventris et albiventris, Hempr. & Ehr.

meridionalis, rufipectoralis, et rupestris, Brehm.

3901. melanogastra, Tem.; Gould, B. E. pl. 84.

W. Europe.

aquaticus, var. β , Blas.; cinclus, L. septentrionalis et peregrinus, Brehm.

3902. asiatica, Sw.; Gould, C. B. pl. 24; B. As. pl.

tenuirostris, Gould. Pallasii, Vig. maculatus, Hodgs.

N. India.

HAND-LIST OF BIRDS.

3903. cashmiriensis, Gould, B. As. pl. cinclus, Adams.

Cashmere, Thibet, Persia.

3904. sordida, Gould, B. As. pl.

Cashmere.

3905. mexicana, Sw.; Bp. A. O. pl. 16. l.

RockyM., N.Am.

pallasii, Bp.; americanus, Rich.; unicolor, Bp. Mortoni, Towns.; Townsendii, Aud.

New Granada. Ecuador.

3906. leuconota, Sclat. Cat. of A. B. pl. 2. leucocephalus, Lafr.

W. Siberia.

3907. leucogaster, Everem.; Gould, B. As. pl. aquaticus, var. γ , Blas.; cinclus, var., Pall. aquaticus, p., Schl.

goland.

3908. Pallasii, Tem.; Gould, B. E. pl. 85; Schl. Handl. Dierk. E. Siberia, Helicinclus, var., Pall.; aquaticus, var. δ, Blas.

Japan.

3909. marila, Swinh.

L of Formosa.

Pallasi, Gould & Swink.

Peru, Bolivia.

3910. leucocephala, Tach. F. P. t. 15. 1. 3911. ardesiaca, Salv. Ibis, 1867, pl. 2.

Veragua.

FAM. VIII. EUPETIDÆ, G. R. Gr.

Cinclidee, p., et Mesitidee, Bp. 1850.

Subfam. I. Eupetinæ, Bp. 1850.

979. EUPETES, Tem. 182 ?

G. of B. i. p. 207, pl. 55. f. 7; Reich. S. A. t. 52. f. .

a. EUPPTES.

3912. macrocorcus, Tem. P. C. 516.

Sumatra.

980.

b. AJAX, Less. 1837.

3913. ajax, Tem. P. C. 58. typicus, Less.

3914. czerulescens, Tem. P. C. 574.

New Guinea.

Subfam. II. Mesitinæ, Bp. 1850.

981. MESITES, I. Geoffr. 1838.

Mesœnas, Reich. Mesitornis, Bp. 1855. G. of B. iii. p. 491, pl. 124. 3; Reich. S. A. t. 24. f. .

3915. variegata, I. Geoffr.; Des Murs, I. O. t. 11, 12. unicolor, Des Murs.

Madagascar.

FAM. IX. PYCNONOTIDÆ, Bl. 1849.

Brachypodidæ, Cab. 1851.

Subfam. I. Pycnonotinæ, G. R. Gr. 1840.

Brachypodinæ, Sw. 1831. Ixodinæ, Bl. 1849. Dicrurina, p., Vig. 1825.

982. MICROSCELIS, G. R. Gr. 1840.

Galgulus, Reich. 1850, nec Briss. 1760. G. of B. i. p. 235, pl. 59. f. 4; Reich. S. A. t. 54. f. .

a. MICROSCELIS.

3916. amaurotis, Tem. P. C. 497; Schl. F. J. t. 31 B.

squamiceps, Kittl. Mem. Ac. Pétersb. 1835, t. 16; Kupf. Vog. t, 12. 1.

3917. philippensis, Gm.; Kittl. Kupf. Vög. t. 12. 2.

3918. melanoleucus, Gr.

China.

983. b. MICROTARSUS, Eyton, 1839.

Microscelis, 1850, et Ixocherus, 1853, Bp. Macroscelis, Bl. 1849.

3919. melanoleucus, Eyton.

vidua et sylvestris, Tem.; tristis, Bl.

3920. Blanfordi, Jerd. familiaris, Bl.

3921. olivaceus, Moore.

Malacca.

Japan.

I. of Bonin.

Philippine I.

Sumat., Borneo.

Thayetmyo. Upper Burmah.

Malacca.

984. c. Trachycomus, Cab. 1851.

Picnonotus, Bp. 1850.

3922. ochrocephalus, Gm.; Brown, Ill. Zool. pl. 22; P. C. 136. Java, Sumatra.

crispiceps, Bl.; zeylanicus, Gm.?

Pinang.

985. PYCNONOTUS, Kuhl, 1826.

Brachypus, Sw. 1824, nec Mey. 1815. Hæmatornis, Sw. 1831. Ixos, Strickl. 1841.

Picnonotus, G. R. Gr. 1840.

Sw. C. of B. f. 205, h; G. of B. i. p. 237; Reich. S. A. t. 54. f. .

a. Pycnonorus.

3923. tristis, Müll.; P. E. 317.

capensis, var., Lath.; nigricans, V. Levaillantii, Tem.; xanthopygius, Ehrenb.

3924. capensis, L.; Briss. Orn. ii. t. 27. 3; Lev. O. A. t. 105. S. Africa.

3925. arsinoë, Licht.

3926. barbatus, Desfon.

obscurus, Tem.; lugubris, Less.

Egypt, Arabia.

Egypt, Arabia.

N. Africa.

Spain.

3927. ashanteus, Bp. W. Africa. 3928. xanthopygos, Hempr. & Ehr. Palestine. Vallombrosæ, Bp.; xanthopygius, Tristr. W. Afr., Gambia, 3929. flavicollis, Sw. Sierra Leone. 3930. cafer, L.; P. E. 563. 1; Lev. O. A. t. 107. 1. S. Africa. hæmorrhoa, Gm.; Brown, Ill. Zool. pl. 31. 1; fuscus, Müll. ? 3931. aurigaster, V.; Lev. O. A. t. 107. 2. 3932. tricolor, Hartl. Angola. aurigaster, Hartl.? Nepal, Bootan, 3933. flaviventris, Tick.; Gr. I. Ind. Z. pl. 35. 1. Pegu. melanocephalus, Gr.; plumifera, Gould. 3934. xantholæmus, Jerd. I. Ind. Orn. pl. 35. E. Ghat. 3935. brunneus, Bl. Malacca. 3936. leucogrammicus, Müll. Sumatra. b. Rubigula, Bl. 1845. 986. Brachypus, Sw. 1831, nec 1824. Sphagias, Cab. 1851. Sw. C. of B. f. 208, a. 3937. dispar, Horsf.; P. C. 137. Java, Sumatra. 3938. gularis, Gould; Jerd. Ill. Ind. Orn. pl. 37. Madras. rubineus, Jerd. c. Meropizus, Bp. 1854. Pycnonotus, p., et Rubigula, p., Bl. 3939. atricapillus, V.; Lev. O. A. t. 140. 1. Ceylon. nigricapilla, Drap.; aberrans, Bt. monachus, G. R. Gr.; monacus, Bp. melaniotera (Gm.), Walden; gularis, Kelaart. 988. d. Kelaartia, Bl. (apud Jerd.). 3940. penicillatus, Bl. Ceylon, Mysore. 989. e. CROCOPSIS, Reich. 1850. Hæmatornis, p., Sw. Reich, S. A. t. 54. f. 3941. bimaculatus, Horsf.; Less. C. de Zool. t. 75. Java. 990. f. Ixos, Tem. Ixus, Nitzach, 1840. Loidorusa, Reich. 1850. Lordorusa, Cab. 1851. **2** G. of B. i. pl. 59. f. 3; Reich. S. A. t. 54. f. . 3942. golavier, Scop.; Sonn. Voy. t. 28. Philippines? psidii, Gm.

3943. analis, Horsf.

peidii, Tem.; goiavier, Strickl.

Java.

3944. luteolus, Less.

flaviriotus, Strickl.; virescens, Tick. Tickellii, Bl.

India, Ceylon.

3945. Susanii, Müll.

3946. flavescens, Bl.

Sumat., Borneo. Khasia Hills.

3947. Finlaysoni, Strickl.

Pegu, Tenaes.

3948. sinensis, Gm.; Mag. de Zool. 1836, t. 66; Voy. Favor. t. 14. occipitalis, Less.; palmarum, Tem.

S. China, Isl. of Formosa.

3949. Gourdini, Homb. & Jacq. Voy. Pôle Sud, t. 14. 1.

Yourdini!, G. R. Gr.

Borneo.

3950. inornatus, Kuhl.

Sumatra. ,,

3951. simplex, Less. plumosus, Bl.

3952. Fisquetii, Eyd. & Gerv. Voy. Bonite, t. 5.

Malabar.

3953. ---- ?

Sumatra.

simplex, Kuhl.

991.

g. ALCURUS, Hodgs. 1843.

3954. striatus, Bl. nipalensis, Hodgs. Himalayas. Nepal, Darjeel.

992.

h. Hemixus, Hodgs. 1845.

Hemipus, Hodgs. 1846. Hemixos, Hodgs. et Bl. 1845. 3955. flavala, Hodgs.; G. R. Gr. & M. G. B. pl. 59.

Nepal, Bootan.

993.

i. —

Brachypus, Cab. 1851. Hematornis, p., Sw. Reich. S. A. t. 54. f.

3956. chrysorrhoides, Lafr.

cafer, Sykes; pusillus et pseudocafer, Bl. var. intermedius, Hay; hemorrhous, auct. nigropileus, Jerd atricapillus, Jerd.

India.

N.W. Provinces. Burmah. Chins.

3957. pygmæus, Hodgs.

cafer (p., Lath.), M'Clell.; bengalensis, Bl.

Nepal. S. Burmah.

3958. crocorrhous, Strickl.; Brown, Ill. pl. 31. 2. hæmorrhous, Horsf.; aurigaster, p., Cab.

chrysorrhous, Lath.

Java, Sumatra.

994.

j. Euptilosus, Reich. 1850.

Reich. S. A. t. 54. f. .

Isle of Bonin.

3959. euptilosus, Jard. & S. I. O. pl. 3. Malacca. eutilosus, Jerd. 995. k. OTOCOMPSA, Cab. 1851. Copsychus, p., Wagl. 1827. Ixos, Bp. 1850. 3960. jocosus, L.; P. E. 508?; Dixon, Voy. pl. p. 360. China. cristata, Gm.; chinensis, Osb. erythrotis, Sw. 3961. pyrrhotis, Hodgs. Nepal. jocosa, Jerd. 3962. fuscocaudatus, Gould. S. India. 3963. erythrotis, Bp. Java. 3964. leucogenys, Gr. I. In. Z. pl. 35. 3. Nepal, Bootan. plumigerus, Lafr.; cristatus, Burn. 3965. leucotis, Gould. India, Persia. 3966. tigus, Müll. Sumatra. 3967. emeria, Shaw, Nat. Misc. pl. 645. Bengal. monticola, M'Clell.; jocosa, p., Jerd. Nepal. 3968. tympanistrigus, Müll. Sumatra. cristatellus, Tem. 996. l. Spinixos, Bl. 1845. 3969. canifrons, Bl.; Gould, B. As. pl. Khasia Hills, Afghanistan.
I. of Formosa, 3970. semitorques, Swinkoe; Gould, B. As. pl. Foochow. 997. m. Ixidia, 1846, et Ixodia, 1845, Bl. 3971. cyaniventris, Bl. Malacca. Sumatra, Tenass. aureum, Eyton; poliopsis, Müll. 998. n. Brachypodius, Bl. 1845. Prosecusa, Reich. 1850. Ixos, p., Tem. Reich. S. A. t. 54. f. . 3972. melanocephalus, Gm.; Lath. Syn. pl. 6; P. C. 147. Java, Sumatra. atriceps, Tem. 3973. ? metallicus, Eyton. Malacca. melanocephalus, p., Bl. 3974. squamatus, Tem. P. E. 453. 2. Java. 3975. cinereoventris, Bl. Tiperah Hills. 3976. poliocephalus, Jerd. I. Ind. Orn. pl. 31. Malabar.

o. "APALOPTERON, Schiff.," Bp. 1853.

3977. familiaris, Kittl. Mém. Ac. St. Pétersb. 1835, t. 13.

Subfam. II. Phyllornithinæ, Cab. 1847.

Brachypodinæ, p., Sw. 1837.

1000. PHYLLASTREPHUS, Sw. 1831.

Brachypus, p., Sw. 1831. Phyllostrephus, Agass. Phyllotrophus, Sundev. Phyllostrophus, Bp. 1854. Phyllostrophus, Cass. 1855. Sw. C. of B. f. 205, a, b; G. of B. i. p. 238, pl. 59. f. 6.

3978. capensis, Sw.; Lev. O. A. t. 112. 1. terrestris, Sw.

3979. senegallus, Müll.; P. E. 563. 2. lugubris, Bodd.; senegalensis, Gm.

1001. HYPSIPETES, Vig. 1831.

G. of B. i. p. 237, pl. 59. f. 1; Reich. S. A. t. 54. f. .

a. Hypsipetes.

3980. **psaroides**, Vig.; Gould, C. B. pl. 10.

3981. ganeesa, Sykes; Jard. & S. I. O. pl. 2.

3982. M'Clellandii, Horsf. viridis, Hodgs.

3983. neilgheriensis, Jerd. ganeesa, p., Bl.; nilgiriensis, Bl.

3984. virescens, Tem. P. C. 382. 1.

3985. malaccensis, Bl.

3986. nicobariensis, Moore; Reise Novara, t. 3. 2. virescens, Bl.

3987. nigerrima, Gould, B. As. pl.

3988. Tickellii, Bl.

3989. concolor, Bl. pearoides, Horsf.

3990. Holki, Swinh.

3991. niveiceps, Swink.

3992. gularis, Cuv.; Arch. du Mus. vii. pl. 18. philippensis, Strickl.

1002. b. Ixocincla, Bl. 1845.

Anepsia, Reich. 1850. Reich. S. A. t. 54. f. .

3993. madagascariensis, Müll.; P. E. 557. 2. ourovang, Gm.

S. Africa.

Senegal.

Himalayas.

Deccan.

Bootan, Nepal.

Neilgherries. Ceylon.

Java, Sumatra.

Malac., Borneo.

Nicobars.

I. of Formosa.

Tenasserim.

Assam.

Foochow.

Swatow.

China.

Philippine I.

Madagascar. Mohilla. 3994. borbonica, Gm.; Briss, Orn. ii. t. 24, 3. atricilla, Cuv.

I. of Bourbon.

3995. olivacea, Jard. & S. I. O. pl. 168.

Mauritius.

3996. crassirostris, E. Newt.

Seychelles.

1003.

c. TYLAS, Hartl. 1862.

3997. Edwardi, Hartl. Pr. Z. S. 1862, pl. 18; N. Arch. du Mus. i. t. 5. 2.

Madagascar.

Goudoti, Verr.; madagascariensis, Grandid. MS.

1004. SIBIA, 1839,

et Alcopus, 1841, Hodgs. Heterophasia, 1842, et Actinodura, 184 ?, Bl. G. of B. i. p. 238, pl. 59. f. 2.

a. SIBIA.

b. MALACIAS, Cab. 1851.

3998. picacides, Hodgs.

1005.

Nepal, Sikkim.

cuculoides, Bl.; cuculopsis!, Jerd.

Bootan.

3999. capistrata, Vig.

melanocephalum, Royle.

Himalayas.

4000. gracilis, M'Clell.

Assam.

4001. nigriceps, Hodgs.

Nepal.

Tenasserim.

4002. melanoleuca, Bl. picata, Tick.

4003. ? auricularis, Swinh. Ibis, 1866, pl. 4.

I, of Formosa.

1006. CRINIGER, Tem.

Trichas, Glog. 1827, nec Sw. 1827. Trichophorus, Tem. 1838, nec Serv. 1834.

Trichoxos, Hartl. nec Less. Alcopus, Hodgs. Tricophorus, Cass. 1855.

Sw. C. of B. f. 38, 123, 207, a, b; G. of B. i. p. 235, pl. 59. f. 5; Reich. S. A. t. 54. f.

a. CRINIGER.

4004. tephrogenys, Jard. & S. J. O. pl. 127. gularis, Sw.

W. Af., Gambia, Sierra Leone.

4005. icterinus, Bp.

W. Af., Ashanti.

4006. simplex, Tem.

Ashanti.

4007. notatus, Cass. Journ. Ac. Phil. 1862, pl. 22. 2.

Moonda River.

4008. tricolor, Cass.

Muni River.

W. Afr., Gambia.

4009. canicapillus, Harti. 4010. chloronotus, Cass. Journ. Ac. Phil. 1862, pl. 22. 1.

Camma.

4011. flavicollis, Sw.

W. Africa.

4012. tephrolsemus, G. R. Gr.

Cameroon.

4013. flaviventris, Smith, I. S. A. Z. pl. 59.	S. Africa.
4014. cinerascens, Hartl.	Ashanti.
4015. flaveolus, Gould. xanthogaster, Hodgs.	Himalayas. Bootan, Nepal.
4016. gularis, Horsf. rufocaudatus, Eyton.	Java.
4017. gutturalis, Müll.	Sumat., Borneo.
4018. affinis, Homb. & Jacq. Voy. Pôle Sud, t. 15. 1. sulphurascens, Tom.; flavicauda, Bp.	Ceram, Amboina.
4019. longirostris, Wall.	Sula.
4020. mysticalis, Wall.	Bouru.
4021. chloris, Finsch. simplex, Wall.; flavicauda, p., G. R. Gr.	Batchian, Gilolo. Morty, Sula.
4022. phaiocephalus, Hartl. Cantori, Moore. caniceps, Lafr.	Malacca.
4023. ictericus, Striokl. indious, Jerd.	India, Ceylon.
4024. barbatus, Tem. P. C. 88. strigilatus, Sw.	W. Africa.
4025. olivaceus, Sw. Class. of B. f. 207, b (bill).	"
4028. poliocephalus, Tem.	"
4027. eximius, Hartl.	Dabocrom.
4028. sulphuratus, <i>Müll.</i> sulphuraus, <i>Tem</i> .	Borneo.
4029. striolatus, Mill.	Sumatra.
4030. ? oriniger, Less.	99
4031. ochraceus, Moore.	Tenasserim.
4032. minutus, Hartl.	Malacca.
4033. Charlottee, Finach.	Borneo, Sumatr.
1007. b. Ixonotus, Vorr. 1851.	
4034. guttatus, Verr.	W. Af., Gaboon.
1008. c. Beorogon, Heine, 1860.	
4035. indicator, Verr. leucurus, Cass.	W. Africa.
4036. nivosus, Tem.	W. Af., Ashanti.

т2

1009. d. Pyrehurus, Cass. 1859. 4037. pallescens, Hartl. Gambia. 4038. scandens, Sw. B. W. Afr. i. pl. 30. 4039. leucopleurus, Cass. Moonda R. 1010. e. TRICHITES, Heine, 1860. 4040. serinus, Verr. Gaboon. xanthogaster, Cass. 1011. f, Hypotrichas, Heine, 1860. 4041. calurus, Cass. Journ. Ac. Phil. 1862, pl. 22. 3. g. Xenocichia, Hartl. 1857. Dasycephala, p., Sw. Trichophorus, p., Hartl. Bleda, Bp. 1857. 4042. syndactylus, Sw. W. Africa. h. Bernieria, Bp. 1854. 1013. Macrosphenus, p., Cass. Tatare, p., Poll. & V. D. Rhamphocenus, Less. Madagascar. 4043. minor, Bp. viridis, p., Cass. 4044. madagascariensis, Gm. viridis, Less.; major, Bp. 1014. i. MACROSPHENUS, Cass. 1859. 4045. flavicans, Cass. W. Af., Camma. 1015. j. TRICHOPHOROPSIS, Bp. 1853. 4046. typus, Bp. Borneo. Bemmeleni, Finsch; pulverulentus, p.?, Bp. 4047. pulverulentus, Müll. Sumatra. 1016. k. IOLE, Bl. 1844. 4048. olivaceus, Bl. Malacca. Aracan, Malacca. 4049. viridescens, Bl. Tenasserim. virescens, Bl. 4050. viridis, Bp. Borneo. 4051. virescens, Tem. Java, Sumatra. 1017. l. Setornis, Less. 1839. 4052. criniger, Hay. Malacca.

sericea, Miill.

1018. ANDROPADUS, Sw. 1841.

Polyodon, *Lafr.* 1832, *nec Lacép.* 1798. Brachypus, p., *Sw.* 1831.

Pycnonotus, p., Boie, 1828.

Sw. C. of B. f. 28, c, 205, g; G. of B. i. p. 236, pl. 59. f. 7; Reich. S. A. t. 54. f.

4053. importunus, V.; Lev. O. A. t. 106. 2.

clamosus, Steph.; vocifer et familiaris, Sw. brachypodioïdes, Jard.

4054. gracilirostris, Strickl.

4055. latirostris, Strickl. 4056. virens, Cass.

4057. curvirostris, Cass.

4058. erythropterus, G. R. Gr.

4059. flavescens, Hartl. 4060. insularis, Hartl.

4061. oleaginis, Peters.

1019. YUHINA, 1836,

et Polydon, 1841, Hodgs. Juhina, Reich. 1850. Odonterus, Cab. 1851.

G. of B. i. p. 198, pl. 53. f. 5; Reich. S. A. t. 61. f. .

a. YUHINA.

4062. gularis, Hodgs.

4063. nigrimentum, Hodgs.

4064. occipitalis, Hodgs.; Gould, B. As. pl.

1020. b. IXULUS, Hodgs, 1844.

4065. flavicollis, Hodgs.; Gould, B. As. pl.

4066. occipitalis, Hodgs.; Gould, B. As. pl.

4067. castaneiceps, Moore; Gould, B. As. pl.

4068. striata, Bl.

1021.

nanus, Tick.

c. Myzornis, Hodgs. 1843.

4069. pyrrhoura, Hodgs.; G. R. Gr. & M. G. B. pl. 53; Gould, B. As. pl.

Nepal, Sikkim.

1022. PHYLLORNIS, Boic, 183 ?

Chloropsis, Jard. & S. 183?

Sw. C. of B. f. 206, d; G. of B. i. p. 124, pl. 39. f. 6; Reich. S. A. t. 35. f. .

S. Africa.

W. Africa.

,,

"

•• Ashanti.

Zanzibar, Tette.

Madagascar.

Mozambique.

Darjeeling.

Nepal, Sikkim.

Himalayas.

Darjeeling. Khasia Hills,

Burmah. Tenasserim. 4070. javensis, Horsf.; Jard. Ill. Orn. pl. 100 & 7; Gould, B. As. pl. Java. cochinchinensis, var., Raffl.; viridis, Horsf. Sonneratii, Jard.; Mülleri, Tem. gampsorhynchus, Jard. & S.; zosterops, Vig. 4071. cyanopogon, Tem. P. C. 512. 1; Gould, B. As. pl. Sumatra. cochinchinensis, Raffl.; mystacalis, Sw. moluccensis, Gr.; malabaricus, p., Bl. 4072. Jerdoni, Bl.; Hard. I. Ind. Zool. pl. 43; Gould, B. As. pl. India. gampsorhnychus, Tick.; cæsmarhynchos, Tick. cochinsinensis, Jerd. 4073. Hodgsoni, G. R. Gr.; Gould, B. As. pl. Himalayas. aurifrons, Bl.; malabaricus, Jard. 4074. icterocephala, Tem. P. C. 512, 2. Sumatra. malabaricus, Tem. 4075. Hardwickii, Jard.; Deless. Voy. Ind. t. 7; Gould, B. Himalayas. As. pl. curvirostris, Sw.; auriventris, Deless. cyanopterus, Hodgs.; chrysogaster, M'Clell. 4076. media, Müll. Sumatra. 4077. venusta, Tem. India. 4078. aurifrons, Tem. P. C. 484. 1. malabarious, p., Jard.

4079. malabarica, Gm. Acad. der Wissensch. 1856, t. 2. 1; Gould, B. As. pl. frontalis, Natt. & Pels.; aurifrons, Sykes.

India.

4080. cochinchinensis, Gm.; P. E. 643. 3.

Sumatra, Java, Borneo.

Subfam. III. Crateropodinæ, Sw. 1837.

Timalinæ, p., G. R. Gr. Malurinæ, p., et Troglodytinæ, p., Cab. 1847.

1023. POMATORHINUS, Horsf. 1820.

Pomathorrhinus, *Bp.* 1831. *G. of B.* i. p. 228.

a. Pomatorhinus.

4081. montanus, Horaf. Zool. Res. Jav. pl. Java.
4082. erythrogenys, Vig.; Gould, C. B. pl. 55.
ferrugilatus, Horaf.
4083. leucogaster, Gould.
olivaceus, Bl.
4084. Horsfieldii, Sykes; Des Mure, I. O. t. 22.
S. India.

S.E. Himalaya. 4085. ruficollis, Hodgs. 4086. schisticeps, Hodgs. Himalaya. montanus, M'Clell. 4087. melanurus, Bl. Ceylon. 4088. musicus, Swink. Ibis, 1863, pl. 6. I. of Formoss. 4089. erythrocnemis, Gould, B. As. pl. S.E. Himal., Dar. 4090. ferruginosus, Bl. 4091. bornensis, Cab. Borneo. montanus, Müll. Khasia Hills. 4092. McClellandii, Bl. 4093. rubiginosus, Bl. 4094. albogularis, Bl. Tenasserim. 4095. Tickellii, Bl. 4096. stridulus, Swinh. Foochow. b. Pomatostomus, Cab. 1850. 1024. Pomatorhinus, Vig. 1831. G. of B. i. pl. 57. f. 5; Reich. S. A. t. 57. f. 2245 r 4097. temporalis, Vig. & H.; Gould, B. A. iv. pl. 20. New S. Wales. trivirgatus, Tem.; frivolus, Lath.? 4098. rubeculus, Gould, B. A. iv. pl. 21. N. Australia. 7547 • 4099. supercilicsus, Vig. & H.; Gould, B. A. iv. pl. 22. Australia. 4100. Geoffroyi, Less. Voy. Coqu. t. 29. 2. New Guinea. Isidori, Less. Waig., Mysol. 4101. ruficeps, Hartl.; Gould, B. A. suppl. pl. S. Australia. 1025. c. Merulanthus, Bl. 1861. 4102. Phayrei, Bl. Assam. 1026. d. ORTHORHINUS, Bl. 1844. 4103. hypoleucos, Bl.; G. R. Gr. & M. G. B. pl. 57. Aracan. albicollis, Horsf. 1027. e. Pterorhinus, Swinhoe, 1868. Pekin. 4104. Davidi, Swinhoe. f. XIPHORHAMPHUS, Bl. 1843. 1028. Xiphirhynchus, Bl. 1842, nec Sw. 1827. Xiphorhynchus, Agass. 4105. superciliaris, Bl.; Jerd. 1. In. Orn. pl. 49; Gould, B. Sikkim.

1029. MALACOCIRCUS, Su. 1832.

Malacocercus, Strickl. 1841.

G. of B. i. pl. 57. f. 7; Reich. S. A. t. 55. f. .

a. MALACOCIBCUS.

4106. griseus, Lath.; Jerd. Ill. Ind. Orn. pl. 19. affinis, Jerd.

Carnatic.

4107. malabaricus, Jerd.

India.

Somervillei et orientalis, Jerd. 4108. terricolor, Hodgs.

benegalensis, Bl.; griseus, Hodgs. canorus, p., Horsf. g M.

Ceylon.

4109. striatus, Sw. Zool. III. n. s. pl. 127.

4110. cinereifrons, Bl.

4111. Somervillei, Sykes. Sykesii, Jerd.

Bombay.

1030. b. ARGYA, Less, 1831.

Argia, Agass. Sphenura, Bp. 1830. Malcolmia, Bl. 1856.

4112. Malcolmi, Sykes; Gr. I. Ind. Z. pl. 36. 1; Fras. Zool. *Typ.* pl.

S. India.

4113. acacise, Rüpp. Atl. t. 8.

albifrons, Gr.

Nubia, Egypt.

4114. squamiceps, Rüpp. Atl. t. 12. Rüppellii, Less.

Arabia.

1031. c. Chatarrhaa, Bl. 1856.

4115. gularis, Bl.

Burmah.

4116. caudatus, Dum. chatarrhæa, Frankl. isabellinus, Sw. Behar, India.

4117. ? Huttoni, Bl. caudata, p., Jerd.

4118. Earlei, Bl. geochrous, Hodgs. Nepal.

4119. chalybeus, Bp.

Palestine.

4120. rubiginosus, Rüpp. S. U. t. 19.

Schoa.

d. LAYARDIA, Bl. 1856 1032.

4121. subrufus, Jerd. pœcilorhyncha, Lafr. Malabar.

4122. rufescens, Bl.

Ceylon.

1033. c. Acanthoptila, Bl. 1856.

4123. **nipalensis**, Hodgs. leucotis et pellotis, Hodgs.

Nepal.

1034. CINCLOSOMA, Vig. & Horsf. 1825.

G. of B. i. p. 224, pl. 57. f. 11; Reich. S. A. t. 55. f. .

/L/) • 4124. punctatum, Lath.; Shaw, Z. of N. H. pl. 9; Gould, B. N. S. Wales, Van A. iv. pl. 4. Die. L., S.Aus.

3j / • 4125. castanotum, Gould, B. A. iv. pl. 5. castaneonotum, Gould.

8. & W. Austr.

4126. cinnamomeum, Gould, B. A. iv. pl. 6.

S. Australia.

4127. castaneothorax, Gould, Pr. Z. S. 1848, pl. 6.

New S. Wales.

1035. CRATEROPUS, Sw. 1831.

Cratopus!, Jard.

G. of B. i. p. 224, pl. 57. f. 4; Reich. S. A. t. 55. f. .

a. Crateropus.

4128. Reinwardtii, Sw. Zool. III. pl. 80. melanocephalus, Cuv.

W. Africa.

4129. bicolor, Jard.; Smith, I. S. A. Z. pl.

S. Africa.

4130. atripennis, Sw.

W. Africa.

capuzinus, Less.

W. Airica,

4131. platycircus, Sw. testaceus, Tem.

cinereus, Heugl.

"Abyssinia.

4132. leucopygius, Rüpp. E. A. t. 30. 1.

W. Africa.

4133. plebejus, Rüpp. Atl. t. 23.

Kordofan.

4134. leucocephalus, Rüpp. Atl. t. 4.

Abyss., Sennaar, White Nile.

Schoa.

4135. limbatus, *Harr*.

Algiers.

4136. fulvus, Desfont.; Exp. S. de l'Alg. t. 9 bis. 1. numidica, Levaill.

4137. Swainsoni, Smith.

S. Africa.

4138. gymnogenys, Hartl.

Angola.

4139. Salvadorii, Defil.

Persia.

4140. rufescens, Heugl.

N.E. Africa

1140. ruiescons, mesgs.

4141. ? sahara, Loche, R. et M. de Z. 1858, t. 11. 2.

Algiers.

4142. Hartlaubi, Bocage.

W. Africa.

4143. affinis, Bocage.

,,

1036. b. Ischyrofodus, Reich. 1850. Reich. S. A. t. 55. f.

4144. Jardinii, Smith. I. S. A. Z. pl. 6.

4145. melanops, Hartl.

S. Africa.

Damaraland.

1037. c. Hypergerus, Reich. 1850.

Hypochloreus, Cab. 1850. Crateropus, 1840, et Moho, p., Less. Reich. S. A. t. 54. f.

4146. atriceps, Less.; Sw. B. of W. Afr. pl. 31. orioloïdes, Sw.

W. Africa.

1038. d. Cichladusa, Peters, 1863.

Bradyornis, p., Hartl.

4147. arquatus, Peters; Ibis, 1868, pl. 9. 1. Spekei, Hartl.

Mozambique.

4148. guttatus, Heugl.; Ibis, 1868, pl. 9. 2.

N.E. Afr., White Nile. Gaboon.

4149. ruficaudus, Hartl.

1039. GARRULAX, Less. 1831.

Garrulaxis, Lafr. 1840. Garrularix !, G. R. Gr. 1846. Crateropus, p., Sw. G. of B. i. p. 225; Reich. S. A. t. 55. f.

a. GARRULAX.

4150. Belangeri, Less. Voy. Bélang. t. 4.

Tenasser., Pegu.

4151. Diardi, Less.

Cochin China.

4152. leucolophus, Hardw.; Gould, C. B. pl. 18.

Himalayas.

4153. chinensis, Scop.; Sonn. Voy. t. 107; Lev. Rolliers, t. 43. China. shanhu et melanopis, Gm.; leucogenys, Bl. auritus, Daud.

4154. perspicillatus, Gm.; P. E. 604.

4155. **albogularis**, Gould. albigula, Hodgs.

Himalayas. Nepal.

4156. pectoralis, Gould.
grisaure, Hodgs.; melanotis, var., Bl.

Himalayas.

4157. moniliger, Hodgs.
pectoralis, M. Clell.; M. Clellandi, Bl.

S.E. Assam.

4158. lugubris, Müll.

Sumatra.

4159. bicolor, Müll. coronatus, v. Krel.

4160. rufifrons, Less. Voy. Bélang. t. 5. perspicillatus, Tem.; ruficeps, Sw.?

India.

4179. subunicolor, Hodge.

1044. PTEROCYCLUS, G. R. Gr. 1846. Trochalopteron, p., Jerd. G. of B. i. p. 226, pl. 57. f. 3; Reich. S. A. t. 55. f.

4161. ruficeps, Gould, B. As. pl.	I. of Formosa.
4162. palliatus, Müll.	Samatra.
4163. sannio, Swink.	Amoy.
4164. uropygialis, Cab. pectoralis, p., Jerd.	Assam.
4165. strepitans, Tick.	Moulmein.
4166. poliogenys, Bl.	Tenasserim.
4167. rubiginosus, Bl.	Sumatra.
4168. poliocephalus, Bl.	"
1040. b. IANTHOCINCLA, Gould. G. of B. i. pl. 57. f. 1, 2.	
4169. ocellatus, Vig.; Gould, C. B. pl. 15.	Nepal, Sikkim.
4170. rufigularis, Gould. rufiments, Hodgs.	Himalaya.
4171. cærulatus, Hodgs.	S.E. Himalaya.
4172. ruficollis, Jard. & S. I. O. pl. 21. lunaris, M. Clell.	Himalaya.
4173. mitratus, Müll. Tijdschr. v. Nat. 1835, t. 5. 3.	Sumatra.
4174. pœcilorhynchus, Gould, B. As. pl.	I. of Formosa.
1041. c. Thamnocataphus, Tick. 1849.	
4175. picatus, Tick.	Darjeeling.
1042. d. Gampsorhyberus, Bl. 1844. Mesogenea, Hodgs. MS. Thamnocataphus, p., Tick.	
4176. rufulus, Bl. senilis, Tick.	Nepal. Sikkim.
1043. TROCHALOPTERON, Hodgs. 1844. Trochalopterum, Agass. G. of B. i. p. 225; Reich. S. A. t. 55. f.	
4177. squamatum, Gould; Jard. & S. I. O. pl. 4. melanura, Hodgs.	Darjeeling.
4178. phoenicoum, Gould, I. A. pl. punicous, Bl.	S.E. Himalaya.

Darjeeling.

India. Nepal.

a. PTEROCYCLUS.

4180. erythrocephalus, Vig.; Gould, C. B. pl. 17.	N.W. Himalaya.
4181. variegatus, Vig.; Gould, C. B. pl. 18. Abeillei, Less.	Nepal, Simla.
4182. chrysopterus, Gould. erythropterus, Hodgs.	Himalayas.
4183. affinis, Hodgs.	S.E. Himalaya.
4184. cachinnans, Jerd. Madr. Journ. 1839, pl. 13. Lafresnayi, Del.; Delesserti, Lafr.	Nielgherries.
4185. Fairbanki, Blanf. I. As. S. B. 1869, pl. 17 ^a .	S. India.
4186. setifer, Hodgs. imbricatus, Bl.; lineatus, p., Bp.	Nepal, Bootan.
4187. lineatus, Vig.	Sikkim, Nepal.
4188. gularis, M. Clell.; Gould, B. As. pl.	Khasia Hills.
4189. Jerdoni, Bl.	Banasore.
4190. ruficapillus, Bl.	Khasia Hills.
4191. merulinus, <i>Bl</i> .	Darjeeling?
4192. melanostigmus, Bl .	Tenasserim.
1045. b. "Leucodiopteon, Schiff.," Bp. 1853.	
4193. cancrus, L.; Edw. B. pl. 184; Albin, B. iii. pl. 19; Briss. Orn. ii. t. 23. 1. sinensis et faustus, L.	China.
4194. taivanus, Swinhoe.	I. of Formosa.
1046. ACTINODURA, Gould, 1836. Leiocinela, Bl. 1843. Ixops, Hodgs. 1843. Actinura et Liocinela, Agass. G. of B. i. p. 226, pl. 57. f. 9; Reich. S. A. t. 55. f.	
4195. Egertoni, Gould; Fras. Z. T. pl.; Gould, B. As. pl. plumosa, Gould; rufifrons, Hodgs.	Nepal, Darjeel.
4196. nipalensis, Gould, B. As. pl.	S.E. Himalaya.
1047. PELLORNEUM, Sw. 1831. Cinclidia, Gould, 1837, nec Hübn. 1816. Hemipteron, Hodgs. 1844. Sw. C. of B. f. 210; G. of B. i. p. 227, pl. 57. f. 8; Reich. S. A. t. 53. f.	

4197. ruficeps, Sw. dumeticola, Tick.; punctata, Gould. olivaceum, Jerd.?

4198. fuscocapillum, Bl.

4199. Tickellii, Bl.

Ceylon.

Tenasserim.

1048. TURNAGRA, Less. 1837.

Keropia, G. R. Gr. 1840. Ceropia, Agass. Otagon, Bp. 1850. Sturnagra, Bl. G. of B. i. p. 227, pl. 57. f. 12; Reich. S. A. t. 55. f.

a. Turnagra.

/02/24200. turdus, Forst.; Voy. l'Astrol. t. 7. 1.

crassirostris, Gm.; capensis, Sparrm. malaria, $Quoy \notin G$.; ferruginea, V.?

4201. tanagra, Schl.

New Zealand.

N. Zeal., S. Isl.

4202. Hectori, Buller.

N. Zeal., N. Isl.

1049. b. Grammatoptila, Reich. 1850.

Keropia, *Bp.* 1850, et p. G. R. Gr. Kittasoma, *Bl.* 1855.

Reich. S. A. t. 85. f. .

4203. striata, Vig.; Gould, C. B. pl. 37.

N. India.

1050. PSOPHODES, Vig. & H. 1826.

Timalia, p., et Phosphodes, Sw. 1837. Timalia, p., Sw. G. of B. i. p. 128, pl. 38. f. 6; Reich. S. A. t. 35. f.

S.E. Australia.

auritus et olivaceus, Lath. gularis, Wagl.; Abeillei, Less.

4205. nigrogularis, Gould, B. A. iii. pl. 16.

W. Australia.

FAM. X. DICRURIDÆ, Bl. 1849.

Subfam. I. **Dicrurinæ**, Sw. 1837. Dicrurina, Vig. 1825. Edolianæ, p., et Oriolinæ, p., 1831, Sw. Dicrourinæ et Pycnonotinæ, p., Cab. 1847.

1051. DICRURUS, V. 1816.

Bhuchanga, *Hodgs.* 1837. Dicrourus, *Glog.* 1842. Balicassius, *Bp.* 1854.

Sw. C. of B. f. 204; G. of B. i. p. 287.

a. DICRURUS.

4206. balicassius, L.; P. E. 603.

viridescens, Gould; furcatus, Wagl. afer, Licht.

Philippine I.

4207. annectans, Ho	dgs.		
bhuthang, Hodgs.;	affinis	et balicassius,	Bl.
furcatus, Bp .			

4208. amboinensis, G. R. Gr.

4209. bracteatus, Gould, B. A. ii. pl. 82. balicassius, Vig. & H.

4210. carbonarius, Müll.

4211. assimilis, G. R. Gr.

4212. bimaensis, Tem.

4213. densus, Tem. balicassius, Müll.

4214. pectoralis, Wall.

4215. cæruleus, Müll.; Lev. O. A. t. 172. cærulescens, Lath.; fingah, Shaw.

4216. leucophæus, V.; Lev. O. A. t. 170. ceylonemais, Steph.; cineraceus, Bl. cinereus, Bl.

4217. furcatus, Gm. leucopygialis, Bl.

4218. leucogenis, Wald.

4219. megalornis, G. R. Gr.

4220. atrocæruleus, G. R. Gr.

4221. picinus, Müll.

4222. and amanensis, Tytl.

4223. lophorinus, V.; Lev. O. A. t. 173. edoliformis, Bl.; balicassius, p., Lath.

4224. leucops, Wald.

4225. leucogaster, V.; Lev. O. A. t. 171. albiventer, Steph.

4226. comice, Less. cineraceus, var., Less.

1052. b. ——?

Dicrourus, Bp. 1854.

4227. albirictus, Hodgs. As. Res. xviii. pl. macrocercus, Bl.; balicassius, p., Lath. balicassius, Sykes.

4228. longicaudatus, Hay. macrocercus, Jerd.; pyrrhops, Hodgs. cineraceus, G. R. Gr.; intermedius, Bl. Assam, Burmah. Malacca.

Amboin., Ceram.

New S. Wales. N. Australia.

N. Guin., Waig., Mysol.

Aru.

Cele., Sumbava, Lomb., Flores. Timor.

Sula.

India.

Ceylon? Malacca.

Pinang.

Kei.

Batch., Gilolo, Celebes. Sumatra.

Andamans.

Ceylon.

Celebes.

Java.

New Ireland.

India, Nepal. Ceylon, Assam. Burmah.

India, Nepal. Ceylon. Assam, Burmah. 4229. macrocerous, V.; Lev. O. A. t. 174. longus, Tem.; biloba, Licht. forficatus, Horef. Java.

4230. Waldeni, Poll. & V. D. F. de Madag. t. 23. forficatus, Sclat.?

Mayotte.

4231. himalayanus, Tytl. Waldeni, Beav.?

Himalayas.

1053. c. Musicus, Reich. 1850.

Dicrourus, Cab. 1851. Reich, S. A. t. 88, f.

4232. musicus, V.; Lev. O. A. t. 167. emarginata, Licht.

S. Africa.

4233. modestus, Hartl. Abh. d. Naturw. Ver. in Hamb. t. 4. ashantensis, Tem.

W. Africa.

4234. atripennis, Sw.

4235. coracinus, Verr.

Gaboon.

4236. divaricatus, Licht. canipennis, Sw.; mystaceus, p., Bp.

W. Africa.

fugax, Peters.
4237. lugubris, Ehrenb. Sym. Phys. t. 8. 3.

Tette, Inhambane. Abyssinia.

divaricatus, p., Hartl.

S. Africa.

4238. ? mystaceus, V.; Lev. O. A. t. 169.

1054. d. Edolius, Cuv. 1817.

Drongus, Rafinq. 1815? Drongo, Reich. 1850. Lanius, L. 1766. Hedolius, Agass.

Reich. S. A. t. 81. f.

4239. forficatus, L.; P. E. 189; Lev. O. A. t. 166; Gal. des Ois. t. 141? cristatus, V.

Madagascar. Zambesi.

1055. c. Dissemurus, Glog. 1842.

Edolius, Sundev. 1835.

G. of B. i. pl. 70. f. 5; Reich. S. A. t. 88. f. .

4240. malabaricus, Lath.; Sonn. Voy. t. 111. platurus, p., V.; cristatellus, Bl. grandis, Horsf.

India, Malabar. Tenasserim. Moalmaga.

4241. brachyphorus, Tem.; Schl. Handb. Dierk. t. 2. 24. brachypterus, Schl.

Borneo.

4242. malabaroides, Hodgs.; Lath. Hist. B. pl. 108. grandis, Gould; malabaricus, p., Lath. retifer et paradiseus, Jerd.; paradiseus, var., Bl. orissæ et dentirostris, Bl.; bengalensis, Hay?

India, Himala. Tenasserim. Assam, Burmah.

4243. formosus, Cab.

Java, Banda.

121 100

4244. singularis, n. sp.?

4245. platurus, V.; Lev. O. A. t. 175.

setifer (retifer), Tem.; malabaricus, Cuvparadiseus, p., Bl. malayensis, Bl.

4246. paradiseus, L.

malabaricus, p., Lath.; platurus, p., V. rangoonensis, Gould; Jard. & S. I. O. pl. 38.

4247. affinis, Tytl.

1056. f. Dicranostreptus, Reich. 1850.

Reich. S. A. t. 88. f. .

4248. megarhynchus, Quoy & G. Voy. Astrol. t. 6.

mezorhynchus, Jerd.

1057. BHRINGA, 1837,

et Melisseus, 1841, Hodgs. G. of B. i. p. 287, pl. 70. f. 2; Reich. S. A. t. 88. f.

4249. remifer, Tem. P. C. 178.

malabaricus, p., Less.

4250. tectirostris, Hodgs.

remifer, p., Hodgs.; rangoonsis, Horef.

1958. CHIBIA, 1837,

st Cometes, 1841, Hodgs. Criniger, Tick. Trichometopus, Cab. 1851. Corvus, p., L. 1766.

G. of B. i. p. 287, pl. 70. f. 6; Reich. S. A. t. 88. f. .

4251. hottentottus, L.; P. E. 226?

barbatus, Gr.; Crishna, Gould. splendens, Tick.; casia, Hodgs.

criniger, Jerd.

4252. brevirostris, Cab.

1059. CHAPTIA, 1837,

et Propopterus, 1841, Hodgs. G. of B. i. p. 287, pl. 70. f. 7; Reich. S. A. t. 88. f.

4253. senea, V.; Lev. O. A. t. 176.

zeratus, Steph.

muscipetoides, Hedgs.

4254. malayensis, Hay.

4255. brauniana, Swinhoe.

1060. MELÆNORNIS, G. R. Gr. 1840.

Melasoma, Sw. 1837.

Bradyornis, p., Sundev. 1850.

Sw. C. of B. f. 204, d; G. of B. i. p. 288, pl. 70. f. 4; Reich. S. A. t. 88. f.

Malabar.

Java.

Malacca.

Siam.

Burmah.

Andamans.

New Guines.

New Ireland.

Java, Sumatra.

Himalayas.

Assam, Burmah,

Tenas., Malay.

India, Himala.

Assam.

China.

Bengal. Malabar coast.

Himalayas.

Malacca.

I. of Formosa.

a. MELENORNIS.

4256. edolicides, Sw. B. of W. Afr. pl. 29.

W. Africa.

4257. Ludwigii, Smith, I. S. Afr. Z. pl. 34.

S. Africa.

1061. b. Melanopepla, Cab. 1850. Bradyornis, p., Sundev. 1850.

4258. pammelsena, Stanl.
atronitens, Licht.; pammelina, Horsf. & M. lugubris, Müll.
melas, Heugl.; nigerrima, Würt.
edoloïdes, p., Cab.

Africa.

1062. c. Bradornis, Smith, 1847. Bradyornis, Sundev. 1850.

4259. mariquensis, Smith, I. S. A. Z. pl. 113.

S. Africa.

4260. major, Smith.

4261. ? simplex, Sundev.

" Caffraria.

4262. chocolatina, Rüpp. S. U. t. 14. fumigata, Guér.; pallida, Müll.

N.E. Africa.

1063. d. Sigelus, Cab. 1850. Bradyornis, p., Hartl. 1859.

4263. silens, Shaw; Lev. O. A. t. 74. leucomelas et vittatus, Sundev. incompta, Licht.

S. Africa.

4264. senegalensis, Hartl.

W. Africa.

4265. tænioptera, Sundev. silens, p.?

S. Africa.

Subfam. II. Ireninæ, G. R. Gr.

1064. IRENA, Horsf. 1820.

Irene, Boie, 1826.

G. of B. i. p. 288, pl. 70. f. 3; Reich. S. A. t. 53. f. .

4266. puella, Lath. indica, Hay.

India.

Tenasser., Siam.

4267. malayensis, Horaf. Zool. Res. pl.; P. C. 70, 225, 426. puella, Horaf.; cyanea, Begbie.

Java, Sumatra. Malacca.

4268. cyanogastra, Vig.; G. R. Gr. & M. G. B. pl. 70.

Philippine I.

U

FAM. XI. ARTAMIDÆ, Bl. 1849.

Subfam. I. Artamina, Bp. 1850.

Oriolinæ, p., Cab. 1847. Dicrurina, p., Vig. 1825. Dicrurina, p., Sw. 1837.

1065. ARTAMUS, V. 1816.

Ocypterus et Oxipterus, Cuv. 1817, Leptopteryx, Horsf. Sw. C. of B. f. 204, b, c; G. of B. i. p. 285, pl. 70. f. 1; Reich. S. A. t. 88, f. .

a. ARTAMUS.

4269. leucorhynchos, Gm.; P. E. 9.1; V. Gal. des Ois. t. 144. Philippine I. melaleuca, Wagl.; dominicanus, Gm.
4270, mscus, V.; Ann. du Mus. iv. t. 7. 1. Men ho India. rufiventer, Valenc.; leucorhynchus, Jerd. Timor. 4271. perspicillatus, Tem. 4272. monachus, Tem. Celebes, Sula. 4273. leucogaster, Valenc. Ann. du Mus. iv. t. 7. 2; Kittl. Java, Moluccas. Kupf. Vög. t. 30. 1. Timor. leucorhynchus, Horsf. 4274. sordidus, Lath.; Ann. du Mus. iv. t. 8. 2; Kittl. Kupf. Veg. t. 30. 2; Gould, B. A. ii. pl. 27. Australia. Tasmania. tenebrosus, Lath.; albovittatus, Cuv. lineatus, V. W. & N. Austra-*4275. cinereus, V.; Ann. du Mus. iv. t. 9. 2; Gould, B. A. ii. pl. 29. lia, Timor. 4276. albiventris, Gould, B. A. ii. pl. 30. N. Australia. 4. 4277. personatus, Gould, B. A. ii. pl. 31. S. & W. Austral. 4278. superciliosus, Gould, B. A. ii, pl. 32. New S. Wales, S. Australia. 1: 4279. leucopygialis, Gould, B. A. ii. pl. 33. New S. Wales, S. & N. Australia. 4280. melanoleucus, Forst. New Caledonia. Berardi, Bp.?; leucorhynchus, p., G. R. Gr. melaleuca, p., Wagl.• 4281. mentalis, Jard.; Ann. & Mag. N. H. 1845, pl. 8; Voy. Pôle Sud, t. 9. 1. Fiji Islands. vitiensis, Homb. & Jacq. 4282. papuensis, Tem. New Guin., Aru, Mys., Timor. 4283. melanops, Gould. Int. of Australia. 4284. Arnouxi, Bp. New Caledonia.

1066.

Oxypterus, Bp. 1854. Reich. S. A. t. 88. f.

7.1/3 4 4285. minor, V.; Ann. du Mus. iv. t. 9. 1; Gould, B. A. ii.

New S. Wales. Timor, Moluc.

fuscatus, Valenc.

1067.

c. ----?

Leptopterus, Bp. 1854. Artamia, p., Schl. & Poll.

4286. chabert!, Müll.; P.E. 32. 2; Poll. & V.D. F. de Madag. t. 27. 1.

Madagascar.

violaceus, Bodd.; viridis, Gm. hirundinaceus, Sw. ?

Artamia, Lafr. nec I. Geoffr. 1832. Leptopteryx, p., Wagl.

4287. viridis, Müll.; P. E. 374. leucocephalos, Gm.

4288. rufus, L.; P. E. 298. 2; Poll. & V. D. F. de Madag. t. 28. leucocephala Q, Bp.

1069.

e. Cyanolanius, Bp. 1854.

4289. bicolor, L.; P. E. 298. 1; Poll. & V. D. F. de Madag. t. 24. 1-4. madagascarina, L.

1070.

f. Amais, Less. 1840.

G. of B. i. p. 286.

4290. Clemenciæ, Less.

Borneo (?)

1071. ORIOLIA, I. Geoffr. 1838.

Artamia, p., Schl. & Poll.

G. of B. i. p. 233, pl. 58. f. 4; Reich. S. A. t. 56. f. .

4291. Bernieri, I. Geoffr. Mag. de Zool. 1839, t. 4; Poll. & V. D. F. de Madag. t. 25.

Madagascar.

1072. PSEUDOCHELIDON, Hartl. 1861.

4292. eurystomina, Hartl.; Ibis, 1861, pl. 11.

W. Africa.

1073. ANALCIPUS, Sw. 1831.

Artamia, I. Geoffr. 1832. Philocarpus, Müll. 1835. Psarophalus, Jard. & S. 1839.
Analciopus, Agass. Erythrolanius, Less. 1840.

Analciopus, Agass. E Oriolus, p., G. R. Gr.

Sw. C. of B. f. 203; S. A. f.

4293. sanguinolentus, Tem. P. C. 499. cruents, Wagl.; rubripectus, Less.

4294. Traillii, Vig.; Gould, C. B. pl. 35.

4295. ardens, Swinh. Ibis, 1862, pl. 13.

Java, Sumatra.

Borneo.

Himalaya.

I. of Formosa.

FAM. XII. ORIOLIDÆ, Boie, 1826.

Subfam. I. Orioline, Sw. 1831.

Oriolina, Vig.

1074. SPHECOTHERES, V. 1816.

Sphecotera, 1816, et Sphecothera, 1825, V. Picnorhamphus, v. Rosenb. 1866. G. of B. i. p. 231, pl. 58. f. 3; Reich. S. A. t. 56. f.

4296. viridis, V.; Quoy & G. Voy. Uran. t. 21; Gal. des Ois. t. 147. Timor. grisea, p., Less.; asturinus, p., Geoffr.; virescens, V.

297. maxillaris, Lath.; Jard. & S. I. O. pl. 79; Gould, B. A. iv. pl. 15.

New S. Wales.

virescens, Jard. & S.; viridis et Viellotii, Vig. & H.
australis et canicollis, Sw.

4298. flaviventris, Gould, B. A. suppl. pl. cucullatus, v. Rosonb.

asturinus, Geoffr.; grisca, Less.

Australia.

C. & S. Europe.

1075. ORIOLUS, L. 1766.

Turdus, L. 1748. Coracias, L. Galbula, Scop. 1777. Oriolus, p., Lath. 1794. G. of B. i. p. 231.

a. ORIOLUS.

4299. galbula, L.; P. E. 26; Naum. Vog. t. 61; Gould, B. E. pl. 71.

oriolus, Scop.

W.&S.Af.,Mad.,
Egypt& Nubia.

4300. kundoo, Sykes.
galbula, Sykes; aureus, Jerd.

1076.

b. — ?

Galbula, Bp. 1854.

galbuloïdes, Gould.

4301. anratus, V.; Lev. O. A. t. 260; V. Gal. des Ois. t. 83. S. & W. Africa. bicolor, Tem.; chryseos, Heugl. icterus, Würt.

4302. notatus, Peters.

Tette.

1077. c. Broderipus, Bp. 1854.

Euchlorites, Heins, 1859. Oriolus, c. Hippocrepides, Bp. G. of B. i. pl. 58. f. 2; Reich. S. A. t. 56. f.

4303. Broderipi, Bp. Pr. Z. S. 1850, pl. 18. refulgens, Bp.; sumbawensis, Schl.

Sumbava. Lombock, Flores. U 2

•	
4304. hippocrepis, Wagl.; P. E. 570. coronatus, Sw.; cochinchinensis, Horsf. indicus, p., Heine; chinensis, p., Cab.	Java, Sumatra.
4305. chinensis, L.; G. R. Gr. & M. G. B. pl. 58. acrorhynchus, Vig.	Manilla.
4306. macrourus, Bl.	Nicobars.
4307. indicus, Jerd. I. In. O. pl. chinensis, Jerd.; maculatus, V.	India, Tenasser. I. of For., China.
4308. tenuirostris, Bl.	Burmah.
4309. frontalis, Wall. Pr. Z. S. 1862, pl. 40.	Sula.
4310. ? Horsfieldii, Bp. galbula, Horsf.; indicus, p., Heine; chinensis, p., Cab.	Java.
4311. andamanensis, <i>Tytl</i> . Horsfieldi, p.?, <i>Bl</i> .	Andamans.
1078. d. Baruffius, Bp. 1854.	
4312. intermedius, Tem . Baruffii, Bp .	W. Africa.
4313. moloxita, Riipp. F. A. t. 12. 1. monachus, p., Cab.	E. Africa.
4314. larvatus, Lickt.; Lev. O. A. t. 261. coudougnan, Tem.; capensis, Sw. monachus, Wagl.; radiatus, Gm.? melanocephalus, var., V. arundinarius, Burck.?	S. Africa.
4315. nigripennis, Verr.	W. Afr., Gaboon.
4316. brachyrhynchus, Sw.	W. Africa.
4317. monachus, <i>Gm</i> .	
4318. personatus. Heugl. ; brachyrhynchus, Schl.	N.E. Africa.
1079, c. —?	
4319. melanocephalus, L.; P. E. 79. madaraspatanus, Frankl. M'Coshii, Tick.; Hodgsoni, Sw.?	Bengal, Nepal.
4320. ceylonensis, Bp . melanocephalus, Bl .	Ceylon. Malabar.
4321. philippensis, Gr.	Philippine I.
1080. f. Xanthonotus, Bp. 1854.	
4322. xanthonotus, Horsf. Zool. Res. Jav. pl.; P. C. 214. leucogaster, Reinw.; castanopterus, Bl.	Java.

1081. g. Mimera, Vig. & Horef. 1826. Mimetes, King, 1827. Oriolus, p., Sw.

1113 4323. viridis, Lath.; Jard. & S. I. O. pl. 61; Gould, B. A. iv. pl. 13.

New S. Wales.

sagittata, Lath.; variegatus, V. meruloïdes, Vig. & H.

4324. flavocinctus, Vig. & H.; Gould, B. A. iv. pl. 14.

N. Australia.

4325. **Mülleri**, Bp. viridissimus, Tem.

New Guinea. Aru, Timor.

4326. striatus, Quoy & G. Voy. Astrol. t. 9. 2. melanotis, Müll.

New Guinea. Waigiou, Mysol.

4327. variegatus, Cuv. viridifusca, Heine.

Timor.

4328. virescens, Tem. chloris, Müll.

4329. phseochromus, G. R. Gr.

E. Gilolo.

4330. affinis, Gould.

Port Essington.

4331. Forsteni, Bp.

Ceram.

1082. h. Xanthomelus, Bp. 1854.

Oriolus, p., Sw.

4332. aureus, L.; Edw. B. pl. 112; V. O. D. t. 11. 10. flavofulva, L.; aurantiaca, Shaw. paradiscus, Sw. New Guinea. Waigiou.

Subfam. II. **Ptilonorhynchinæ**, G. R. Gr. 1846. Coraciana, p., Vig. 1825.

1083. SERICULUS, Sw. 1825.

G. of B. i. p. 232, pl. 58. f. 1; Reich. S. A. t. 56. f. .

4333. melinus, Lath.; Lewin, B. N. H. pl. 1; Gould, B. A. iv. pl. 12.

New S. Wales.

chrysocephala, Lewin; regens, Wagl. regius, Tem.; magnirostris, Gould; mellinus, Cab. atricapilla, Lath.

4334. Rawnsleyi, Diggles, Austr. Orn. pl. .

Australia.

1084. PTILONORHYNCHUS, Kuhl, 1820.

Ptelenorhynchus, Tem. 1822. Kitta, Less. 1828. Ptylonorhynchus, Boie. Ptilorhynchus, Cab. 1847.

Sw. C. of B. f. 17. 241; G. of B. ii. p. 324, pl. 80. f. 7; Reich. S. A. t. 56. f.

HAND-LIST OF BIRDS.

a. PTILONOBHYNCHUS.

7:77 4335. holosericeus, Kuhl; P.C. 395, 422; Gould, B.A. iv. pl. 10. New S. Wales. squamulosus, Ill.; violaceus, V. MacLeayii, Lath.

1085. b. Ailuroedus, Cab, 1851.

Allureodus, Bp. 1853. Chlorokitta, Kaup. (, Sun, 1855.)

2/9: 4336. crassirostris, Payk. N. Act. Ac. Upsal, 1815, vii. t. 10; P. C. 396; Gould, B. A. iv. pl.

Smithii, Vig. & H.; viridis, V. virescens, Tem.

4337. buccoides, Tem. P. C. 575.

4338. melanotis, G. R. Gr.

N. Guin., Salwat.

Aru I.

1086. CHLAMYDERA, Gould, 1840.

Calodera, Gould, 1836, nec Naum. 1830. Callidera et Chlamydodera, Agass. G. of B. ii. p. 325, pl. 80. f. 3; Reich. S. A. t. 56. f.

7 356 4 4339. nuchalis, Jard. & S. I. O. pl. 103; Gould, B. A. iv. pl. 9. N. Australia.

4031 4 4340. maculata, Gould, B. A. iv. pl. 8.

4341. guttata, Gould, B. A. suppl. pl.

E. co. of Austra., S. Australia. N.W. Australia.

4342. cerviniventris, Gould, B. A. suppl. pl.

Cape York.

FAM. XIII. PITTIDÆ, Bp. 1850.

Brachyuridæ, Bl. 1849.

Subfam. I. Pittinæ, Bp. 1850.

Hypocnemidinæ, Cab. 1847.

1087. PITTA, V. 1816.

Turdus, p., Ill. 1811. Citta, Wagl. 1827.

Myothera, Cuv. 1817. Coloburis, Cab. & H. 1859.

Brachyurus, Thunb. 1821, et Bp. 1850, nec Fisch. 1814.

Sw. C. of B. f. 127; G. of B. i. p. 213; Reich. S. A. t. 52. f.

a. PITTA.

4343. coronata, Mill.; P. E. 258.
"brachyura, L.," Cab.; bengalensis, Gm. brachyura, Tem.; abdominalis, Wagl. triostegus, Sparrm. M. C. t. 84.

Moluccas. Timor?

4344. moluccensis, Müll.; Schl. Vog. Ned. Ind. t. 4. 1. cyanoptera. Tem. P. C. 218; malaccensis, Bl. macrourus fasciatus, Bodd. ?; P. E. 257. hippocrepis, Wagl.

Java, Sumatra. Borneo.

DAND-MOI OF BIADS.	
4345. concinna, Gould; Mag. de Zool. 1857, t. 11; Schl. Vog. Ned. Ind. t. 3. 1. Mathildæ, Verr.; Vigorsii, Bp.	Lombock, Flores Sumbawa.
4346. Vigorsii, Gould, B. A. iv. pl. 2; Schl. Vog. Ned. Ind. t. 3. 4. brachyura, Vig.	
4347. strepitans, Tom. P. C. 333. versicolor, Sw.	Australia.
4348. crassirostris, Wall. irena?, Elliot.	Sula Islands.
4349. angolensis, V.; Des Murs, I. O. t. 46. pulik, Fras.	W. Africa.
4350. malaccensis, Scop.; Sonn. Voy. t. 110. superciliaris, Wagl.	
4351. maculata, <i>Tem</i> . malaccensis, var., <i>Schl</i> .	India.
4352, brachyura, Gm.; P. E. 591; Schl. Vog. Ned Ind. t. 3.2, 3. irena, Tem. & Schl.; elegans, Tem.	Timor.
4353. nympha, Schl. F. J. t. suppl. A.	Japan.
4354. megarhyncha, Schl. De Dierk. fig. p. 131; id. Vog. Ned. Ind. t. 4. 2.	Bangka.
4355. oreas, Swinh.	I. of Formosa.
4356. simillima, Gould.	Cape York.
1088. b. Melanopitta, Bp. 1854.	
4357. cucullata, Hartl. Ann. N. H. 1844, pl. 20. rhodogastra, Hodgs.; nigricollis, Bl. malaccensis, Müll. & Schl.	Malacca. Nepal.
4358. novæ guineæ, Schl. Vog. Ned. Ind. t. 2. 4. atricapilla, Quoy & G. Voy. Astrol. t. 8. 3.	New Guinea. Aru, Salwatti.
4359. sordida, Müll.; P. E. 89; Schl. Vog. Ned. Ind. t. 2. 3, 4. atricapilla, Cuv.; philippensis, V. melanocephala, Wagl.; brevicanda, Bodd. macrorhyncha, Gr.	Philippine I. Timor, Borneo
4360. sanghirana, Schl.	I. of Sanghir.
4361. papuensis, Schl.	New Guinea.
4362. leucoptera, Elliot. atricapilla, p. ?, Elliot.	Ceylon (?).
4363. Forsteni, Müll.; Schl. Bijdr. tot de Dierk. 1854, t. 2; id. Vog. Ned. Ind. t. 2. 1. melanocephala, Forst.	Celebes.
4364. Mülleri, Bp.; Elliot, Pittide, pl. 28. atricapilla, Mill. & Schl.; Muelleri, Cab. & H.	,, Amboina.

4365. bangkana, Schl. Vog. Ned. Ind. t. 2. 5.

Bangka.

1089.

c. Hydrornis, Hodgs.

Heleornis, 1844, et Paludicola, 1837 (nec Wagl. 1830), Hodgs. Brachyurus, p., 1850, et Gigantipitta, 1854, Bp.

4366. nipalensis, Hodgs.; Gould, B. As. pl. nuchalis, Bl.

S.E. Himalaya.

4367. cyanea, Bl.; G. R.Gr. & M.G. B. pl. 55; Gould, B. As. pl. Himalayas. nipalensis, juv. ?, Bl.; gigas, Bl.

4868. cærulea, Raffl.; P. C. 217. gigas, Tem.

Java, Sumatra.

4369. maxima, Forst.; Schl. Voy. Ned. Ind. t. 1. 4; Bijdr. tot de Dierk. 1854, t. 1; Schl. Handl. Dierk. t. 11. 21.

Gilolo, Batchian.

1090. d. Phoenicocionla, Cab. & H. 1859.

4370. granatina, Tem. P. C. 506. coccinea, Eyton.

Borneo.

1091. e. Eucichla, Reich. 1850.

Pitta, 1850, et Eucycla, 1854, Bp. G. of B. i. pl. 55. f. 3; Reich. S. A. t. 52. f.

4371. guajana, Müll.; P. E. 355; V. Gal. des Ois. t. 153; Schl. Vog. Ned. Ind. t. 6. 1, 2, 3.

Malacca. Java.

cyanurus, Gm.; affinis, Horaf.
4372. elegans, Tem.; Voy. Bon. t. 3; Schl. Vog. Ned. Ind. t. 6. 5.

Sumatra. Malacca.

irena, Tem.; Boschi, Müll. & Schl.
"hyans," Jerd.
4373. Schwaneri, Tem.; Schl. Vog. Ned. Ind. t. 6. 4; Gould, B.
As. pl.

Borneo.

1092.

f. IRIDIPITTA, Bp. 1854.

4374. Baudii, Müll. & Schl. Verh. Nat. Gesch. t. 2; id. Vog. Ned. Ind. t. 5. 1, 2.

4375. iris, Gould, B. A. iv. pl. 3.

N. Australia.

-

'59 79.

1093. g. Erythropitta, Bp. 1854.

4376. Macklotii, Tem. P. C. 547; Schl. Vog. Ned. Ind. t. 4. 3; N.Gui., Aru, Sal., Diggles, Orn. Austr. pl. ? N.E. Aus.

4377. celebensis, Forst.; Schl. Vog. Ned. Ind. t. 4. 4. Forsteni, Tem.

. Celebes.

4378. erythrogaster, Cuv.; P. C. 212.

Philippine I.

4379. venusta, Müll.; P. C. 590.

Sumatra.

4380. cyanonota, G. R. Gr.; Elliot, Pittide, pl. 20.

Ternate.

4381. rufiventris, Heine; Elliot, Pittidæ, pl. 19.

Batchian.

inornata, G. R. Gr.

Gilolo.

4382. rubrinucha, Wall.; Elliot, Pittida, pl. 18.

Bouru.

1094. PHILEPITTA, I. Geoffr. 1838.

Brissonia, Hartl. 1861. Buddinghia, Poll. MS. G. of B. i. p. 214, pl. 55. f. 4; Reich. S. A. t. 56. f.

4383. castanea, Müll.; P. E. 539.2; Schl. & Poll. F. de Madag. t. 31. 1, 2, 3.

Madagascar.

jala, Bodd.; nigerrimus, Gm.; saui jala, Latk. sericea, I. Geoff. Mag. de Zool. 1839, t. 8; Des Murs, I. O. t. 32.

Geoffroyi, Des Murs, I. O. 33. Isidori, Des Murs; aterrima, Hartl.

4384. Schlegeli, Poll. F. de Madag. t. 32.

N.E. Madagasc.

FAM. XIV. FORMICARIIDÆ, Sclat. 1858.

Myiotheridæ, Boie, 1826. Eriodoridæ, 1847, et Hypocnemididæ, 1859, Cab.

Subfam. I. Formicariinæ, G. R. Gr. 1840.

Myiotherinæ, Sw. 1831, et Cab. 1847. Hypocnemidinæ, Cab. 1847.

1095. GRALLARIA, V. 1816.

Myioturdus, 1826, et Myiotrichas, 1831, Bois. Colobathris, Glog. 1842. G. of B. i. p. 212, pl. 55. f. 13; Reich. S. A. t. 52. f. .

a. Grallaria.

4385. varia, Bodd.; P. E. 702; V. Gal. des Ois. t. 154. rex, Gm.; grallarius, Lath.; fusca, V.

Cayenne.

4386. imperator, Lafr.

rex, Max.; grallaria, Licht.; imperatrix, Cab. & H.

4387. guatimalensis, Prev. Voy. Venus, t. 2.

4388. squamigera, Prev. Voy. Venus, t. 1. 4389. modesta, Sclat. Pr. Z. S. 1855, pl. 94.

4390. monticola, Lafr.; Des Murs, I. O. t. 53.

4391. perspicillata, Lawr.

4392. hypoleuca, Sclat.

4393. gigantea, Lawr.

4394. macularia, Tem.

4395. ochroleuca, Max.

S.E. Brazil.

Guatemala.

New Granada.

Panama.

New Granada.

Konador

British Guiana.

S.E. Brazil, E. Ecuador.

4396. fulviventris, Sclat.	Rio Napo.
4397. quitensis, Less.	Quito.
4398. mexicana, Sclat.	S. Mexico.
guatemalensis, p., Sclat.	
4399. nuchalis, Sclat.	Rio Napo.
4400. regulus, Sclat.	Ecuador.
4401. dives, Salv.	Costa Rica.
4402. fuscatra, Lafr.	Bogota.
1096. b. Codonistris, Glog. 1842. Grallaria, p., Sclat.	
4403. brevicauda, Bodd.; P. E. 706. 1. tinniens, Gm.	Cayenne. Ecu., Rio Napo.
1097. c. Grallaricula, Sclat. 1858. Pr. Z. S. 1858, f. 2, p. 283.	
4404. flavirostris, Sclat.	Ecuad., N. Gran.
4405. nana, <i>Lafr</i> .	New Granada.
4406. loricata, Sclat.	Venezuela.
4407. ferrugineipectus, Sclat.	17
4408. costariensis, Lawr.	Costa Rica.
1098. d. Hypsibemon, Cab. 1847. Hipsibemon, Bp. 1850. Grallaria, p., Sclat. Reich. S. A. t. 52. f.	
4409. ruficapilla, Lafr.	N. Gran., Ecuad.
4410. rufula, Lafr.	New Granada.
1099. e. Pittasoma, Cass. 1860.	
4411. Michleri, Cass. Pr. Ac. Phil. 1864, pl. 3.	Panama.
1100. f. Chambea, Vig. 1825. Chembes, Less. 1839. Chambezosa, Cab. 1847. Reich. S. A. t. 52, f.	
4412. campanisona, Lioht.; Jard. & S. I. O. pl. 11. brevicaudus, V.; Mém. Ac. S. N. St. Pétersb. 1835, t. 1; meruloïdes, Vig. marginatus, Max.; strigilata, Cuv.	S.E. Brazil.
4413. olivacea, Tsch.	E. Peru, Venez.,
4414. nobilis, Gould.	New Granada. E. Peru.
4415. molissima, Sclat. Pr. Z. S. 1855, pl. 96.	New Granada.

4416. turdina, Cab. & H.

4417. ruficauda, Cab. & H.

Columbia.

-- ?

1101. FORMICARIUS, Bodd. 1783.

Myrmornis, Herm. 1783.

Myrmecophaga, Lacép. 1800-1801, nec L. 1740.

Formicicapa, Daud. ? Myiothera, Ill. 1811.

Myrmothera, V. 1816. Myrmecothera, Agass.

Myccincla, Sw. 1837. Myiocincla, G. R. Gr. 1846.

Malurio, Less. 1839.

G. of B. i. p. 210; Reich. S. A. t. 52. f.

a. FORMICABIUS.

4418. cayanensis, Bodd.; P. E. 821 et 703. 1. colma, et var. β, Gm. tetema, Ill.; fuscicapilla, V. ruficeps, Spix, A. B. t. 72. 1.

Cay., B. Guiana. N. & S.E. Brazil.

4419. nigrifrons, Gould.

4420. analis, Lafr.; D'Orb. Voy. A. M. t. 6*. 1.

Boliv., Cayenne, Trin., Ecuad. S. Mexico.

N.Gran., E.Peru.

4421. moniliger, Solat.4422. Hoffmanni, Cab.

4423. rufipectus, Salv. Pr. Z. S. 1866, pl. 8.

Costa Rica, Pan-Veragua.

4424. crissalis, Cab.

Trin., Cayenne, Para.

1102. b. Phlegopsis, Reich. 1850.

Phlogopsis, Sclat. 1861. 'Reich. S. A. t. 57. f.

4425. nigromaculatus, Lafr.; D'Orb. Voy. A. M. t. 6. 2.

Boliv., Rio Napo.

4426. erythropterus, Gould.

S. America.

4427. **trivittatus**, Sclat. erythroptera Ω, Pelz.

Upper Amazon.

4428. Macleannani, Lawr.; Sclat. & Salv. Erot. Orn. pl. 9. Panama.

1103. c. Rhopoterpe, Cab. 1847.

Urotomus, Sw.? Reich. S. A. t. 52. f. .

4429. torquatus, Bodd.; P. E. 700. 1. formicivorus, Gm.; palikour, Ménétr.

Cayenne.

1104. d. Myrmelastes, Sclat. 1858.

4430. plumbeus, Sclat. Pr. Z. S. 1858, pl. 143. hyperythrus, Gould.

Upper Amazon.

4431. nigerrimus, Sclat.

4432. corvinus, Lawr.

Panama.

1105. e. Gymnocichla, Sclat. 1858.

4433. nudiceps, Cass. Pr. Ac. Phil. v. pl. 6. rufigularis et ferruginea, Lawr.

Panama. New Granada.

4434. chiroleucus, Sclat. & S. nudiceps, Lawr.

Costa Rica.

1106. f. HETEROCNEMIS, Sciat. 1855. Holocnemis, Strickl. 1844, nec Schill. 1829.

Reich, S. A. t. 52, f. .

4435. lineatus, Gm.; Edw. B. pl. 346; P. E. 823. 1; Jard Contr. Orn. 1849, pl. 18. 1. nævius, Gm.; flammatus, Strickl. Ann. N. H. xiii. pl. 3.

Surinam, Guiana.

Cayenne.

4436. marginatus, Sclat.

Bogota.

4437. albiventris, Pelz.

Brazil.

4438. simplex, Sclat.

Surinam.

1107. g. Hypocnemis, Cab. 1847.

Hypocnemus, G. R. Gr. 1849.

Reich. S. A. t. 52. f.

4439. cantator, Bodd.; P. E. 700. 2; Spix, A. B. t. 40. 2. tintinnabulatus, Gm.

Cayenne.

campanella, Lath.; striatus, Spix. margaritacea, Licht.

4440. poscilonotus, Cuv.; Cab. Orn. Not. t. 4. 2.

British Guiana, New Granada.

4441. argentatus, Des M.; Casteln. Voy. t. 17. 2.

Upper Amazon.

4442. striativentris, Salvad.

Brazil.

A. MYRMOBORUS, Cab. 4 H. 1859. Hypocnemis, b. Myrmoborus, Sclat.

4443. myiotherinus, Spix, A. B. t. 42-1. thamnophiloides, Voigt. melanolæma, Sclat. Pr. Z. S. 1854, pl. 72. 2. ardesiaca, Max.

New Granada. Bogota, E. Peru.

4444. melanostictus, Sclat. Pr. Z. S. 1854, pl. 73.

E. Peru.

4445. elegans, Sclat.

New Granada.

4446. leucophrys, Tach. F. P. t. 11. 2. myiotherina ?, Spix, A. B. t. 42. 2.

E.Peru, N.Gran. British Guiana.

4447. schistaceus, Sclat.

Upper Amazon, Rio Javarri. New Granada.

4448. erythrophrys, Sclat. Pr. Z. S. 1854, pl. 72. 1. angustirostris, Cab.

4449. melanopogon, Sclat.

E. Peru.

HAND-LIST OF BIRDS.

4450. nævius, Gm.; P. E. 823. 2; Casteln. Voy. t. 17. 3. punctulata, Des Murs.	Venezuela. Upper Amazon.
4451. Theresse, Des Murs, Castel. Voy. t. 16. 2.	Rio Javarri.
4452. nævioïdes, Lafr.	Pan., Mosquito,
4453. flavescens, Natt. & Sc.	Ecu., Costa Ric. Amazon.
4454. hemileucus, Sclat. & S.	R. Ucayali.
4455. melanura, Sclat. & S.	29
4456. obscurus, Cab. & H.	Cayenne.
4457. hypoxanthus, Sclat. Pr. Z. S. 1868, pl. 43.	Upper Amazon.
4458. lugubris, <i>Ill</i> .	Guiana.
4459. maculicauda, Pelz.	Brazil.
4460, margaritiferus, Pelz.	,,
4461. striativentris, Salvad.	Cayenne.
1109. i. Myrmeciza, G. R. Gr. 1841. Drymophila, Sw. 1824, nec Tem. Myrmonax, Cab. 1847. G. of B. i. pl. 55. f. 6; Reich. S. A. t. 52. f.	
4462. loricatus, Licht. Ménétr. Mém. l'Ac. Pétereb. 1835, t. 4. 1, 2. leucopus, Sw.; Yarrellii, Leadb.? squamosa, Natt. & Pels.?	S.E. Brazil.
4463. ruficaudus, Max. marginata, Salvad.; loricata, p., G. R. Gr.	23
4464. hemimelænus, Sclat. guttatus, Lafr.	Bolivia.
4465. ferrugineus, Müll.; P. C. 560. 2. cinnamomeus, Gm.; albicollis, V.	Cayenne. British Guiana.
4466. longipes, V.; Sw. Zool. III. pl. 23. castanea, Licht.; grallaria, Sw.	Venez., Trinid. New Granada.
4467. immaculatus, Sclat. & S. exul, Lawr.	Panama.
4468. exsul, Sclat.	Ecuador.
4469. læmostictus, Salv.	Costa Rica.
4470. stictopterus, Lawr.	,,
4471. rufigularis, <i>Lawr</i> . ferruginea, <i>Lawr</i> .	New Granada.
1110. j. Corythopis, Sundev. 1835. Reich. S. A. t. 52, f	
4472. calcarata, Max. Delalandii, Less.	S.E. Brazil.

4473. anthoïdes, Cuv.

Cayenne.

4474. nigricineta, Lafr.; D'Orb. Voy. A. M. t. 6. 3. calcarata, p., Pels.

4475. torquata, Tach.

Peru.

1111. PITHYS, V. 1816.

Manikup!, Desm. 1805. Pythis, Boie, 1826. Pitys, Agass. Dasycephala, p., Sw. 1831. Dasyptilops, Cab. 1859. Reich, S. A. t. 52. f.

a. PITHYS.

4476. albifrons, Gm.; P. E. 707. 1; V. Gal. des Ois. t. 129. leucops, V.

Cayenne. New Granada.

4477. cristata, Natt. & Pele.

Rio Vaupe.

1112. b. Gymnopithys, Schiff. 1854.

Anolops, Cab. & H. 1859. Pithys, b. Gymnopithys, Sciat. 1862.

4478. leucaspis, Sclat. Pr. Z. S. 1854, pl. 70.

New Granada, E. Peru, R. Negro. Panama.

4479. bicolor, Lawr. leucaspis, Lawr.

Cayenne.

4480. rufagula, Bodd.; P. E. 644. 2. pectoralis, Lath.; rufigularis, Sclat.

Brazil.

4481. griseiventris, Pelz.

1113. CONOPOPHAGA, V. 1816.

Myagrus, Boie, 1826. Myioturdus, p., Max. Conopophagus, G. R. Gr. 1840. Conophaga, Lafr. 1846. Sw. C. of B. f. 228, a; G. of B. i. p. 255, pl. 63. f. 14; Reich. S. A. t. 52. f.

4482. aurita, Gm.; P. E. 822; Gal. des Ois. t. 127. leucotis, Gm.

Cayenne.

4483. lineata, Max.; Mém. Ac. Pétersb. 1835, t. 14. 1. vulgaris, Ménétr.

S.E. Brazil.

4484. melanops, V.; Sw. B. of Braz. pl. 72, 73; Mém. Ac. Pétersb. 1835, t. 14. 2, & t. 15. 1.

perspicillata, Licht.; ruficeps, Sw. nigrogenys, Less.; dorsalis, Ménétr.

4485. torrida, Sclat.

Ecuad., Mexico, Chamicurros.

4486. castaneiceps, Sclat. ardesiaca, Tach.

4487. peruviana, Des M.; Casteln. Voy. t. 16. 1.

U. Amaz., Ecua.

4488. ardesiaca, Lafr.

Bolivia.

HAND-LIST OF BIRDS.

4489. melanogaster, Ménétr. Mém. Ac. St. Pétersb. t. 15. 2.

4490. cucullata, Sciat. Pr. Z. S. 1866, pl. 119.

4491. gutturalis, Sclat.

4492. Maximiliani, Cab. & H. perspicillatus, Max.

Brazil.

New Granada.

Brazil.

Subfam. II. Formicivorinæ, Sclat. 1858.

Eriodorinæ, Cab. 1847.

1114. FORMICIVORA, Sw. 1824.

Kridora, Glog. 1827? Formicivora, a, Sclat.
Myrmecophila, Fitz. 1864.
G. of B. i. p. 211, pl. 55. f. 9; Reich. S. A. t. 52. f.

a. FORMICIVORA.

4493. grisea, Bodd.; P. E. 643. 1; Spix, A. B. t. 41. 1. nigricollis, Sw.; leucophrys, Licht. deluzæ, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 5. 2.

Cayenne, Para.

4494. rufatra, Lafr.

grisea Q, Spix, A. B. t. 40. 1. superciliaris, Max.; rufater, Lafr.

4495. intermedia, Licht.

leucophrys, Bp.

4496. virgata, Lawr. 4497. schisticolor, Lawr.

4498. melanogaster, Natt. & Pelz.

4499. leucophthalma, Pelz.

4500. ruficauda, Natt. & Pele.

4501. Lafresnayana, D'Orb. Voy. A. M. t. 6. 1.

4502. ——? guttata, Less.

TUE

S.E. Brazil.

Trinidad. New Granada.

Panama. Costa Rica.

Bahia.

Brazil.

Bolivia.

Brazil.

1115. b. Ellipura, Cab. 1847.

Tænidiura, Reich. 1850. Formicivora, b. Ellipura, Sclat. Reich. S. A. t. 52. f.

4503. ferruginea, Licht.; P. C. 132. 3. variegata, Such.

4504. caudata, Sclat. Pr. Z. S. 1854, pl. 74.

4505. malura, Tem.; P. C. 353. 1, 2. melanoleuchos, V.?

4506. squamata, Licht.; Mém. Ac. Pétersb. 1835, t. 5. 1. maculata, Sw.

S.E. Brazil.

New Granada.

щ,

S.E. Brazil.

4507. Genei, De Fil.

S.E. Brazil.

4508. striata, Spix, A. B. t. 40. 2. malura Q, Ménétr.

4509. erythrocercs, Sclat. Pr. Z. S. 1858, pl. 142.

Brazil?

4510. rufa, Max.; Ménétr. Mém. Ac. St. Pétersb. t. 9. 1.

S.E. Brazil.

1116. c. MICRORHOPIAS, Sclat. 1860. Formicivora, c. Microrhopias, Sclat. 1862.

4511. quixensis, Corn. rufiventris, Corn.

Ecuador. Rio Napo.

4512. callinota, Sciat. Pr. Z. S. 1855, pl. 96.

New Granada.

4513. Boucardii, Sclat. Cat. A. B. pl. 16. quixensis, Lawr.

Mex., Vera Paz.

4514. strigilata, Max.; Sciat. & S. Exot. Orn. pl.

S.E. Brazil. Ecuador.

4515, consobrina, Sclat.

E. Peru.

4516. cinerascens, Sclat.

Brazil.

4517. bicolor, Natt. & Pelz.

1117. d. TERENURA, Cab. & H. 1859. Leptorhynchus, p., Ménétr.

4518. maculata, Max.; Mém. Ac. St. Pétersb. 1835, t. 10. 2. striolatus, Ménétr.; vittata, V.?

S.E. Brazil.

4519. caloptera, Sclat.

Ecuador.

4520. melanoleuca, Natt. & Pelz.

Brazil.

1118. e. PSILORHAMPHUS, Sclat. 1854. Leptorhynchus, Ménétr. 1835, nec Guér. 1826.

4521. guttata, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 10. 1.

1119. f. CERCOMACRA, Sciat. 1858.

4522. cserulescens, V.; Ménétr. Mém. Ac. St. Pétersb. 1835, t. 6. 1, 2.

4523. cinerascens, Sclat. cærulescens?, Sclat.

Rio Napo.

4524. tyrannina, Sclat. Pr. Z. S. 1855, pl. 98.

Vera Paz, Boliv., Honduras.

4525. nigricans, Sclat.

New Granada.

4526. maculosa, Sclat.

Esmeraldas.

4527. napensis, Sclat.

R. Napo.

cinerascens, Sclat.

Cayenne.

4528. approximans, Pelz.

Brazil.

4529. atrothorax, Bodd.; P. E. 701. 2. alapi, Gm.; atricapilla, V.?

Cayen., Bolivia.

4530. melanura, *Ménétr. Mém. Ac. St. Pétersb.* 1835, t. 8. 1, 2. atrothorax, p. ??, *Sclat.*

Brazil.

4531. ruficauda, Pelz.

4532. melanaria, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 9. 2. nigricans, p. ??, Sclat.

1120. g. Pyriglena, Cab. 1847.

Reich, S. A. t. 52. f. .

4533. leucoptera, V.; Sw. Zool. Ill. pl. 27; Mém. Ac. St. Pétersb. t. 7. 1, 2.

S.E. Brazil.

notodelos, Cuv.; domicella, Lickt.; melanura, Strickl. trifasciata, Sw.; palliatus, Less.? leuconota, Spix, A. B. i. 72. 2.

4534. Ellisiana, Sclat. Pr. Z. S. 1855, pl. 100.

New Granada.

4535. **serva**, Sclat.

Rio Napo. Brazil, Peru.

4536. atra, Sw.; Spix, A. B. ii. t. 39. 2. leuconotus, Spix; maura, Ménétr.?

4537. maculicaudis, Sclat.

Trinidad.

4538. picea, Cab.

Peru. Esmeraldas.

atra, Tach.

1121. A. Perchostola, Cab. & H. 1859.

13011101 111111191

Thamnophilus, c, Sclat.

Pr. Z. S. 1867, fig. p. 980.

4539. rufa, Bodd.; P. E. 644. 1; Pr. Z. S. 1855, pl. 81. funebris. Licht.?; rufifrons, Gm.

Cayenne.

cessius, Sclat.; leucostigma, Natt. & Lafr.

4540. fortis, Sclat. & S. Pr. Z. S. 1867, pl. 45 (funebris on plate). E. Peru.

4541. minor, Pelz.

Rio Negro.

4542. nigrescens, Cab. & H.

Cayenne.

1122. i. Herpsilochmus, Cab. 1847.

Reich. S. A. t. 52. f .

4543. pectoralis, Sclat.

Brazil.

4544. rufimarginata, Tem. P. C. 132. 1; Ranz. Elem. di Orn. t. 18. 2.

variegata et scapularis, Licht. & Max.

4545. pileata, Licht.

S.E. Brazil,

S.E. Braz., Boliv.

4546. atricapilla, Natt. & Pelz.

Brazil.

I

4547. longirostris, Natt. & Pelz. Brazil. 4548. dorsimaculata, Natt. & Pelz. 1123. j. Myrmotherula, Sclat. 1858. Myrmotherium, Cab. & H. 1859. 4549. pygmæa, Gm.; P. E. 831. 2. Cayenne. Bolivia. minuta, D' Orb.?; pusilla, Cuv. 4550. surinamensis, Gm.; Lath. Syn. pl. 62; Pr. Z. S. 1858, pl. 141. 1. Cayenne. British Guiana, quadrivittata, Cab. Rio Napo. 4551. multostriata, Sclat. Pr. Z. S. 1858, pl. 141, 2, 3. Upper Amazon. 4552. albigula, Lawr. Panama. 4553. minuta, Licht. & Pels. Rio Negro? 1124. k. Rhopias, Cab. & H. 1859. Myrmotherula, b. Rhopias, Sclat. 4554. gularis, Spiz, A. B. t. 41. 2; Mém. Ac. Pétersb. 1835, t. 2. 2. S.E. Brazil. cinerea, Max. 4555. guttata, V. Gal. des Ois. t. 155. Cayenne. pœciloptera, Cuv. E. Peru. 4556. hæmatonota, Sclat. New Granada. 4557. ornata, Sclat. Cat. of A. B. pl. 15. 4558. erythrura, Sclat. Rio Napo. 559. fulviventris, Lawr. gularis, Lawr. 1125. l. Myrmophila, Cab. & H. 1859. Myrmotherula, c. Myrmophila, Sclat. 4560. brevicauda, Sw. S.E. Brazil. minor, Salvad.; axillaris, p., Ménétr.; cirrhatus, p., G. R. Gr. 4561. urosticta, Sclat. Pr. Z. S. 1857, pl. 126. 1. Brazil. 4562. Menetriesi, D'Orb. Bolivia, E. Peru. 4563. axillaris, V.; P. E. 643. 2? Cayenne, Trinid. fuliginosa, p., Licht.; cirrhatus, p., G. R. Gr. Upper Amazon. 4564. erythronota, Hartl. S.E. Brazil. 4565. Hauxwelli, Sclat. Pr. Z. S. 1857, pl. 126. 2. E. Peru. 4566. melæna, Sclat. New Granada. 4567. cinereiventris, Sclat. & S. Cayenne, Surinam, E. Peru. 4568. melanogaster, Spix, A. B. t. 43. 1. Brazil. fuliginosa, Licht.; axillaris, Burm. cirrhatus, p., G. R. Gr.; axillaris, p., Ménétr.

4569. unicolor, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 2. 1. fuliginosus, var., Licht.

New Granada.

4570. assimilis, Pele.

Brazil, R. Negro, R. Amazon.

4571. luctuosa, Tem. & Pelz.

Bahia.

4572. longipennia, Pelz.

Rio Negro.

1126. RAMPHOCÆNUS, F. 1818.

Acontistes, Sundev. 1835.
 Scolopacinus, Bp. 1837.
 Rhamphocœnus, G. R. Gr. 1847.
 Rhamphocœnus, Cab. 1847.
 G. of B. i. p. 157, pl. 47. f. 8; Reich. S. A. t. 57. f.

4573. melanurus, V.; Gal. des Ois. t. 128; Sw. Zool. IU. pl. 140. Brazil. longirostris, Licht.; rectirostris, Sw. gladiator, Max.

4574. rufiventris, Bp.; Gr. & M. G. B. i. pl. 47. 2.

Coban.

4575. cinereiventris, Sclat. Pr. Z. S. 1855, pl. 87.

New Granada.

4576. semitorquatus, Lawr.

4577. Sanctæ Marthæ, Sclat.

4578. collaris, Natt. & Pelz.

Rio Negro.

Subfam. III. Thamnophilinæ, Sw. 1831.

Thamnophilina, Vig. 1825. Eriodorinæ, p., Cab. 1847.

1127. THAMNOPHILUS, V. 1816.

Batara, Tem. 1820. Tamnophilus, Bp. 1831.
Thamnophilus, div. δ, Sclat. 1858. Thamnophilus, f, Sclat. 1862.
G. of B. i. p. 297.

a. THAMNOPHILUS.

4579. doliatus, L.; Edw. B. pl. 226; P. E. 297. 2; Lov. O. A. t. 77. 2?

N. of S. America.

rubiginosus, Lath.

Peru.

4580. capistratus, Less.; Spix, A. B. t. 35. 2, & 38. 1. radiatus, Spix.

Brazil.

doliatus, p., G. R. Gr.; radiosus!, G. R. Gr.

New Granada.

4582. palliatus, Licht.; Spix, A. B. t. 33; Sw. B. Braz. pl. 65, 66.

S.E. Brazil.

lineatus, Spix; fasciatus et badius, Sw.; vestitus, Cuv.

4583. multistriatus, Lafr.

4581. tenuipunctatus, Lafr.

New Granada.

4584. radiatus, V. albicans, Lafr.

Paraguay.
Bolivia.
x 2

4585. nigricristatus, Lawr. Panama. 4586. nigriceps, Sclat. New Granada. 4587. affinis, Cab. & H. Xalapa. dolistus, p., Sclat.; dolistus et affinis, Lawr. 4588. tenuifasciatus, Lawr. Rio Napo. 4589. nigrescens, Lawr. Venezuela. 1128. b. BATARA, Less. 1831, et Solat. 1858. Tamnophilus, Tem. 1820. Thamnophilus, Sw. 1837. Thamnarchus, Cab. & H. 1859. Reich. S. A. t. 71. f. . 4590. cinereus, V.; Zool. Journ. i. pl. 7, 8; Voy. Uranie, t. 18, 19; Mikan, Del. Flor. et Faun. Bras. t. S.E. Brazil. rufus et cristatellus, V. undulatus, Mikan; Vigorsii, Such. gigas, Sw.; striata, Quoy & G. 1129. c. Nisius, Reich. 1850. Lochites, Cab. & H. 1859. Thamnophilus, a. Nisius, Sclat. 1862. Reich, S. A. t. 71. f. . 4591. Leachii, Such; Jard. & S. I. O. pl. 41. ruficeps, Such; funebris, Cuv. 4592. severus, Licht.; Jard. & S. I. O. pl. 21. lineatus, V.?; niger et Swainsoni, Such. othello, Less. C. Z. t. 19. 4593. fuliginosus, Gould; Less. Tr. d'Orn. t. 45. 2. Cayenne. B. Guiana. viridis, V.; lunulatus, Cuv. 4594. unduliger, Pels. Brazil. 1130. d. HYPAEDALEUS, Cab. & H. 1859. Thamnophilus, a. Nisius, p., Sclat. 1858. Hypaedaleus, Sclat. 1862. Thamnophilus, b. Sw. C. of B. f. 117?; G. of B. i. pl. 72.f. 2; Reich. S. A. t. 71. f. . 4595. guttatus, V.; Spix, A. B. t. 35. 1; Zool. Journ. i. pl. 6. suppl. meleager, Licht.; maculatus, Cuv. meleagris!, G. R. Gr. 1131. e. TARABA, Less. 1831. Diallactes, Reich. 1850. Thamnophilus, b, Sclat. 1858. Thamnophilus, c. Tabara, Sclat. 1862. Reich, S. A. t. 71. f. . 4596. major, V.; Spix, A. B. t. 32. N. of S. Amer.

Peru.

stagurus, Max.; albiventer, Spix.

bicolor et cinnamomeus, Sw. magnus, Less.; albiventris!, G. R. Gr.

MAND-DIST OF DIEDS.	000
4597. melanurus, Gould, Pr. Z. S. 1855, pl. 83. major, Tech.	S. & C. Amer.
4598. transandeanus, Sclat.	Gu aya quil.
4599. corvinus, Gould; Spix, A. B. t. 39. 1. melanoceps, Spix; melanocephalus, Cab. & H.	E. Peru. Ecuad., Ucayali.
4600. melanothorax, Sclat.	S. America.
4601. hyperythrus, Gould.	Upper Amazon,
4602. luctuosus, Licht.; Archiv. Mus. t. 17. 1. melas, Cuv.	Low. Ucayali. E. Peru.
4603. melanocrissus, Sclat. melanurus, Sclat.	Vera Paz.
4604. Hollandi, Lawr.	Nicaragua.
4605. Borbee, Pelz.	R. Madeira.
4606. cinereoniger, Pelz.	R. Napo.
4607. Tschudii, Pels.	R. Madeira.
4608. moestus, Pelz.	Cayenne.
1132. f. ——? Thamnophilus, c, Solat. 1858. Thamnophilus, c. Tabara, p., Solat. 1862.	
4609. immaculatus, Lafr. "Campterii, G. R. Gr.," Sclat.	New Granada. Ecuador.
4610. sethiops, Sclat.	E. Ecuador.
4611. Bridgesi, Sclat.	Chiriqui.
4612. punctatus, Cab.	Costa Rica.
1133. g. Επιοκότυς, Cab. & H. 1859. Thamuopilus, div. β, Sclat. 1858. Thamnophilus, d. Erionotus, Sclat. 1862.	
4613. nigrocinereus, Sclat. Pr. Z. S. 1855, pl. 81.	N. Brazil.
4614. cayanensis, Müll.; Leach, Zool. Misc. pl. 17; Lev. O. A. t. 77. 1. nævius, Gm.; punctatus, Shaw. cærulescens, Lafr.; amazonicus, Lawr. albonotatus, Spix, A. B. t. 37. 2 & t. 38. 2?	Cayenne. N. Brazil. New Granada.
4615. ambiguus, Sw. nævius, V.; nigricans, Max. ferrugineus, Sw.?; alveolus, Cuv.	S.E. Brazil,
4616. pileatus, Sw. maculatus, Lafr.; ventralis, Sclat. cærulescens, Cab.; auratus, V.	2)
4617. amazonicus, Sclat. Pr. Z. S. 1858, pl. 139. 1, 2. ruficollis, Spix, A. B. t. 37. 1.	Brazil.

OIO MAND MOI OF WELLOW	
4618. capitalis, Sclat.	Rio Napo.
4619. strigilatus, Spir, A. B. t. 36. 1.	**
4620. murinus (Natt.), Sclat. & S.	Cay., E. Peru.
4621. sticturus, Pelz.	Brazil.
4622. cinerciceps, Pslz.	,,
4623. cinereinucha, Pele.	Rio Negro.
4624. stictocephalus, Pelz.	Brazil.
4625. punctuliger, Pels.	**
4626. polionotus, Pelz.	. ,,
4627. saturninus, Natt.	**
4628. incertus, Pelz.	**
1134. h. Hylolophus, Cab. & H. 1859. Thamnophilus, div. γ, Selat. 1858. Thamnophilus, e. Hylolophus, Selat. 1862.	
4629. canadensis, L.; V. O. A. S. t. 48, 49. atricapillus et cirrhatus, Gm.; pileatus, Lath. cristatus, Max.	Cayenne. Trinidad.
4630. albinuchalis, Sclat.	Guayaquil, Isl. of Puna.
4631. pulchellus, Cab.	Carthagena.
4632. cristatus, Max.; Arch. du Mus. vii. t. 17. 2. pœcilurus, Cuv.	Brazil.
4633. leucauchen, Sclat. Pr. Z. S. 1855, pl. 79.	E. Peru.
4634. melanonotus, Sclat. Pr. Z. S. 1855, pl. 80.	New Granada.
4635. aspersiventer, Lafr.; D'Orb. Voy. A. M. t. 4. 1, 2. aspersiventris, Sclat. schistaceus?, D'Orb.	Bolivia.
1135. i. Rhopocharis, Cab. & H. 1859. Thamnophilus, g. Rhopocharis, Sclat. 1862.	
4636. torquatus, Sw. scalaris, Max.; atropileus, Lafr. pectoralis, Sw.	S.E. Brazil. Bolivia.
4637. ruficapillus, V. argentinus, Cab. & H.?; torquatus, p.?, Sclat.	Monte Video.
1136. j. Pygoptila, Cab. 1859. Pygiptila, Sclat. 1858.	
4638. maculipennis, Sclat. stellaris, Sclat.	Upper Amazon. Rio Napo.
4639. margaritata, Sclat. Pr. Z. S. 1854, pl. 70.	E. Peru.

Brazil.

1137. k. Cymbilainus, G. R. Gr. 1840. Cymbolæmus, Cab. & H. 1859.	
4640. lineatus, Leach, Zool. Misc. pl. 6.	Cayenne, Upper
1138. l. Dysithamnus, Cab. 1847. Dasythamnus, Burm. 1856. Reich. S. A. t. 71. f.	Amaz., Ecua.
4641. guttulatus, Licht.; P. C. 179. 1, 2. strictothorax, Tem.; guttatus, G. R. Gr.	S.E. Brazil. Bolivia.
4642. mentalis, Tem. P. C. 179. 3. poliocephala, Max. olivaceus, Tech. F. P. t. 11. 1?	S.E. Br., E. Per. Polivia.
4643. semicinerous, Sclat. Pr. Z. S. 1855, pl. 97, 147.	New Granada.
4614. xanthopterus, Burm.	S.E. Brazil.
4645. plumbeus , <i>Max</i> . stellaris, <i>Spix</i> , <i>A. B.</i> t. 36. 2, 3.	"
4646. leucostictus, Sclat. Pr. Z. S. 1858, pl. 140.	Ecuador.
4647. schistaceus, D'Orb. Voy. A. M. t. 5. 1. fuliginosus, Lafr.	Bolivia, Brazil. Ecuador.
4648. unicolor, Solat.	Pallatanga.
4649. striaticeps, Lawr.	Costa Rica.
4650. rufiventris, Lawr.	Panama.
4651. Y affinis, Pelz.	Brazil.
4652. puncticeps, Salv.	Veragua.
4653. ardesiacus, Sclat. schistaceus, p., Sclat.	Rio Napo.
1139. m. Thamnomanes, Cab. 1847. Reich. S. A. t. 71. f.	
4654. cassius, Licht.; P. C. 17. 1, 2.	S.E. Braz., Boliv.
4655. glaucus, Cab. 1140. n. Thannetes, Sclat. & S. 1860.	Cayenne, Brazil, Rio Napo?
4656. anabatinus, Sclat. & S.	Vera Paz.
4657. æquatorialis, Sclat.	Rio Napo.
1141. • o. Neoctantes, Sclat. 1868. Xenops, p., et Pteroptochus, p., Pelz. Proc. Z. S. 1868, fig. p. 572.	•
4658. niger, Natt. & Pelz.	Rio Negro.
1142. p. Biatas, Cab. 1859.	3

Biastes, Reich. 1853, nec Panz. 1806.

4659. nigropectus, Lafr. Rev. de Zool. 1850, t. 1.

FAM. XV. ÆGITHINIDÆ, G. R. Gr.

Liotrichidæ, Cab. 1847.

Subfam. I. Leiothrichinæ, Sw. 1831.

Timalinæ!, p., Cab. 1847. Pachycephalinæ, p., et Formicariinæ, p., G. R. Gr. 1840.

1143. BRACHYPTERYX, Horef. 1820.

Goldana, G. R. Gr. 1840. Formicivora, p., Ménétr. Alcippe, p., Bl. G. of B. i. 209, pl. 55. f. 11; Reich. S. A. t. 52. f. .

a. BRACHYPTERYX.

4660. montana, Horsf.

4661. albifrons, Boie. 4662. cruralis, Bl.

homochroa, Hodgs.; aurifrons, Jerd. & B.

4663. nipalensis, Hodgs.

4604. sej iaria, Horsf.; P. C. 448. 1. leucophrys, Tem.; olivaceum, Strickl.

4665. rufiirons, Jerd. & Bl.

4666. hyperythra, Jerd. & Bl.

1144. b. DRYMOCHARES, Gould, 1868. Brachypteryx, p., Gould.

4607. stellatus, Gould, B. As. pl.

4668. Palliseri, Kelaart.

1145.

Palisseri!, Jerd.

1146. d. MICROCERCUS, Fitz. 1864. Brachvpteryx, p., Kuhl. Microura, p., Bp.

4669. lepturus, Kuhl.

1147. LEIOTHRIX, Sw. 1831.

Furcuria, Less. 1831. Bahila, 1838, et Calipyga, 1841, Hodgs. Leioptrix, Less. 1839. Liothrix, Strickl. 1841. Callipyga, Agass. Sw. C. of B. f. 215; G. of B. i. p. 269, pl. 66, f. 2; Reich, S. A. t. 70, f.

c. Kelaartia, Bl. 1855.

Java.

Nepal, Sikkim.

Darjeel., Nepal, Sikkim. Java.

Darjeeling.

Sikkim.

Ceylon.

Jaya.

a. LEIOTHRIX.

4670. lutea, Scop.; P. C. 287. 1. sinensis, Gm.; furcatus, Tem.

China.

4671. callipyga, Hodgs.; Gould, B. As. pl. lnteus, p., Bl.

Nepal.

1148.

b. Mesia, 1838,

et Philacalyx, 1841, et Fringilloparus, 1844, Hodgs. Philocalyx, Bl. 1842.

4672. argentauris, Hodgs.; Gould, B. As. pl.

Darjeeling.

1149.

c. SIVA, 1838,

et Hemiparus, 1841, et Ioropus, 1844, Hodge. Alcippe, p., Bl. Reich. S. A. t. 67. f.

4673. cyanouroptera, Hodgs.; Gould, B. As. pl. lepida, M. Clell.

Himalayas.

4674. strigula, Hodgs.; Mag. de Zool. 1846, t. 19; Gould, B. As. pl.

variegata, Deless. Souv. Voy. t. 8. feliciæ, Less. ?; chrysocephala, James.

4675. nipalensis, Hodgs.

Nepal.

1150. d. Minla, 1838,

et Proparus, 1841, et Certhiparus, 1844, Hodgs.

4676. ignotincta, Hodgs. ornata, M'Clell.

Himalayas.

4677. castaneiceps, Hodgs.

Nepal.

4678. cinerea, Bl.

Sikkim.

1151.

e. ---?

Proparus, Hodgs. 1844, nec 1841.

4679. vinipectus, Hodgs.

Nepal.

4680. chrysotis, Hodgs.

Sikkim.

chrysopterus et leucotis, Bl.? chrysæus, Hodgs.

Nepal.

1152.

f. Muscitrea, Bl. 1847.

4681. cinerea, Bl.

Aracan.

1153. PTERUTHIUS, Sw. 1831.

Ptererythius, Strickl. 1841.

Pterythrius, Cab. 1847. Allotrius, Reich. 1850.

Sw. C. of B. f. 216; G. of B. i. p. 270, pl. 66, f. 3; Reich. S. A. t. 69, f.

a. PTERUTHIUS.

4682. erythropterus, Vig.; Gould, C. B. pl. 11; id. B. As. pl. Himalnyas.

4683. rufiventer, Bl.; G. R. Gr. & M. G. B. pl. 66; Gould,

B. As. pl. (rufiventris! on pl.).

Darjeeling.

4684. flaviscapis, Tem. P. C. 589. f. 1. flavipennis, Kuhl.

Java, Sumatra.

1154.

Allotrius, Boie, 1835.

4685. senobarbus, Tem. P. C. 589. f. 2.

Java.

4686. melanotis, Hodgs.; Gould, B. As. pl. ænobarbus, p., Jerd.

Nepal, Sikkim. Bootan.

4687. manthochloris, Hodgs.; Gould, B. As. pl.

Nepal.

ænobarbus Q, Jerd.

4688. aralatus, Tick.

Tenasserim.

1155. CUTIA, 1836,

et Heterornis, 1841, Hodgs.

G. of B. iii. app. p. 15, suppl. pl. 186. f. 6; Reich. S. A. t. 80. f. .

a. Cutia.

4689. nipalensis, Hodgs.; Gould, B. As. pl.

Nepal, Bootan.

1156.

b. LEIOPTILA, Bl. 1847.

4690. annectans, Bl.

Darjeeling.

1157. LIOPTILUS, Cab. 1850.

4691. nigricapillus, V.; Lev. O. A. t. 108. cucullatus, Ill.

S. Africa.

Subfam. II. Ægithininæ, G. R. Gr.

Cossyphina, p., Vig. 1825. Timalinæ, G. R. Gr. 1841. Napodinæ, Cab. 1851.

1158. TIMALIA, Horsf. 1820.

Napodes, Cab. 1850. Thimalia, Vig.

G. of B. i. p. 229; Reich. S. A. t. 55. f. 2?

a. TIMALIA.

4692. pileata, Horsf. Zool. Res. Jav. pl. 1.

Java.

4693. nigricollis, Tem. P. C. 594. 2. erythronotus, Bl.; nigrogularis, Eyton.

Borneo.

4694. maculata, Tem. P. C. 593. 1.

Java, Sumatra.

pectoralis, Bl.; squamatum, Eyton.

- W-

HAND-LIST OF BIADS.	010
4605. acutirostris, Eyton. pyrrhophæa, Hartl.; pyrrhoptera, Boie. erythroptera, Bl.; pirrhoptera!, Bp.	Sunda I.
4696. policcephala, Tem. P. C. 593. 2.	Java, Sumatra.
4697. leucotis, Strickl. Contr. Orn. 1848, pl.	Java.
4698. grammicephala, Kuhl; P. C. 448. 3. grammiceps, Tem.	,,
4699. striolata, Müll.	Sumatra.
4700. quadristriata, Bl.	?
4701. bicolor, Bl.	Malacca?
1159. b. Timalides, Bl. 1855. Sw. C. of B. f. 124.	
4702. thoracica, Tem. P. C. 76.	Java, Sumatra.
1160. c. Dumetia, Bl. 1849. Pellorneum, p., Bl. 1849.	
4703. albogularis, Bl.; Gould, B. As. pl.	S. Ind., Bengal,
hyporythra, Jerd.	Madras. Ceylon.
4704. ? bivittatus, Müll.	Timor.
4705. hyperythra, Frankl. Mag. de Zool. 1835, t. 40; Gould, B. As. pl.	C. India.
1161. d. Schænicola, Bl. 1844. Sphænicola!, G. R. Gr. 1855.	
4706. platyura, Jerd.	Neilgherries.
1162. e. STACHYRIS, Hodgs. 1844. Stachyrhis, Agass. Cilathora et Strachyris, Hodgs. 1844. Strachyrhis, Agass.	
4707. nigriceps, Hodgs.	S.E. Himalaya.
4708. pyrops, Hodgs.; Gould, B. As. pl. pyrrhops, Hodgs.; chrysca, Adams.	Sikkim, Nepal.
4709. chrysæa, Hodgs.	S.E. Himalaya.
4710. ruficeps, Bl. pileato, M'Clell.	Nepal, Assam.
4711. larvata, Müll.	Sumatra.
4712. præcognitus, Swink.	I. of Formosa.
1163. f. Errornis, Hodys. 1844. Herpornis, Agass.	
4713. xanthochlora , <i>Hodgs</i> . rantholeuca , <i>Hodgs</i> .	Nepal.

g. Pyctoris, 1844, 1164. et Chrysomma, 18 ?, Hodgs. Pyctorhia, Agass. Pictorhis, Jerd. 4714. sipensis, Gm.; Jard. & S. I. O. pl. 111; Mag. de Zool. India. 1835, t. 39. hypoleuca, Frankl. bicolor, Lafr.; Horsfieldii, Jard. & S. rufifrons, Hodgs. 4715. longirostris, Hodgs. Nepal. Verreuxii, Tick.? 4716. altirostris, Jerd. Upper Burmah. 1165. h. MIXORNIS, Hodgs. 1844. 4717. gularis, Horef. Zool. Res. Jav. pl. 2; Voy. Pôle Sud, Java. t. 19. 2. 4718. rubricapilla, Tick. Himalayas. chloris et ruficeps, Hodgs. 4719. javanica, Cab. Java. gularis, Bp. Sumatra. 4720. sumatrana, Bp. gularis, Raffl. 4721. bornensis, Bp. Borneo. 4722. flavicollis, Müll. Java. Sumatra. 4723. similis, Bl. 4724. melanothorax, Tem. P. C. 185. 2. Java. poliopsis, Boie. 1166. ÆGITHINA, V. 1816 (suppressed in 1818), et Sw. 1837. Egithalus!, Sw. 1837. Iora, Horsf. 1820. Brachypus, p., Sw. 1831. Sw. C. of B. f. 206, a, e, 214, b; G. of B. i. p. 199, pl. 53. f. 4; Reich. S. A. t. 61. f. 4725. tiphia, L.; Edw. B. pl. 79. India. leucoptera, V.; subviridis, Tick. 4726 seylonica, Gm.; Brown, Ill. pl. 15. 2; Lev. O. A. t. 141. India, Ceylon. melanops, Sw.; tiphia, Jerd.; multicolor, cingalensis et melanictera, Gm. quadricolor, V.; meliceps, Horsf. tiphia, var. nigra, Sundev. 4727. scapularis, Horsf. Zool. Res. pl. Java, Borneo.

Sumatra.

Borneo.

Aracan.

viridissima, Tem.; tiphia, Vig.

4729. Lafresnayi, Hartl. M. de Z. 1845, t. 60.

4728. viridis, Tem.

innotata, Bl.

1167. MALACOPTERON, Fyton, 1839.

Malacopterum, Agass.

G. of B. i. p. 208, pl. 55. f. 12; Reich. S. A. t. 52. f.

a. MALACOPTERON.

4730. magnum, Eyton.

pileata, Müll.; majus, Bl.

4731. cinereum, Eyton.

1168.

coronata, Müll.; mugnum, Bl.

b. Kenopia, Bl. 1855.

4732. leucostigma, Müll.

striata, Bl.; maculatus, Eyton.

1169. c. Alcippe, Bl. 1844. Setaria, Bl. 1844, nec Oken, 1815.

atricapilla, Müll.

4733. affine, Bl.

4734. nigrifrons, Bl.

4735. atriceps, Jerd.

4736. Morrisonia, Swinh.

4737. brunneum, Gould, B. As. pl.

4738. monacha, G. R. Gr. murina, Tem.?

4739. albigularis, Bl. fuscipes, Lafr.

4740. poiocephala, Jerd.

4741. phayrei, Bl.

4742. dumetoria, Cab.

4743. solitarium, Cab.

4744. magnirostris, Moore.

4745. Cantori, Moore.

4746. murinum, Tem.

1170. MACRONUS, Jard. & S. 182 ?

Macronous, Bl. 1849. Brachypteryx, p., Sw.

G. of B. i. p. 209, pl. 55, f. 10; Reich. S. A. t. 55, f.

a. MACRONUS.

4747. ptilosus, Jard. & S. I. O. pl. 150. trichorrhos, Tem. P. C. 594. 1. trichorrhis!, G. R. Gr.

4748. leucotis, Strickl. Contr. Orn. 1848, pl.

Sumatra, Borneo.

Malacca.

maracca.

Borneo, Malac.

Malacca, Borneo.

Sumatra. Ceylon.

India.

I. of Formosa.

Aru, N. Guinea. Waigiou, Ceram.

Malacca.

Malabar.

Aracan.

Java.

Sumatra.

Malacca.

maraco.

Pinang.

New Guines.

Java, Sumatra Borneo.

Manilla.

1171. b. CACOPITTA, Bp. 1850.

4749. loricatus, Müll. Java, Sumatra.

4750. atrigularis, Bp. Borneo. margaritacea, Tem.

4751. lepidopleurus, Tem. Java, Sumatra.

1701. iepidopieurus, 1886.

4752. perspicillatua, Tem. ,, ,, 4753. leucogrammicus, Tem. Borneo.

1172. c. TRICHASTOMA, 1842, et Malacocincia, 1845, Bl.

4754. rostratus, Bl. Malacca.

4755. Abbotii, Bl. Nepal, Aracan.

4756. rubinus, Tem. Sumatra.

4757. pyrrhogenys, Tem. P. C. 442. 2. Java, Borneo. pyrrogenys!, Tem.

4758. pyca, Boie. Java, Sumatra.

4759. mystacalis, Tem. . Sumatra.
4760. olivaceus, Bl. . Malacca.

4761. concretus, Müll. Borneo. hypoides, Tem.

4762. rufifrons, Licht. Java, Sumatra.

4763. celebensis, Strickl. Contr. Orn. 1849, pl. Celebes.

1173. d. Napothera, Boie, 1835.

Reich, S. A. t. 52, f.

4765. euryzonus, Müll.

4764. bicolor, Less. Sumatra, Borneo.

ferruginosum, Bl.; rubicauda, $M\ddot{u}ll.$

Borneo.

4766. rufi:apillus, Pucher. Voy. Pôle Sud, t. 19. 1.
lepidocephala, Homb. & J.
squamifrons, Pucher.

Sumatra.

4767. lepidocephalus, Müll.

4768. pyrrhopterus, Boie.

Java.

1174. e. Drynocataphus, Bl. 1849.

4769. capistratoides, Tem.; Jard. Contr. Orn. 1849, pl. Borneo. nigrocapitata, Eyton. Malacca.

4770. poliogenys, Müll.; Jard. Contr. Orn. 1849, pl. Sumatra, Java. malaccensis, Hartl.; poliogenis, Strickl.

4771. umbratilis, Müll.; Jard. Contr. Orn. 1849, pl.

Borneo.

4772. fuscocapillus, Bl.

Ceylon.

4773. capistratus, Tem. P. C. 185. 1.

Java.

4774. epilepidotus, Tem. P. C. 448. 2.

Java, Sumatra.

4775. barbatus, Cab.

Sunda I.

1175.

f. Turdinus, Bl. 1844.

4776. macrodactylus, Strickl. albogularis, Hartl.

Malacca.

4777. brevicaudatus, Bl.

Tenasserim.

4778. guttatus, Bl.

4779. crispifrons, Bl.

,,

1176.

g. Trichixos, Less. 1839.

Turdirostrum, Hay, 1844. Turdirostris, Bl. 1849. Bessethera, Cab. 1850.

4780. pyrropygus, Less.

Borneo.

pyrrhonota, Tem.; pyrrhomelanura, Müll. superciliaris, Hay.

1177. ALETHE, Cass. 1859.

Napothera, p., Hartl.

a. ALETHE.

4781. castanea, Cass. Journ. Ac. Phil. 1862, pl. 23.

W. Africa.

4782. maculicauda, Hartl.

Ashanti.

4783. striaticollis, Hartl.

Gaboon.

1178.

b. ILLADOPSIS, Heine, 1859.

Turdirostris, p., Cass. 4784. fulvescens, Cass.

W. Africa.

Subfam. I. Muscicapine, Sw. 1831.

FAM. XVI. MUSCICAPIDÆ, Vig. 1825.

Hypocnemidinæ, p., et Platyrhynchinæ, p., Cab. 1847.

1179. PELTOPS, Wagl. 1829.

Erolla, Less. 1831. Platystomus, Sw. 1837.

G. of B. i. p. 66, pl. 22. f. 2; Reich. S. A. t. 34. f.

4785. Blainvillii, Garn. Voy. Coqu. t. 19. 2; Sw. Nat. Libr. x. pl. 29.

New Gui., Waig.

Var.

1180. MONARCHA, Vig. & H. 1826.

Drymophila, Tem. 182? Monacha, Sw. 1837. G. of B. i. p. 260, pl. 63. f. 1; Reich. S. A. t. 69. f.

a. Monarcha.

34 4786. carinata, Vig. & H.; Sw. Zool. Ill. pl. 147; P. C. 418. 2; Gould, B. A. ii. pl. 95. New S. Wales, Timor. 4787. cinerascens, Tem. P. C. 430. 2. Timor, Sula, Ternate, Gil. 4788. inornata, Garn. Voy. Coqu. t. 16. 2. New Guinea. carinata, p., G. R. Gr. Aru. New Gui., Aru, Waig., Mysol. 4789. guttula, Garn. Voy. Coqu. t. 16. guttata, G. R. Gr. 4790. griseogularis, G. R. Gr. Aru. 4791. leucura, G. R. Gr. Ká. 1934 4792. leucotis, Gould, B. A. suppl. pl. Louisiade. V.L. Sameen Islands. 4793. castaneiventris, Verr. 20 My 10 4794. alecto, Tem. P. C. 430. 1 Molucca, Celeb., Timor. 404 4795 (fulviventris, Hartl.) tanences en Tin Echiquier group. 4796. dichros, G. R. Gr. New Guinea. 1181. b. Symposiacheus, Bp. 1854. (996 • 4797. trivirgata, Tem. P. C. 481. 1. Timor. 4798. Gouldii, G. R. Gr.; Gould, B. A. ii. pl. 96. New S. Wales. trivirgata, Gould. Tasmania. 4799. bimaculata, G. R. Gr. Batchian. 4800. nigrimentum, G. R. Gr. Amboina. 4801. loricata, Wall.; Pr. Z. S. 1863, pl. 6. Bouru. 4802. melanoptera, G. R. Gr. Louisiade. 4803. albiyentris, Gould. Cape York. Renafang c. Arses, Less. 1831. 1182. Monacha, Reich.? Sw. C. of B. f. 145; Reich. S. A. t. 64. f. . 4804. telescophthalma, Garn. & L. Voy. Coqu. t. 18. 1. New Guin., Aru. enado, Less. Voy. Coqu. t. 15. 2. Var. Mysol. 4805. chrysomela, Garn. & L. Voy. Coqu. t. 18. 2; Nat. Libr. New Guin., Aru, Flyc. pl. 14. New Ireland.

> Waigiou, Mysol, Salwatti.

Y

1183. d. OPHRYZONE, Rams. 1868. 4806. Kaupi, Gould, B. A. suppl. pl. N.E. Australia Queensland. 1184. e. Pomarra, Bp. 1854. 164: 4807. nigra, Sparrm. M. C. t. 23; Voy. Coqu. t. 17. Society, Tonga I. atra, Forst.; lutea, Gm. pomarea, Less.; maupitiensis, Garn. 4808. Mendoze, Hartl. Marquesas. nigra, var., Forst. 1185. f. Metabolus, Bp. 1854. 4809. rugensis, Homb. & J. Voy. Pôle Sud, t. 13. Carolina I. 405 - 4810. Godeffroyii, Hartl. Pr. Z. S. 1867, pl. 38. Yap of Hogoleu group. Latornerom 1186. MUSCICAPA, Briss. 1760, nec L. 1766. Butalis, Boie, 1826 et 1828. Muscicapa, 3 div., Sundev. Sw. C. of B. f. 229, g; G. of B. i. p. 262. a. MUSCICAPA. 4811. griscola, L.; P. E. 565. 1; Naum. Vög. t. 64. 1; Gould, B. E. pl. 65. Europe. ficedula, L. 4812. ? africana, Bp. S. & W. Africa. griscola, Verr. 4813. carulescens, Hartl. Natal. 4814. hypogrammica, G. R. Gr. Ceram, Morty, Gilolo, Batch., griscosticta, Swinh. Celeb., Form. griscola, var. daurica, Pall. 4815. chocolatina, Rüpp. S. U. t. 20. Abyssinia. fumigata, Guér.; Ferr. & Gal. Voy. en Abyss. t. 7. 4816. gularis, Tem. & Schl. F. J. t. 16. Japan. 4817. lugens, Hartl. Angola. 4818. helianthea, Wall. Celebes. 4819. ? madagascariensis, Grandid. Madagascar. 4820. luteola, Pall.; Middendr. Sibir. Reis. ii. t. 17. 1-3. Siberia. 1187. b. HEDYNELA, Sundev. 1846. Butalis, G. R. Gr. 1840. Muscicapa, Kaup, 1829. G. of B. i. pl. 63. f. 9; Reich. S. A. t. 64. f. . 4821. atricapilla, L.; P. E. 668. 1; Naum. Vög. t. 64. 2, 3, 4; Gould, B. E. pl. 63. 1. C. Europe. maculata, Müll.; ficedula, Gm.

muscipeta, Bechst.; luctuosa, Scop.

4842. acornaus, Hodgs.

leucura, p.?; acormus et poonensis, Hodgs.

4822. collaris, Beckst.; Naum. Vög. t. 65. 1, 2; Gould, B. E. pl. 63. 2. albicollis, Tem.; streptophora, V. atricapilla, var. β, Gm.	S.E. Europe.
4823. epulata, Cass.	Mooda River.
4824. comitata, Cass.	Muni River.
4825. speculigera, Selys.	
4826. Riisii, Hartl.	Aguapim.
4827. modesta, Hartl.	Gaboon.
4828. picata, Sw.	W. Africa.
4829. Cassinii, Heine.	,,
4830. aquatica, Heugl. Orn. N. O. Afr. t. 16. 2.	Djour.
4831. melanura, Hougl.	C. Africa.
4832. infuscata, Cass.	W. Africa.
1188. c. Muscicapula, Bl. 1843.	
4833. superciliaris, Jerd.	S. India.
4834. hemileucura, Hodgs.; Contr. Orn. 1848, pl. superciliaris, p., Bl.	Nepal.
4835. albogularis, Bl. ciliaris, Hodgs.; superciliaris, p., Bl.	"
4836. æstigma, Hodgs.	"
4837. sapphira, <i>Tick.</i> ; <i>Jerd. I. Ind. Orn.</i> pl. 32. saphira!, <i>G. R. Gr.</i>	Nepal, Sikkim.
1189. d. Alskonax, Cab. 1850.	
4838. undulata, V.; Lev. O. A. t. 156. adusta, Boie; fuscula, Sundev.	S. Africa. Mauritius (!).
1190. e. ERYTHROSTERNA, Bp. 1838. Erythrosternia, Reich. 1850. Synornia, Hodgs. 1844. Syornia, Agass. Reich. S. A. t. 67. f.	
4839. parva, Bechst.; Naum. Vög. t. 65.3; Gould, B. E. pl. 64. minuta, Tem. & Schl.	S.E. & C. Eur. England.
4840. leucura, Gm. albicilla, Pall.; joulaimus, Hodgs. parva, Sundev.; Tytleri, James.? rubeculoides, Sykes.	India.
4841. maculata, Tick. leucochista, Hodgs.; melanoleuca, Bl.	S.E. Himalayas. Aracan, Tenas.

Nepal, E. Him.

4843. pusilla, Bl. C. India. acornaus, p., Bl. 4844. solitaris, Müll. Sumatra. solitaria, Bp. 4845. rufigularis, Kuhl. Java. rufigula, Kuhl. 1191. f. NEWTONIA, Poll. 1866. Erythrosterna, p., A. Newt. 4846. brunneicauda, A. Newt.; Poll. & V. D. F. Madag. t. 18. 3. Madagascar. 1192. g. Zanthopygia, 1847, et Xanthopygia, 1849, Bl. Charidylas, Bp. 1854. Choredhyla, Jerd. 1862. 4847. tricolor, Hartl. Malacca. China. leucophrys, Bl.; zanthopygia, Hay. 4848. narcissina, Tem. P. C. 577. 1; F. J. t. 17, c. Japan. chrysophrys, Bl. China. hylocharis, Tem. & S. F. J. t. 17, Q. 1193. h. Hemipus, Hodgs. 1844. Lanaria, Bl. 184 ? 4849. picata, Sykes. S. India. hirundinacea, Jerd.; tyrannides, Tick. Nepal, Ceylon. capitalis, M'Clell.; picæcolor, Hodgs. 1194. i. Pycnosphys, 1850, et Pycnophrys, 1849, Strickl. 4850. grammicops, Verr.; Contr. Orn. 1849, pl. Java. 1195. j. HYLIOTA, Sw. 1827. Sw. C. of B. f. 229, h; Reich. S. A. t. 64. f. . W. Africa. 4851. flavigaster, Sw. Flyc. pl. 28. 4852. violacea, Verr. Gaboon. 1196. k. ERYTHROCERCUS, Hartl. 1857. 4853. M'Callii, Cass. Mooda River. 4854. --- n. sp. ? Zambesi. 1197. l. MICROSCA, Gould, 1841.

Micraeca, Aliq. Reich. S. A. t. 67. f.

161 4855. fascicans, Lath.; Gould, B. A. ii. pl. 93. macroptera, Vig. & H. leucophæa, Lath.? platyrhyncha, Quoy & G. Voy. Astrol. t. 11. 1? New S. Wales. S. Australia. 4.

4856. assimilis, Gould. W. Australia. 1004 - 4857. flavigaster, Gould, B. A. ii. pl. 94; Voy. Pôle Sud, t. 12*. 5. N. Australia. 1858. flavovirescens, G. R. Gr. N. Guin., Mysol, Waigiou, Aru. New Guinea. 4859. ? conspicillata, G. R. Gr. 4860. superciliosa, Wall. Timor. 1198. m. ARTOMYIAS, Verr. 1854. Artemyias, Verr. 4861. fuliginosus, Verr. W. Africa. infuscata, Cass. 1199. HEMICHELIDON, Hodgs. 1844. G. of B. i. p. 262, pl. 63. f. 13; Reich. S. A. t. 64. f. . 4862. sibiricus, Gm. fuscedula, Pall.; fuliginosus, Hodgs. China, Nepal. 4863. ferrugineus, Hodgs. Himalaya. rufescens, Jerd.; rufilata, Swink. China, Ceylon. mutui, Layard. 4864. latirostris, Raffl. Sumat., S. India. poonensis, Sykes (?) Ceylon, Japan. ponticerianus, Licht.; cinerecalba, Schl. 4865. terricolor, Hodgs. Himalayas. 1200. SMITHORNIS, Bp. 1850. Phrynorhamphus, Kaup, 1851. a. SMITHORNIS. 4866. capensis, Smith, I. S. A. Z. pl. S. Africa. 4867. rufolateralis, G. R. Gr. Pr. Z. S. 1864, pl. 16. W. Africa. 1201. b. MEGABIAS, Verr. 1854. 4868. tricolor, Elliot. Gaboon. flammulatus, Verr. 1202. c. CASSINIA, Hartl. 4869. Fraseri, Strickl. Fernando Po. 4870. rubicunda, Hartl. Gaboon. 1203. d. BIAS, Less. 1831. 4871. musica, V. W. Africa. flavipes, Sw. 1204. COCHOA, 1836,

et Prosorinia, 1841, Hodgs.

G. of B. i. p. 280, pl. 68. f. 6; Reich. S. A. t. 89, f. .

a. Cochoa.

4872. purpurea, Hodgs.; Gould, B. As. pl. Hodgsoni, Bl.

Nepal.

4873. viridis, Hodgs.; G. R. Gr. & M. G. B. pl. 68; Gould, B. As. pl.

1205. b. Xenogenys, Cab. 1850.

Oreias, Tem. 1838, nec Kaup, 1829. Oreas, G. R. Gr. 1846, nec Desm. 1804.

4874. azurea, Tem. P. C. 274.

Java, Sumatra, Banda.

1206. NILTAVA, 1837,

et Chaitaris, 1841, Hodgs. Chaitairis, Bl. 1843. G. of B. i. p. 263.

a. NILTAVA.

4875. sundara, Hodgs.; Gould, B. As. pl. sordidus, Hodgs.; fastuosa, Less.

Himalayas.

4876. Macgrigoria, Burt.; Gould, B. As. pl. fuligiventer et auricularis, Hodgs.; signata, M'Clell. Bootan.

1207. b. Bainopus, Hodgs. 1844.

Baenopus, Agass. G. of B. i. pl. 63. f. 4.

4877. grandis, Bl.; Gould, B. As. pl. irenoides, Hodgs.

E. Himalayas.

1208. c. Cyornis, Bl. 1843.

Cynornis, G. R. Gr. 1846.

4878. rubeculoides, Vig.; Gould, C. B. pl. 25. 1. brevipes, Hodgs.; rubecols, Sw.

Himalayas.

4879. banyumas, Horef. Zool. Res. Jav. pl. ; P. C. 226. rufigastra, Raffl.; cantatrix, Tem.

Java, Sumatra.

Tytlerii, James. 4880. **Jerdoni**, G. R. Gr.

banyumas, p., Bl.

Madras, Behar. Deccan.

4881. hyacinthina, Tem. P. C. 30. hyacintha!, G. R. Gr.

Timor.

C. India.

4882. Tickellise, Bl.

hyacintha, Tick.; elegans, p., Bl.

4883. pallipes, Jerd.

Neilgherries.

4884. ruficauda, Sw. æqualicauda, Bl.; rubecula, p., Jerd. Himalayas. Kumaon, Carnatic.

1214.

4902. moniliger, Hodgs.

fuligiventer, Hodgs.; gularis, Bl.

4885. elegans, Tem. P. C. 596. 2. Sumatra. rubeculoides, p., Bl. Pegu, Tenasser. 4886. unicolor, Bl. Sikkim. 4887. rufigula, Wall. Celebes. 4888. rufifrons, Wall. Borneo. 4889. vivida, Swinhoe. I. of Formosa. 4890. magnirostris, Bl. Darjeeling. 1209. d. Ochromela, Bl. 1847. 4891. nigrorufa, Jerd. Neilgherries. rufula, Lafr. Ceylon. 1210. 6. CYANOPTILA, Bl. 1847. Hypothymis, Bp. 1851, nec Boie, 1826. 4892. cyanomelana, Tem. P. C. 470; Schl. F. J. t. 17 D. China. gularis, *Tem.*; cyanomelanura, *Bl.* bella, *Hay*; melanoleuca, *Schl.* Japan. 1211. f. Eumyias, Cab. 1850. 4893. indigo, Horsf. Zool. Res. Jav. pl. Java. cerules, Bp. 1212. g. STOPORALA, 1847, et Stoparola, 1849, Bl. Glaucomyias, Cab. 1850. 4894. melanops, Vig.; Gould, C. B. pl. 6. India. 4895. thalassina, Sw. melanops, p., G. R. Gr.; lapis, Less.? 4896. thalassoides, Cab. Sumatra. thalassina, Bp. 4897. ceylonensis, n. sp.? Ceylon. melanops, Layard. 4898. spilonota, n. sp.? Nepal. 4899. albicaudata, Jerd. I. Ind. Orn. pl. 14. Madras. 1213. A. SIPHIA, 1837, et Dimorpha, 1841, Hodgs. Menetica, Cab. 1866. 4900. strophiata, Hodgs. Nepal, Bootan. 4901. hyperythra, Cab. Ceylon.

i. Anthipes, Bl. 1847.

Nepal.

1215.

j. NITIDULA, Bl. 1861.

4903. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62. Campbellii, Jerd. & Bl.

Darjeeling. Sikkim.

1216.

k. DIGENEA, Hodgs. 1844.

4904. superciliaris, Bl.

hyperythra et rubecula, Bl. rubrocyanea et leucocyanea, Hodgs. Darjeeling. Nepal.

4905. ---- ?

tricolor, Hodgs.

4906. leucomelanura, Hodgs.

Beng., Nep., Darj.

Nep., Mussooree.

4907. tricolor, Kuhl. rupestris, Müll.

4908. erythaca, Bl. & Jerd.

Timor.

4909. innexa, Swinhoe.

Sikkim, Darjeel. I. of Formosa.

Subfam. II. Myiagrinæ, Cab. 1850.

Muscicapinse, p., Sw. 1837.

1217. SEISURA, Vig. & Horaf. 1826.

Sisura, Strickl. 1841.

G. of B. i. p. 260.

G. SEISURA.

4910. inquieta, Lath.; Sw. Flyc. pl. 12; Gould, B. A. ii. pl. 87. Australia. muscicols et dubius, Lath. volitans, Lath.

b. Piezorhynchus, Gould, 1840.

Peizorhynchus, Aliq.

G. of B. i. pl. 63. f. 3; Reich. S. A. t. 64. f. .

; 90 ; - 4911. nitida, Gould, B. A. ii. pl. 88.

Port Essington.

4912. rufolateralis, G. R. Gr.

Waig., Mys., Aru.

4913. chalybeocephala, Garn. Voy. Coqu. t. 15. 2.

New Ireland. New Guinea.

lucida, G. R. Gr.

7045. 4914. nitens, G. R. Gr.

Batch., Tern., Gil.

1219. MYIAGRA, Vig. & Horef. 1826.

Myiagria, Agass.

Sw. C. of B. f. 229, b, c, d, e; G. of B. i. p. 261, pl. 63. f. 2; Reich. S. A. t. 67. f. .

a. MYIAGRA.

6 96 - 4915. rubecula, Lath.; Gould, B. A. ii. pl. 89. rubeculoides et plumbea, Vig. & H.

New S. Wales.

leucogaster, Bl. ruficollis et rubecula, V.?

Alexinæ, Heugl.

1641. • 4916. nitida, Gould, B. A. ii. pl. 91; Voy. Pôle Sud, t. 12*. 4. 9 143 cyanoleuca, V.?; rubecula, G. R. Gr. New S. Wales. Tasmania. 5 6 9 6 4917. concinna, Gould, B. A. ii. pl. 90. N. Australia. grisea, Pucher. Voy. Pôle Sud, t. 124. 3. 4918. latirostris, Gould, B. A. ii. pl. 92, A. Austr., Aru. 4919. rufigula, Wall. Timor. 4920. galeata, G. R. Gr. Batchian, Amboins, Ceram. 4921. manadensis, Quoy & G. Voy. Astrol. t. 3. 3. Celebes. 4922. viridinitens, G. R. Gr. Loyalty I. 4923. melanura, G. R. Gr. New Hebrides. 4924. 'caledonica, Bp, New Caledonia. perspicillata, G. R. Gr. 4925. modesta, G. R. Gr. New Ireland. (1\omega \$\nstar* 4926. albiventris, Peale, U. S. Expl. Exp. pl. 27. 3. . Samoan I. rubecula, Cass. . 6. A 4 Y/1 - 4927. erythrops, Hartl. Pelew I. 4928. Tytleri, Beav. Andamans. 4929. oceanica, Homb. & Jacq. Voy. Pôle Sud, t. 12*. 1, 2. Caroline I, albiventris, p.?, Finsch & H. 1.42 m W. L. Zina 14916 parlowingularing 1220. Hypothymis, Boie, 1826 & 1828, nec Tem. Hypothimus!, G. R. Gr. 1846. Muscicapa, 2 div., Sundev. 1835. Muscylva, p., Less. 4930. axurea, Bodd.; P. E. 666. 1; Lev. O. A. t. 153. 1, 2. India. cærulea, Gm.; occipitalis, Vig. ceruleocephala, Sykes; torquata, Sw. 4931. puella, Wall. Celebes. 4932. -_ ? Sula. puella, p., Wall, 1221. c. Elminia, Bp. 1854. 4933. longicauda, Sw. Flyc. pl. 25. W. Africa. cærules, Hartl. longicauda, minor, Heugl. Orn. N. O. Afr. t. 15. N.E. Africa. 4934. teresita, Antin. C. Africa.

1222. d. Muscirodus, Homb. & J. 1844. Platygnathus, Hartl. 1852.

6/ 4935. rufiventris, Elliot; Finsch & H. F. Centralp. t. 9. 2, 3. Feejee. vanicorensis, Peale.

4936. vanikorensis, Quoy & G. Voy. Astrol. t. 5. 1. castaneiventris, p.?, Finsch & H.

I. of Vanikoro.

e. MACHAERIRHYNCHUS, Gould, 1850. 1223.

4937. flaviventer, Gould, Pr. Z. S. 1850, pl. 33; id. B. A. suppl. pl.

Cape York.

4938. xanthogenys, G. R. Gr.

Aru.

4939. albifrons, G. R. Gr. Pr. Z. S. 1861, pl. 43. 1.

Mysol, Waigiou.

1224. PLATYSTEIRA, Jard. & Selby, 182 ?

Platystira, Strickl. 1841. Platystera, Sw. 1837.

Sw. C. of B. f. 148, 228, e; G. of B. i. p. 256, pl. 63. f. 10; Reich. S. A. t. 64. f.

a. PLATYSTEIRA.

4940. cyanea, Müll.; P. E. 567. 3; Sw. Flye. pl. 22.

W. Africa.

melanoptera, Gm.; collaris, Lath. lobata, Sw.; melanoleucus, V. Desmarestii, Jard. & S. I. O. pl. 9.

4941. capensis, L.; P. E. 572; Lev. O. A. t. 160. pristinaria, V.; thoracica et molitor, Licht.; pulsator, Steph. torquata, var., Lath.; strepitans, Licht.

S. Africa.

4942. senegalensis, L.; P. E. 567. 1. velatus, V.; succincta, Licht. spurca, Müll.; torquata, Antin.? nitida, Müll.; P. E. 567. 2.

W. Africa. Abyssinia.

4943. minima, Verr.

Gaboon.

4944. peltata, Sundev.

Caffraria.

1225. b. Batis, Boie, 1831.

4945. pririt, V.; Lev. O. A. t. 161. strepitans, Licht.; senegalensis, Less. molitor, Hahn; melanoleuca, Licht.

W. Africa.

4946, ? affinis, Wahlb.

Damaraland.

c. Dyaphorophyia, Bp. 1854. Agromiyias, Heine, 1860.

4947. leucopygialis, Fras. Zool. Typ. pl. 34. castanea, Fras. brevicauda, Sw.?

W. Africa.

d. Myiophila, Hartl. 1857. 1227.

Stiphromyias, Heine, 1860.

4948. concreta, Tem.

Guines, W. Afr.

1228. e. LANIOTURDUS, Waterh. 1838.

Moquinus, Bp. 1855.

4949. torquata, Waterh.; Rev. et Mag. de Zool. 1855, t. albicauda, Strickl.

Damaraland.

S. Africa.

1229. f. Stenostira, Cab. 1850.

Empidivora, Reich. 1850. Muscylva, Less. 1837, nec 1831.

Reich. S. A. t. 68. f.

4950. scita, V.; Lev. O. A. t. 154; Sw. Flyc. pl. 21. longipes, Sw.; tenella, Licht.

4951. plumbea, Verr.; Heugl. Orn. N. O. Afr. t. 17. W. Africa.

4952. semipartita, Rüpp. F. A. t. 40. 1.

Abys., Kordofan.

1230. RHIPIDURA, Vig. & Horsf. 1825.

Rhipidicidura, Boie.

G. of B. i. p. 259, pl. 63. f. 8; Reich. S. A. t. 64. f. .

a. RHIPIDURA.

4953. flabellifera, Gm.; Lath. Syn. pl. 49; Voy. Pôle Sud, t. 11. 4. albiscapa, Cass.

New Zealand.

Aus., V.D. Land. New Caledonia. New Hebrides.

Jantala

Vapa i N.W. Australia.

N. & N.W. Aus.

Kei Island.

4954. melanura, G. R. Gr. fuliginosa, Sparrm. M. C. t. 47?; deserti, Gm.?

tristis, Hombr. & Jacq. Voy. Pôle Sud, t. 11. 5. - 6494 4955. albiscapa, Gould, B. A. ii. pl. 83; Sw. Nat. Libr. Flyc.

flabellifera, Vig. & Horsf.

1992, 4956. rufifrons, Lath.; Lewin, B. N. H. pl. 13; Gould, B. A.

ii. pl. 84. 4957. dryas, Gould.

4958. isura, Gould, B. A. ii. pl. 85. setosa, p.?

4959. assimilis, G. R. Gr.

ventilabrum, var., Forst.

4960. maculipectus, G. R. Gr.

maculipennis!, G. R. Gr.

4961. guttata, Tem.

Borneo.

Aru.

Java, Sumatra.

Lange

4962. phœnicura, Müll.

albigularis, Less.

1281 Thuborge Line I was

HAND-MOI OF BINDS.	001
4963. diluta, Wall.	Flores.
1550 4964. setcsa, Quoy & G. Voy. Astrol. t. 4. 4. gularis, Müll. & S.	New Ireland. N. Guin., Mysol.
4965. rufiventris, V.; Arch. du Mus. vii. t. 20. 2. ochrogastra, Müll. & S.	Timor.
4966. caniceps, Cass.	Philippine I,
4967. bouruensis, Wall.	Bouru.
4968. semicollaris, Müll. & S.	Timor.
4969. perlata, Müll.	Sumatra.
4970. threnothorax, Müll. & S.	New Guinea.
4971. Pelzelni, G. R. Gr. assimilis, Pelz.	Norfolk I.
4972. Preissi, Cab.	W. Australia.
2 * 4 3 a 4973. nebulosa, Peale, U. S. Expl. Exp. pl. 9. f. 2.	Navigator's I.
4974. pectoralis, Homb. & Jacq. Voy. Pôle Sud, t. 11. 3.	I. of Vanikoro, Marian I.? Pelew I.
4976. ——?	New Guinea.
rufiventris, Müll. & S.	
4977. hyperythra, G. R. Gr.	Aru I.
4978. rhombifer, Cab.	Sunda I.
4979. squamata, Müll. & S.	Banda.
4980. longicauda, Wall.	Sumatra.
4981. cineres, Wall.	Ceram.
4982. torrida, Wall. Pr. Z. S. 1865, pl. 38.	Ternate.
4983. collaris, Less. 1231. b. Leucocirca, Sw. 1838. Leucocircus, Strickl. 1841. Leucocircus, Jerd. Muscivora, Less. 1831, nec Cuv.	Timor. V. A. Im
4984. fuscoventris, Frankl.; Arch. du Mus. t. 20. 1. sannio, Sundev.; albogularis, Less. albigula, Hodgs.; albicollis, V.?	Nepal, India.
4985. albofrontata, Frankl.; Jerd. I. Ind. Orn. pl. 2. aureola, Less.	India.
4986. pectoralis, Jerd. leucogaster, Cuv.; fuscoventris, Sykes.	Neilgherries.
4987. euryura, Müll.	Borneo.
4988. compressirostris, Bl.	Ceylon.

	4989. nigritorquis, Vig.; Mém. Ac. St. Pétereb. 1835, t. 6? bambusæ, Kittl.	Luzon.
	4990. ? ochracea, Sparrm. M. C. t. 22.	? ·
	4991. javanica, Sparrm. M. C. t. 75. umbellata, Sundev.	Java.
	1232. c. Muscylva, Homb. & J. Monarcha, p., Finsch & H.	
26 €	4992. Lessoni, G. R. Gr.; Voy. Pôle Sud, t. 11. 2. cineres, Peale.	Fiji Islands.
	1233. d. Sauloprocta, Cab. 1850.	
46:3	4993. motacilloides, Vig. & H.; Gould, B. A. ii. pl. 86.	S. Australia.
	4994. picata, Gould.	N. Australia.
16848.	4995. melanoleuca, Quoy & G. Voy. Astrol. t. 4. 3.	New Ireland.
	4996. atripennis, G. R. Gr.	Aru, Waigiou,
	4997. mimoides, Müll.	Mysol, Salwa Batchian, Terns
15578	4998. ? tricolor, V. motacilloides, p., Pucher.	Gilo., Ámboi New Ireland.
	4999. laticauda, Sw. Flyc. pl. 11.	?
	1234. e. Chelidorynx, 1844, et Chelidorhynx, 1843, Hodgs.	
	5000. hypoxantha, Bl. chrysoschistus, Hodgs.	N. India.
	1235. f. ——? Myialestes, Reich. 1850. Cryptolopha, Sw. 1843, nec 1837. Reich. S. A. t. 67, f.	
	5001. cinereocapilla, V.; Sw. Zool, Ill. pl. 13; id. Flyc. pl. 23. poiocephala et ceylonensis, Sw.	India. Himalayas.
	1236. TCHITREA, Less. 1831.	
مجيد الإيراب	Muscicapa, Less. 1766, nec Briss. 1760. Muscipeta, 2 div., Cuv. 1817. Trepsiphone, Cab. 1850, nec Glog. 1827. Thiltres, Less. 1837. Sw. C. of B. f. 229, f; G. of B. i. p. 259, pl. 63. f. 6; Reich. S.	
	A. t. 67. f. a. Tchitrea.	
_	5002. paradisi, L.; Edw. B. pl. 113; P. E. 234. 2; Lev. O. A. t. 144, 145, 146; Gould, B. As. pl.; Jerd. Ill. I. O. pl. 7. indica, Sykes; castanea, Tem. P. E. 234. 1.	India.
	5003. affinis, Hay; Schl. De Dierk. fig. p. 147. paradisi, Schl.	Malacca. Java.

5004. rufiventer, Sw. B. W. Afr. pl. 4. casamansæ, Less.	W. Africa.
5005. melanogastra, Sw. senegalensis, Less.?	71
5006. melampyra, Verr. melanogastra, p., Hartl. & F.	Gaboon.
5007. Duchaillui, Cass. Journ. Ac. Phil. 1860, pl. 50. 1, 2. melanogastra, p., Hartl. & F.	W. Africa.
5008. Ferreti, Guér.; Ferr. & Gal. Voy. en Abyss. t. 8. 1, 2. melanogastra, Rüpp., et p. Hartl. & F.	E. Africa.
5009. atrochalybea, Thoms.	W. Af., Fern. Po,
5010. viridis, Müll.; Lev. O. A. t. 142, 143.	St. Thomas. E. Africa.
cristata, Gm.; castanea, Tem.? perspicillata, Sw.	W. Africa.
5011. flaviventris, Verr. tricolor, Fras.	"
5012. princeps, Tem. P. C. 584. principalis, Tem. & S. F. J. t. 17, E.	Japan, Corea.
5013. Incei, Gould, B. As. pl. principalis, p., Jerd.	N. China.
5014. nigriceps, Tem.	W. Africa.
5015. ?leucogaster, Sw. Flyc. pl. 24. paradisi, p., Bl.	India.
5016. torquata, Gm.; Lev. O. A. t. 150. capensis, Kuhl; pectoralis, Sw.? melanoleuca, V.	S. Africa.
5017. speciosa, Cass. Journ. Ac. Phil. 1860, pl. 50. 3.	W. Africa.
5018. Smithii, Fras.	**
5019. mutata, Gm.; P. E. 248. 2; Lev. O. A. t. 148; Poll. & V. D. F. de Madag. t. 20, 21. bicolor, Sw.; Gaimardii et pretiosa, Less.	Madag., I. Mayotte, I. Bourb.
5020. caudata, Müll.; P. E. 248. 1; Lev. O. A. t. 147. viridescens, Bodd.; holosericea, Tem. rufa, Sw.; mutata, p., Newt. & Hartl. & F.	S. Africa. Madagascar.
5021. Spekei, Hartl. mutata, p., Hartl. & F.	E. Africa.
5022. bourbonnensis, Müll.; P. E. 573.1; Schl. & Poll. F. de Madag. t. 22. borbonica, Gm.	Mauritius. Madagascar.
5023. corvina, E. Newt.	Seychelles.
	,

5024. atrocaudatus, Eyton. atriceps, Bl.

Malacca.

1237.

b. XEOCEPHALUS, Bp. 1854.

5025. rufa, G. R. Gr. & M. G. B. pl 64.

Philippine I.

1238.

c. PHILENTOMA, Eyton, 1845.

5026. pyrrhoptera, Tem. P. C. 596. 1. plumosa, Bl.; castaneum, Eyton.

Malacca.

5027. velata, Tem. P. C. 334. pectoralis, Hay; cæsia, Less.

5028. unicolor, Bl.

Borneo.

1239.

d. TROCHOCERCUS, Cab. 1850.

5029. cyanomelas, V.; Lev. O. A. t. 151. scapularis, Steph.

S. Africa.

5030. nitens, Cass. Journ. Ac. Phil. 1860, pl. 50. 4.

W. Africa.

1240.

e. Todopsis, Bp. 1854.

5031. cyanocephala, Quoy & G. Voy. Astrol. t. 5.4; Voy. Pôle Sud, t. 20. 2.
cæruleocephala, G. R. Gr.

New Guinea.

5032. Bonapartei, G. R. Gr. Pr. Z. S. 1858, pl. 134. cyanocephala, p., G. R. Gr. Aru.

5033. Wallacei, G. R. Gr. Pr. Z. S. 1861, pl. 43. 2.

Mysol.

5034. Grayi, Wall.

N.W. of N. Gui.,

5035. ? sericyanea, Rosenb.

New Guinea.

Subfam. III. Campephaginæ, G. R. Gr. 1840.

Campephagina, Vig. 1825. Ceblephyrinæ, Sw. 1831.

1241. PERICROCOTUS, 1826,

et Phœnicornis, 1827, Boie. Acis, Less. 1831.

G. of B. i. p. 281, pl. 69. f. 3; Reich. S. A. t. 68. f. .

5036. flammens, Forst.; P. C. 263; Sw. Zool. Ill. pl. 52; Gould, B. As. pl. elegans, M^eClell.

India, Ceylon.

5037. speciosus, Lath.; Gould, C. B. pl. 7; id. B. As. pl. princeps, Vig.

Him. to C. Ind.

5038. brevirostris, Vig.; Gould, C. B. pl. 8. affinis, Horsf.; miniatus, Sw.

India, Him. Assam, Aracan. 5039. roseus, V.; Gould, B. As. pl. sordidus, Hodgs.; rubricinctus, Bl.

India, Aracan.

5040. peregrinus, L.; Sparrm. M. C. t. 48-50; Gould, B. As. pl. coccineus et malabarica, Gm. cinnamomea, L.; indicus, Sparrm.

India, Burmah. Andamans.

5041. solaris, Bl.; Gould, B. As. pl. affinis ♀, M'Clell.

Sikkim.

5042. erythropygius, Jerd.; Jard. Contr. Orn. 1847, pl. speciosus, var. B, Lath.

India.

5043. albifrons, Jerd.

Upper Burmah.

5044. rutilus, Gould.

Pegu.

5045. miniatus, Tem. P. C. 156. 1, 2.

Java.

5046. ardens, Boie.

Sumatra.

5047. **wanthogaster**, Raffl. flammea, Horsf.

Sumatra, Java.

5048. flagrans, Boie.

Sumatra, Bor.

5049. exul, Wall.

Lombock.

5050. cinereus, Lafr.; Gould, B. As. pl. modestus, Strickl.

China. Philippine I.

5051. griseigularis, Gould, B. As. pl.

I. of Formosa.

5052. elegans, M'Clell.

Assam, Burmah.

5053. modestus, *Boie*.5054. igneus, *Bl. Contr. Orn*. 1849, pl.

Sumatra.

minutus, Strickl.

Malacca.

5055. and amanensis, Tytl. 5056. cantonensis, Swinhoe.

Andamans.

0000. Camonensis, Swimoe

Canton.

5057. sordidus, Swinhoe.

Amoy.

1242. CAMPEPHAGA, V. 1816.

Campophaga, Agass. Ceblepyrus, Bp. 1850. Lanicterus, Less. 1838. G. of B. i. p. 283; Reich. S. A. t. 68, f.

a. Campephaga.

5058. nigra, Lev. O. A. t. 164, 165; Sw. Zool. IV. pl. 179. flava, V.; atrata et labrosa, Swains. atra, Swainsoni et xanthornoïdes, Less.

S. & W. Africa.

5059. quiscalina, Finsch.

Fantee C.

1243. b. CYRTES, Reich. 1850.

Cercotrichas, Boie, 1831.

Campephaga, Sw. 1837, et Hartl.

Sw. C. of B. f. 204, c; Reich. S. A. t. 68. f .

5060. phoenicea, Lath.; P. C. 71; Sw. B. W. Afr. pl. 27, 28. S.W. & E. Afr. phænicopterus et flava, Tem.; dubia, Shaw.

5061. melanoxantha, Licht. phœnicea, p., Rüpp.

Natal.

1244. c. Lobotos, Reich. 1850.

Lanicterus, p., Less.

Reich. S. A. t. 54. f. , & Q.

5062. lobata, Tem. P. C. 279, 280. Temminckii, Hartl.

Angola.

d. GRAUCALUS, Cuv. 1817.

Ceblephyris, Tem. 1820. Ceblepyris, Sw. 1837. Coracina, p., V. 1816. Coracina, Cab. 1851. Sw. C. of B. f. 115; Reich. S. A. t. 68. f. .

5063. magnirostris, Forst.

Gilolo.

5 7 + 3 5064. melanops, Lath.; Lev. O. de Par. t. 30; Gould, B. A. ii. pl. 35. melanotis, Gould.

Australia.

5065. parvirostris, Gould, Syn. of A. B. pl. . 1.

Van Dieman's L.

5066. personata, Müll.

Timor, Flores. New S. Wales.

4, 4 5067. mentalis, Vig. & H.; Gould, B. A. ii. pl. 56. robustus, Lath.?

I. of Formosa.

5068. rex-pineti, Swinhoe.

India.

5069. Macei, Less.

papuensis, Sykes; nipalensis, Hodgs. Layardi, Bl.

Philippine I.

5070. Dussumieri, Less. Voy. Pôle Sud, t. 8. 1. fasciata, p., Bp.; macei, p., Pucher.

Java, Sumatra.

5071. javensis, Horsf. papuensis, Tem.

1386 - 5072. Jardinii, Rüpp.; Jard. & S. Ill. Orn. pl. 114; Gould, B. A. ii, pl. 60.

tenuirostris, Jard. & Selby.

New S. Wales. N. Australia.

5073. ceramensis, Bp.

Ceram.

5074. leucopygia, Bp.

Celebes.

5075. melanolora, G. R. Gr.

Batch., Ternate. Mysol, Aru. Octor so

7197 susada

5076. striata, Bodd.; P. E. 629. novæ guineæ, Gm.; fasciata, V. plumbea, Wagl.; lineatus, Less.

5077. ? sumatrensis, Müll.

5078. hypoleuca, Gould, B. A. ii. pl. 57.

(, 05° 5079. Swainsoni, Gould, B. A. ii. pl. 58. lineatus, Sw.

5080. lagunensis, Bp.

5081. Temminckii, Müll. & S.

5082. papuensis, Gm.; P. E. 630. albiventris, Wagl.

5083. Desgrazii, Pucher. Voy. Pôle Sud, t. 7. 1. papuensis, p. ?, Hartl.; affinis, Rüpp.?

5084. atriceps, Müll. & S.

5085. larvata, Müll. & S.

5086. pusilla, Bl.

5087. melanogenys, Homb. & J. Voy. Pôle Sud, t. 8. 2.

5088. ——? melanotis, G. R. Gr.

5089. concreta, Hartl.

1246. e. GAZZOLA

et Gazola, 1850, Bp.

5090. caledonica, Gm. cinereus, Forst.; cæsius, Cuv. papuensis, p., G. R. Gr.

1247. f. Artanides, *Hertl.* 1864.

5091. bicolor, Tem. P. C. 278.

1248. g. PYLLADERA, Pucher. 1853. Campephaga, p., Hartl.

5092. Boyeri, G. R. Gr.; Voy. Pôle Sud, t. 9. 3.

1249. h. Pteropodocys, Gould, 1846.

Reich, S. A. t. 68. f. .

5093. phasianella, Gould, B. A. ii. pl. 59. maxima, Rüpp. Orn. Misc. t. 3.

1250. i. Eddlisona, Pucher. 1853. Eucampophaga, Fitz. 1864. Campephaga, Bp. 1850. Eddlisoma, Sclat. New Guinea? Sumatra.

N. Aus., N. Gui., Aru? N. S. W., N. Aus. Ceram.

Philippines.

Celebes, Sula.

New Guinea. Moluccas.

New Guinea.

Celebes, Ceram.

Java, New Gui.

Ceylon.

Timor.

Batch., Gilolo.

Sula.

Borneo.

New Caledonia, New Hebrides.

Banda, Celebes, Sumatra.

- g.

New Guinea.

New S. Wales. S. & W. Austral.

z

5094. melas, Müll. & S.; Voy. Pôle Sud, t. 10. 2. cinnamomes, Müll. & S.; Marescotii, G. R. Gr. melan, Sclat.; melæna, Hartl.
5095. schisticeps, G. R. Gr.; Voy. Pôle Sud, t. 10. 1.

5096. plumbea, Müll. & S.

5097. morio, Müll. & S.

5098. marginata, Wall.

5099. melanolæma, n. sp.?

5100. aterrima, Bl. cerulescens Q, Bl.

5101. cæruleogrises, G. R. Gr.

5102. amboinensis, Hartl.

5103. analis, Verr. & Murs.

1251. j. VOLVOCIVOBA, Hodgs. 1837.

5104. fimbriata, Tem. P. C. 249, 250. culminatus, Hay; javensis, p., Rüpp.

5105. melaschistos, Hodgs. lugubris, Sundev.; silens, Tick. fimbriata, Bl.; carbonarius, Less. "cinerea, Bl.," Swinkoe; javensis, p., Rüpp.

5106. Sykesii, Strickl. canus et fimbriatus, Sykes.

5107. avensis, Bl. melanopterus, Bl.; ardosiacus, Less.?

5108. Schierbrandi, Pelz. Reise Novara, t. 2. 1.

5109. melanura, Hartl.

5110. vidua, Hartl.

5111. melanopterus, Rüpp. Orn. Misc. t. 2. 1.

lugubris, p. ?, Harth.

Micropus, Sw. 1837, nec Wolf & Mey. 1810. Microscelis, p., G. R. Gr. Brachypus, p., Sw. 1831. Prosecusa, Cab. 1851, et p. Reich. 1850. Sw. C. of B. f. 205, c, d, 206, c.

5112. chalcocephala, Tem. P. C. 453. 1.

1253. l. LALAGE, Boie, 1826. Erucivora, Sw. 1831.

Reich. S. A. t. 68. f. .

New Guinea. Mysol.

N. Guin., Mysol.N. Guin., Timor, Mysol.Celebes.

Bouru.

Celebes.

Philippines.

Aru.

Amboina.

New Caledonia.

Java, Malacca.

India.

Burmah.

Borneo.

India.

Aracan ?

" N. Holland "(?)

Java.

HAND-LIST OF BIRDS.	ออฮ
5113. terat, Bodd.; P. E. 273. 3. orientalis, Gm.; striga, Horaf. dominicus!, Müll.; leucophsea, V. humeraloïdes, Less.	Java, Sumatra.
5114. aurea, Tem. P. C. 382. 2; Voy. Pôle Sud, t. 10. 3.	Timor, Celebes, Moluccas.
5115. leucomela, Vig. & H.; Gould, B. A. ii. pl. 62.	New S. Wales.
5116. humeralis, Gould, B. A. ii. pl. 63.	Australia.
5117. rufiventris, Pucher.; Gould, B. A. ii. pl. 61. kara, Gould.	N. Australia.
5118. timorensis, Müll. & S. Sueuri, V.; orientalis, p., Less.	Timor.
7. 5119. karu, Less.; Voy. Coqu. t. 12. leucomela, p., Rüpp.	New Guinea. New Ireland.
5120. polygrammica, G. R. Gr.	Aru.
5121. atrovirens, G. R. Gr.	Mysol.
5122. neevia, Forst. & Gm.	New Caledonia.
5123. pacifica, Gm. karu, Quoy & G.	Tonga.
5124. maculosa, Peale. terat, Cass.; orientalis, p., Hartl.	Feejee. Samoan I.
5125. leucopygialis, n. sp. orientalis, p., Müll.	Celebes.
5126. Sloetii, Schl.	New Guinea.
5127. nycthomera, Tem.	Borneo.
5128. Montrosieri, Verr. & Murs.	New Caledonia.
1254. m. PSEUDOLALAGE, Bl. 1861. Lalage, p., Hartl.	
5129. melanictera, Bl. "melanoleuca, Bl." Hartl.	Philippine I.
1255. n. Symmorphus, Gould, 1837.	
5130. leucopygia, Gould. longicaudatus, Pels.	New S. Wales. Norfolk Island.
1256. o. Oxynotus et Acanthinotus, 1831, Sw Acanthonotus, Agass. Schetba, Less. 1831. Reich. S. A. t. 89. f.	
5131. rufiventer, Cuv.; Voy. Uranie, t. 17; Ibis, 1866, pl. 7. ferrugineus, Quoy & G.; cinereus, Less.	Madagascar. Mauritius.
typicus, <i>Hartl</i> .	z 2

5132. Newtoni, Poll. Ibis, 1866, pl. 8.

Réunion.

1257.

p. CEBLEPYRIS, Cuv. 1817.

G. of B. i. pl. 69. f. 2.

5133. csesia, Licht.; Lev. O. A. t. 162, 163; Gal. des Ois. t. 130. S. Africa. cana, Cuv.; Levaillantii, Tem.

5134. pectoralis, Jard. & S. I. O. pl. 57. niveoventer, Less.; cinerascens, Tem.

W. & E. Africa.

5135. cinerea, Müll.; Briss. Orn. ii. t. 36. 1; P. E. 541. kinki, Bodd.; cana, Gm. madagascariensis, Verr.

Madagascar.

5136. frenatus, Heugl.

C. Africa.

1258. q. CYANOGRAUCALUS, Hartl. 1861.

5137. azurea, Cass.

W. Afr., Sierra Leone.

FAM. XVII. TYRANNIDÆ, Cab. 1850-51.

Laniadze, p., Vig. 1825.

Subfam. I. Attiline, Sclat. 1862.

1259. ATTILA, Less. 1831.

Dasycephala, Sw. 1831. Tamnolanius, p., Less. Dasycephala et Dasyopsis, Reich. 1850. G. of B. i. 208, pl. 55. f. 2; Reich. S. A. t. 52. f.

a. ATTILA.

5138. cinereus, Gm.; Briss. Orn. app. t. 3. 3; Spix, A. B. t. 26. 2. rufus, V.

Cavenne, Brazil.

5139. brasiliensis, Less.

uropygiata, Max.; uropygialis, Bp.

Brazil.

5140. thamnophiloides, Spix, A. B. t. 26. 1.

5141. spadiceus, Gm.

rufescens, Sw.; uropygialis, Cab.

Cayenne.

5142. citrinopygus, Bp.

Mexico.

citreopygia, Sclat.

Guatemala.

5143. citriniventris, Sclat.

E. Peru.

5144. bolivianus, Lafr.

Bolivia.

rufescens, Lafr.

Veragua.

5145. Sclateri, Lawr.

spadicea, Lawr.

5146. torridus, Sclat. flammulatus, Lafr.? Ecuador.

5147. validus, Pelz.

Brazil.

5148. rufigularis, Pelz.

5149. phænicurus, Natt. & Pelz.

5150. Punirufus, Cuv.

Cayenne.

1260.

b. Casiornis, Bp. 1855.

5151. rubra, V.; Casteln. Voy. t. 18. 1.

Brazil.

hæmatodes, Licht.; thamnophiloïdes, Nordm. rufula, Hartl.; typus, Des Murs. rutilus, p., G. R. Gr.; rufus, V. & D'Orb.

5152. rutilus, Less.

Guiana.

Subfam. II. Tæniopterinæ, G. R. Gr. 1841.

Tyranninæ, p., Vig. 1825. Fluvicolinæ, Sw. 1837. Aleotrurinæ, 1847, et Motacillinæ, G. R. Gr.

1261. AGRIORNIS, Gould, 1838.

Tamnolanius, Less. 1839. Dasycephala, p., G. R. Gr. 1841. Thamnolanius, Agass.

Reich. S. A. t. 64, f. .

a. AGRIORNIS.

5153. livida, Kittl. Vög. v. Chili, t. 1. gutturalis, Gerv. Voy. Fav. t. 11. chilensis, Less.

Chili.

5154. microptera, Gould, Voy. Beagle, pl. 12. striata, Gould.

Patagonia.

5155. maritima, Lafr.; Voy. Beagle, pl. 13. leucura, Gould.

Bolivia.

Patag., C. Chili.

5156. insolens, Sciat. & S.

Tinta, Peru.

5157. andecola, D'Orb. gutturalis, p., Lafr.

Bolivia. Chimborazo.

5158. solitaria, Sclat.

Ecuador.

5159. albicauda, Ph. & L.

Peru.

5160. montana, Lafr.

Bolivia.

5161. ----?

andicola, Sclat.

Ecuador.

1262. b. MYIOTHERETES, Reich.

Ixoreus (Ep.), Sclat. Reich, S. A. t. 64. f. . 5162. rufiventris, V.; Voy. Beagle, pl. 11; D' Orb. Voy. t. 39.2. variegata, Lafr.

ferrugineus, Less.

La Plata. Chili. Patagonia.

5163. erythropygia, Sclat. Pr. Z. S. 1851, pl. 41.

Chimborazo. Ecuador. Bolivia, Peru.

5164. striaticollis, Sclat. Pr. Z. S. 1851, pl. 42. rufiventris, Lafr. & D'Orb. Voy. A. M. t. 32. 3. "erythropygius, Lafr. & D'Orb.," Sclat.

Bolivia, Pampa.

5165. rubetra, Burm.

1263. TÆNIOPTERA, Bp. 1825.

Tyrannus, 3 div., V. 1816.
Peposaza, 1828, et Xolmis, 1828, Boie.
Nongetus, 1827, et Blechropus, 1837, Sw.
Orsipus, Nordm. 1835. Pepoasa, Less. 1837.
Pepoaza, Lafr. 1838. Pepoaza et Pepoazoa, Stein. 1839.
G. of B. i. p. 241, pl. 61. f. 1; Reich. S. A. t. 64. f.

a. Tanioptera.

5166. nengeta, L.; Edw. B. pl. 318; Spix, A. B. t. 24; Sw. Flyc. pl. 8.
cinereus et pepoaza, V.
polyglotta, Licht.; tænioptera, Bp.

Braz., R.Grande, Boliv., Argent. La Plata.

5167. velata, Licht.; Spix, A. B. t. 22.

Brazil, Bolivia.

5168. dominicana, V.; Voy. Beagls, pl. 10. Azaræ, Gould; picata, Cuv. Braz., Argentina. Urag., La Plata.

5169. coronata, V. vittigera, Licht.5170. albogrisea, Less.

Paraguay.
Santa Fé.
Brazil.

dominicana, p., Lafr.

New Granada.

5171. murina, Lafr.

Patagonia.

1264. b. Hemipenthica, Cab. & H. 1859.

5172. irupero, V.; Spix, A. B. t. 29. 1. mœsta, Licht.; nives, Spix.

Paraguay, Brazil.
Argent., Urag.

5173. **niveicolor**, n. sp.? irupero, juv.?

--- ?

5174. albirostris, n. sp.?

Chili.

1265. c. Pyrope, Cab. & H. 1859.

5175. pyrope, Kittl. Vög. Chili, t. 10. Kittlitzi, Cab. Chili, Chiloe. Terra del Fuego.

1266. d. Оситнойся, Cab. 1847.

Ochthosca, Bp. 1850. Ochthocea!, G. R. Gr. Reich. S. A. t. 64. f.

5176. cenanthoides, Lafr.; D'Orb. Voy. A. M. t. 38. 2.

5177. fumicolor, Sclat. Pr. Z. S. 1856, pl. 117.

Bolivia.

Bogota.

HAND-LIST OF BIRDS.

5178. Lessoni, Sclat. New Granada. rufipectus, Less. Ecuador. 5179. citrinifrons, Sclat. Rio Napo. 5180. albidiema, Lafr. Bogota. 5181. cinnamomeiventris, Lafr. 1267. 6. Ochthodiæta, Cab. & H. 1859. 5182. furnigata, Boie. New Granada. Boissoneauii, Bp. Ecuador. f. MECOCERCULUS, Sciat. 1862. 1268. 5183. stictoptera, Sclat. Pr. Z. S. 1858, pl. 146. 2. 5184. rufipectoralis, Lafr.; D'Orb. Voy. A. M. t. 37. 2. Bolivia. 5185. leucophrys, Lafr.; D'Orb. Voy. A. M. t. 38. 1. Bolivia, Peru. 5186. diadema, Hartl. New Granada. fuscicapilla, Lafr. 5187. gratiosa, Sclat. Ecuador. 5188. setophagoïdes, Bp. Venezuela. leucophrys, p., Sclat. 5189. rufipectus, Lafr. New Granada. 1269. g. Sayornis, Bp. 1854. Theromyias, Cab. & H. 1859. 104 5190. pallida, Sw. B. Br. pl. 70; Faun. B. Amer. pl. 45; Aud. Arctic America. B. A. i. pl. 59. Mex., Rocky Ms. Saya, Bp.; Sayii, Sw.; Sayi, Cab. & H. 1270. A. AULANAX, Cab. 1856. Sayornis, p., Sclat. 5191. nigricans, Sw. B. Br. pl. 69; Aud. B. A. i. pl. 60. Mexico, Calif. semiatra, Vig. 5192. aquatica, Sclat. & S. Guatemala. 5193. latirostris, Cab. & H. C. America. ? nigricans, p., Cab. & S. ? cineracea, Sclat. Ecu., Venezuela, S. Martha. 5194. cineracea, Lafr. 1271. FLUVICOLA, Sw. 1827. Entomophagus, Max. 1831.

Entomophagus, Max. 1831.

Xolmis, Sundev. 1836. Xolmus, Sw.

Suiriri, Des Murs, 1853.

Myiophila, Reich. 1850.

G. of B. i. p. 242, pl. 61. f. 3; Reich. S. A. t. 64. f.

a. FLUVICOLA.

5195. climazura, V.; Spix, A. B. t. 31, a; Sw. Z. I. pl. 47.

nengeta, Licht.; mystacea, Max.

mystax, Spix; cursoria, Sw. pseudogilla, Less.; climacura, Cab. & H.

5196. pica, Bodd.; Edw. B. pl. 348. 1; P. E. 566. 3.

bicolor et var. β, Gm.; P. E. 675. 1.

5197. albiventer, Spix, A. B. t. 30. 1.

albiventris, Sclat.; bicolor, Lafr. pica, p., G. R. Gr.

5198. atripennis, Sclat.

1272.

b. Suirini, Lafr. 1837.

Satrapa, Strickl. 1844. Suiriria, Reich. 1850.

Sisopygis, Cab. & H. 1859.

Reich. S. A. t. 65. f. .

5199. icterophrys, V.; Teh. F. P. t. 8. 2.

chrysochloris, Max.; Cinchoneti, Tsch.

c. Knipolegus, Boie, 1826.

Cnipolegus, Strickl. 1841. Blechropus, Sw. 1843.

Reich. S. A. t. 64. f. .

5200. comata, Licht.; Spix, A. B. t. 27; Sw. Flyc. pl. 7.

galeata, Spix; lophotes, Boie. cristatus, Sw.

1274. d. ADA, Less. 1831.

5201. nigerrima, V.; Spix, A. B. t. 28. 1, Q.

galeata ?, *Spix*; rufogularis, *Less*. Lafresnayi, *Kaup*.

1275.

e. SERICOPTILA

et Sericoptilia, Schiff. 1854. Cnipolegus, p., Kaup.

5202. cyanirostris, V.; G. R. Gr. & M. G. B. pl. 61.

ruficapilla, V.; analis et ater, Licht.

hypoleucoptera, Ménétr.

5203. unicolor, Kaup.

cyanirostris, Lafr.

5204. aterrima, Kaup.

nigerrima, Lafr.

5205. anthracina, Cab.

1276. ARUNDINICOLA, Lafr. 1839.

Platyrhynchus, Glog. 1842. Dixiphia, Roich. 1850.

G. of B. i. p. 243, pl. 61. f. 2; Reich. S. A. t. 64. f. .

Brazil.

Cayenne.

Guiana.

Brazil, Bolivia.

Ecuador.

Para, R.Grande.

Boliv. Argentina, Peru.

Brazil.

Brazil, Paraguay.

Argentine Rep.

Bolivia.

,,

5206. leucocephala, L.; Spix, A. B. t. 29. 2. dominicana, p., Spix; leucocapilla, Less. monacha, Sw.; Lev. O. A. t. 159. Brazil, Argent. Bolivia.

5207. dominicana, Spie, A. B. t. 30. 2. leucocephala, Max.

Brazil.

1277. ALECTRURUS, V. 1816.

Xenurus, Boie, 1826. Gallita, V. 1818. Alecturus!, Sw. 1837. Alectorurus, Glog. 1842. Alectrura, Reich. 1850. G. of B. i. p. 243, pl. 61. f. & Reich. S. A. t. 64. f.

a. Albotrurus.

5208. tricolor, V. Gal. des Ois. t. 132; Sw. Flyc. pl. 6; P. C. 155. Brazil, Bolivia. alector, Licht.; alectrura, V. Argentina. gallus, Glog.; Azaræ, Sw.

1278. b. Yetapa, Less. 1831.

Psalidura, Glog. 1842. Alecturus et Alectura, Sw. 1837.

5209. guirayetapa, V. Gal. des Ois. t. 131; P. C. 286, 296.
 Brazil, Parag.
 pealura, Max.; risora, V.
 Arg., La Plata.

1279. LICHENOPS, Comm. 17 ?

Perspicilla, Sw. 1837. Ada, p., Less.
 Sw. C. of B. f. 11; G. of B. i. p. 242, pl. 61. f. 7; Reich. S. A. t. 64. f.

5210. perspicillata, Gm.; Sw. Flyc. pl. 9; Voy. Beagle, pl. 9.

nigricans, V.; Commersonii, Less.
leucoptera, Sw.; erythroptera, Gould.

Boliv., Argent.
Le Plata, Patag.

1280. GUBERNETES, Such, 1825.

Cybertes, Agass. Cybernetes, Sclat. G. of B. i. p. 243, pl. 61. f. 4; Reich. S. A. t. 70. f. .

a. GUBERNETES.

5211. yetapa, V.; Spix, A. B. t. 17; Zool. Journ. ii. pl. 4. Brazil, Bolivia. bellulus, V.; yiperu, Licht. Cunninghami, Such. forficatus, Sw. Flyc. pl. 5; longicauda, Spix.

1281. b. Muscipipra, Less. 1831.

Milvulus, Reich. 1850. Ictiniscus, Cab. 1859. Reich. S. A. t. 68. f.

5212. vetula, v. Olf.; Jard. & S. I. O. pl. 42; Spix, A. B. t. 18. Brazil. longipes et longipennis, Sw.; pullata, Ep.; "longicauda, Spix," Sclat.

1282. COPURUS, Strickl. 1841.

Coparus, Agass.

Sw. C. of B. f. 149; G. of B. i. p. 244, pl. 61. f. 6; Reich. S. A. t.64. f.

New Granada.

Braz., Argentina.

Chili.

Chimborazo.

5213. colonus, V.; Spix, A. B. t. 14; Lath. Hist. B. vi. pl. 102. Brazil. platurus, V.; colon, Steph. leucocilla, Hahn; monachus, Licht. filicauda, Spix.

5214. leuconotus, Lafr. fuscicapillus, Sclat.

Guiana. 5215. pœcilonotus, Cab. leuconotus, p., Sclat.

5216. funebris, Cab. Minas Geraes.

1283. MACHETORNIS, G. R. Gr. 1841.

Chrysolophus, Sw. 1837, nec Gr. 1833. G. of B. i. p. 245, pl. 60. f. 4.

5217. rixosa, V.; Spix, A. B. t. 23. joazeiro, Spix; miles, Max.

Bolivia. ambulans, Sw.

1284. MUSCISAXICOLA, *Lafr.* 1837.

Ptionura, Gould, 1841. Ptyonura, Reich. 1850. G. of B. i. p. 202, pl. 54. f. 7; Reich. S. A. t. 59. f.

5218. rufivertex, Lafr.; D'Orb. Voy. A. M. t. 40. 2. Bolivia, Peru.

5219. flavinucha, Lafr. flavivertex, Phil. & L.

5220. mentalis, Lafr.; D'Orb. Voy. t. 40. 1. Bolivia, Chili, Peru, Patago.

chilensis, Hartl.

5221. Macloviana, Garn. Falkland I. 5222. fluviatilis, Sclat. & S. R. Ucayali. 5223. albifrons, Tsch. F. P. t. 12. 2. Peru.

5224. cinerea, Phil. & L. Chili.

5225. nigrifrons, Phil. & L.

5226. maculirostris, Lafr.; D'Orb. Voy. A. M. t. 41. 2. Boli., Chili, Ecua.

5227. alpina, Jard. Contr. Orn. 1849, pl. 21. albifrons, p., Sclat.

5228. rubricapilla, Ph. & L. Pr. Z. S. 1867, pl. 46. Chili.

5229. albilora, Lafr. Chili, Peru. rubricapilla, p. ?, Sclat. & S.

5230. albimentum, Lafr.

5231. brunnes, Gould. Patagonia.

Mendoza. 5232. frontalis, Burm.

Ebenda, Mendoz. 5233. capistrata, Burm.

1285. LESSONIA, Sw. 1831.

Centrites, 1841, et Centrophanes, 1845, Cab.

Auchmalea, Reich. 1850.

G. of B. i. p. 201, pl. 54. f. 4; Reich. S. A. t. 59. f., et pl. 64. f.

5234. nigra, Bodd.; P. E. 738. 2; Mag. de Zool. 1836, t. 67.

rufa, Gm.; fulva, Lath.; erythronotus, Merr. dorsalis, King; variegatus, Edy. & Gerv.

5235. orcas, Sclat. & S.

Tinta.

Paraguay.

W. Peru.

1286. MUSCIGRALLA, Lafr. 1837.

Ochthites, Cab. 1844.

Lepturus, Peale.

G. of B. i. p. 202, pl. 54. f. 8; Reich. S. A. t. 59. f. .

a. Muscigralla.

5236. brevicauda, Lafr.; D'Orb. Voy. A. M. t. 39. 1.

Peru.

1287. b. Philotherus, Kaup, 1851.

"Hydrozetetes, Schiff.," Bp. 1854?

5237. rivularis, Max.

Brazil.

Subfam. III. Platyrhynchinæ, Sclat. 1862.

Todins, p., Cab. 1847. Muscicapinse, p., G. R. Gr. 1840.

1288. PLATYRHYNCHUS, Desm. 1805.

Platyrhynchos, V. 1816.

Sw. C. of B. f. 147, 228, b; G. of B. i. p. 255, pl. 63. f. 15; Reich. S. A. t. 67. f.

5238. mystaceus, V.; P. C. 12. 2; Sw. Zool. Ill. pl. 17.

5239. albogularis, Sclat.

Ecuador.

5240. cancrominus, Sclat. cancroma, Sclat.

Vera Paz.

5241. coronatus, Sclat. Cat. of A. B. pl. 17.

Ecuador.

5242. superciliaris, Lawr.

5244. flavigularis, Sclat.

Panama.

cancroma, Lawr.

5243. rostratus, Lath.; Pall. Spic. t. 3, c; Gal. des Ois. t. 126. Brazil.

platyrhynchus, Pall.; fuscus, V. leucoryphus, Max.

Bogota.

1289. TODIROSTRUM, Less. 1831.

Muscipeta, Tem. 1820. Triccus, Cab. 1845. Todirhamphus, Kaup, 1851.

G. of B. i. p. 257, pl. 63. f. 12; Reich. S. A. t. 67. f. .

a. Todirostrum.

5245. cinereum, L.; Edw. B. pl. 262; Deem. Tod. t. 68. melanoxantha, Sparrm. M. C. t. 97.

melanocephalus, Spix, A. B. t. 9. 2; Sw. Flyc. pl. 18.

Brazil, Trinidad. V. Paz, N. Gran. Bolivia.

5246. maculatum, Desm. Tod. t. 80. cinerous, Spix, A. B. t. 10. 1.	Mexico, Cayenne.
5247. poliocephalum, Max. flavifrons, Lafr.	Brazil.
5248. nigriceps, Sclat. Pr. Z. S. 1855, pl. 84. 1.	S. Martha.
5249. picatum, Sclat.	Rio Napo.
5250. schistaceiceps, Sclat. Cat. of A. B. pl. 18. 2.	Onxaca.
5251. chrysocrotaphum, Strickl.; Contr. Orn. 1850, pl. 49.	E. Peru.
5252. ruficeps, Kaup; Contr. Orn. 1850, pl. 85. 2. multicolor, Strickl.	Bogota.
5253. capitale, Sciat. Pr. Z. S. 1857, pl. 125.	Rio Napo.
5254. Sclateri, Cab. & H.	Peru.
5255. Illigeri, Cab. & H. nigriceps, IU.	Para.
5256. calopterum, Sciat. Pr. Z. S. 1857, pl. 125. 1.	R. Napo.
5257. griseum, Desm. Tod. t.	
5258. guttatum, Pels.	Brazil.
1290. b. Oncostoma, Sciat. 1862.	
5259. cinereigulare, Sciat. Cat. of A. B. pl. 18. 1.	Cordova, Oaxaca.
5260. olivaceum, Laur.	Panama.
1291. c. ——? Euscarthmus, p. Reich. S. A. t. 66. f. ?	
5261. gularis, Tem. P. C. 167. 1. rufllatum, Hartl.; plumbeiceps, Lafr.	Brazil. Bolivia.
5262. granadense, Hartl. Contr. Orn. 1850, pl. 85. pectorale, Kaup.	Bogota.
5263. squamicristatum, <i>Lafr.</i> squamæcrista, <i>Lafr.</i>	Ecuador.
5264. gracilipes, Selat.	Bogota.
5265. nidipendulum, Max.	Brazil.
5266. fumifrons, <i>Hartl</i> . orinitus, <i>Burm</i> .	"
5267. limbatum, Cab. & H.	"
5268. furcatum, Lafr.	,,
5269. orbitatum, <i>Max</i> . palpebrosum, <i>Lafr</i> .	33

5270. cinereum, Burm.

Mendoza.

5271. ? sylvia, Desm. Tod. t. 69.

5272. striaticollis, Lafr. orbitatus, p.?

Bahia.

5273. ? margaritaceiventer, Lafr.; D' Orb. Voy. A. M. t. 33. 3, 4.

5274. latirostris, Pele.

Brazil.

5275. senex, Pelz.

5276. inornatum, Pelz.

5277. zosterope, Pelz.

5278. impigrum, Sclat. & S. Pr. Z. S. 1868, pl. 13. 1.

Venezu., Bogota.

d. Muscylva, Less. 1831.

5279. leucogaster (Less. ex Mus. Par.).

Cayenne.

e. ORCHEILUS, Cab. 1845.

Orchilus, Reich. 1850.

Reich. S. A. t. 65, f. .

Brazil.

5280. auricularis, V.; Sw. Flyc. pl. 19. cinereicollis, Max.; melanotis, Cuv.; megacephalus, Sw.

Peru.

5281. pileatum, Tsch. F. P. t. 9. 1.

5282. rufipes, Tach.

exile, Sclat.

5283. ecaudatus, Lafr.; D'Orb. Voy. A. M. t. 33. 2.

Bolivia.

f. Colopterus, Cab. 1845. 1294. Reich. S. A. t. 66. f.

5284. pilaris, Cab. Not. Orn. t. 5. 4; Pr. Z. S. 1857, pl. 125. 2.

Carthagena. New Granada.

5285. cristatum, Cab. Not. Orn. t. 5. 2.

Guiana.

1295.

Vermivora, Less. 1831, nec Meyer, 1822. Todirostrum, p., et Colopterus, p., Sclat.

5286. galeatum, Bodd.

Amazons.

cristatus, Müll.; P. E. 391. 1; Pr. Z. S. 1855, pl. 84. 2. spicifer, Lafr.

Cayenne.

1296. h. Musciphaga, Less. 1831.

Dumecola, Sw. 1831. Dumicola, Agass. Hemitriceus, Cab. & H. 1859.

Sw. C. of B. f. 213, c, d.

5287. diops, Tem P. C. 144. 1. vilis, Burm.

Brazil.

- a. .

5288. ruficauda, Sw.

5289. caniceps, Sw. B. Braz. pl. 49.

Cayenne.

1297. i. PHYLLOSCARTES, Cab. & H. 1859.

5290. ventralis, Natt.; P. C. 275. 2.

Brazil, Bolivia.

5291. flavocinereum, Burm.

Mendoza.

1298. EUSCARTHMUS, Max. 1831.

Lepturus, Sw. 1837, nec Moehr. 1752. Leptocercus, Cab. 1845, nec Hübn. 1816. Hapalocercus, Cab. 1847.

Sw. C. of B. f. 228, d; G. of B. i. p. 251; Reich. S. A. t. 67, f. .

a. Euscarthmus.

5292. meloryphus, Max.; Sw. Flyc. pl. 20. ruficeps et fulviceps, Sw.

Bahia.

5293. ruficapillus, V.

Antillea.

5294. helviventer, Cab.

helviventris!, G. R. Gr.

1299.

Myiosympotes, Reich. 1850. Hapalocercus, p., Cab.

Reich. S. A. t. 65. f.

5295. flaviventris, Lafr.; D'Orb. Voy. A. M. t. 36. 1.

Paraguay, Monte Video, Chili. Chili.

5296. citreolus, Landb.

5297. rufomarginatus, Pelz.

Brazil.

1300. c. Culicivora, Sw. 1827, nec 1837.

Hapalura, Cab. 1847.

Sternura, Cuv. 1829.

Reich, S. A. t. 67. f.

5298. stenura, Tem. P. C. 167. 3.

1301. d. HABRURA, Cab. & H. 1859.

Polystictus, Reich. 1850.

Hapalura, p., Cab.

Reich. S. A. t. 67. f.

5299. minimus, Gould, Voy. Beagle, pl. 15.

Monte Video.

e. Pogonotriccus, Cab. & H. 1859.

5300. eximius, Tem. P. C. 144. 2.

f. LEPTOTRICCUS, Cab. & H. 1859. 1303.

5301. sylvicola, Licht.

5302. superciliaris, Sclat. & S.

Brazil.

Veragua.

1304. g. Stigmatura, Sclat. & S. 1866.

5303. budytoides, Lafr.; D'Orb. Voy. A. M. t. 36. 2.

Boliv., L. Ucaya.

1305. h. SERPOPHAGA, Gould, 1838.

Serphophaga, Agass.

5304. subcristatus, V.; P. C. 167. 2. straminea, Natt.; cristata, Lafr. albocoronata, Gould.

5305. cinereus, Strickl.

5306. nigricans, V.

5307. ruficeps, Lafr. Mag. de Zool. 1844, t. 91.

5308. parvirostris, Gould.

5309. hypoleucus, Sclat.

5310. pectoralis, V. superciliaris, Max.

5311. verticatus, Burm.

5312. Gaymardii, D'Orb. "albicilla, V.," Lafr.

5313. angustirostris, Lafr.

i. Anairetes, Reich. 1850. 1306.

Anseretes, Cab. & H. 1859.

G. of B. i. pl. 60. f. 2; Reich, S. A. t. 66. f. . et pl. 62. f. .

5314. parulus, Kittl. Mém. Ac. St. Pétersb. 1851, t. 9. Bloxhami, Gr.; plumulosus, Peale.

5315. fernandezensis, n. sp. ?

5316. albocristatus, Vigors; D'Orb. Voy, A. M. t. 37. 1. elegans, Less.; reguloïdes, Lafr.

5317. agilis, Sclat. Pr. Z. S. 1856, pl. 118.

1307. CYANOTIS

et Cyanotus, Sw. 1837. Tachuris, Lafr. 1837.

G. of B. i. p. 175. pl. 49. f. 6; Reich. S. A. t. 62. f. .

5318. rubrigastra, V.; Gal. des Ois, t. 166; Schl. De Dierk, fig.

p. 159; Gay, Voy. Chili, t.

Azaræ, Licht.; Byronensis, Gr.; omnicolor, V. Vieilloti, Leadb.; multicolor, Bp.

Subfam. IV. Elainina, Cab. 1859.

Vireoinæ, p., 1840, et Muscicapinæ, 1841, G. R. Gr. Tyranninæ, p., Cab. 1847.

1308. ELAINIA, Sundev. 1835.

Elania, G. R. Gr. 1841, Elainia, Reich. 1850.

Braz., R. Grande. Boliv., Argentina.

La Plata.

Brazil, Sta. Fé.

Paraguay.

Bogota.

Chili, Bolivia.

Ucayali.

Paraguay.

Parana.

Bolivia.

Chili, Bolivia. Patagonia, Terra del Fuego.

Juan Fernandez. Peru, Chili.

New Granada.

Chili.

Elsenia, 1844, et Elsenea, 1847, Cab. Paroides, Less. 1837, nec Koch, 1816.
Muscicapara, D'Orb. 1840.
G. of B. i. p. 250, pl. 60. f. 7; Reich. S. A. t. 65. f.

a. ELAINIA.

a. Elainia.	
5319. pagana, Licht.; Spix, A. B. t. 16. 1. brevirostris, Spix; albiceps, Lafr. Maxmiliani, Kaup.	Cayenne, Brazil. Bolivia, Peru.
5320. subpagana, Solat. & S.	Guat., Costa Ric.
5321. subplacens, Sclat.	Pallatanga.
5322. griseogularis, Sclat. Pr. Z. S. 1858, pl. 146. 1. albiceps, p., Gould.	Chili.
5323. pallatangse, Sclat. Pr. Z. S. 1861, pl. 41.	Pallatanga.
5324. placens, Sclat. Ibis, 1859, pl. 4. 2. implacens, Sclat.	Cordova. Ecuador, Peru.
5325. cotta, Gosse, Ill. B. of Jam. pl. 45.	Jamaica.
5326. fallax, Sclat.	,,
5327. Rissii, <i>Sclat.</i> martinios, <i>Cass.</i>	St. Thomas. Barbadoes.
5328. chiriquensis, Lawr.	Chiriqui.
5329. Frantzii, Lawr.	Costa Rica.
5330. modesta, Tech. albicope, Bp.	Peru, Chili.
5331. mesoleucs, Cab. & H.	Rio Grande.
5332. semipagana, Sclat.	Bahahoyo.
5333. arenarum, Salv.	Costa Rica.
5334. semiflava, Lawr.	New Granada.
5335. incomta, Cab.	Carthagena.
5336. leucophrys, Cab.	
5337. brevirostris, Lafr.	Argentina.
5338. stramineoventris, Lafr.	Bolivia.
5339. rufiventris, Cab.	
5340. rustica, <i>Licht.</i> obscurs, <i>Lafr.</i> ; Guillemini, <i>D'Orb</i> .	S. Braz., Arg. R.
5341. viridiflava, Tech. F. P. t. 9. 2.	Peru.
5342. elegans, Pels. caniceps, Sclat.	Brazil.
5343. spectabilis, Pelz.	"
5344. cristata, Pelz.	,
5345. albivertex, Pelz.	27

HAND-LIST OF BIRDS.

5346. parvirostris, Pels.	Brazil.
5347. cinerea, Pels.	
5348. ruficeps, Pols.	
5349. bivittata, Lafr.	
5350. affinis, Lund.	
5351. littoralis, Natt. & Pels.	11
1309. b. "Myiozeta, Schiff.," Bp. 1854. Myiozetetes, Sclat. 1859.	
5352. cayanensis, L.; P. E. 569. 2. leucocephala, Müll.; cayennensis, Tem.	Trinidad. Cayenne.
5353. columbianus, Cab. & H. cayennensis, Sclat.	Bogota. Ecuador.
5354. texensis, Giraud, B. Texas, pl. 1. cayennensis, Sw.	Mexico. Costa Rica.
5355. sulphurea, Spix, A. B. t. 20. peruviana, Lafr.	Upper Amazon.
5356. similis, Spix, A. B. t. 25. trivirgata, Max.; cayennensis, Lafr. superciliosa, p., Bp.; miles, Burm.	Brazil. Peru.
5357. granadensis, Lawr.	Bogota.
5358. guianensis, Cab. & H. cayennensis, Cab.	Bogota, Ecuador
5359. ioterophrys, Heine.	Porto Cabello.
5360. marginata, Lawr.	Panama.
5361. flava, V. O. A. S. t. 41. cayanensis, p., G. R. Gr.	Haiti.
1310. c. Legatus, Sclat. 1859.	
5362. albicollis, V.; P. E. 832. 2. legatus, Lichl.; citrina, Max. circumcinctus, Sw. Dr. pl. 50.	Brazil, Paraguay. Bolivia.
5363. variegata, Solat.	Mex., C. Amer., Costa Rica.
1311. d. Sublegatus, Sciat. & S. 1868.	V
5364. glabra, Sclat. & S. Pr. Z. S. 1868, pl. 13. 2.	Venezuela.
1312. e. Empidagra, Cab. & H. 1859. Suiriri, D'Orb. 1839.	
5365. suiriri, V.; Voy. Beagle, pl. 14. albescens, Gould.	Paraguny. Monte Video.
5366. brevirostris, Tack.	Peru. 2 A

1313. f. "MYIOCAPTA, Schiff.," Bp. 1854.

5367. asilus, Schiff.

1314. g. Rhynchocyclus, Cab. & H. 1859. Cyclorhynchus, Sundev. 1835, nec Kaup, 1829. Reich. S. A. t. 65, f. .

. 5368. æquinoctialis, Sclat.

5369. olivacea, Tem. P. C. 12. 1.

sulphurescens Q, Spix, A. B. t. 12. 2.

5370. sulphurescens, Spix, A. B. t. 12. 1. nuchalis, Max.

5371. brevirostris, Cab. griseimentalis, Lawr.

5372. cinereiceps, Sclat.

5373. flaviventer, Spix, A. B. t. 15. 1. flaviventris, Max.

5374. fulvipectus, Sclat.

5375. subbrunnea, Sclat.

5376. flavo-olivacea, Lawr. sulphurescens?, Sclat.

5377. mesorhyncha, Cab.

5378. poliocephala, Licht.

5379. assimilis, Pelz.

h. Ramphotrigon, Bp. 1854. Tray, 1855. 1315.

Rhynchocyclus, p., Sclat.

5380. ruficauda, Spix, A. B. t. 11. 2.

i. Mylacleptes, Reich. 1850.

Conopias, Cab. & H. 1859. Reich. S. A. t. 67. f.

5381. superciliosa, Sw. Dr. 46. similis, p., G. R. Gr.

j. MIONECTES, Cab. 1844. 1317.

Anomalopterus, Schiff.? Paroides, Less. 1831?

Reich. S. A. t. 65. f. .

5382. striaticollis, Lafr.; D'Orb. Voy. A. M. t. 35. 2. poliocephalus, Tsch. F. P. t. 10. 1.

Brazil. ,,

Ecuador.

Xalapa. Santa Fé.

Oaxaca, VeraPas

Bahia.

Ecuador.

Panama.

Guatemala. Brazil.

Cayenne.

Brazil.

Bolivia, Bogota. Ecuador, Peru.

1318. k. "PIPROMORPHA, Schiff.," Bp. 1854.
Mionectes, b, Sclat.

5383. oleaginea, Licht. chloronotis, Cuv.; chloronotis, D' Orb.

5384. assimilis, Sclat. oleaginea, Sclat.

5385. rufiventris, Lafr.

1319. *l.* Leptopogon, Cab. 1844. Reich. S. A. t. 65. f.

5386. amaurocephala, Tsch.

5387. superciliaris, Cab.; Tsch. F. P. t. 10. 2.

5388. pileata, Cab. amaurocephalus, Sclat.?

5389. poliocephala, Cab.

5390. erythrops, Sclat.

5391. pœcilotis, Sclat.

5392. flavovirens, Lawr.

5393. peruviana, Sclat. & S.

1320. m. Capsiempis, Cab. & H. 1859.

5394. flaveola, Licht.; Sw. Dr. 48. modesta, Sw.; flaviventer, p., G. R. Gr. ranunculacea, Licht.

1321. n. Phyllomyias, Cab. & H. 1859.

. 5395. brevirostris, Spix, A. B. t. 15. 2; P. C. 275. 3. asilus, Max.; virescens, Natt. olivacea, Lafr.; boliviana, D'Orb.

5396. griseocapilla, Lafr.; Pr. Z. S. 1861, pl. 36. 2.

5397. semifusca, Sclat.; Pr. Z. S. 1861, pl. 36. 1.

5398. Burmeisteri, Cab. brevirostris, Burm.

5399. subviridis, Natt. & Pelz.

5400. livida, Tem. & Pelz.

1322. o. Ornithion, Hartl. 1853. Ornithium, Cab. & H. 1859.

5401. inerme, Hartl. minutus, Gm.? Guiana, Peru. SantaFé,Bolivia.

Coban. Mexico?

Brazil.

Rio Napo.

Mexico, C. Amer. Guatemala.

New Granada.

Bogota.

New Granada.

E. Peru.

Brazil.

S. Martha.

Brazil.

.

2 A 2

t. 66. f.

magnanimus, V.

leucogaster, Bodd.; flavus, Gm.

1323. p. Myiophanistes, Reich. 1850. Myiopatis, Cab. & H. 1859. Eupsilostoma, Sciat. 1860. Reich. S. A. t. 65. f. . 5402. obsoleta, Tem. P. C. 275. 1. Brazil, Bolivia. murina. Max. 5403. pusilla, Cab. & H. Carthag., Trin. 5404. incanescens, Max. Brazil. murinus, Spix, A. B. t. 16. 2? 5405. — --9 Ecuador. pusillum, Sclat. 1324. q. Camptostoma, Sciat. 1857. 5406. imberbe, Sclat. Pr. Z. S. 1857, fig. p. 203; id. Ibis, 1859, pl. 14. 1. Mexico, Trin. 5407. flaviventre, Sclat. & S. Panama. imberbe, Lawr. 1325. r. Tyrannulus, V. 1816. Reich. S. A. t. 66, f. . 5408. elata, Lath.; P. E. 708.2; Spix, A. B. t. 8. 2; V. Gal. des Ois. t. 71. Brazil. 5409. semiflava, Sclat. Vera Paz. 5410. flavifrons, Cab. & H. New Granada. 5411. brunneicapilla, Lawr. Panama. 1326. s. Tyranniscus, Cab. & H. 1859. 5412. flavidifrons, Sclat. 5413. chrysops, Sclat. Ecuador. 5414. vilissima, Sclat. & S. Ibis, 1859, pl. 4. 1. Vera Paz. 5415. parva, Lawr. Panama. 5416. nigricapilla, Lafr. New Granada. 5417. cinereiceps, Sclat. Pallatanga, Sta. Fé, Veragua. 5418. gracilipes, Sclat. & S. E. Peru. 1327. PITANGUS, Sw. 1827. Tyrannus, V. 1816, nec Cuv. Muscicapa, Tem. 1820. Saurophagus, Sw. 1831. Muscipeta, Flem. 1822. Apolites, Sundev. 1836. Sw. C. of B. f. 16; G. of B. i. p. 246, pl. 60. f. 3; Reich. S. A.

a. Pitangus. 5419. sulphuratus, L.; P. E. 249, 296; V. O. A. t. 47.

Brazil, Bolivia.

Argentina.

5420. bellicosus, V. sulphuratus, D' Orb. bolivianus, Lafr

Brazil, Bolivia.

5421. caudifasciatus, D'Orb. Voy. Cuba, t. 12; Gosse, Ill. Jam. B. pl. 44.

Cuba, Jamaica.

5422. lictor, Licht.; G. R. Gr. & M. G. B. pl. 62. flavus, Thunb.; cayanensis, Max. pusillus, Sw.; Swainsoni, Gould?

Brazil.

5423. rufipennis, Lafr.

Trinidad.

erythropterus, Kaup. 5424. Maximiliani, Cab. & H.

Brazil.

pitangua, Max.; sulphuratus, Burm.

Mexico.

5425. Derbianus, Kaup; Pr. Z. S. 1851, pl. 36. sulphuratus, Sw.; guatimalensis, Lafr.

Panama.

5426. albovittatus, Lawr.5427. Taylori, Sclat.

c amannar

5428. bahamensis, Bryant.

Porto Rico. Bahamas.

5428. bahamensis, Bryant. caudifasciatus, p., Bryant.

5429. parvus, Pelz.

Brazil.

1328. b. Sirystes, Cab. & H. 1859. Tyrannula, p., Sw.

5430. sibilator, V.

5430. sibilator, V. sibilans, *Licht*.

1329. c. Myiodynastes, Bp. 1854.

Tyrannula, Sw. 1837, nec 1827.

5431. luteiventris, Sclat. audax, Sclat.; luteiventer, Bp.

Mexico. Costa Rica.

5432. solitarius, V. audax. Sw.

Brazil, Peru. Bolivia.

5433. maculatus, Müll.; P. E. 453. 2. audax, Gm.; regius, Thunb.

Cayen., Tobago. Venez., Trin.

5434. nobilis, Sclat.

N.Gran., Ecuad., • Veragua.

1330. d. Hypermitres, Cab. 1861.

Myiodynastes, p., Sclat. Megarhynchus, p., Cab. & H.

5435. chrysocephalus, Tach. F. P. t. 8. 1.

5436. atrifrons, Sclat.5437. superciliosus, Lawr. chrysocephalus, p. ?, Salv. hemichrysus, Cab. ? Peru, Ven., Bog., Pallatanga. Guayaquil.

Costa Rica.

1331. e. KAUPORNIS, Bp. 1854.

Myiarchus, p., Cab.

5438. stolidus, Gosse, Ill. Jam. B. pl. 42.

crinitus, p., Strickl.

var. lucaysiensis, Bryant. var. dominicensis, Bryant. var. bahamensis, Bryant.

var. Sagræ, Gundl.; Phoebe, D'Orb.

Jamaica.

Bahamas. St. Domingo. Bahama I. Cuba.

Subfam. V. Tyrannine, Sw. 1831.

Tyrannina (Sw.), Vig. 1825.

1332. MEGARHYNCHUS, Thunb. 1824.

Scaphorhynchus, Max. 1831.

Tyrannus, Cuv. 1817. Platyrhynchos, Tem. 1820, neo Desm. 1805. Megastoma, Sw. 1837, nec Kirby, 1825.

G. of B. i. p. 245, pl. 60. f. 6; Reich. S. A. t. 66. f.

5439. pitangua, L.; P. E. 212.

carnivorus, V.; sulphuratus, Max. flaviceps, ruficeps et atriceps, Sw.

5440. mexicanus, Lafr.

Mexico, Guat., Costa Rica. Ecuador.

Brazil.

5441. chrysogaster, Sclat.

1333. MUSCIVORA, Cuv. 1799-1800.

Moucherolles, Cuv. 1797-98. Todus, Bonn. 1790, nec L. 1766. Onychorhynchus, Fisch. 1814.

Muscipeta, Cuv. 1817, nec Koch, 1816.

Trepsiphone, Glog. 1827. Megalophus, Sw. 1837.

Sw. C. of B. f. 13; G. of B. i. p. 257, pl. 63, f. 5; Reich. S. A. t. 67. f.

a. MUSCIVORA.

5442. cristata, Bodd.; Naturf. xvii. t. 1. Castelnaudi, Dev.

Guiana, Peru.

5443. Swainsoni, Pelz.; Sw. Dr. 51, 52.

regia, Max.

regius, Sw. Flyc. pl. 15.

S.E. Brazil.

5444. mexicana, Sclat.

Mexico, Guat.

5445. occidentalis, Solat.

Ecuador.

5446. coronata, Müll.; P. E. 289.

Cayenne.

regia, Gm.

1334. b. HIRUNDINEA, Lafr. 1837.

Phoneutria, Reich. 1850.

5447. bellicosa, V.; Ibis, 1869, pl. 5. 1. ferrugineus, Cab.

Peru, Brazil. Parag., Bogota.

5448. ferruginea, Gm.; Ibis, 1869, pl. 5. 2.	Cayenne.
5449. rupestris, Max.; Ibis, 1869, pl. 5. 3. hirundinaceus, Spix, A. B. t. 13. 1. ferruginea, Burm.; pyrrhophæus, V.?	S.E. Brazil,
1335. MYIOBIUS, G. R. Gr. 1838. Tyrannula, Sw. 1827, noc (us) V. 1816. Platyrhynchua, Spix, 1824, noc Desm. 1805. G. of B. i. p. 248; Reich. S. A. t. 67. f.	
a. Myiobius.	
5450. xanthopygius , Spix, A. B. t. 9. 1. barbatus, Sw. Zool. Ill. pl. 116.	Brazil.
5451. sulphureipygius, Sclat. citrinopygus, Cab. & H.	Mexico.
5452. villosus, Sclat.	R. Napo.
5453. barbatus, Gm.; P. E. 830.	Guiana, Ecuad.
5454. capitalis, Salv.	Costa Rica.
5455. atricauda, <i>Lawr</i> . barbatus, <i>Lawr</i> .	Panama.
5456. rufescens, Salvad.; Pr. Z. S. 1866, pl. 11. 1. Nationi, Sclat.	Brazil. Peru, Lima.
5457. latirostris, Verr.	New Granada.
1336. b. Planchesia, Bp. 1859.	
5458. arausiaca, Müll.; P. E. 574. 1. fusca, Bodd.; fuliginosa, Gm.	Cayenne.
1337. c. Cephalanius, Bp. 1854.	
5459. superciliosus, Gm.	?
1338. d. Capnixus, Bp. 1854.	
5460. fumigatus, Lafr.	Bolivia.
1339. e. Cariornis, Bp. 1854. Pyrrhomyias, Cab. & H. 1859. G. of B. i. pl. 60. f. 1.	•
5461. cinnamomeus, Lafr.; D'Orb. Voy. A. M. t. 34. 1. Vieillotii, Lafr.; pyrrhopterus, Hartl.	New Granada. Bolivia.
5462. ornatus, Lafr. Pr. Z. S. 1854, pl. 66. 2.	Bogota.
5463. erythrurus, Licht.; Cab. Orn. Not. t. 5. 1. cinnamomea, Lawr.	Ecuador.
5464. phoenicurus, Sclat. Pr. Z. S. 1854, pl. 66. 1.	Rio Napo.
5465. vicillotioides, Lafr. Heinei, Cab. & H.; vicillotides, Sclat.	Venezuela.

5485. dubius, Gould.

5466. bellus, Bclat. Bogota. 5467. flavicans, Sclat. Ecuador. 5468. pulcher, Sciat. Pr. Z. S. 1866, pl. 11. 2. f. Myiophobus, Reich. 1850. 1340. Reich. S. A. t. 67. f. . 5469. fasciatus, Müll.; P. E. 574. 3; Spix, A. B. t. 11. 2; Sw. Brazil, Bolivia. C. of B. pl. 53. nævia, Bodd.; virgata, Gm. chrysoceps, Spix; flammiceps, Tem. P. C. 144. 3. auriceps, Gould; ferrugines, Sw. rufolineata, Cuv. Esmeralda. 5470. crypterythrus, Sclat. Ecuador. 5471. cryptoxanthus, Sciat. 5472. pœcilurus, Sclat. Bogota. 5473. poecilocercus, Pels. Brazil. 1341. g. Empidochanes, Sclat. 1862. Myiophobus, Cab. & H. nec Reich. 5474. pileatus, Mill.; P. E. 574. 2. Braz., L. Amaz. oliva, Bodd.; agilis, Gm. bimaculata, Lafr. 5475. fuscatus, Maż. Brazil. 5476. Euleri, Cab. Cantagallo. 5477. albirostris, Cab. Carthagena. 5478. argentinus, Cab. Buenos Ayres. 5479. fringillaris, Licht. Rio Janeiro. 1342. PYROCEPHALUS, Gould, 1838. Tyrannus, 4 div., Sundev. 1836. G. of B. i. p. 249, pl. 60. f. 8; Reich. S. A. t. 65. f. . a. Pyrocephalus. 5480. rubineus, Bodd.; P. E. 675. 1; Nat. Misc. pl. 569; Cass. B. Cal. pl. 17. Trinidad, Braz. coronata, Gm. R. Grande, Mex. 5481. mexicanus, Sclat.; Cass. B. of Calif. pl. 18. Mexico. coronatus, Sw.; rubineus, Cass. nanus, Woodh. 5482. parvirostris, Gould, Voy. Beagle, pl. 6. La Plata. coronatus et strigilata, Max. 5483. obscurus, Gould. Lima, Peru. stropurpureus, Cab. ?; rubineus, p., Sclat. & S. 5484. nanus, Gould; Voy. Beagle, pl. 7. Galapagos I.

,,

New Granada.

5486. occidentalis, Sclat. W. co. of N. Am. nanus, Sclat. 1343. b. MITREPHORUS, Sclat. 1859. 5487. phæocercus, Sclat. Ibis, 1859, pl. 14. 2. Cordova, V. Paz. affinis, Sw.? 5488. cinnamomens, Sw.; Giraud, B. of Texas, pl. 2. 2. Mexico. fulvifrons, Giraud. rubicunda, Licht. pallescens et pygmæus, Coues. Arizona. 5489. aurantiiventris, Lawr. Costa Rica. 1344. c. Empidonax, Cab. 1855. 5490. pusillus, Sw. & Rich. Faun. B.-Am. pl. 46. 1; Aud. B. A. E. of U. States, Mexico. i. pl. 66. 5491. minimus, Baird; Aud. B. A. vii. pl. 491. Penns., C. Amer. 5492. acadicus, Gm.; Wils. A. O. pl. 13. 3; Aud. B. A. i. pl. 62. E. of U. States. querula, Wils.; virescens, V.? Bolivia. E. of U. States. 5493. flaviventris, Baird; Aud. B. A. vii. pl. 490. pusilla, Penn. difficilis, Baird, B. N. A. pl. 76. 2. 5494. Bairdii, Sclat. C. America. 5495. ? hypoxanthus, Baird. Vera Paz. flaviventris, p., Sclat. 5496. magnirostris, Gould, Voy. Beagle, pl. 8. C. America. 5497. albigularis, Sclat. & Salv. 5498. griseigularis, Lawr. New Granada. Bairdii, Lawr. 5499. Hammondii, De Vesey; Baird, B. N. A. pl. 76. 1. N. W. Bound Fort Tejon. 5500. Wrightii, Baird, B. N. A. pl. 49. 3. Calif., Texas. obscurus, Baird. 5501. obscurus, Sw. Mexico. virens, p.?, G. R. Gr. 5502. bahamensis, Bryant. Bahama. 5503. flavescens, Lawr. Costa Rica. 5504. pectoralis, Lawr. Panama, 5505. Cabanisi, Leot. Trinidad. 1345. d. Contopus, Cab. 1855. Tyrannula, p., Sw. 5506. virens, L.; V. O. A. S. t. 39; Wils. A. O. pl. 13.5; Aud. U. States, Mex., B. A. i. pl. 64. Costa Rica.

querula, V.; rapax, Wils.; obscura, Sw.

5507. borealis, Sw.; Faun. B.-Am. pl. 35; Aud. B. A. i. pl. 58. Calif., Mexico. Cooperi et inornata, Nutt. Greenland. Rocky Mts. 5508. mesoleucus, Sclat. Cooperi, p., Cab. ?; borealis, p., Sclat. 5509. pertinax, Cab. & H.; Elliot, B. N. A. pl. Xalapa. borealis, Sclat. 5510. Richardsoni, Sw. Faun. B.-Am. pl. 45. low. fig.; Aud. Mexico, Guatem. B. A. i. pl. 61. sordidulus, Sclat.; atra, p., G. R. Gr. New Granada. Bogota, Ecuador. 5511. bogotensis, Bp. Costa Rica. 5512. plebeius, Cab. & H. Richardsoni, p., Sclat. 5513, lugubris, Lawr. 5514. brachytarsus, Sclat. Mexico. 5515. Traillii, Aud. B. A. i. pl. 65. E. of U. States. S. Mexico. virens, Aud. е. Ѕубіснтна, Вр. 1854. Myiochanes, Cab. & H. 1859. Contopus, p., Cab. Columbia. 5516. ardesiacus, Lafr. Brazil. 5517. cinereus, Spix, A. B. t. 13. 2. curtipes, Sw. Dr. pl. 54; cana, Cuv. sibilator, p., G. R. Gr.Ecuador. 1347. f. Myionax, Cab. & H. 1859. Myiarchus, a, Cab. & H. 1859. Tyrranula, p., Sw. 5518. crinitus, L.; Wils. A. O. pl. 13. 2; V. O. A. S. t. 45; N. America, Aud. B. A. i. pl. 57. Costa Rica. virginea, Müll.; ludoviciana, Gm. Parag., Argent. irritabilis, V. 1734 5519. mexicanus, Kaup; Baird, B. N. A. pl. 5. Mexico. cinerascens, Lawr. 5520. validus, Cab. Jamaica. crinitus, Gosse; Gossii, Bp. 5521. Cooperi, Kaup. Mex., Guatemala. 5522. erythrocercus, Sclat. Venezuela.

1348. g. Onychopterus, Reich. 1850.

crinitus, p., Hartl.; irritabilis, p., Bp. ferox δ , Burm.

Myopatis, Cab. ? Myiarchus, p., Cab. & H. Reich. S. A. t. 65. f.

5523. tuberculifer, Lafr.; D' Orb. Voy. A. M. t. 32. 1, 2.

Bolivia.

Dominica.

R. Grande.

HAND-LIST OF BIRDS.

1349. h. Myiarchus, Cab. 1844. Despotina, Kaup, 1851. 5524. Swainsoni, Cab. & H. Bolivia, Brazil. Peruy. Andes. ferox, Sw. 5525. Lawrencei, Giraud, B. Texas, pl. 2; Baird, B. N. A. N.E. Mexico. pl. 47. 3. rufomarginatus, Cab. & H. Costa Rica? mexicanus, Sclat. 5526. nigriceps, Sclat. Ecuador. 5527. tyrannulus, Müll.; P. E. 571. 1. Para, Bogota. Trinid., Tobago. aurora, Bodd.; ferox, Gm.; flaviventris, Steph. Brazil. 5528. gracilirostris, Pelz. 5529. nigricapillus, Cab. Costa Rica. Lawrencei, Cab. 5530. phæocephalus, Sclat. Ecuador. 5531. panamensis, Lawr. Panama. 5532. venezuelensis, Lawr. Venezuela. 5533. fasciatus, Landb. Mendoza. 5534. cantans, Pelz. Brazil. 5535. tricolor, Natt. & Pelz. i. Blacicus, Cab. 1855. 1350. 5536. tristis, Gosse, B. of Jam. pl. 41. Jamaica. 5537. pallidus, Gosse, B. of Jam. pl. 40. cerviniventris, Salvad. 5538. caribæus, D'Orb. Cuba. var. hispaniolensis, Bryant. Bahamas. j. Empidias, Cab. & H. 1859. 1351. Tyrannula, Sw. 1831, nec 1827. Myiobius, G. R. Gr. 1847, nec 1838. Aulanax, p., Cab. 1856. 5539. fuscus, Gm.; Wils. A. O. pl. 13. 4; V. O. A. S. t. 40; Catesby, Car. pl. 53; Aud. B. A. i. pl. 63. E. of N. Amer. nunciola, Wils.; Phœbe, Lath. Mexico. atra, Gm. k. Empidonomus, Cab. & H. 1859. 1352. Tyrannus, Reich. 1850. Reich. S. A. t. 66. f. 5540. varius, V.; Spix, A. B. t. 31. Brazil.

rufina, Spix; ruficauda, Max.

leucotis, Sw.; Tschudii, Hartl.

1353. TYRANNUS, Cuv. 1799-1800.

Tyrans, Cuv. 1797-98. Drymonax, Glog. 1827. Tyrannus, 2 div., Sundev. 1837. Muscicapa, Aud. 1838.

G. of B. i. p. 246.

a. Typannus.

5541. carolinensis, Gm.; V. O. A. S. t. 44; P. E. 676; Wils.
 A. O. pl. 13; V. Gal. des Ois. t. 133; Aud. B. A. i. pl. 56.

tyrannus, L.; rex, Bartr.; pipiri et intrepidus, V.

animosa, Licht.; leucogaster, Steph. tyrannus, var. carolinensis et ludovicianus, Gm.

5542. aurantio-atro-cristatus, Lafr. ynca, Licht.; inca, Sclat.

5543. niveigularis, Sclat.

5544. antillarum, Bryant.

5545. ? auroflammus, Burm.

inca, p. ?, Pelz. 5546. Bairdi, Gamb.

1354. b. Diocres, Reich. 1850.

Tyrannus, p. ?, Cab. & H. Reich. S. A. t. 66. f.

5547. pyrrholæma, Reich.

c. Laphyctes, Reich. 1850 et Cab. & H. 1859. Satellus, Reich. 1850? Tyrannus, Burm. 1850.

Reich. S. A. t. 66. f.

5548. melancholicus, V.; Spix, A. B. t. 19; Baird, B. of

N. A. pl. 49. 2.

despotes, Licht.; furcata, Spix. crudelis, Sw.; albogularis, Burm.

5549. satrapa, Licht. melancholicus, Cab.

5550. vociferans, Sw.; Ann. Lyc. N. Y. 1852, pl. 3. 2; Baird, B. of N. A. pl. 48.

Cassinii, Lawr.; verticalis, p., G. R. Gr.

5551. verticalis, Say; Bp. A. O. pl. 11; Aud. B. A. i. pl. 54.

5552. Couchii, Baird. 5553. apolites, Cab.

5554. albogularis, Pelz.

d. ? SATELLUS, Reich. 1859. 1356.

Laphyctes, p., Cab. & H. 1859.

Reich. S. A. t. 66. f.

5555. ? satelles, Licht.

vociferans, p., Sclat.

E. of U. States. Texas, Califor.

Bolivia.

Ecuador.

Porto Rico.

Mendoza.

California.

Mexico.

Paraguay. Brazil, Argent.

Bolivia. Guiana.

Carac., C. Rica.

Mexico.

W. of N. Amer., California.

N.E. Mexico. ---?

Brazil.

Mexico.

1357.

e. MELITTARCHUS, Cab. 1855.

5556. crassirostris, Sw.

Mexico.

5557. dominicensis, Gm.; P. E. 537; Aud. B. A. i. pl. 55. tyrannus, var. dominicensis, Gm.; griseus et matutinus, V. tiriri, Tem. Haita, Cuba. Jamaica.

5558. magnirostris, Cab.; D'Orb. Voy. Cuba, t. 13. matutinus, p., V.; nigriceps, p., Cab.

Cuba.

5559. ? rostratus, Sclat. magnirostris, Sclat.

Trinidad. Guiana.

5560. ? sulphuraceus, Hartl.

Guba.

1338. MILVULUS, Sw. 1827.

Tyrannus, V. 1807, et Sundev. 1835. Despotes, Reich. 1850. Muscivora, G. R. Gr. 1840, nec Cuv. G. of B. i. p. , pl. 60. f. 5; Reich. S. A. t. 66. f.

5561. tyrannus, L.; P. E. 571. 2; Bp. A. O. pl. 1. 1; V. O. Mex., Bolivia, A. S. t. 43.

savana, V.; monachus, Hartl.

Costa Rica.
Parag., Argent

Mex., Bolivia, Costa Rica. Parag., Argent., Patag., Braz. Brazil, Para.

5562. violentus, V.

tyrannus, Max.; phœnoleuca, V.; nunciolus, Steph.; savana, Sw.

5563. forficatus, Gm.; P. E. 677; Bp. A. O. pl. 2. 1. mexicanus, Steph. Mexico, C. Rica.

5564. rufitorques, Hartl.

FAM. XVIII. AMPELIDÆ, Sw. 1831.

Subfam. I. Ampelinæ, Sw. 1831.

Ampelidinæ, Bp. 1847. Bombycillinæ, Sw. 1831.

1359. AMPELIS, L. 1735.

Bombycilla, V. 1816. Bombycivora, Tem. 1815. Bombyciphora, Mey. 1815. Corvus, p., Ill. 1811. Sw. C. of B. f. 141, 220 a; G. of B. i. p. 278, pl. 68. f. 1; Reich. S. A. t. 89. f.

5565. garrulus, L.; P. E. 261; Naum. Vög. t. 59; Gould, B. E. pl. 160; Bp. A. O. pl. 16. 2. poliocelia, Mey.

Europe. N. America.

5566. cedrorum, V. O. A. S. t. 57; id. Gal. des Ois. t. 118; Wils. A. O. pl. 7. 1.

garrulus, var. β, L.; carolinensis, Gosse; americana, Wils.

C. America.

5567. phomicoptera, Tem. P. C. 450; Schl. F. J. t. 44; id. Handl. Dierk. t. 3. 27; id. De Dierk. fig. p. 150. japonicus, Siebl.

Japan.

-

Subfam. II. Ptilogonydinæ, Sclat. 1862.

Tyranninæ, p., Sw. 1837. Campephaginæ, p., G. R. Gr. 1840. Bombycillinæ, p., Cab. 1847. Ampelinæ, p., Bp. 1854.

1360. PTILOGONYS, 1824,

et Ptiliogonatus, 1827, et Ptiliogonys, 1837, Sw.
Ptiliogonys, G. R. Gr. 1840. Hypothymis, Licht. 1831, nec
Boie, 1826.
Lepturus, Sw. 1838.
G. of B. i. p. 281, pl. 69, f. 1; Reich. S. A. t. 89, f. ; Baird,
Rev. Am. B. fig. p. 410.

a. PTILOGONYS.

5568. cinereus, Sw. Zool. Ill. pl. 62. 120; P. C. 452. chrysorrhea, Tem.

Guatemala. Mexico.

5569. caudatus, Cab.; Sclat. & S. Exot. Orn. pl. 6.

Costa Rica.

1361. b. Phainopepla, Sclat. 1858.

Cichlopsis, p., et Phænopepla, Baird. Baird, Rev. Am. B. fig. p. 415.

5570. nitens, Sw.; Cass. B. of Calif. pl. 29. galeatus, Less.

Mexico.

1362.

c. Myladestes, Sw. 1838.

Myadestes, Lafr. 1839.

Reich. S. A. t. 68. f. ; Baird, Rev. Am. B. fig. p. 418.

5571. solitarius, Baird; G. R. Gr. & M. G. B. pl. 69. armillatus, Gosse.

Jamaica.

5572. Townsendii, Aud. B. N. Am. i. p. 69.

5573. unicolor, Sclat. & S. Exot. Orn. pl. 25.

5574. obscurus, Lafr.; Sclat. & S. E. O. pl. 26.

N.W. America. C. Amer., Guat.,

Cordo., Coban.
N. Amer., Mex.,
Guat., TresMarias I.
Cuba.

5575. Elizabeth, Lemb.; Sclat. & S. E. O. pl. 28. Elizabethæ, Sclat. & S.

5576. melanops, Salv. Pr. Z. S. 1864, pl. 35.

5577. armillatus, V. O. A. S. t. 42.

5578. ralloides, D'Orb.; Sclat. & S. Ex. Orn. pl. 27. armillatus, Lafr.; griseiventer, Tsch. venezuelensis, Sclat.

5579. leucotis, Tsch. F. P. t. 7. 1.

5580. genibarbis, Sw. Flyc. pl. 13.

C. Rica, Verag.

Antil., Martiniq-

Bolivia.

Ecuador, Peru.

Peru.

Windward I.

1363. d. Sericolius, Bp. 1854.

5581. ? cinereus, Bp.

- 4:

1364. e. Turdampelis, Less. 1844.

Cichlopsis, Cab. 1850. Myiacichla, Bp. 18 . Baird, Rev. Am. B. fig. p. 433.

5582. leucogonys, Lath.; Sclat. & S. Exot. Orn. pl. 19.

Brazil.

leucotis et ochrata, Bp. brunneus, Freyr.

lanioïdes et rufococcyx, Less.?

1365. f. Platycichla, Baird, 1864.

Cichlopsis?, Baird.

Baird, Rev. Am. B. fig. p. 436.

5583. brevipes, Baird.

FAM. XIX. COTINGIDÆ, Bp. 1849.

Pipridæ, p., Vig. 1825.

Subfam. I. Tityrinæ, G. R. Gr. 1841.

Tyrannina, p., Vig. 1825. Tityranæ, G. R. Gr. 1840. Psarianæ, Sw. 1837.

1366. TITYRA, V. 1816.

Psaris, Cuv. 1817. Becardia, Rafinq. 1815? Pachyrhynchus, Waql. 1822. Megarhynchus, p., Thunb. 1824. G. of B. i. p. 253; Reich. S. A. t. 70. f.

a. TITYRA.

5584. cayana, L.; P. E. 304 & 377; V. Gal. des Ois. t. 134. cayanus, var. nævius, Gm. melanocephalus, Hahn. cinerea, V.; virgatus, H. Smith. cayanensis et guianensis, Sw. cayanus, var. a, Thunb.

5585. brasiliensis, Sw.; Spix, A. B. t. 44. 2. cayanus, var. β, et striatus, Thunb.

cayanus, Lafr.; maximus, Kaup. 5586. personata, Jard. § S. I. O. pl. 24. mexicana et tityroïdes, Less.

5587. semifasciata, Spix, A. B. t. 44. 2. personata, p., G. R. Gr.

5588. intermedia, Cab. & H. cayanus, Spix, A. B. t. 44. 1?

b. Erator, Kaup, 1851.
Exetastus, Bp. 1854. Exetastes, Cab. & H. 1859.
G. of B. i. pl. 60. f. 12.

Cayenne. Surinam. Guiana. New Granada. Bolivia.

Brazil.

Mex., Columbia. Ecua., Cay., Peru.

Para, Bolivia. Ucayali.

Para.

5589. inquisitor, Olf.; Sw. Flyc. pl. 3; id. Z. Ill. pl. 35. cayanus, var. y et &, Thunb. erythrogenys, Selby; inquisitrix, Cab. Jardinii, Natterii, et Selbii, Sw.

Brazil, Bolivia. New Granada.

5590. albitorques, Dubus; Pr. Z. S. 1851, pl. 37 & 38. Fraseri, Kaup.

E. Peru, Oaxaca. New Granada

5591. albinucha, Cab. & H.

Brazil.

5592. leucura, Natt. & Pels.

1368. c. Hadrostomus, Cab. & H. 1859.

Pachyrhamphus, Kaup, 1851, nec Gr. 1838. Platypsaris, a, p., Sclat. 1857, nec Bp. 1854.

5593. atricapilla, V.; Spix, A. B. t. 46. 1; Sw. Z. Ill. pl. 41. Brazil, Bolivia. rufa, V.; validus, Licht.; cinerascens, Spix. cristatus, Sw.; pileata, Jard. & S. strigatus et megacephalus, Sw. roseicollis Q, D'Orb.; affinis, Less.

5594. aglaise, Lafr.; Ibis, 1859, pl. 13; Baird, B. N. A. pl. 47. 1. Mexico. minor, Burm.; affinis, Elliot.

Nicaragua.

5595. niger, Gm.; G. R. Gr. & M. G. B. pl. 63. sterrimus, Lafr.; leuconotus, G. R. Gr. nigrescens, Cab.

Jamaica.

5596. homochroa, Sclat. ? aglaise, var., Sclat.

Ecuador.

5597. minor, Less.; Jard. & S. I. O. pl. 28. roseicollis, Jard. & S.; pectoralis, Sw.

Cayenne. New Granada.

5598. roseicollis, Lafr. 5599. ? albiventris, Lawr. aglaiæ, p., A. Newt.

Bolivia. W. Mexico.

1369. d. Platypsaris, Bp. 1854. Platypsaris, a, p., Sclat. 1857.

5600. latirostris, Bp.

Vera Paz.

6. PACHYRAMPHUS, G. R. Gr. 1838. Pachyrhynchus, p., Spix. Chloropsaris, Kaup, 1852. Reich. S. A. t. 70. f. .

5601. viridis, V.; Spix, A. B. t. 45. 2; Sw. Z. Ill. pl. 32; id. Flyc. pl. 4.

S.E. Brazil.

Cuvieri, Sw.; Dupontii, V.; nigriceps, Licht. Vieillotii, Jard. & S.; armiger, Cuv.?

5602, cinerea, Bodd.; P. E. 687. 1. eques, Bodd.; P. E. 831. 1. aurantia et atricapilla, Gm. simplex, Less.; parinus, Kaup? griseus, Sclat.; mitratus, Licht. rufescens, Spix; leucogaster, Sw. Cayenne. S. Martha. Trinidad.

5603. spodiurus, Sclat.

Ecuador.

5604. surinamus, L.; Jard. & S. Contr. Orn. 1848, pl. 11. melanoleucus 3, Cab. dimidiatus, De Fil.

Cayenne.

5605. cinnamomeus, Lawr.

Panama

1371. f. Platyrhynchus, Spix, 1824.

Psaris, Bp. 1850. Zetetes, Cab. 1859.

Pachyrhamphus, b, Sclat., et P. d, Sclat. 1857.

5606. polychroptera, V.; Spix, A. B. t. 43. 2.

Rio Grande. Brazil.

variegatus, Spix; castanea, Jard. & S. I. O. pl. 10. 2. splendens et aurantia, Max. ruficeps et Spixii, Sw. melanoleucus ?, Cab. rufescens, Sclat.

marginatus tristris, Kaup.

5607. niger, Spix, A. B. t. 45. 1.

Cayenne, Brazil. Caraccas.

nigriventris, Sclat.

Santa Martha.

g. Bathmidurus, Cab. 1847.

Pachyrhamphus, c, Sclat.

5608. cinereiventris, Sclat.

Reich. S. A. t. 71, f. .

Mexico, Guatem.

5609. major, Cab.; Baird, B. N. A. pl. 47. 2. marginatus major, Kaup. marginatus, Sclat.

5610. atricapilla, Gm.; Merr. Begtr. t. x.; D'Orb. Voy. A. M. t. 31.

marginatus, Licht.; Swainsoni, Jard. & S. albifrons, Sw.; marginatus minor, Kaup.

Braz., Up. Amaz. Bolivia. N. Grana., Ecua.

5611. albogriseus, Sclat.

5612. rufus, Bodd.; P. E. 453. 1; Jard. & S. I. O. pl. 10. 2; Spix, A. B. t. 46. 2.

rufescens, Gm.; "castanes, Jard. & S.," Cab. aurantia, Max.; ruficeps, Sw.; melanoleucus, p., Cab.

5613. dorsalis, Sclat.

dorsocinereus, Sclat.? leucopygius, Kaup?

Brazil.

Bogota. Quito.

1373. A. CALLOPSARIS, Bp. 1854.

Pachyrhamphus, d, Sclat.

5614. versicolor, Hartl. squamatus, Lafr.

Bogota.

Subfam. II. Cotingina, Bp. 1849.

Ampelinæ et Bombycillinæ, Sw. 1837.

1874. PHIBALURA, V. 1816.

Chelidis, Glog. 1827. Amphibolura, Cab. 1847.
Sw. C. of B. f. 142, 219, 220, c; G. of B. i. p. 277, pl. 68. f. 3;
Reich. S. A. t. 89. f.

5615. flavirostris, V.; P. C. 118; V. Gal. des Ois. t. 74; Sw. Zool. Ill. pl. 31.
cristata, Sw.; chrysopogon, Wagl. forficata, Thunb.

1375. COTINGA, Briss. 1760.

Ampelia, p., III. Ampelia, 1 sect., Sw. 1837.
Sw. C. of B. f. 143, 223; G. of B. i. p. 278, pl. 68, f. 4; Reich.
S. A. t. 89, f.

a. Cotinga.

5616. cssrulea, V.; Gal. des Ois. t. 116; P. C. 186; Lev. O. Amer. t. 34, 35, 36. Cayenne. cotinga, L.; ccelestis, G. R. Gr.

5617. cincta, Bodd.; Edw. B. pl. 340; P. E. 188; Lev. O. Amer.
 t. 41.
 S.E. Brazil.
 superba, Shaw, Nat. Misc. pl. 817, 821; cotinga, V.

5618. amabilis, Gould, Pr. Z. S. 1857, pl. 123.

Guatemala.

5619. cayana, L.; P. E. 624; Lev. O. Amer. t. 27, 28, 29, 30. cayennensis, D'Orb. cinereus et americanus, Müll.?

Cayenne. Bolivia.

5620. maynana, L.; P. E. 229; Lev. O. Amer. t. 48. mayana!, G R. Gr. Cayenne, Peru.

5621. Nattererii, Boiss.

5622. — ?, P. E. 515. cayennensis, Gm.; cayana, Lath.

1876. b. Xipholena, Glog. 1842.

Ampelis, Ill. 1811. Reich. S. A. t. 89. f.

5623. pompadora, L.; Edw. B. pl. 341; P. E. 279; Lev. O. Amer. t. 31, 32, 33.

Cayenne.

5624. la.mellipennis, Lafr. Mag. de Zool. 1839, t. 9. leucura, Tem.

R. Amazon.

5625. atropurpurea, Max.; Sclat. & S. Ex. Orn. pl. 5. purpurea, Licht.; porphyrio, Less.

Brazil.

n. mad.

HAND-LIST OF BIRDS.

1377. c. Carpodectes, Salv. 1864.

5626. nitidus, Salv. Pr. Z. S. 1864, pl. 35.

Costa Rica.

1378. d. Orbignesius, Bp. 1854.

.

5627. ? typus, Bp.

1379. c. Porphyrolæma, Bp. 1854.

5628. porphyrolema, Sciat. Contr. Orn. 1850, pl. 96. phygas, Bp.

Maynas. Ucayali.

1380. f. Piperola, Sw. 1837.

5629. chlorolepidota, Sw.

Peru, R. Napo.

1381. g. Euchlornis, De Fil. 1846.

Euchlorornis, Cab. 1859. Pipreols, p., Sclat.

5630. elegans, Tech.; Mag. de Zool. 1843, t. 39. aureópectus, Lafr.

Peru. Venezuela.

5631. formosa, Hartl. Rev. Zool. 1849, t. 14. 1.

5632. jacunda, Sclat. Pr. Z. S. 1860, pl. 160.

Ecuador.

5633. Sclateri, Corn.; Contr. Orn. 1850, pl. ; Rev. et M. de Zool. 1853, t. 4.

5634. melanolæma, Sclat.

Venez., Ecuador.

5635. frontalis, Sclat.

Bolivia.

1382. A. Pyrrhorhynchus, Lafr. 1849.

Pyrorhynchus, Bp. 1854. Euchlorornis, p., Cab. & H. Pipreols, p., Sclat.

5636. Riefferi, Boiss.

New Granada.

5637. arcuata, Lafr.; Sclat. & S. Ex. Orn. pl. .

N. Gran., Ecuad.

5638. viridis, Lafr.; D'Orb. Voy. A. M. t. 30. 2.

Bolivia, Peru.

1383. AMPELION, Cab. 1845.

Carpornis, G. R. Gr. 1846. Ampelio, Cab. & H. 1859.
Ampelioides, Verr. 1867. Ampelis, 2 sect., Sw. 1837.
Sw. C. of B. f. 222, b; G. of B. i. p. 279, pl. 68. f. 5; Reich. S. A. t. 89. f.

a. AMPELION.

5639. melanocephala, Sw. Zool. Ill. pl. 25.

Brasil.

5640. cucullata, Sw. P. C. 363.

5641. cinctus, Tsch.; Pr. Z. S. 1855, pl. 104.

Tschudii, G. R. Gr. flavitorques, J. Verr. N. Arch. du Mus. 1867, t. 2. 1.

Ecuador. New Granada. Rio Napo. 2 B 2 1384. b. Heliochera, De Fil. 1846.

Ampelion, Reich. 1850. Reich. S. A. t. 89. f.

5642. rubrocristata, Lafr.; D'Orb. Voy. A. M. t. 31. 1. rufocristata, Boiss.

New Granada. Ecuador, Boliv.

5643. rufaxilla, Theh. F. P. t. 7. 2.

Peru.

1385. c. Tijuca, Less. 1829.

Chrysopteryx, Sw. 1831.

Sw. C. of B. f. 221; Reich. S. A. t. 72. f. .

5644. nigra, Less. Cent. Zool. t. 6; Ermann, Reise, t. 10. 1. erythrorhynchus, Sw.; chrysoptera, Nordm.

Brazil.

Subfam. III. Lipanginæ, Sclat. 1862.

Querulinæ, p., Sw. 1837. Lipauginæ!, Sclat. Ampelinæ, p., Cab. 1847.

1386. LIPANGUS, Boie, 1828.

Lipaugus, Cab. 1847. Rhytipterna, Reich. 1850. Lipaugus, 3 div., Sclat. & S. Sw. C. of B. f. 61; G. of B. i. p. 240.

a. LIPANGUS.

5645. holerythrus, Sclat.

Vera Paz.

5646. simplex, Licht.; Jard. & S. I. O. pl. 37.

S.E. Brazil.

calcaratus, Sw.; cinerascens, Spix. rustica, Max.

1387. b. Laniocera, Less. 1840.

Aulea, Bp. 1853. Lathriosoma, Bp. Auleus et Aulius, Schat. Aulia, Schiff. Lipaugus, 2 div., Schat. & S.

5647. hypopyrrhus, V.

sibilatrix, Max.; sanguinaria, Less.

Peruvian Andes.

5648. lateralis, G. R. Gr. & M. G. B. pl. 60. hypopyrrhus, p., Sclat.

5649. rufescens, Sclat. & S. Exot. Orn. pl. 3. typicum, Bp.

Guatemala.

1388. c. Lathria, Sw. 1831.

Poliochrus, Reich. 1850. Lipaugus, 1 div., Sclat. & S. G. of B. i. pl. 60. f 10; Reich. S. A. t. 68. f. , et t. 89. f. .

5650. fuscocinereus, Lafr. unirufus, p., Cass.

New Granada.

5651. cineraceus, V.; Lev. O. Amer. t. 44. cinerea, Sw. Flyc. pl. 2.

5652. plumbea, Licht.

vociferans, Max.; cineraces, Burm.

5653. unirufus, Sclat. & S. Exot. Orn. pl. 1.

5654. subalaris, Sclat. & S. Exot. Orn. pl. 2.

5655. ---- ?

unirufus, Cass.

5656. Virussii, Natt. & Pele. plumbeus, Sclat.?

1389. LANIISOMA, Sw. 1831.

Ptilochloris, Sw. 1837. Collurampelis, Less. 1839.

G. of B. i. p. 272, pl. 66. f. 5; Reich. S. A. t. 89. f. .

a. LANIISOMA.

5657. squamata, Max. Mag. de Zool. 1843, t. 40. lunatus, Sw.; arcuatus, Lafr.

5658. remigialis, Lafr.

5659. xanthothorax, Sclat.

b. Heteropelma, Bp. 1853. 1390.

5660, turdinum, Max.

rufo-olivaceum, Lafr.; viridis, Less.?

5661. verse-pacis, Sclat.

5662. amazonum, Sclat.

5663. Wallacei, Sclat. & S.

5664. virescens, Max.

galeata Q, Licht.; unicolor, Ménétr.

5665. flavicapillum, Sclat.

5666. stenorhynchum, Sclat.

5667. rufum, Natt. & Pele.

5668. chrysocephalum, Pelz.

c. ? Schiffornis, Bp. 1853. 1391.

Heteropelma, p., Bp.

5669. major, Bp.; Casteln. Voy. t. 18. 2.

5670. minor, Schiff.

1392. d. NEOPELMA, Sciat. 1862.

Heteropelma. b, Sclat.

Cavenne, Peru. Amazon, Bolivia.

S.E. Brazil.

Vera Paz.

Rio Napo.

I. of Darien.

Brazil.

Brazil.

R. Napo.

Brazil.

Vera Paz.

Peru.

Lower Amazon,

Brazil.

Venezuela.

Brazil.

Peruy. Andes.

-- -- ?

5671. aurifrons, Max. Mag. de Zool. 1833, t. 13. luteocephala, Lafr.

Brazil.

1393. c. Heterochecus, Hartl. 1862.

5672. linteatus, Strickl. Contr. Orn. 1850, pl. 63.

Upper Amazon.

5673. flavivertex, Pels.

linteatus, Q,? Solat. & S.

Brazil.

Subfam. IV. Gymnoderinæ, G. R. Gr. 1847.

Coracinæ, Sw. 1831. Coracininæ, Cab. 1847. Querulinæ, Sw. 1837.

1394. QUERULA, *V.* 1816.

Ampelis, Cuv. 1817. Threnædus, Glog. 1842. G. of B. i. p. 239, pl. 60. f. 11; Reich. S. A. t. 89. f.

a. QUERULA.

5674. purpurata, Mill.; P. E. 381; V. Gal. des Ois. t. 115; Lev. O. Am. & I. t. 47, 48; Sw. Flyc. pl. 1. Cayenne. cruenta, Bodd.; rubricollis, Gm. porphyrobrancha, Shaw.

1395. b. Hamatoderus, Bp. 1854.

5675. militaris, Lath.; Lev. O. Amér. t. 25, 26. purpures, Less.; rubra, V.

1396. PYRODERUS, G. R. Gr. 1840.

Coracina, Sw. 1837.

Sw. C. of B. f. 237, a, b; G. of B. ii. p. 317, pl. 77. f. 2; Reich. S. A. t. 68, f.

5676. scutatus, Shaw, Mus. Lev. pl. p. 199; P. C. 40. rubricollis, V.; sanguinicollis, Licht.

S.E. Brazil.

5677. orinocensis, Lafr.; G. R. Gr. & M. G. B. pl. 77.

Venezuela.

5678. granadensis, Lafr.

New Granada.

1397. GYMNODERUS, Geoffr. 1809.

Coracina, V. 1816. Coronis, Glog. 1827. Gymnodera, Less. 1831.

G. of B. ii. p. 319, pl. 77. f. 1; Reich. S. A. t. 89. f. .

5679. foeticlus, L.; P. E. 609; V. Gal. des Ois. t. 112. nudicollis, Bodd.; gymnodera, V. cayennensis, Geoffr.; nudus, Gm.

Guiana, Brazil. Rio Negro.

1398. GYMNOCEPHALUS, Geoffr. 1809.

Clavifrons, Daud.?

Sw. C. of B. f. 237, d; G. of B. ii, p. 319, pl. 77, f. 4; Reich. S. A. t. 89, f.

5680. calvus, Gm.; P. E. 521.

gymnocephala, V.; capucinus, Geoffr. cayanensis, Steph.

Cayenne.

1399. CEPHALOPTERUS, Geoffr. 1809.

Coracina, Tem. 1820.

Sw. C. of B. f. 19. 237, c; G. of B. ii. p. 319, pl. 77. f. 3; Reich. S. 4. t. 89. f. .

5681. crnatus, Geoffr. Ann. du Mus. xiii. t. 15; V. Gal. des Ois. Guiana, Amaz., t. 113; Schl. De Dierk. fig. p. 154; P. C. 255. Bolivia. cephaloptera, V.; umbellata, Steph.

5682. penduliger, Sclat. Ibis, 1859, pl. 3.

Ecuador.

5683. glabricollis, Gould, Pr. Z. S. 1850, pl. 20.

Costa Rica, Chir.

1400. CASMARHYNCHUS, Tem. 1820.

Casymorhynchus, G. R. Gr. 184? Procnias, Hoffm. Ill. 1811. Averanus, Rafinq. 1815? Averano, Less. 1831. Averanos, Strickl. 1841. Eulopogon, Glog. 1842. G. of B. i. p. 280; Reich. S. A. t. 89. f. .

a. Casmarhynchus.

5684. variogatus, Gm.; P. E. 51; Gal. des Ois. t. 117.

Brazil.

1401.

b. Arapunga, Less. 1831.

Chasmorhynchus, Glog. 1842.

Sw. C. of B. f. 222, a; G. of B. i. p. 68. f. 7; Reich. S. A. t. 89. f. .

5685. nudicollis, V.; P. C. 368, 383; Spir, A. B. t. 4. alba, Thunb.; carunculata, Spix.

S.E. Brazil.

5686. niveus, Bodd.; P. E. 793, 794. carunculata. Gm.

Cayenne.

5687. tricarunculatus, Verr. Ibis, 1865, pl. 3; Schl. De Dierk. Costa Rica, fig. p. 153.

Veragua.

5688. ? priscus, Sclat.

Subfam. V. Piprinæ, Sw. 1837.

1402. PIPRA, Bonn. 1790, nec L. 1766.

Chiroprion, Schiff. 1854. G. of B. i. p. 273.

a. PIPRA.

5689. parecla, L.; Edw. B. pl. 261. 1; P. E. 687. 2, & 303. 2;

Desm. Manak. i. 50-53; Sw. B. Braz. pl. 44. superbus, Pall.; prasinus, Sparrm.

Brazil.

plumata, Müll.; ægithaloides, Licht.

b. Cercophana, Schiff., Bp. 1854. 1403.

Chiroxiphia, p., Cab.

5690. linearis, Bp. Voy. Sulph. pl. 20. fastuosa, Less.

Nicaragua.

1404. c. Chiroxiphia, Cab. 1847.

Cheiroxiphia, Reich. 1850.

Reich, S. A. t. 63. f. .

5691. caudata, Shaw, Nat. Misc. pl. 153; Spiz, A. B. t. 6. 1, 2. Brazil.

5692. regina, Natt. & Sclat. Cat. of B. pl. 20.

Braz., U. Amaz.

5693. melanocephala, Bp.; Hahn, Vog. t. 4. pareolides, Lafr.; lanceolata, Wagl. pareola, Hahn; caudata, Lawr.

Carth., Caracc. New Gran., Trin.

5694. ignicapilla, Wagl.

Brazil.

1405.

d. ---?

Pipra, Bp. 1854.

Reich. S. A. t. 63. f. .

5695. aureola, L.; Edw. B. pl. 261.2; P. E. 343 & 302.2; Desm. Manak. t. 54-57.

Cayenne.

5696. fiavicellis, Sclat.

Rio Negro.

5697. fasciata, Lafr.; D'Orb. Voy. A. M. t. 30. 1.

Bolivia.

5698. aurantia, Wagl.; Edw. B. pl. 32. low. fig.

5699, heterocercs, Sclat.

R. Amazon.

1406. e. CIRRHIPIPRA, Bp. 1850.

Teleonema, Reich. 1850. Cirripipra, Bp. 1854. Reich. S. A. t. 63. f.

5700. filicauda, Spix, A. B. t. 8. 1, 2. filifera, Less.

Rio Napo.

Peru.

1407. f. METOPIA, Sw. 1831.

Antilophia, Reich. 1850. Reich, S. A. t. 63. f.

5701. galeata, Licht.; Sw. Dr. pl. 23. Wiedii, Less.

Brazil.

1408.

g. Masius, Bp. 1850.

Anticorys, Cab. 1859.

5702. chrysoptera, Lajr.; Mag. de Zool. 1843, .44; if R. Gr. & M. G. B. pl. 67. 1.

Bogota.

5703. coronulata, Sciat. Cat. of A. B. pl. 19.

Ecuador.

h. Macheropterus, Schiff., Bp. 1854.

Pipra, Sw. 1837.

Sw. C. of B. f. 225

New Granada.

Bolivia, Peru.

5704. striolata, Bp.; G. R. Gr. & M. G. B. pl. 67. 2. strigilatus, Wagl. 5705. pyrocephala, Sclat.; Jard. Contr. Orn. pl. 5706. deliciosa, Sclat. Ibis, 1862, pl. 6. Ecuador. 5707. regulus, Hahn, Vög. Lief. t. 4. 1, 2; P. C. 54; Sw. B. Braz. pl. 25. Brazil. strigilata, Max.; lineata, Thunb. i. LEPIDOTHRIX, Schiff., Bp. 1854. 5708. cyaneocapilla, Wagl.; Spix, A. B. t. 7. 1 et t. 8. 1; Hahn, Vög. t. 3. 2. herbacea et coronata, Spix. cyanocephala, Bp. 5709. Isidorii, Sclat.; Jard. Contr. Orn. 1852, pl. 100. 1. Bogota. 5710. Nattereri, Sclat. Pr. Z. S. 1864, pl. 39. Brazil. 5711. opalizen, Pelz. 5712. virescens, Pelz. ,, 1411. j. XENOPIPO, Cab. 1847. 5713. atronitens, Cab. British Guiana. 1412. k. Dixiphia, Reich. 1850. Pithys, Boie, 1826. G. of B. i. pl. 67. f. 2; Reich. S. A. t. 63. f. . 5714. leucocilla, L.; P. E. 34. 2; Desm. Manak. t. 59. Cayenne. leucocapilla, Gm. Amazon. 5715. coracina, Solat. Bogota, Peru. leucocilla, p., Sclat. 5716. rubricapilla, Tem. P. C. 54. 3; Hahn, Vog. t. 3. Brazil, Bolivia. erythrocephala, β , L.; torquata, Gm.?

auricapilla, *Licht.*; cristata, *L.*? purpurea, *V.*!; rubra, *Müll.*

erythrocephala, Licht.

5719. chloromeros, Tach.

5718. mentalis, Sclat. Pr. Z. S. 1856, pl. 121. Vera Paz.

5717. erythrocephala, L.; P. E. 34.1; Desm. Manak. t. 60, 61. Cayenne.

5720. czeruleocapilla, Tsch. Peru.

1413. l. Chratopipra, Bp. 1854.

5721. cornuta, Spix, A. B. t. 7. 2. Gui., R. Negro, Ecuador.

1414. m. Corapipo, Schiff., Bp. 1854. Coropipo, Sclat. 1867.

5722. gutturalis, L.; P. E. 324. 1; Desm. Manak. t. 63, 65 Cayenne. perspicillata, Wagl.

5723. leucorrhoa, Sclat. Pr. Z. S. 1863, pl. 10.

N. Gra., C. Rica,
Santa F6.

1415. n. DABYNCETOPA, Schiff., Bp. 1854.

5724. serena, L.; P. E. 324. 2; Desm. Manak. t. 62; V. Gal. des Ois. t. 72. Cayefine.

1416. o. Manacus, Briss. 1760.

Chiromachæris, Cab. 1847. Reich, S. A. t. 63. f.

5725. manacus, L.; P. E. 302. 1; Desm. Manak. t. 59. Guiana, Trin. Edwardsii, Bp. Ecuador.

5726. melanocephala, Müll.; P. E. 303. 1; Desm. Manak. t. 58. Brazil.

manacus, β , Gm.; gutturosa, Desm. manacus, Max.

5727. flaveola, Cass.; Pr. Z. S. 1852, pl. 48. New Granada. flavotinota, Sclat.

5728. Candei, Parzud. Mag. ds Zool. 1843, t. 45. Honduras.
Candsei, Cab. & H.

5729. vitellina, Gould, Voy. Sulph. pl. 21. C. America.

1417. p. Chloropipo, Cab. 1859. Piprites, p., Bp. 1854.

5730. flavicapilla, Sclat. Contr. Orn. 1852, pl. 97. 2. Bogota. plumosa, Licht.; flavicollis, Cab.

5731. griseiceps, Salv. Costa Rica.

1418. q. Hemipipo, Cab. 1847.

Piprites, p., Bp. 1850. Reich. S. A. t. 63. f.

5732. chloris, Natt.; P. C. 172. 2. Brazil, Peru.

5733. chlorion, Cab. Cayenne, Bogo., Rio Napo.

1419. r. Piprites, Cab. 1847.

Reich. S. A. t. 63. f. .

5734. pileata, Natt.; P. C. 172, 1. Brazil.

1420. s. Neopipo, Sclat. & S. 1869.

5735. rubicunda, Sclat. & S. E. Peru.

1421. t. Metopothrix, Sclat. & S. 1866.

5736. aurantiaca, Sclat. & S. Pr. Z. S. 1866, pl. 18. Sarayacu.

1422.

u. ILICURA, Reich. 1850.

Hicura!, Bp. 1854. Reich. S. A. t. 63. f.

5737. militaris, Shaw, Natt. Misc. pl. 849; Erm. Reis. t. 9. Brazil. rubrifrons, V.; oxyura, Nordm.

1423.

v. IODOPLEURA, Less. 1839.

Iodopleurus, Parz. 1847. Reich. S. A. t. 63. f.

5738. pipra, Less. Cent. de Zool. t. 26; Des Murs, I. O. t. 71. 2; K. Vet. Akad. Handl. 1833, t. 11. 5. surora, Sundev.; modesta, Licht.

5739. Isabellse, Parz.; Des Murs, I. O. t. 71. 1.
Emiliæ, Des Murs; Isabellinæ!, G. R. Gr.
guttata, Less.

E. Peru. Venezuela.

5740. fusca, V. Mag. de Zool. 1837, t. 68.
Laplacei, Eyd. & G.

Brazil. Para.

1424. w. Calyptura, Sw. 1831.

Calypturus, Bp. 1854.

G. of B. i. p. 271, pl. 66. f. 7; Reich. S. A. t. 63. f. .

5741. cristata, V.; Sw. Dr. pl. 24. tyrannulus, (Licht.) Wagl.

Brazil.

Subfam. VI. Rupicolinæ, Sclat. 1862.

Ampelinæ, p., Sw. 1837. Piprinæ, p., Cab. 1847. Calyptomeninæ, Bp. 1850.

1425. PHŒNICIRCUS, Sw. 1831.

Cotinga, Merr. 1786. Ampelis, p., V. 1816.
Carnifex, Sundev. 1835. Phoenicorcus, Strickl. 1841.
Phoenicocorcus, Cab. 1847. Phoenicocorcus, Bp. 1850.
Sw. C. of B. f. 224; G. of B. p. 273, pl. 67. f. 4; Reich. S. A. t. 63. f.

5742. carnifex, L.; Edw. B. pl. 39; P. E. 378; Lev. O. Amér. t. 37, 38.

coccinea, Gm.; cuprea, V.

Cayenne. New Granada.

5743. nigricollis, Sw.; Spix, A. B. t. 5; Merr. Beytr. t. 2; Kittl. Kupf. Vög. t. 18. 3.

Para.

atrococcineus, Lafr.; carnifex, Spix. Merremii, Less.; coccinea, Wagl. cuprea, Merr.

1426. RUPICOLA, Briss. 1760.

Pipra, L. 1766, & Ill. 1811. Orinus, Nitzsch, 1840.

G. of B. i. p. 275, pl. 67, f. 3; Reich. S. A. t. 63, f. .

5744. crocea, V.; P. E. 39. 747; Edw. B. pl. 264; Lev. Roll. t. 51, 52, 53.

rupicola, L.; elegans, Steph. aurantia, V.; cayana, Sw.

Cayenne.

5745. peruviana, Lath.; P. E. 745; Lev. Roll. t. 54.

Bogota, Bolivia. Peru.

rupicola, var., Gm.; peruana, Tsch.

Ecuador.

5746. sanguinolenta, Gould; Sclat. & S. Exot. Orn. pl. 15. saturata, Cab.

Subfam. VII. Phytotominæ, Sw. 1837.

Fringillinæ, p., Bp. 1831.

1427. PHYTOTOMA, Mol. 1789.

Ptytotoma, Boie, 1826.

G. of B. ii, p. 390, pl. 94. f. 4; Reich. S. A. t. 86. f. .

5748. angustirostris, Lafr.; D'Orb. Voy. A. M. t. 29. 2.

5747. rara, Mol.; Jard. & S. I. O. pl. 4.

Chili.

Bloxhami, Childr.; silens, Kittl.

Moline, Less.; rufescens, Sw.

Bolivia, Peru.

5749. rutila, V.; D'Orb. Voy. A. M. t. 29. 1.

Monte Video.

FAM. XX. VIREONIDÆ, Sclat. 1862.

Ampelids, p., Sw. 1837. Laniads, p., Cab. 1847.

Subfam. I. Vireonina, Sw. 1837.

Muscicapinæ, p., Bp. 1831. Brachypodinæ, p., Sw. 1837. Vireoninæ, Cab. 1847.

1428. VIREO, V. 1807.

Muscicapa, V. 1807.

Sw. C. of B. f. 217, a; G. of B. i. p. 267; Baird, Rev. Am. B. fig. p. 351.

a. VIRBO.

5750. noveboracensis, Gm.; V. O. A. S. t. 52; Wils. A. O. pl. 18.6.

musicus, V.; cantatrix, Wils.

5751. Huttoni, Cass. Pr. Ac. Phil. 1852, pl. 1.1; Baird, B. N. A. pl. 78. 2.

California.

5752. Carmioli, Baird.

Costa Rica.

5753. atrıcapillus, Woodh.; Cass. Ill. pl. 24.

W. Texas.

5754. Bellii, Aud. B. A. vii. pl. 485.

U. St., W. Mex.

Mex., Guat., Cos. Ric., I. of Pan. LaPlata to Bahia.

5755. vicinior, Coues; Elliot, B. N. A. pl. Arizona. 5756. pusillus, Coues; Elliot, B. N. A. pl. California. Bellii, Coop. Arizona. 1429. b. LANIOVIREO, Baird, 1858. Vireo, p., Auct. Vireosylvia, p., Baird. Baird, Rev. Am. B. fig. p. 346. 5757. flavifrons, V. O. A. S. t. 54; Wils. A. O. pl. 7. 3. E. of U. States. sylvicola, Wils. C. America. 5758. solitarius, Wils. A. O. pl. 17. 6. U. States. Mexico, Guatem., Cassini, Xantus; Baird, B. N. A. pl. 78. 1. Cuba. 5759. propinquus, Baird. Coban, Guatem. 5760. plumbeus, Coues; Elliot, B. N. A. pl. Arizona, S. Rocky M., Mexico. c. VIRBOSYLVIA, Bp. 1838. Phyllomanes, Cab. 1847. Vireosylvia, G. R. Gr. 1848. Sw. C. of B. f. 217, b; G. of B. i. pl. 63, f. 7; Reich. S. A. t. 70, f. ; Baird, Rev. Am. B. fig. p. 327. 5761. calidris, L.; Edw. B. pl. 121. 2. Jamaica. ? olivacea, L.; Edw. B. pl. 253. ? virens, Bodd.; P. E. 273. 1; dominica, Mill. St. Domingo. ? hispaniolensis, Gm. altiloqua, V. O. A. S. t. 31. longirostris, Sw.; mystacalis, Cab. Jam., W. Indies. olivacea, Gosse; atripennis, Lawr. Porto Rico. 5762. olivacea, L.; Edw. B. pl. 253; Wils. A. O. pl. 12. 3. E. of N. Amer. virescens, V. O. A. S. t. 53? Mexico, Bogota. bogotensis, Bryant. Cuba. 5763. agilis, Licht.; Spix, A. B. t. 34. 1. C.& S.of S. Amer. Bartramii, Sw.; virescens, Cass.; chivi, p., Cab. 5764. Swainsoni, Baird; Elliot, B. N. A. pl. Pacific coast. Bartramii, p., Sw. 5765. Josephæ, Sclat. Pr. Z. S. 1859, pl. 154. Ecua. to Co. Ric. 5766. gilvus, V. O. A. S. t. 34; Wils. A. O. pl. 42. 2. U. States. melodia, Wils. 5767. barbatulus, Cab.; Cass. Ill. pl. 37. Cuba, Florida. Bahamas. altiloquus, Gamb. 5768. philadelphica, Cass. Pr. Ac. Phil. vi. pl. 1. 1; Baird, B. N. A. pl. 73. 3. Philadelphia. cobanensis, Sclat.

5769. flavoviridis, Cass. Pr. Ac. Phil. vi. pl. 2.

5770. chivi, 1'.

1431. d. VIRMONELLA, Baird, 1866.

Vireo, p., Baird.

Baird, Rev. Am. B. fig. p. 369.

5771. Gundlachi, Lemb.; Voy. Cuba, t. 5. 1.

5772. modestus, Sclat. Pr. Z. S. 1861, pl. 14. 1.

noveboracensis, Gosse.

5773. Latimeri, Baird.

5774. pallens, Salv.

5775. ochraceus, Salv.

5776. semiflavus, Salv.

ochraceus, p. ?, Baird.

5777. crassirostris, Bryant.

5778. hypochryseus, Solat. Pr. Z. S. 1862, pl. 46.

1432. e. Neochloë, Sciat. 1857.

Baird, Rev. Am. B. fig. p. 371.

5779. brevipennis, Sclat.

1433. f. VIREOLANIUS, Dubus, 185?

Baird, Rev. Am. B. fig. p. 395.

5780. melitophrys, Dubus; Sclat. & S. Exot. Orn. pl. 7. chrysophrys, Licht.

5781. chlorogaster, Bp.

Dubusi, Verr.

5782. pulchellus, Sciat. & S. Exot. Orn. pl. 8.

5783. icterophrys, Bp. icterocephalus!, Sclat. & Salv.

5784. eximius, Baird; Pr. Z. S. 1855, pl. 103.

icterophrys, Sclat.

g. Chlorochroa, Sclat. 1862. 1434.

5785. ? vireonina, Sclat.

1435. HYLOPHILUS, Tom. 1823?

Sw. C. of B. f. 214, c, d; G. of B. i. p. 199, pl. 53. f. 6; Reich.

S. A. t. 61. f. ; Baird, Rev. Am. B. fig. p. 373.

a. Hylophilus.

5786. poicilotis, Tem. P. C. 173. 2.

ruficeps, Licht.; pœcilotis, Aliq.

5787. semibrunneus, Lafr.

E. Brazil.

Bogota.

Cuba.

Jamaica.

Porto Rico.

W. co. of C. Am.

Guatemala.

Bahamas.

Mexico, Tres-

Marias I.

Orizaba.

Jalapa.

E. Peru.

Guatemala.

Cayen., R. Negro. E. Peru.

Bogota.

---?

HAND-LIST OF BIRDS.

HAND-LIST OF BIRDS.	383
5788. echraceiceps, Sclat. Cat. of A. B. pl. 5.	W.Mexico,Costa Rica.
5789. thoracicus, Tem. P. C. 173. 1.	Cayenne, Brazil.
5790. pectoralis, Sclat.	Sapatiba, Rio Am.
5791. flaveolus, Burm.	Brazil, Bahia.
5792. cinerascens, Max.	Brazil.
5793. olivaceus, Tsch.	E. Peru.
5794. frontalis, Tech. F. P. t. 13. 1.	**
5795. leucophrys, Lafr.	
5796. flavipes, Lafr.	Bogota.
5797. castaneiceps, Verr.	
5798. ferrugineifrons, Sclat.	N. Gran.,R. Neg.
5799. insularis, Sclat.	Tobago.
5800. hypoxanthus, Pelz.	Rio Icanna, R.
insularis, p., Léot.	Vaupe. Trinidad.
5801. brunneiceps, Sclat.	S.Braz.,R.Vaupe
5802. acuticaudus, <i>Lawr</i> . acuticauda, <i>Baird</i> .	Venezuela.
5803. semicinereus, Sclat. & S. Pr. Z. S. 1867, pl. 30. 2.	Lower Amazon.
5804. surantiifrons, Lawr.	Panama.
5805. viridiflavus, Lawr.	"
5806. ? brevipennis, Giraud.	
1436. b. Pachysylvia, Bp. 1850.	
5807. decurtatus, Bp. cinereiceps, Sclat. & S. pusillus, Lawr.	Mexico, Veragua. Panama. Guatemala.
1437. CYCLARHIS, 1824, Cychlorhis, 1827, et Cyclaris, 1837, Sw. Laniagra, Lafr. 1837. Falcunculus, p., Sw. 1837. Lanius, 2 div., Cuv. 1817. Thamnophilus, 2 div., Tem. 1820. Cyclorrhis, Reich. 1850. Cycloris, Bp. 1850. Cychlaris, Bl. 1849. Sw. C. of B. f. 200, b; G. of B. i. p. 293, pl. 71. f. 5; Reich. S. A. t. 70. f. ; Baird, Rev. Am. B. fig. p. 384.	

a. Cyclarnis.

5808. guianensis, <i>Gm</i> . poliocephala, <i>Tuch</i> ,	Cayenne. Ucayali.
5809. cearensis, Baird.	Brasil.
5810. flaviventris, Lafr.	Gust., S. Mexico

5811. ochrocephala, Tach.; Sw. Orn. Dr. pl. 58. viridis, Cab.; guianensis, Sw.

S. Brazil.

5812. flavipectus, Sclat.

N. Gran., Carac., Trinidad.

5813. subflavescens, Cab.

Costa Rica.

5814. virenticeps, Sclat. Pr. Z. S. 1860, pl. 164.

Ecuador. Bogota.

5815. nigrirostris, Lafr. Mag. de Z. 1834, t. 33.

5816. viridis, V.

Parag., La Plata, Bolivia? Brazil.

5817. Wiedii, Pelz.

guianensis, Max.; viridis, Baird?

b. LALETES, Sclat. 1861.

Baird, Rev. Am. B. fig. p. 383.

5818. Osburnii, Sclat. Pr. Z. S. 1861, pl. 14. 2.

Jamaica.

Subfam. II. Icteriinge.

Icterianse, Baird, 1865.

1439. ICTERIA, V. 1807.

Peteria, Hoy, 1853.

Sw. C. of B. f. 206, b, 208, b; G. of B. i. p. 229, pl. 57, f. 10; Reich. S. A. t. 70. f. .

a. ICTERIA.

7 7 5819. virens, L.; V. O. A. S. t. 55.

viridis, Gm.; luteus, Sparrm.; polyglotta, Wils. dumicola, V.

Velasquezii, Bp.?; auricollis, Licht.?

E. of U. States. Guatemala. Costa Rica?

5820. longicauda, Lawr.; Baird, B. N. A. pl. 34. 2. viridis, p., Cab.

Cen.U. S.to Pac. Mexico.

1440. b. GRANATELLUS. Dubus, 1850.

5821. venustus, Dubus, E. O. t. 44; Pr. Z. S. 1864, pl. 37. 2.

5822. Sallsei, Sclat. Pr. Z. S. 1856, pl. 120.

S. Mexico.

5823. Pelzelni, Sclat. Pr. Z. S. 1864, pl. 37. 1.

Amaz., Madei.R.

5824. Francescæ, Baird.

Tres-Marias I.

c. Teretistris, Cab. 1855. 1441.

5825. Fernandinæ, Lemb. Cuba, t. 5. 2. blanda, Bp. nec Licht.

Cuba.

5826. Fornsii, Gundl.

E. Cuba.

Subfam. III. Dulinæ, Sclat. 1862.

Oriolinæ, p., Sw.

1442. DULUS, *V.* 1816.

Oriolus, p., Sw.

Baird, Rev. Am. B. fig. p. 402.

5827. dominicus, L.; P. E. 156. 2; V. Gal. des Ois. t. 146. St. Domingo. palmarum, V.

FAM. XXI. LANIIDÆ, Sw. 1824.

Laniadæ, Vig. 1825.

Subfam. I. Pachycephalinæ, G. R. Gr. 1840.

Vireoninæ, p. Piprinæ, p., et Thamnophilinæ, p., Sw. 1837.

1443. COLLURICINCLA, Vig. & H. 1825.

Collurisoma, Sw. 183? Colluriocincla!, G. R. Gr. 1840. Pnigocichla, Cab. 1850. Colluricisoma, Bp. 1853. Sw. C. of B. f. 202; G. of B. i. p. 295, pl. 71. f. 3; Reich. S. A. t. 69. f. .

a. Collubicincla.

i828. harmonica, Lath.; Jard. & S. I. O. pl. 71; Gould, B. A.

cineres, Vig. & H.; saturninus, Nordm. dilutus, badius et canescens, Lath.?

5829. rufiventris, Gould, B. A. ii. pl. 75.

5830. brunnea, Gould, B. A. ii. pl. 76.

5831. **Selbii,** Jard. & S. I. O. pl. 32; Gould, B. A. ii, pl. 77. rectirostris, Jard.; strigata, Sw.

bourouensis, p., Cuv.

5832. ? sandwichensis, Gm. otaitensis, p., Cass.

1444.

b. RECTES, Reich. 1850.

Pitohui!, Less. 1831. Reich. S. A. t. 65. f.

5833. kirrocephala, Less. Voy. Coqu. t. 11.

i834. dichroa, Bp. bicolor, Müll.

i835. cerviniventris, G. R. Gr.

i836. uropygialis, G. R. Gr.

1837. strepitans, Jacq. & Pucker. Voy. Pôle Sud, t. 6. 1. ferruginea, Bp.

New Guinea.

New S. Wales.

S. & W. Aust.

Port Essington.

Tasmania.

Sandwich I.

New Guin., Aru.

Waigiou.

Mysol.

New Guinea. Aru, Mysol.

2 c

1

5838. leucorhyncha, G. R. Gr.	Waigiou.
48/5 + 5839. ? tenebrosa, Hartl. P. A.	Pelew I.
1445. c. —?	
Myiolestes, Mill. 1850, nec Cab. 1847. Napothera, Tem. nec Boie.	•
Myiophila, Fitz. 1864, nec Reich. 1850.	
5840. megarhyncha, Quoy & G. Voy. Astrol. t. 3. 1.	New Guines.
5841. aruensis, G. R. Gr.	Aru, Mysol.
\$7° ≥ 45842. rufogaster, Gould.	Albany Bay.
5843. parvula, Gould, B. A. ii. pl. 78.	N. Australia.
5844. pulverulentus, Müll.	New Guines.
5845. affinis, G. R. Gr.	Waigiou.
2226 4 5848. vitiensis, Hartl. Fayn. Centralpol. t. 8. 1.	Feejee I.
1446. CRACTICUS, V. 1816. manufactur	9. 1. 11244
Barita, Cuv. 1817. Sparactes, p., Ill. 1811.	7. 7
Vanga, Sw. 1837. Craticus, Exton, 1842. G. of B. i. p. 300, pl. 72. f. 3; Reich. S. A. t. 71. f.	
a. Cracticus.	
5847. personatus, Tem.	New Guin., Aru,
9836 ♦ 5848. robustus, Lath.; Gould, B. A. ii. pl. 49.	Waig., Mysol. New S. Wales.
varius, Vig. & H.; nigrogularis, Gould. ? * 56.	S. Australia.
2 197 / 5849. picatus, Gould, B. A. ii. pl. 50.	Port Essington.
5850. Quoyi, Less. Voy. Coqu. t. 14; Gould, B. A. ii. pl. 53.	
5851. cassicus, Bodd.; P. E. 628.	Mys., C. York. New Guines.
varia, Gm.; Sonneratii, Less.	
72/7 • 5852. argenteus, Gould, B. A. ii. pl. 51.	N. Australia.
1447. b. Bulestes, Cab. 1850.	
j 76. → 5853. torquatus, Lath.; Gould, B. A. ii. pl. 52.	New S. Wales.
curvirostris, <i>Lath.</i> ; australis, <i>Steph.</i> destructor, <i>Tem.</i> /) 34	S. Australia.
5854. leucopterus, Gould.	W. Australia.
7367 • 5855. cinereus, Gould, Syn. B. of A. pl f.	Tasmania.
1448. OREOICA, Gould, 1837.	
Orecea, Aliq.	
G. of B. i. p. 294, pl. 71. f. 7; Reich. S. A. t. 70. f.	
737/ 5856. cristata, Lewin, B. N. H. pl. 9; Gould, B. A. ii. pl. 8	1. New S. Wales.
gutturalis, <i>Vig. & H.</i> Var.	S. Australia.

1449. FALCUNCULUS, V. 1816.

Lanius, Tem. 1820.

G. of B. i. p. 293, pl. 71. f. 1; Reich. S. A. t. 70. f. .

5 5857. frontatus, Lath.; Lew. B. N. H. pl. 26; V. Gal. des Ois. t. 137; Gould, B. A. ii. pl. 79.

flavigulus, Gould; Gouldi, Cab.

S. Australia.

5858. leucogaster, Gould, B. A. ii. pl. 80.

W. Australia.

New S. Wales.

1450. PARDALOTUS, V. 1816.

Sw. C. of B. f. 227; G. of B. i. p. 270, pl. 66, f. 6; Reich, S. A. t. 70, f.

a. PARDALOTUS.

* • 5859. punctatus, Lath.; Shaw, Nat. Misc. pl. 111; V. Gal. des Ois. t. 73; Gould, B. A. ii. pl. 35.

australis, Steph.?

Australia. N. S. Wales, Tas.

New S. Wales?

5860. quadragintus, Gould, B. A. ii. pl. 36.

5 4 5861. striatus, Lath.; Shaw, Nat. Misc. pl. 174; Gould, B. A. ii. pl. 38.

ornatus, Tem. P. C. 394. 1.

Australia. Tasmania.

5862. affinis, Gould, B. A. ii. pl. 39.

5863. **xanthopygus**, M. Coy; Gould, B. A. suppl. pl. Leadbeateri, Rams.

S.E. Australia.

5864. **uropygialis**, *Gould*, *B. A.* ii. pl. 41.

₹ ₹5865. melanocephalus, Gould, B. A. ir. pl. 40.

N. Australia. New S. Wales.

5866. rubricatus, Gould, B. A. ii. pl. 35.

Austral., Tasm.

1451. b. Smicrornis, Gould, 1843.

Reich. S. A. t. 59, f.

▶ 5867. brevirostris, Gould, B. A. ii. pl. 103.

N. S. Wales, S. & W. Australia.

5868. flavescens, Gould, B. A. ii. pl. 104.

N. Australia.

14.52. c. P. 5869. Woodhousei, Cass.

c. Parmoptila, Cass. 1859.

Cass. W. Africa.

1453. PACHYCEPHALA, Sw. 1826.

Timixos, p., Bl.

Sw. C. of B. f. 217, c, d; G. of B. i. p. 271, pl. 66. f. 4; Reich. S. A. t. 70. f.

a. Pachycephala.

5870. gutturalis, Lath.; Lev. O. A. t. 115; Gould, B. A. ii. pl. 64. Australia pectoralis, Lath.; dubia, Shaw, Nat. Misc. pl. 949. lunularis, Steph.; albicollis, V.

fusca et fuliginosa, Vig. & H.

meruloides, Bl.

5871. melanura, Gould, B. A. ii. pl. 65.

Tasmania. 2 c 2

1.

C993	5872. rufiventris, Lath.; Lewin, B. N. H. pl. 8; Gould, B. A. ii. pl. 67.	Australia.
	pectoralis, Lewin; striata, Vig. & H. macularius, Quoy & G. Voy. de l'Astrol. t. 13. 1. rubrigaster, V.	
	5873. falcata, Gould, B. A. ii. pl. 68.	N. Australia.
	5874. Gilberti, Gould, B. A. ii. pl. 71. inornata, Gould.	S. & W. Austral.
	5875. simplex, Gould, B. A. ii. pl. 72.	N. Australia.
	5876. griseiceps, G. R. Gr.	Aru, Mys., Wai.
•	5877. grisecnota, G. R. Gr.	Mysol.
	5878. rufipennis, G. R. Gr.	Ké.
	5879. monacha, G. R. Gr.	Aru.
	5880. nigrimentum, G. R. Gr. melanura, Bp.; armillata, Tem. cucullatus, Licht.	Moluccas. Timor.
	5881. clio, Wall.	Sula, Bouru.
	5882. calliope, Müll.	Timor.
	5883. fulvotincta, Wall.	Flores.
	5884. chlorurus, G. R. Gr.	New Hebrides.
. 895	5885. vitiensis, G. R. Gr.; Faun. Centralpol. t. 8. 3. optata, Hartl.	Feejee I.
	5886. arioloides, Pucher. Voy. Pôle Sud, t. 5. 3. Astrolabi, Bp.	Solomon I.
1677.	5887. icteroides, Peale, U. S. Expl. Exped. pl. 10, 3. diademata, Pucher. Voy. Pôle Sud, t. 5. 1. Hombroni, Bp.	Samoan I.
16 27 .	5888. flavifrons, Peale, U. S. Expl. Exp. pl. 10. 1.	"
,	5889. xanthetræa, Forst.	New Caledonia.
	5890. assimilis, Verr. & M.	,,
	5891. glaucura, Gould, B. A. ii. pl. 65.	Tasmania.
	5892. lanoïdes, Gould, B. A. ii. pl. 69.	N. Australia.
	5893. rufogularis, Gould, B. A. ii. pl. 70.	S. Australia.
	5894. xanthoprocta, Gould.	Norfolk I.
	5895. longirostris, Gould.	••
	5896. ? lugubris, <i>Müll</i> .	New Guinea.
	5897. ? virescens, Müll.	,,
	5898. macrorhyncha, Strickl. Contr. Orn. 1849, pl. albicollaris, Verr.	Amboina.
13476	dergo che dego di	

E. Australia.

5899. xanthonemis, G. R. Gr.	Amboina.
5900. rufescens, Wall.	Sula, Bouru.
5901. lineolata, Wall.	**
5902. mentalis, Wall. melanura, G. R. Gr.	Ternate, Batch. Gilolo.
5903. brunnea, Wall.	Banda, Salwatti.
1 5904. albifrons, Peale, U. S. Expl. Exped. pl. 10. 2.	Samoan I.
5905. Gräffei, Hartl. Faun. Centralpol. t. 8. 2.	Feejee I.
5906. morariensis, Verr. & Murs.	New Caledonia.
1454. b. Psalteicephus, Bp. 1854.	
5907. melanops, Pucher. Voy. Pôle Sud, t. 5. 2. Jacquenoti, Bp.	Tonga I.
1435. c. Timixos, Bl. 1842.	
5908. olivacea, Vig. & H.; Gould, B. A. ii. pl. 73.	New S. Wal., Tas.
1456. d. Pucherania, Bp. 1854.	
5909. spinicauds, Pucher. Voy. Pôle Sud, t. 6. 2.	Warrior's I., Torres Straits.
1457. e. Calicalicus, Bp. 1854.	
Hylophorba, Sclat. 1865. Lanius, p., Poll. & V. D.	
5910. madagascariensis, L.; P. E. 299. 1, 2. ruticilla, Sclat. Pr. Z. S. 1865, pl. 13 (♀).	Madagascar.
1458. f. Hylocharis, Boie, 1827.	
Hyloterpe, 1847, et Hylocharis, 1847, Cab. Tephrodornis, p., Bl.	
5911. philomela, Boie. griscola, Bl.	Java, Sumatra, Arakan, Anda.
5912. orpheus, Verr.; Contr. Orn. 1849, pl.	Timor.
1459. EOPSALTRIA, Sw. 1831. Eupsaltria, Aliq.	
Sw. C. of B. f. 218; G. of B. i. p. 272, pl. 66. f. 1; Reich. S. A. t. 70. f.	
a. Eopsaltria.	
5913. australis, Lath.; White, Journ. pl. p. 239; Voy. Thetis, t. 41. 1.	New S. Wales.
flavigastra, $Lath$.; parvula, $Gould$. flavicollis, Sw .; griseocapilla, V .	
5914. gularis, Quoy & G. Voy. Astrol. t. 10. 4. leucogaster, Gould, B. A. iii. pl. 13.	W. Australia.

5915. capito, Gould, B. A. suppl. pl.

K

593

Æ 5 E . ; ;

5916. caledonica, Gm. olivacea, Forst.; variegata, G. R. Gr.	New Caledonia.
5917. cucullata, G. R. Gr.	New Hebrides.
5918. flavigastra, Verr. & Murs.	New Caledonia.
5919. georgiana , Quoy & G. Voy. Astrol. t. 3, 4; Gould, B. A. iii. pl. 12.	
griseogularis, Gould.	
5920. gambierana, Less.	Low Islands.
5921. magnirostris, Rams.	Rockingham Bay, Australia.
5922. leucura, Gould.	Cape York distr.
5923. chrysorrhous, Gould, B. A. iii. pl. 11. australis, p., Gould.	E. of N. S. Wales, S. of Queensl.
1460. b. Chasiempis, Cab. 1847. Chasciempis, Des Murs, 1853. Reich. S. A. t. 67. f.	
5924. sandwichensis, Lath.	Sandwich I.
5925. ? maculata, <i>Gm</i> .	21
1461. c. Phæornis, Sclat. 1859. Chasiempsis, p., Hartl. Tænioptera, p., Cass.	
5926. obscura, Gm.; U. S. Expl. Exped. pl. 9. 3.	"
GAS. IT Toniing G., 1991	

Subfam. II. Laniinæ, Sw. 1831.

Lanianse, Sw. 1824.

1462. COLLYRIO, Mochr. 1752.

Lanius, Briss. 1760, et Ill. 1811.
Falco, p., 1735, et Ampelis, p., 1748, L.
Collurio, Vig. 1831.
Sw. C. of B. f. 200, a, h, i; G. of B. i. p. 290, pl. 71. f. 10; Reich.
S. A. t. 69. f. ; Baird, Rev. Am. B. fig. p. 437.

a. COLLYRIO.

5927. excubitor, L.; P. E. 445; Naum. Vög. t. 49; Gould, B. E. pl. 66. cinereus, Leach. major, Pall.	Europe. Russia.
5928. meridionalis, Tem. P. C. 143; Gould, B. E. pl. 67.	S. Europe.
5929. excubitorius, Des Murs; Lefebvr. Voy. Abyss. t. 8. princeps, Cab.; macrocercus, De Fil.	E. & C. Africa.
5930. algeriensis, Less.	N. Africa.

5931. pallidirostris, Cass. E. & C. Africa. pallidus, Antin.; assimilis, Brehm. 5932. pallens, Cass. dealbatus, De Fil.; leuconotus, Brehm. 5933. Lathora, Sykes; Gr. Ill. Ind. Zool. pl. 32. 2, & 33. 3. India. burra, Gr.; excubitor, var., Lath. excubitor, Frankl.; magnirostris, Less. minor, p., Rüpp.; orbitalis, p., Hempr. & Eh. 5934. borealis, V. O. A. S. t. 50; Wils. A. O. pl. 5. 1. N. America. excubitor, Wils.; septentrionalis, Bp. 5935. ludovicianus, L.; V. O. A. S. t. 51; Wils. A. O. pl. 22. 5. South Atlantic. ardosiacus, V.; carolinensis, Wils. Gulf States. 5936. elegans, Sw.; Baird, B. N. A. pl. 75. 1. Fur-countries. 5937. pallidus, Antin. C. Africa. 5938. Aucheri, Pucher. Persia. 5939. septentrionalis, Gm. 5940. excubitorides, Sw. Faun. B.-Am. pl. 34; Baird, B. N. A. pl. 72. 2. Fur-countries. ludovicianus, p., Bp. 5941. hemileucurus, Hartl. & F. Algiers. 1463. b. Fiscus, Bp. 1853. Lanius, p., auct. 5942. collaris, L.; P. E. 477. 1; Lev. O. A. t. 61, 62. S. Africa. 5943. subcoronatus, Smith, Ill. S. A. Z. pl. 68. collaris, var., Verr. 5944. Smithii, Fras. Zool. Typ. pl. W. Africa. 5945. fiscus, Cab. E. Africa. collaris, Rüpp.; Arnaudi, Des Murs. 5946. caudatus, Cab.; Decken, Orn. Ost-Afr. t. 5. 1464. c. Leucometopon, Bp. 1853. 5947. nubicus, Licht.; P. C. 216. S.E. Europe brubru, Sibth.; personatus, Tem. leucometopon, V. d. Mühle. W. Africa. E. Africa. albicollis, Würt. **1465.** d. Laniellus, Sw. 1831 (suppressed in 1837). Crocias, Tom. Telephonus, p., Sw. Sw. C. of B. f. 200, d; Reich. S. A. t. 71. f. . 5948. leucogrammicus, Tem. P. C. 592. Java. guttata, Tem.; albonotatus, Less.

Reich. S. A. t. 69, f.

& S. I. O. pl. 115.

melanurus et cissoides, Licht.

5964. melanoleucus, Smith, Mag. de Zool. 1837, t.

; Jard

S. Africa.

1466. Collurio, Bp. 1853, nec Kaup, 1829. China. 5949. shach, L. chinensis, Gr. macrourus, Cuv. 5950. erythronotus, Vig.; Gould, C. B. pl. 12. 2. India, Ceylon. superciliosus, Sw.; jounotus, Hodgs. India. 5951. caniceps, Bl. Cashmere. erythronotus, p., Jerd. 5952. pyrrhonotus, V. Gal. des Ois. t. 135. . India. 5953. bentet, Horsf.; Less. Cent. Zool. t. 72. Java, Borneo. Lower Bengal to 5954. tephronotus, Vig. Himalayas. nipalensis et obscurior, Hedgs. 5955. nigricops, Frankl.; G. R. Gr. & M. G. B. pl. 71; Jerd. Ill. Ind. Orn. pl. 17. India. tricolor, Hodgs. Assam, Arakan. India. 5956. vittatus, Dum.; Gould, C. B. pl. 12. 1. Hardwickii, Gr.; margaritaceus, Less.? 5957. hypoleucus, Bl. Tenasserim. collurioides, Less.? Pegu. 5958. ? nasutus, Scop.; Sonn. Voy. t. 70. Philippine I. antiguanus, Lath.; nigriceps, p., Jerd. China. 5959. ? cephalomelas, Bp. Manilla. nasutus, p., Wald. 5960. quadricolor, Bp. Africa! 5961. fuscatus, Less. Amoy. melanthes, Swink.; lugubris, Hartl. f. Hypocolius, Bp. 1850. 1467. Ceblephyris, p., Hougl. 5962. ampelinus, Bp.; Ibis, 1868, pl. 5. White Nile. isabellina, Heugl. Massow., Abyss. 1468. g. Corvinella, Less. 1831. Reich. S. A. t. 69. f. . 5963. corvinus, Shaw, Lev. O. A. t. 78. S. & W. Africa. cissoides, V.; mellivorus, Licht. h. Unolestes, Cab. 1850 1469. Basanistes, Licht. 1842, nec Burm. 1836. Corvinella, p., Bp.

1470. ENNEOCTONUS, Boie, 1826.

Collurio, Kaup, 1829.

G. of B. i. p. 291, pl. 71. f. ; Reich. S. A. t. 69. f.

5965. collurio, L.; P. E. 31. 2; Naum. Vög. t. 52; Gould, B. E. pl. 69.

spinitorques, Bechst.

Europe. Afr., Palestine.

5966. minor, Gm.

italicus, Lath.; vigil, Pall. longipennis, Bl.

5967. somalicus, Hartl.

Somali.

1471. LANIUS, *L.* 1758.

Otomela, Bp. 1853.

a TANTHE

5968. cristatus, L.; Edw. B. pl. 54.

phænicurus, Sundev.; ferrugiceps, Hodgs. superciliosus, Jerd.

5969. phoenicurus, Pall.; Ibis, 1867, pl. 5. 2.

5970. lucionensis, L.; Briss. Orn. ii. pl. 18. 1. phœnicurus, v. Pelz.

5971. superciliosus, Lath.; Lev. O. A. t. 66. 2. crassirostris, Licht.?

5972. magnirostris, Less.; Ibis, 1867, pl. 6. crassirostris, Kuhl; ferox, Drap. strigatus, Eyton; tigrinus, Bl.

5973. arenarius, Bl. cristatus, var. superciliosus, p., Bl.

5974. Schwaneri, Bp.

5975. Anderssoni, Strickl.

5976. ieracopsis, De Fil. juv. of superciliosus, ? Wald.

5977. isabellinus, Ehr.; Ibis, 1867, pl. 5. 1.

1472.

b. Phoneus, Kaup, 1829.

Enneoctonus, p., Bp.

5978. senator, L.; Mus. Carls. t. 1; Naum. Vog. t. 51; Gould, B. E. pl. 70.

rufus, Bp.; pomeranus, Sparrm.; rufus, Bechst. nec L. rutilus, Lath.; ruficollis, Shaw; collurio, var. rufus, Gm.

5979. rutilans, Tem.

superciliosus, Licht.; erythropterus, Rüpp. collurio, var. senegalensis, Gm. rufus, var., Lath.

5980. niloticus, Bp.

C. S. Europe. W. & N. Africa. Persia.

W. Africa.

White Nile.

Russia. Persia.

India, Ceylon.

E. Europe, Asia, Heligoland. Philippine I. China.

Java, Sumatra. Malay peninsula.

Java. Malacca.

Upper Sindh. S.W. Afghanist.

Borneo.

Damaraland.

Arab., Kordofan.

1473. c. Cephalophoneus, Fitz, 1864.

Phoneus, Bp. 1853, noc Kaup, 1829.

5981. bucephalus, Tem. & Schl. F. J. t. 14.

ruficapillus, Tem.

Japan.

Subfam. III. Malaconotinæ, Cab. 1850.

1474. TEPHRODORNIS, Sw. 1831.

Tephrolanius, Bp. 1853.

G. of B. i. p. 289.

a. Tepheodornis.

5982. gularis, Raffl.; P. C. 256. 1.

virgata, Tem.

Java. Malacca.

b. Keroula, Gr. 1833-34.

Kerula, Cab. 1850. Tephrodornis, Sw. 1837.
 Tenthaca, 1837, et Oreurgus, 1841, Hodgs.
 Tentheca, 1841, et Tenthera, 1847, G. R. Gr.

Sw. C. of B. f. 3; G. of B. i. pl. 71. f. 6; Reich. S. A. t. 69. f. .

5983. pondiceriana, Gm.; Gr. Ill. Ind. Zool. pl. 23. 1, 2.

superciliosus, Sw.; griseus, Tick. indica, Gr.; muscicapoides, Frankl. leucurus, Hodgs.; sordidus, Less.

Upper Burmah. Assam.

5984. affinis, Bl.

Ceylon.

India.

1476.

c. Tephrolanius, Bp.

5985. pelvica, Hodgs.

philippensis, Ind. auct.

5986. sylvicola, Jerd.

Nepal, Sikkim, Arakan, Burm. Malabar Coast.

pelvica, p., G. R. Gr.

1477. d. Mylolestes, Cab. 1850.

Cabanisia, Bp. 1854.

5987. obscura, Horsf.; P. C. 119.

Java.

1478.

e. Fraseria, Bp. 1854.

Eucnemidia, Heine, 1860.

5988. ochreata, Strickl.

hirundinacea, Tem.

W. Africa.

5989. cinerascens, Tem.

Ashanti.

1479. f. Hypodes, Cass. 1859.

Romelpusa, Heine, 1860. Eopsaltria, p., Cass.

5990. cinerea, Cass.

W. Africa.

1480. g. Cuphopterus, Hartl. 1866.

5991. Dohrni, Hartl.; Pr. Z. S. 1866, pl. 34.

Prince's I.

S. & W. Africa.

1481. NILAUS, Sw. 1827.

Entomovorus, Less. 1839.

Entomophagus, Agass. nec Horsf.

Sw. C. of B. f. 121; G. of B. i. p. 291, pl. 71. f. 2; Reich. S. A. t. 69. f.

5992. brubru, Lath.; Lev. O. A. t. 71.

capensis, Shaw; frontalis, Forst. afer, p., Shaw.

var. niloticus, Sundev.

1482. PRIONOPS, V. 1816.

G. of B. i. p. 292, pl. 71. f. 9; Reich. S. A. t. 70. f. .

a. PRIONOPS.

5993. plumatus, Shaw; Lev. O. A. t. 80, 81; V. Gal. des Ois. t. 142.

Geoffroii, V.

5994. talacoma, Smith, I. S. A. Z. pl. 5.

1. Z. pl. 5. S. Africa.

5995. Retzii, Wahlb.

tricolor, G. R. Gr.?

5996. poliocephalus, Stanl.; Rüpp. F. A. t. 12. 2. N. Africa.

cristata, Rüpp.

5997. concinnatus, Sundev.

"Rozeres ad Nilum."

E. Africa.

Gaboon.

W. Africa.

Damara.

5998. graculinus, Cab.; Decken, Orn. Ost-Afr. t. 3.

1483. b. Signodus, Tem. 1850.

5999. canicops, Tem.; Schl. Handl. Dierk. t. 2. 17; Jard. Contr.

Orn. 1850, pl. . W. Africa.

6000. rufiventris, Bp.

6001. scopifrons, Peters. E. Africa.

1484. EUROCEPHALUS, Smith, 1836.

Chætoblemma, Sw. 1837.

Eurycephalus, Agass.

Chatoblemma, Ep. 1853.

Sw. C. of B. f. 201; G. of B. i. p. 293, pl. 71. f. 4; Reich. S. A. t. 69. f.

6002. anguitimens, Smith, I. S. A. Z. pl.

leucocephala, Sw.

6003. Rüppellii, Bp.; Rüpp. S. U. t. 27.

anguitimens, Rüpp.

1485. CHAUNONOTUS, G. R. Gr. 1837. G. of B. i. p. 299, pl. 72. f. 5; Reich. S. A. t. 69. f. S. Africa.

Schoa. White Nile. 6004. Sabinei, G. R. Gr.; Jard. & S. I. O. pl. 28. melanoleucus, Verr.

W. Africa.

1486. VANGA, V. 1816 (suppr. in 1818).

Spasornis, Van der Hoev. 1856.

G. of B. i. p. 299, pl. 72. f. 4; Reich. S. A. t. 71. f. .

a. VANGA.

6005. curvirostris, Gm.; P. E. 228. leucocephalus, V.

N., W., & E. Madagascar.

b. Xenopirostris, Bp. 1850.

6006. xenopirostris, Lafr.; Rev. et M. de Zool. 1850, t. 1. Lafresnayi, Bp.

Madagascar.

6007. Damii, Schl. & Poll. F. de Madag. t. 30. albifrons, Poll.

N.E. Madag.

6008. Polleni, Schl.

1488. LANIARIUS, V. 1816.

Pelicinius, *Boie*, 1826. Malaconotus, *Cab*. 1850.

G. of B. i. p. 298; Reich. S. A. t. 69. f. .

a. LANIARIUS.

6009. barbarus, L.; P. E. 56; Lev. O. A. t. 69; Sw. Zool. Ill. n. s. pl. 71.

S. & W. Africa.

6010. cruentus, Hempr. & Ehr.; Rüpp. Atl. t. 29; Jard. & S. I. O. pl. 30.

Abyssinia.

roseus, Jard.; erythrogaster, Cuv. cruentatus!, G. R. Gr.

6011. atrococcineus, Burch.; Sw. Zool. Ill. n. s. pl. 76.

S. Africa.

6012. erythrogaster, Rüpp. Wernei, Gab.

Sennaar. Nile.

6013. modestus, Bocage.

Benguella.

b. Meristes, Bp. 1854.

1489.

6014. chloris, Valenc.

W. Africa.

Peli, Tem.; lepidus, Cass.

6015. ---, n. sp.?

Tette.

1490. c. MALACONOTUS, Sw. 1824.

Archolestes, Cab. 1850.

Meristes, Reich. 1850. Vanga, Less. 1831.

Harcolestes, Verr. 1855.

Reich. S. A. t. 70. f. .

6016. icterus, Cuv.; Lev. O. A. t. 285; V. Gal. des Ois. t. 139. S. & W. Africa. olivaceus, V.; poliocephalus, Licht. Blanchoti, Steph.; hypopyrrhus, Hartl.

6017. hypopyrrhus, Verr.; Less. Cent. Zool. t. 65. cruentus, Less.

W. Africa.

1491. d. DRYOSCOPUS, Boie, 1826.

Hapalolophus, G. R. Gr. 1837. Hapolophus et Hapalolophus, Agass. Malaconotus, Sundev. 1835.

6018. cubla, Shaw; Lev. O. A. t. 72. Var. S. & N. Africa.

Tette.

6019. affinis, G. R. Gr. sublacteus, Verr.; Verreauxii, Cab.

W. Afr., Zanzib.

6020. gambensis, Licht.; Sw. B. W. Afr. pl. 23. mollissimus, Sw.

6021. sublacteus, Cass.

Gaboon.

W. Africa.

6022. sethiopicus, Lath.; Rüpp. S. U. t. 23; Ferr. & Gal. Voy. en Abyss. t. 4. silens, Rüpp.

Abyssinia.

6023. orientalis, Sw. similis, Sw.

8. Africa. Zanzibar.

6024. atrialatus, Cass.

E. Africa.

6025. cucullatus, Tem. & Hartl.

Senegal. Gaboon.

6026. bicolor, Verr.

W. Africa.

6027. angolensis, Hartl.

E. Africa.

6028. hamatus, Hartl.

A. 101100

6030. guttatus, Hartl.

Senegal.
Angola.

6031. Bojeri, Pelz.

Madagascar.

0000 t . 77 ti

~ .

6032. picatus, Hartl.

Gaboon.

6033. Salimæ, Hartl. & F. affinis, Hartl.

Zanzibar, Tette.

affinis, Hartl.
6034. leucopsis, Decken.

E. Africa.

6035. thamnophilus, Decken, Orn. Ost-Afric. t. 8.

6029. Turatii, Verr.; R. et M. de Z. 1858, t. 7.

1492. e. Rhynchastatus, Bp. 1853.

6036. leucorhynchus, Hartl. Abh. d. naturw. Ver. in Hamb. ii. t. 6.

W. Africa.

6037. carbonarius, Cass. leuchorhynchus, p.

,,

6038. funebris, Hartl. E. Africa. 6039. lugubris, Cab.; Decken, Orn. Ost-Afr. t. 7. N.E. Africa. 1493. f. TCHAGRA, Less. 1831. Tschagra, G. R. Gr. 1855. 6040. boulboul, Shaw; Lev. O. A. t. 68; Rüpp. S. U. t. 23. S. Africa. cafer, Forst.; rufiventris, Sw. Natal. sethiopicus, p., Lath. ferrugineus, Sundev.? 6041. major, Hartl. Abh. d. natur. Ver. in Hamb. ii. t. 5. Ashanti. 6042. sticturus, Hartl. & F. Zamhesi. maculicauda, G. R. Gr. MS. Tette. **1494. TELOPHORUS,** 1831, et Telephonus, 1837, Sw. Laniarius, Boie, 1826, nec V. 1816. Sw. C. of B. f. 200, f; G. of B. i. p. 293, pl. 72. f. 1. a. TELOPHORUS. 6043. gutturalis, Müll.; Edw. B. pl. 321; P. E. 272; Lev. O. S. Africa. A. t. 67. zeylonus!, L.; bacbakiri, Shaw. ornatus, Licht.; collaris, Sw. 6044. viridis, V.; Lev. O. A. t. 286; Gal. des Ois. t. 143. Port Natal. gutturalis, Daud.; torquatus, Sw. 6045. quadricolor, Cass. Natal. 1495. b. Chlorophoneus, Cab. 1850. 6046. rubiginosus, Sundev.; Lev. O. A. t. 75. 2. S. Africa. oleagineus, p., Licht. 6047. similis, Smith, I. S. A. Z. pl. 46. S. & W. Africa. aurantiopectus et sulfureopectus et affinis, Less.; chrysogaster. Sw. Tette. 6048. multicolor, G. R. Gr. & M. G. B. pl. 72. W. Africa. 6049. olivaceus, Shaw; Lev. O. A. t. 75. 1, and 76. 1. S. Africa. oleaginus, Licht. 6050. superciliosus, Sw. W. Africa. 1496. c. Pomatorhynchus, Boie, 1826. Podobes, Less. 1831. Tchagra, Less. Turdoides et Ixos, Cuv. 1817. Pomatorhynchus, Cab. 1850. Telophorus, G. R. Gr. 1847. Telophonus, p., Sw. Sw. C. of B. f. 200, e; G. of B. i. pl. 71. f.; Reich. S. A. t. 69. f.

6051. cucullatus, Tem.; P. C. 297.1; Susemihl, Eur. Vög.t. 17.2. N. Africa.

tschagra, Bois; senegalus, Licht. erythropterus, p., Hartl. & F.

S. Europe.

6052. erythropterus, Shaw; P. E. 479. 1; Lev. O. A. t. 70. W. Africa. collurio, var. melanocephalus, Gm. melanocephalus, Tem.; coronatus, V. tschagra, V.; Lev. O. A. t. 70. senegalensis, Less.

6053. trivirgatus, Smith, I. S. A. Z. pl. 94. australis, Smith.

S. & W. Africa.

6054. minutus, Hartl. Hartlaubi, G. R. Gr. MS. Ashanti,

6055. remigialis, Hartl. & F. Galtoni, G. R. Gr. MS.

White Nile.

6056. senegalus, L.; Briss. Orn. ii. t. 17. 1; P. E. 477. 2. collurio, var. senegalensis, Gm. erythropterus, p., Hartl. & F.

W. Africa.

1497. d. PSALTER, Reich. 1850. Harpolestes, Cab. 1850. Sw. C. of B. f. 200, g; Reich. S. A. t. 57. f. .

6057. longirostris, Sw. tschagra, Rüpp.

E. Africa.



ERRATA AND APPENDIX.

```
11. changoun non changou.
64. infulatus non infuscatus.
85. B. M. Coll.
247. ægyptius non ægypius.
252. cayennensis non cayanensis (Lath.).
282. Sclat. & S. Exot. Orn. pl. 90; nitida, Cass.
282ª. polionotus, Cab.
                                                                   Costa Rica.
288. Sclat. & S. Exot. Orn. pl. 89.
288. Nattereri, Sclat. & S. Exot. Orn. pl. 87.
                                                                   S.E. Brazil.
    magnirostris, Max. & Pels.
288 ruficauda, Sciat. & S. Exot. Orn. pl. 88.
                                                                   Mex., Guat.
    magnirostris, Sclat. & Lawr.
                                                                   Veragua.
316. Sclat. & S. Exot. Orn. pl. 85; Azars, Sclat. MS.
371. superciliosus non superciliaris.
                                                                   N.E. Africa.
379. spilogastra, Heugl.
     troglodytes, Hartl. MS.
408. Wall. non Müll.
459. javanensis non javensis.
513. fuscescens non fulvescens.
520, B. M. Coll.
522. erase Spix, A. B. t. 10a.
531. cayennense non cayanense (Lath.).
606. longicaudus non longicaudatus.
639. B. M. Coll.
648. inornatus, Heugl.
                                                                   Abyssinia.
665. sericeo-caudatus non serico-caudatus.
680a. candicans, Natt. & Pels.
                                                                   S. Brazil.
     leucurus, p., V.
728.
729. } B. M. Coll.
 737. cayennensis non cayanensis (Lath.).
744. = 741.
       B. M. Coll.
 794. athiopica, Blanf.
                                                                    Abyssinia.
     tigrensis, Blanf. MS.; albigularis, Heugl.
                                                                      2 D
```

127

130

131

136

136

138

13

14

173

20 -

20

22

24

24

2

2

Ś

Gaboon.

```
808. B M. Coll.
  821. = fusicapillus, Heugl.; velocissirfia, Würt.
  826. = 833.
  2234.
                     i*. WALDENIA, Sharpe, 1869.
829 is the type.
  833. = 826.
  837. = fulva, V. apud Sclat.
  845. albilinea non albilineata.
  871. = 870, apud Solat.
  907ª. crassirostris, Sclat.
                                                                     Solomon I.
  916. javanicus, Horsf.; javanus, Cuv.
  917. ochromalus, Raffl.; ochromelas, Reich.
  261.
                    c*. UROSPATHA, Salvad. 1868.
 ~ 939 is the type.
  967ª. Bairdi, Lawr.
                                                                    Costa Rica.
  1036. peruana non peruviana.
  1052. Rev. Zool. 1850, t. 3.
  1053a. poliopis, Sclat. Pr. Z. S. 1862, pl. 8.
                                                                     Ecuador.
  1089a. cyanoleuca, V.; Sharpe, Alced. pl.
                                                                     Angola.
       senegalensis, Mont.
  1090. = chelucutensis, Hartl. & F.; tachelicutensis, Heugl.
  1091. = tschelicutensis, var. major, Heugl.
  1092. albiventris, Scop.; Sonn. Voy. t. 31 = fusicapills.
  1093. - striolata, var., Sharpe.
  1094. Sharpe, Alced. pl.
  1106. incinctus non unicinctus.
  1110. Q = 1106, apud Finsch & H.
                       CEYCOPSIS, Salvad. 1868.
  3164
  1150°. fallax, Schl.; Sharpe, Alced. pl.
                                                                     Celebes.
  1154. asiatica, Sw.
       meningting, Horsf. &c.
  1159. = coronatus, Smith, apud Sharpe.
  1160. Sharpe, Alced. pl.
  1161. An Alcyone, apud Jard. & Aliq.
  1171. natalensis non coronata.
  1173. Sharpe, Alced. pl.; Lecontei, p., Schl.
  1176. Lessonii, Cass.
                                                                     New Guinea.
       azurea, var. Lessonii, G. R. Gr.
                                                                     Aru.
  1177. = diemensis, Cab.
```

1185ª. Sharpii, Gould; Sharpe, Alced. pl.

1245. Pr. Z. S. 1869, pl. 18.

```
1276. G. read Gilolo.
1302. Hartl. non Newt.
1319. fantensis, Sharpe.
                                                                Fantee.
1361. B. M. Coll. = 1390, apud Walden.
1363. to be erased, = 1987?
1384. = 1354, apud Walden.
1390. = 1361, apud Walden.
1454s. brevirostris, Cab.
                                                                Porto Cabello.
1733a. lyrura, Gould.
                                                                Bahamas.
2016. = squameus, V.; Lev. O. A. t. 116.
2022. = melanodera, Quoy & G. Voy. Astrol. t. 8. 1.
2279. arequipæ, Sclat. & S.
                                                                Bolivia.
                                                                --- ?
2439a. notatus, Eyton.
2473. gutturatus non gutturalis.
2488. cinnamoventris non cinnamomeoventris (Cab.).
2506a. striata, Gould.
                                                                Cape York.
2574. Voy. Pôle Sud, t. 19. 6.
2755. Strangei non Strangeri.
2775.
2776.
      B. M. Coll.
2777.
2778.
2780.
2827, textrix non tetrix.
2833. Heugl. Orn. N. O. Afr. t. 9.
2858. B. M. Coll.
2874. cautus non cantus.
2918. abnormis non abrornis.
2941 (2841). babæcula non beaticula.
2958. = 2833, apud Hartl.
3040. B. M. Coll.
3062. habessinica, Blanf.
                                                                Abyssinia.
3173. fuscicaudata, Blanf.
                                                                Bogosland.
3181.
3225. B. M. Coll.
3246.
3288. semitorquata, Heugl.
                                                                Abyssinia,
    abyssinica, Blanf.
```

```
3394. flaviceps non flavifrons.
```

3531. Giraud, B. Texas, pl. 7. 1.

3569. maderaspatensis non maderaspatana (Bl.).

3598. = fuliginosus, Hodgs.

3647. rosesceus non rosaceus.

3767. = xanthosceles, Sclat.

3881a. subrufescens, Bocage.

W. Africa.

3895. = 4003.

3918. A Hypsipetes, = 3991.

987. MEROPIXUS non MEROPIZUS.

3990. Holti non Holki.

3992 Cantori, Moore.

Tenasserim.

4016. = 4059, apud Cab.

4192^a. Delesserti, *Jerd. Ill. Ind. Orn.* pl. 13. griseiceps, *Deless*.

Neilgherries.

Java.

4217 cineraceus, Horsf. cineraceus, Hartl.

4239. = galeata, Bodd.; drongo, Shaw.

4283. B. M. Coll.

4402a. princeps, Sclat. & S. guatemalensis, Salv.

Veragua.

4811. grisola non griscola.

4820. = mugimaki, Tem. & S. F. J. t. 17, B; hylocharis, Swinh.; erythraca, Bl.

4870°. Finschi, Sharpe.

Fantee.

5361ª. luteiventris, Sclat.

Rio Napo.

5372°. megacephala, Sw. B. Bras. pl. 47.

Brazil.

5515a. ochraceus, Sclat. & S.

Costa Rica.

5667. ? = 5669, apud Sclat. § 8.

5691a. longicauda, V.; Kittl. Kupf. t. 18. 2.

Paraguay.

5735. B. M. Coll.

5735a. cinnamomea, Lawr.; ? = 5735, apud Sclat. & S.

5806a. rubrifrons, Sclat. & S. Pr. Z. S. 1867, pl. 30. 1.

Lower Amazons.

6034. ? = 6023, apud Cab.

14 15



14 DAY USE REFERENCE TO DESK FROM WHICH BORROWED

This book is due on the last date stamped below, or on the date to which renewed.

Renewed books are subject to immediate recall.

Due cnd of FALL quarter Subject to recall after	
NOV 16 1972	
100772	
·	
LD 21-40m-4,'64 (E4555s10)476	General Library University of California Berkeley



60.81 A 19.00

859548

4

QL671 B69

LIBRARY

THE UNIVERSITY OF CALIFORNIA LIBRARY

